


- Notes:
- 1- Internal O-Ring to be OD of 25.5 with a 2mm cross section.
 - 2- External O-Ring to be ID of 28.7 with a 2mm cross section.
 - 3- O-Ring material teo be both resistance to Clorines and Chloramines.



SECTION A-A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

| | | | | | | | |
|-------------|---------|--------------------------------------|-----------|------|------|--|---------------|
| | | UNLESS OTHERWISE SPECIFIED: | | NAME | DATE | Procom International LLC | |
| | | DIMENSIONS ARE IN INCHES | DRAWN | | | | |
| | | TOLERANCES: | CHECKED | | | | |
| | | FRACTIONAL ± | ENG APPR. | | | | |
| | | ANGULAR: MACH ± BEND ± | MFG APPR. | | | | |
| | | TWO PLACE DECIMAL ± | Q.A. | | | TITLE: 3/4 Internal and 1" External Thread | |
| | | THREE PLACE DECIMAL ± | COMMENTS: | | | | |
| | | INTERPRET GEOMETRIC TOLERANCING PER: | | | | SIZE | DWG. NO. |
| | | MATERIAL | | | | B | PA0334 |
| | | FINISH | | | | | REV |
| NEXT ASSY | USED ON | | | | | SCALE: 2:1 | WEIGHT: |
| APPLICATION | | DO NOT SCALE DRAWING | | | | | SHEET 1 OF 1 |