John Liebner, MA, LPC, NCC www.take-thenextstep.com

Phone: 704-567-0522 Fax: 704-526-0675

PATIENT HEALTH QUESTIONNAIRE (PHQ-SADS)

This questionnaire is an important part of providing you with the best health care possible. Your answers will help in understanding problems that you may have. Please answer every question to the best of your ability

itnerea	he <u>last 4 weeks</u> , how much have you been by any of the following problems?	Not bothered	Bother a little		other a lot
		(0)	(1)		(2)
1.	Stomach pain				
2.	Back pain				
3.	Pain in your arms, legs, or joints (knees, hips, etc.)				
4.	Feeling tired or having little energy				
5.	Trouble falling or staying asleep, or sleeping too				
	much				
6.	Menstrual cramps or other problems with your periods				
7.	Pain or problems during sexual intercourse				
8.	Headaches				
9.	Chest pain				
10.	Dizziness				
11.	Fainting spells				
12.	Feeling your heart pound or race				
13.	Shortness of breath				
14.	Constipation, loose bowels, or diarrhea				
15.	Nausea, gas, or indigestion				
15.	Nausea, gas, or indigestion PHQ-15 Score		=	. +	
ver the	PHQ-15 Score			_ + More	
ver the	PHQ-15 Score	Not at all (0)	Several th		eve da
ver the	PHQ-15 Score		Several th days th	an half e days	eve da
ver the by ar	PHQ-15 Score last 2 weeks, how often have you been bothered by of the following problems?		Several th days th	an half e days	eve da
ver the by ar	PHQ-15 Score Last 2 weeks, how often have you been bothered by of the following problems? Feeling nervous anxiety or on edge		Several th days th	an half e days	eve da
over the by ar	PHQ-15 Score a last 2 weeks, how often have you been bothered by of the following problems? Feeling nervous anxiety or on edge		Several th days th	an half e days	eve da
1. 2. 3.	PHQ-15 Score a last 2 weeks, how often have you been bothered by of the following problems? Feeling nervous anxiety or on edge		Several th days th	an half e days	eve da
1. 2. 3. 4.	PHQ-15 Score a last 2 weeks, how often have you been bothered by of the following problems? Feeling nervous anxiety or on edge Not being able to stop or control worrying	(0)	Several th days th	an half e days	Nea eve da (3

Ο.	a	tions about anxiety attacks. In the last 4 weeks, have you had an anxiety attack — sucfeeling fear or panic?	ldenly	NO		YES
lf y	ou ch	ecked "NO", go to question E.				
	b.	Has this ever happened before?				
	C.	Do some of these attacks come <u>suddenly out of the blue</u> — in situations where you don't expect to be nervous or uncomfortable?	that is,			
	d.	Do these attacks bother you a lot or are you worried about hanother attack?	naving			
	e.	During your last bad anxiety attack, did you have symptoms like shortness of breath, sweating, or your heart racing, pounding or skipping?				
D.		the <u>last 2 weeks</u> , how often have you been bothered y any of the following problems?	Not at all (0)		More than half the days (2)	Nearly every day (3)
		Little interest or pleasure in doing things				
		2. Feeling down, depressed, or hopeless				
		Trouble falling or staying asleep, or sleeping too much				
		4. Feeling tired or having little energy				
		5. Poor appetite or overeating				
		 Feeling bad about yourself — or that you are a failure or have let yourself or your family down 				
		7. Trouble concentrating on things, such as reading the newspaper or watching television				
		8. Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual				
		9. Thoughts that you would be beter off dead of or hurting yourself in some way				
	E. If	PHQ-9 Score you checked off <u>any</u> problems on this questionnaire, how	= w <u>difficul</u> t		+ ese proble	+ ms made i
		or you to do your work, take care of things at home, or ge				
		Not difficult Somewhat at all difficult	ı	Very difficult		Extremely difficult

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

PHQ-9* Questionnaire for Depression Scoring and Interpretation Guide

For physician use only

Scoring:

Count the number (#) of boxes checked in a column. Multiply that number by the value indicated below, then add the subtotal to produce a total score. The possible range is 0-27. Use the table below to interpret the PHQ-9 score.

Not at all	(#) x $0 =$
Several days	(#) x 1 =
More than half the days	(#) x 2 =
Nearly every day	(#) x 3 =
Total score:	

Interpreting PHQ-9 Scores					
Diagnosis	Total Score	For Score	Action		
Minimal depression	0-4	≤ 4	The score suggests the patient may not need depression treatment		
Mild depression Moderate depression	5-9 10-14	5 - 14	Physician uses clinical judgment about treatment, based on patient's duration of symptoms and functional impairment		
Moderately severe depression Severe depression	n 15-19 20-27	> 14	Warrants treatment for depression, using antidepressant, psychotherapy and/or a combination of treatment.		

^{*} The PHQ-9 is described in more detail at the Pfizer website: http://www.phqscreeners.com/