



HP EliteDisplay S240n 23.8-inch Micro Edge Monitor

Take your visual experience over the edge with HP's first business display that is virtually borderless on all four sides, the HP EliteDisplay S240n 23.8-in Micro Edge Monitor.



Seriously seamless arrays

- Behold a breathtaking, continuous view with barely-there breaks when you tile multiple micro-edge displays together.

Be clutter-free with USB-C™

- Get a lean, clean workspace with a single USB-C™ cable connection that pulls video and data from and sends power¹ to your PC, notebook, tablet or phone.

Ultra-wide angles for an extra wow factor

- See every brilliant detail of the Full HD 23.8-inch diagonal screen from almost anywhere in the room with the wide viewing angles of IPS.

Featuring

- Connect your digital devices right to the display with DisplayPort™ 1.2 and HDMI in addition to the USB-C™.
- Be energy-smart when you deploy a design that is ENERGY STAR® certified and EPEAT® Gold registered.²
- Design the screen for how you work with HP Display Assistant software, which enables screen partitioning and helps deter theft by deactivating a display that's disconnected without approval.
- Rest assured that your IT investment is supported by a one-year standard limited warranty. To extend your protection, select an optional HP Care service.³



4-sided micro-edge



USB-C




Multi-monitor setup



Expansive connectivity

HP EliteDisplay S240n 23.8-inch Micro Edge Monitor Specifications Table



Each Display sold separately.



Product Number	W9A88AA
Display Size (diagonal)	60.45 cm (23.8")
Display Type	IPS
Panel Active Area	20.74 x 11.67 in; 527.04 x 296.46 mm
Viewing Angle	178° horizontal; 178° vertical
Brightness	250 cd/m ² ¹
Contrast Ratio	1000:1 static; 10000000:1 dynamic ¹
Response Time	14 ms on/off; 7 ms gray to gray (With overdrive) ²
Aspect Ratio	16:9
Native Resolution	FHD (1920 x 1080 @ 60 Hz)
Resolutions Supported	1920 x 1080; 1680 x 1050; 1600 x 900; 1440 x 900; 1280 x 1024; 1280 x 720; 1024 x 768; 800 x 600; 720 x 480; 640 x 480
Display Features	In plane switching; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; User controls
User Controls	Menu; Plus ("+") /Information; Minus ("-")/Viewing Mode; OK/Input control; Power; Brightness; Contrast; Color Control; Input Control; Image Control; Power Control; Management; Language; Information; Exit
Input Signal	1 HDMI; 1 DisplayPort™ 1.2; (with HDCP support)
Ports and Connectors	1 USB Type-C™ (DisplayPort 1.2, power delivery up to 60 W) ¹
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	105 W (maximum), 40 W (typical), 0.5 W (standby)
Dimensions with Stand (W x D x H)	21.25 x 5.7 x 15.25 in 53.98 x 14.5 x 38.76 cm
Dimensions without Stand (W x D x H)	21.25 x 1.37 x 12.28 in 53.98 x 3.5 x 31.19 cm Without stand
Weight	8.16 lb 3.7 kg With stand
Ergonomic Features	Tilt: -5 to +25°
Environmental	ENERGY STAR® certified; Arsenic-free display glass; Mercury-free display backlights; Low halogen ³
Expandable Solutions	HP Elite Slice; HP EliteBook Folio
What's in the box	Monitor; AC power cord; DP cable; HDMI cable; CD (includes User Guide, warranty, drivers); USB Type-C™ to USB Type-C™ cable Full Featured Gen 1-5A; VESA mount adapter
Warranty	Protected by HP, including a 1-year standard limited warranty. Optional HP Care Pack Services are extended service contracts that extend your protection beyond the standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc .

See important legal disclaimers on the last page

Accessories and services (not included)

HP Adjustable Dual Display Stand



The HP Adjustable Dual Display Stand allows you to use two displays to maximize your productivity and optimize efficiency. Either or both displays can be rotated to landscape or portrait orientation, and the stand is depth-, height-, tilt-, and angle-adjustable so you can view both screens at eye-level as well as slightly facing each other, letting you track multiple applications and information sources at the same time. Integrated base rollers let you rotate the stand so you can more easily share your work.

Product number: AW664AA

HP Single Monitor Arm



The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work.

Product number: BT861AA

HP Quick Release Bracket



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.

Product number: EM870AA

HP Business PC Security Lock v2 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the HP Business PC Security Lock v2 Kit.

Product number: N3R93AA

HP USB Graphics Adapter



The super-compact HP USB Graphics Adapter enables connection of up to six simultaneous displays (one per adapter) to help you boost productivity and multi-task across several open applications.

Product number: NL571AA

HP 3 year Next business day Advance Exchange Large Monitor Service



HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that can easily be shipped and on which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to onsite support.

HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charges to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance.

Product number: HL519E

Messaging Footnotes

¹ Up to 60 watts. Refer to Power Output in product QuickSpecs for exact specifications, PC must be compatible with the monitor's power output.

² EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status in your country.

³ Sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² The gray to gray Average Response Time product default is 14 ms, and can be adjusted to as low as 7 ms in the display menu.

³ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates
hp.com/go/getupdated

Learn more at
hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

