

## **TEXAS SPECIAL REQUIREMENT**

1. The load on truck may not extend over the rear of vehicle more than
  - **4 feet**
  - 6 feet
  - 5 feet
  - 3 feet
  
2. When one truck is following another truck or vehicle, it must keep far enough back to allow how many vehicles to overtake and enter safely between them?
  - 4 vehicles
  - 3 vehicles
  - 2 vehicles
  - **1 vehicles**
  
3. Which the following vehicles must have mud flaps when operated on public roads?
  - **All vehicles with 4 or more tires on the rear axle except single truck-tractors and pole trailers**
  - All truck-trailer combinations
  - All commercial vehicles
  - All vehicles with a registered gross weight of 30,500 pounds.
  
4. The first thing the driver of a disabled truck or bus should do is:
  - **Set out flares, reflectors or flags**
  - Flag down a vehicle to tow you in
  - Go for help
  - Try to get the vehicle started
  
5. Every trailer must have how many reflectors on the rear?
  - None
  - 4
  - 3
  - **2**
  
6. Trailers and semi-trailers must ordinarily have brakes that can be applied by the driver when the gross weight of trailer exceeds:
  - 1,000 pounds
  - 500 pounds
  - **4,500 pounds**
  - 2,000 pounds
  
7. Vehicles transporting loose material, sand, dirt, gravel, etc., that is capable of spilling or blowing from the vehicle, must:
  - **Meet loading and/or, covering regulations to prevent spilling or blowing**
  - Always have the load covered to prevent spilling or blowing
  - Drive only on county roads
  - Have a special permit
8. Registration papers are required to be in the possession of the driver or on the vehicle when operating:
  - **All trucks**
  - Any ambulance

- A taxi cab
- A motorcycle

9. To find out the details about registering your particular vehicle, you should consult:

- City police
- Countries in which the truck may be operated
- **Tax collectors and assessor**
- Railroad commission

10. Turn signal indicators are required on all motor vehicles manufactured after model year?

- **1959**
- 1969
- 1948
- 1971

11. When a load extends more than 4 feet over the rear of a vehicle, what color flag must be attached to the extreme end of the extension, if driving in the daytime?

- Blue
- White
- Green
- **Red**

12. The height from the ground for mounted reflectors must be at least:

- 18 inches
- 12 inches
- **24 inches**
- 30 inches

13. The load on a vehicle may not extend beyond the front of the vehicle without a special permit more than:

- 4 feet
- 5 feet
- 6 feet
- **3 feet**

14. When it is necessary to place flares around the truck on a 2 way road with a clear view, one must be placed beside the truck, the other 2 must be placed:

- 50 feet to front and rear of the vehicle
- 150 feet to front and rear of the vehicle
- **100 feet to the front and rear of the vehicle**
- 200 feet to the front and rear of the vehicle

15. Clearance lamps mounted on the rear, or on the side near the rear of the vehicle, must be what color?

- White
- **Red**
- Green
- Amber

16. No vehicle, other than a truck-trailer combination may exceed:

- **65**
- 50
- 40
- 25

17. All trailers or semi-trailers must be equipped with clearance lamps, side marker lamps, and side

reflectors, if their width is:

- **80 inches or more**
- 60 inches or more
- 96 inches or more
- 72 inches or more

18. The maximum speed limit for a taxi cab on numbered US or state highways in the daytime is?

- 65 mph
- 60 mph
- **70 mph**
- 55 mph

19. The color of clearance lamps on the front of the vehicle must be:

- **Amber**
- Blue
- Green
- Red

20. When backing a large truck, you should:

- **Have someone guide you**
- Look straight ahead, so you can back straight
- Depend only on your rear view mirror
- Sound your horn to clear the way and back very slowly

21. When turning right with along vehicle or combination truck-trailer, if it impossible to stay in the proper lane, you should:

- Permit the rear wheels to run over the curb if no obstruction is there
- Approach the corner I the center of the street, the turn right into the right hand lane
- Approach the corner 12 feet from the curb or right edge of the roadway, then turn into the right hand lane
- **Approach the corner about 4 feet from the curb or right edge of the roadway, then if necessary, complete the turn in the center of the street entered.**

22. No combination of vehicles, other than a truck-tractor trailer combination, may exceed:

- 40 feet
- 25 feet
- **65 feet**
- 50 feet

23. It is unlawful to operate any motor vehicle on a highway with:

- Tire chains on the wheels
- **Flanges or lugs on the wheels**
- More than 2 mud-grip tires
- More than 10 tires on the ground

24. The maximum height from the ground for mounted reflectors on vehicles greater than 80 inches wide is:

- 30 inches
- 24 inches
- **60 inches**
- 48 inches

25. The greatest width ordinarily allowed by state law for a truck hauling its load is:

- 84 inches or 7 feet
- 90 inches or 7 ½ feet
- **102 inches or 8 ½ feet**

- 108 inches or 9 feet

26. Every bus or truck manufactured after model year 1959 must be equipped on the rear with:

- 1 yellow reflectors
- 1 red reflector
- **2 stop lights**
- 1 stop light

27. The maximum number of trailers that may be lawfully towed by one vehicle is:

- 1
- **2**
- 3
- 4

29. Which the following vehicles is required by state law to carry a chemical type fire extinguisher?

- Truck hauling household goods
- **Taxi cab**
- Ordinary passenger car
- Cattle truck

30. The maximum number of trailers that may be towed by a commercial motor vehicle, with an unloaded weight in excess of 2,500 pounds is:

- 1 trailer
- 4 trailers
- **2 trailers**
- 3 trailers

31. Which the following vehicles are required by state law to stop at railroad grade crossings, outside city limits, where no traffic control device is in the operation?

- Taxi cabs
- **Buses carrying passengers for hire**
- Truck-trailer combinations
- Truck hauling livestock for hire

32. The top speed limit for heavy trucks on designated rural interstates in the daytime is:

- 50 mph
- 60 mph
- **70 mph**
- 65 mph

33. Clearance lights are required by state law for trucks or buses if the width is:

- 70 inches or more
- **80 inches or more**
- 75 inches or more
- 65 inches or more

34. To haul a load or more equipment that is wider, heavier or longer than law permits, you must:

- Request a highway patrol escort
- Obtain a permit from the police
- Drive after dark on little travelled roads
- **Obtain a permit from the Texas Department of Transportation**

35. When towing another vehicle with a chain, rope or cable?

- Red
- Yellow

- Blue
- **White**

36. The greatest height ordinarily allowed by state law for a vehicle including its load is:

- 13 feet 6 inches
- 12 feet 6 inches
- **14 feet**
- 12 feet

37. Before going down a steep grade with a commercial vehicle, you should:

- Remain in the same gear
- Shift to higher gear
- Never be travelling more than 5 mph
- **Shift to lower gear**

39. The maximum speed limit for a pickup truck with a manufacturer's rated carrying capacity of 2,000 pounds or less on U.S. or state highways in the daytime is:

- 65 mph
- 55 mph
- **70 mph**
- 60 mph

40. The maximum speed limit for motor buses on rural interstate highways at night is:

- 70 mph
- 45 mph
- 60 mph
- **65 mph**

41. Which of the following vehicles are not required to have mud flaps?

- Semi-trailers
- Vehicle operated interstate
- Vehicle hauling livestock
- **Pole trailers**

42. Clearance lights on the rear of a vehicle must be:

- White
- Blue
- Green
- **Red**

43. A slow moving vehicle emblem must be displayed only by:

- **Vehicles designed to be operated at speeds of 25 mph or less**
- Delivery trucks which occasionally drive under 25 mph
- All commercial motor vehicles
- All road machinery driving under 25 mph

44. When stopped on the side of divided highway, flags or reflectors must be placed:

- One beside the vehicle, one 100 feet in front of and one 100 feet behind the vehicle
- **One 10 feet behind the vehicle, one 100 feet behind and one 200 feet behind the vehicle**
- One beside the vehicle, one 50 feet behind and one 100 feet behind the vehicle
- One beside the vehicle, one 50 feet in front and one 50 feet behind the vehicle

45. Which of the following motor vehicle must stop at all railroad grade crossing outside of business or residential district?

- Grain truck
- **Motor bus**

- Ordinary passenger car
- Cattle truck

46. One purpose of requiring registration papers on trucks at all times is to show:

- Weight of the truck when loaded
- **Weight of the truck empty and how much it is registered to haul**
- Counties in which the truck may be operated
- Ownership of the truck

47. No passenger vehicle may be coupled with more than:

- **1 trailer**
- 4 trailers
- 3 trailers
- 2 trailers

48. To operate on the highway with a motor vehicle or trailer having metal tires weight 5,000 pounds or more, you must:

- Get a highway patrol escort
- Drive less than 20 mph
- **Get a special permit from the Texas Department of Transportation**
- Drive in the daytime only

49. When a truck breaks down on a highway in the daytime, the driver should set out:

- 3 flares
- 2 yellow flags
- 2 approved red flags
- **3 red reflectors**

50. The length requirements of state law for vehicles or combinations of vehicles, including extensions over the front and rear, do not apply:

- On state highway
- On U.S. highway
- **Within city limits**
- On farm to market highways

51. Every farm tractor manufactured after January 1<sup>st.</sup>, 1972, complies with state lighting laws by:

- **Having 2 headlamps.**
- Stopping upon approach of another vehicle
- Having 1 white lantern that shows to both the front and rear
- Travelling on the shoulder of the road

52. The greatest length allowed by state law for a single motor vehicle other than a truck tractor is:

- 50 feet
- 40 feet
- 35 feet
- **45 feet**

53. The top speed limit for heavy trucks on designated rural interstates in the nighttime is:

- 55 mph
- 40 mph
- 70 mph
- **65 mph**

54. All school buses, buses, taxis and other vehicles hauling passengers for hire or lease, must carry a chemical type fire extinguisher of at least:

- 1 pint capacity

- 2 quart capacity
- **1 quart capacity**
- 1 gallon capacity

55. The greatest weight allowed by state law for any vehicle including its load is:

- 36,400 pounds
- 48,000 pounds
- **80,000 pounds**
- 60,000 pounds

56. When mud flaps are required on truck or trailers, they must reach how close to the surface of the highway?

- 18 inches
- 16 inches
- 12 inches
- **8 inches**

57. When one vehicle is towing another, the distance between the 2 must not be greater than:

- 18 feet
- **15 feet**
- 10 feet
- 20 feet

58. When going downhill with a commercial vehicle, it is unlawful to:

- Travel more than 25 mph
- Shift to a lower gear
- **Coast**
- Remain in the same gear

59. The load on a truck may not extend over the rear of the vehicle more than:

- 3 feet
- **4 feet**
- 6 feet
- 5 feet

60. When one truck is following another truck or vehicle, it must keep far enough back to allow how many vehicles to overtake and enter safely between them?

- 2
- 4
- 3
- **1**

61. Which of the following vehicles must have mud flaps when operated on public roads?

- All vehicles with a registered gross weight of 30,500 pounds
- **All vehicles with 4 or more tires on the rear axle except single truck-tractors and pole trailers**
- All truck-trailer combinations
- All commercial vehicles

62. The first thing the driver of a disabled truck or bus should do is:

- Try to get the vehicle started
- **Set out flares, reflectors or flags**
- Flag down a vehicle to tow you in
- Go for help

63. Every trailer must have how many reflectors on the rear?

- 1
- 3
- None
- **2**

64. Trailer and semi-trailer must ordinarily have brakes that can be applied by the driver when the gross weight of the trailer exceeds:

- 2,000 pounds
- 1,000 pounds
- 500 pounds
- **4,500 pounds**

65. Vehicles transporting loose material, sand, dirt, gravel, etc., that is capable of spilling or blowing from the vehicle, must:

- Have a special permit
- **Meet loading and/or covering regulations to prevent spilling or blowing**
- Always have the load covered to prevent spilling or blowing
- Drive only on county roads

66. Registration papers are required to be in the possession of the driver or on the vehicle when operating:

- A motorcycle
- **All trucks**
- Any ambulance
- A taxi cab

67. To find out the details about registering your particular vehicle, you should consult:

- Railroad commission
- City police
- Counties on which the truck may be operated
- **Tax collector and assessor**

69. Turn signal indicators are required on all motor vehicles manufactured after model year?

- 1971
- **1959**
- 1969
- 1948

70. When a load extends more than 4 feet over the rear of a vehicle, what color flag must be attached to the extreme end of the extension, if driving in the daytime?

- **Red**
- Blue
- White
- Green

71. The height from the ground for mounted reflectors must be at least:

- 30 inches
- 18 inches
- 12 inches
- **24 inches**

72. The load on a vehicle may not extend beyond the front of the vehicle without a special permit more than:

- **3 feet**
- 4 feet
- 5 feet
- 6 feet

73. When it is necessary to place flares around the truck on a 2 way road with a clear view, one must be placed beside the truck, the other 2 must be placed:

- 200 feet to the front and rear of the vehicle
- 50 feet to the front and rear of the vehicle
- 150 feet to the front and rear of the vehicle
- **100 feet to the front and rear of the vehicle**

74. Clearance lamps mounted on the rear, or on the side near the rear of the vehicle, must be what color?

- Amber
- White
- **Red**
- Green

75. No vehicle, other than a truck-trailer combination may exceed:

- 25 feet
- **65 feet**
- 50 feet
- 40 feet
- 76. All trailers or semi-trailers must be equipped with clearance lamps, side market lamps, and side reflectors, if their width is:
- 72 inches or more
- **80 inches or more**
- 60 inches or more
- 96 inches or more

77. The maximum speed limit for a taxi cab on the numbered US or state highways in the daytime is:

- 55 mph
- 65 mph
- 60 mph
- **70 mph**

78. The color of clearance lamps on the front of the vehicle must be:

- Red
- **Amber**
- Blue
- Green

79. When backing the larger truck, you should:

- Sound your horn to clear the way and back very slowly
- **Have someone guide you**
- Look straight ahead, so you can back straight
- Depend only on your rearview mirror

80. When turning right with a long vehicle or combination truck-trailer, if it is impossible to stay in the proper lane, you should:

- **Approach the corner about 4 feet from the curb or right edge of the roadway, then if necessary, complete the turn in the center of the street entered**
- Permit the rear wheels to run over the curb if no obstruction is there
- Approach the corner in the center of the street, then turn right into the right hand lane
- Approach the corner 12 feet from the curb or right edge of the roadway, then turn into the right hand

lane

81. No combination of vehicles, other than a truck-tractor trailer combination, may exceed:

- 50 feet
- 40 feet
- 25 feet
- **65 feet**

82. It is awful to operate any motor vehicle on a highway with:

- More than 10 tires on the ground
- Tire chains on the wheels
- **Flanges or lugs on the wheels**
- More than 2 mud-grip tires

83. The maximum height from the ground for mounted reflectors on vehicles greater than 80 inches wide is:

- 48 inches
- 30 inches
- 24 inches
- **60 inches**

84. The greatest width ordinarily allowed by state law for truck hauling its load is:

- 108 inches or 9 feet
- 84 inches or 7 feet
- 90 inches or 7 ½ feet
- **102 inches or 8 ½ feet**

85. Every bus or truck manufactured after model year 1959 must be equipped on the rear with:

- 1 stop light
- 2 yellow reflectors
- 1 red reflector
- **2 stop lights**

86. The maximum number of trailers that maybe lawfully towed by one vehicle is:

- 1
- **2**
- 4
- 3

87. Which of the following vehicles is required by state law to carry a chemical type fire extinguisher?

- Cattle truck
- Truck hauling household goods
- **Taxi cab**
- Ordinary passenger car

88. The maximum number of trailers that may be towed by a commercial motor vehicle, with an unloaded weight in excess of 2,500 pounds is:

- 3 trailers
- 1 trailer
- 4 trailers
- **2 trailers**

89. Which of the following vehicles are required by state law to stop at railroad grade crossings, outside city limits, where no traffic control device is in operation?

- Trucks hauling livestock for hire
- Taxi cabs

- **Buses carrying passengers for hire**
- Truck-trailer combinations

90. The top speed limit for heavy trucks on designated rural interstates in the daytime is:

- 65
- 50
- 60
- **70**

91. Clearance lights are required by state law for trucks or buses if the width is:

- 65 inches or more
- 70 inches or more
- **80 inches or more**
- 75 inches or more

92. To haul a load or move equipment that is wider, heavier or longer than law permits, you must:

- **Obtain a permit from the Texas Department of Transportation**
- Request a highway patrol escort
- Obtain a permit from the police
- Drive after dark on little travelled roads

93. When towing another vehicle with a chain, rope or cable, what color flags must be attached to the chain, rope or cable?

- **White**
- Red
- Yellow
- Blue

94. The greatest height ordinarily allowed by state law for a vehicle including its load is:

- 12 feet
- 13 feet 6 inches
- 12 feet 6 inches
- **14 feet**

95. Before going down a steep grade with a commercial vehicle, you should:

- **Shift to a lower gear**
- Remain in the same gear
- Shift to a higher gear
- Never be travelling more than 5 mph

96. The maximum speed limit for a pickup truck with a manufacturer's rated carrying capacity of 2,000 pounds or less on U.S. or state highways in the daytime is:

- 60 mph
- 65 mph
- 55 mph
- **70 mph**

97. The maximum speed limit for motor buses on rural interstate highways at night is:

- **65 mph**
- 70 mph
- 45 mph
- 60 mph

98. Which of the following vehicles are not required to have mud flaps?

- **Pole trailers**
- Semi-trailers
- Vehicles operated interstate
- Vehicles hauling livestock

99. Clearance lights on the rear of a vehicle must be:

- **Red**
- White
- Blue
- Green

100. A slow moving vehicle emblem must be displayed only by:

- All road machinery driving under 25 mph
- **Vehicles designed to be operated at speeds of 25 mph or less**
- Delivery trucks which occasionally drive under 25 mph
- All commercial motor vehicles

101. When stop on the side of a divided highway, flags or reflectors must be placed:

- One beside the vehicle, one 50 feet in front and one 50 feet behind the vehicle
- One beside the vehicle, one 100 feet in front and one 100 feet behind the vehicle
- **One 10 feet behind the vehicle, one 100 feet behind and one 200 feet behind the vehicle**
- One beside the vehicle, one 50 feet behind and one 100 feet behind the vehicle

102. Which of the following motor vehicles must stop all railroad grade crossings outside of business or residential district?

- Cattle truck
- Grain truck
- **Motor bus**
- Ordinary passenger car

103. When a truck breaks down on a highway in the daytime, the driver should set out:

- **3 red reflectors**
- 3 flares
- 2 yellow flags
- 2 approved red flags

104. No passenger vehicle may be coupled with more than:

- 2 trailers
- **1 trailer**
- 4 trailers
- 3 trailers

105. To operate on the highway with a motor vehicle or trailer having metal tires and weighing 5,000 pounds or more, you must:

- Drive in the daytime only
- Get a highway patrol escort
- Drive less than 20 mph
- **Get a special permit from the Texas Department of Transportation**

106. When a truck breaks down on a highway in the daytime, the driver should set out:

- **3 red reflectors**
- 3 flares
- 2 yellow flags
- 2 approved red flags

107. The length requirements of state law for vehicles or combinations of vehicles, including extensions

over the front and rear, do not apply:

- On farm to market highways
- On state highways
- On U.S. highways
- **Within city limits**

109. Every farm tractor manufactured after January 1<sup>st.</sup>, 1972, complies with state lighting laws by:

- Traveling on the shoulder of the road
- **Having 2 headlamps**
- Stopping upon approach of another vehicle
- Having 1 white lantern that shows to both the front and rear

110. The greatest length allowed by state law for a single motor vehicle other than a truck tractor is:

- **45 feet**
- 50 feet
- 40 feet
- 35 feet

111. The top speed limit for heavy trucks on designated rural interstates in the nighttime is:

- **65 mph**
- 55 mph
- 40 mph
- 70 mph

112. All school buses, buses, taxis and other vehicles hauling passengers for hire or least, must carry a chemical type fire extinguisher of at least:

- 1 gallon capacity
- 1 pint capacity
- 2 quart capacity
- **1 quart capacity**

103. The greatest weight allowed by state law for any vehicle including its load is:

- 60,000 pounds
- 36,400 pounds
- 48,000 pounds
- **80,000 pounds**

114. When mud flaps are required on trucks or trailers, they must reach how close to the surface of the highway?

- **8 inches**
- 18 inches
- 16 inches
- 12 inches

115. When one vehicle is towing another, the distance between the 2 must not be greater than:

- 20 feet
- 18 feet
- **15 feet**
- 10 feet

116. When going downhill with a commercial vehicle, it is lawful to:

- Remain in the same gear
- Travel more than 25 mph
- Shift to a lower gear
- **Coast**

117. The first thing the driver of a disabled truck or bus should do is:

- Flag down the vehicle to tow you in
- Try to get the vehicle started
- Go for help
- **Set out flares, reflectors or flags**

118. All trailers or semi-trailers must be equipped with clearance lamps, side marker lamps, and side reflectors, if their width is:

- 60 inches or more
- 72 inches or more
- 96 inches or more
- **80 inches or more**

119. The maximum height from the ground for mounted reflectors on vehicles greater than 80 inches wide is?

- 24 inches
- 48 inches
- **60 inches**
- 30 inches

120. The maximum number of trailers that may be towed by a commercial motor vehicle, with an unloaded weight in excess of 2,500 pounds is:

- 4 trailers
- 3 trailers
- **2 trailers**
- 1 trailer

121. To haul a load or move equipment that is wider, heavier or longer than law permits, you must:

- Obtain a permit from the police
- **Obtain a permit from the Texas Department of Transportation**
- Drive after dark on little travelled roads
- Request a highway patrol escort

122. The greatest height ordinarily allowed by state law for a vehicle including its load is:

- 12 feet 6 inches
- 12 feet
- **14 feet**
- 13 feet 6 inches

123. One purpose of requiring registration papers on trucks at all times is to show:

- **Weight of the truck empty and how much it is registered to haul**
- Ownership of the truck
- Counties in which the truck may be operated
- Weight of the truck when loaded