WOW Coolers Inc.

Lake Geneva, Wisconsin 53147

Phone: (262) 745-3256

Email: brad@wowcoolersinc.com or edwowcoolersinc.com

GENERAL INFORMATION

Company Name:		Contact Name:			Address:		
City:		State:			Zip Code:		
Phone:		Fax:			Email:		
E-Mail:		Job Name:			Address:		
Frt. Chg. To:		Date:					
	IFICATIONS (#1)				LOCATION OF BOX		
Combo: Overall Dim:					Self Contained Unit	: 🗆	
CLR. Width:		FRZ. Width:	h:				
CLR. Length:		FRZ Length:			Outdoor:		
CLR. Height:		FRZ Height:			Membrane Rain Roof	: □	
	WALK IN SPEC	CIFICATIONS (#2)			Tapered Rain Roof:		
Combo: Overall Dim:					Aluminum Rain Root	. □	
CLR. Width:		FRZ. Width:			Atummum ham hoo	. 🗆	
CLR. Length:		FRZ Length:				INSULATION ALL FOAM	
CLR. Height:		FRZ Height:			4" Urethane:		
	CIFICATIONS (#3)			5" Urethane:			
Combo: Overall Dim:							
CLR. Width:		FRZ. Width:			6" Urethane:		
CLR. Length:		FRZ Length:					
CLR. Height:		FRZ Height:					
WOOD	FRAMED				INTERIOR FLOO	R	
WOOD 3.5" Thick (2x4):	FRAMED	Smooth ALUM:			INTERIOR FLOO S/S:	PR	
		Smooth ALUM: Ridged ALUM. (10 G					
3.5" Thick (2x4):							

	DOORS A	ND OPENINGS					REFRIGE	RATION SPE	CIFICATIO	ONS
Standard Hinged Door:				Ir	ndoor	r: 🗆				
Glass DRs:				C	utdo	or:				
Man Single Slide:										
ELEC Single Slide:				-	: _ _ _	Sino	REI	RIGERATIO	N TYPE	
Wood Framed Openings	s: 🗆					Pipe:				
Swing Door:					rop-l					
				Р	re-Cl	harged:				
COMPRESSOR	RTYPE		VOLTAGE					R	EFRIGERA	NT
Hermetic:		208 volt: 🗆 F	Phase (1 or 3):		1	□ 3	R-471A:			
Semi Hermetic:		230 volt: □ F	Phase (1 or 3):		1	□ 3	R-407A:			
Discus:		460 volt: □ F	Phase (1 or 3):		1	3	Other:			
Scroll:		480 volt: □ F	Phase (1 or 3):] 1	□3				
TEMPERATI	IDE		Outio							DMC
TEMPERATURE Product:	JKE	4 Year Compressor Warr	Optio	naι ⊐				TM100:		RMS
Storage:		1 Year Labor Service Plar	,					MOD. 75:		
5.614.601		Walk-In Panel & Door Ins		_ 				Other:		
		Refrigeration Equipme						Incandesce		
		ogo.auon zqu.po						LED Lighting		
								Metal Halid		
								rietatriatio	с. —	
AC	CESSORIES						OTHER COM	MENTS		
Closure Panels:										
Trim:										
Structural Steel:										
Ceiling Supports:										

Heated View Window: \Box