


DELTA

Your Manufacturing Partner
For Aluminum Fence And Railing



PoolFencePanel


Flat Top Pool Fence Panel(F500)
2400 x 1200 mm



Color Options: Black Cream Grey

□ 38 x 25 x 1.6 mm Rail
○ 16 x 1.2 mm Round Picket
Height: 1200 mm
Length: 2400 mm
Width: 38 mm


Loop Top Pool Fence Panel(F600)
2400 x 1200 mm



□ 38 x 25 x 1.6 mm Rail
○ 16 x 1.2 mm Round Picket
Height: 1200 mm
Length: 2400 mm
Width: 38 mm

PoolFenceGate


Flat Top Pool Fence Gate
975 x 1200 mm



Color Options: Black Cream Grey

□ 38 x 25 x 1.6 mm Rail
○ 16 x 1.2 mm Round Picket
Height: 1200 mm
Length: 975 mm
Width: 38 mm

Loop Top Pool Fence Gate
975 x 1200 mm



□ 38 x 25 x 1.6 mm Rail
○ 16 x 1.2 mm Round Picket
Height: 1200 mm
Length: 975 mm
Width: 38 mm

FencePost

Flanged Fence Post With Cap

Size: 50 x 50 x 1.8 mm
Height: 1300 mm

Flanged Fence Post With Cap

Size: 50 x 50 x 1.8 mm
Height: 1600 mm

Color Options: Black Cream Grey


Accessories

Color Options: Black Cream Grey



Aluminum Panel Brackets – 4 Pack with Screw
Suitable for 38 x 25mm Rail


Aluminum Fence Systems




Professional Aluminum Fence Manufacturer

- Powder coated panels.
- Pre-assembled in the factory for excellent quality control.
- Extreme care is put into the packaging, with foam paper between each panel, and wire ties securing all panels together into card box.

DELTA Aluminum Fencing—Welded



3 or 4 Rail Option




3 or 4 Rail Option

F100


Are you looking for the traditional picket fence, Then the F1 Classic is the aluminum fence for you. With its traditional looks and an elegant finish, the F1 Classic has established itself as the all-time-honored style of choice.

F200

As its name suggests, the F2 Contemporary is a design that stresses on modernity. Its looks can best be described as clean and professional. There is no question that the F2 Contemporary is the slick style of today and tomorrow.



3 or 4 Rail Option



2 Rail Design

F300

The F3 Progressive fuses to perfection the very best elements of our Classic and Contemporary styles, and still preserves its very own character. So in the face of indecision, take it all, with the F3 Progressive.

F400


Here lies the backbone of aluminum fences. Simple, effective, and efficient, the F4 Dynasty has earned the honor of bearing "best value" name.

SPECIFICATIONS

Color Options: Black White Bronze

| | RESIDENTIAL | COMMERCIAL | INDUSTRIAL |
|------------------------------------|--|--|--|
| Picket | <input type="checkbox"/> 5/8"X5/8"(15.8X15.8mm) .050"(1.3mm) wall thick | <input type="checkbox"/> 3/4"X3/4"(19X19mm) .050"(1.3mm) wall thick | <input type="checkbox"/> 1"X1"(25.4X25.4mm) .062"(1.6mm) wall thick |
| Rail | <input type="checkbox"/> 1"X1"(25.4X25.4mm) .055"(1.6mm) top wall 0.082(2.1mm) side wall | <input type="checkbox"/> 1"X1.5"(25.4X38.1mm) .055"(1.6mm) top wall 0.082(2.1mm) side wall | <input type="checkbox"/> 1.625"X1.625"(25.4X41.3mm) .055"(1.6mm) top wall 0.082(2.1mm) side wall |
| Picket Spacing | 3-13/16"(96.8mm) | 3-15/16"(100mm) | 3-31/32"(100.8mm) |
| Post Spacing (center to center) | 72-1/2"(1841.5mm) | 71-1/2"(1816.1mm) | 71"(1803.4mm) 96-1/2"(2451.1mm) |
| Height | 36"(914.4mm), 48"(1219.2mm), 54"(1371.6mm), 60"(1524mm), 72"(1828.8mm) | | |

Gate




Flat Top Gate



Arch Top Gate



Half-arch Top Gate



Swoop Gate

- Gates are powder coated after welding, for a perfect finish surface
- Top and bottom rails match fence sections
- Gates are screwed and welded together for double strength

Posts



Line Post



Corner Post



End Post



Gate Post



Blank Post

Accessories




Swivel Rail Mount



Wall Rail Mount



Floor Mount



Post Flair



Gravity Latch



Hinge



Touch up Paint



Triad Finial




Quad Finial
(Also available in gold)



Scrolls



Ring



Estate Scrolls



Flat Cap



Ball Cap

Aluminum Railing System (AR100)


Color Options: Black White Bronze

Aluminum Railing



2" x 2.25"(50.8x57.2mm) Aluminum Top Rail
 1" x 1.5"(25.4x38.1mm) Aluminum Bottom Rail
 5/8"(15.9mm) Square Picket

6' (1828mm) or 8'(2438mm) Width,
 36" (914mm) or 42"(1067mm) Height



Aluminum Railing System (AR200)



Color Options: Black White Bronze

Aluminum Railing



2.25" x 2.25"(57.2x57.2mm) Aluminum Top Rail
 1.25" x 1.5"(31.8x38.1mm) Aluminum Bottom Rail
 3/4"(19.1mm) Square Picket

6' (1828mm) or 8'(2438mm) Width,
 36" (914mm) or 42"(1067mm) Height



Aluminum Posts and Accessories



2.5"(63.5mm) Aluminum Pyramid Post Cap

2.5"(63.5mm) Post

Post Mount with Leveling Kit

Post Trim

Bottom Rail Support

Aluminum Posts and Accessories



2.5"(63.5mm) Aluminum Pyramid Post Cap

2.5"(63.5mm) Post

Post Mount with Leveling Kit

Post Trim

Bottom Rail Support



AR100 Top Rail Bracket Kit-Level



AR100 Bottom Rail Bracket Kit-Level



AR100 Top Rail Bracket Kit-Stair



AR100 Bottom Rail Bracket Kit-Stair




AR200 Top Rail Bracket Kit-Level



AR200 Bottom Rail Bracket Kit-Level



AR200 Top Rail Bracket Kit-Stair



AR200 Bottom Rail Bracket Kit-Stair

- Durable powder-coated finish, with the beauty of wrought iron but without the maintenance requirements
- Available for both pickets and tempered glass panels installations


Aluminum Railing System (AR300)




- Easy installation
- Variety of color options
- Beauty of nature wood combined with weather resistant aluminum railing
- Hidden fastener system
- ICC-ES AC273 compliant
- Lifetime warranty



Top Rail



Bottom Rail



Top Rail



Bottom Rail



Top Rail



Bottom Rail



Top Rail



Bottom Rail

AR300 aluminum railing components and accessories

Rail





Available in 6' and 8' length
Available in black, white, white oak and rose wood

2.5" Post





Available for 36" and 42" panel
Available in black, white, white oak and rose wood

Post Cap Available in black, white, white oak and rose wood



Post Trim Available in black, white, white oak and rose wood




Bracket Kit and Bottom Rail Support





Black Baroque



Black Traditional



Rojana Industrial Park Ayutthaya , 1 Moo 5 , Rojana Rd.,
 Khanham, Uthai, Phra Nakhon Si Ayutthaya 13210
WWW.DELTALUMINUM.COM
 Copyright 2009 Unted Fencing & Profiles LLC. All rights reserved.

TRADITIONAL

DELTA Traditional Aluminum Balusters offer distinctive design options not found with typical 2" x 2" wood balusters. Available in 3 colors, these maintenance free balusters create an impressive and rich appearance of wrought iron.




Traditional Balusters easily install using DELTA Baluster Connectors.



26" Traditional White

DELTA Traditional Balusters come in: Black, White, Bronze, DELTA Traditional Balusters install to wood or composite railings.



Traditional Baluster Sizes:

- 26" for 36" rails
- 30 3/8" for 36" rails
- 32" for 42" rails
- 36 3/8" for 42" rails

10 balusters per pack




Baroque

DELTA Baroque Balusters provide the beautiful appearance of hand forged wrought iron at a fraction of the cost. These uniquely designed balusters come in two colors, displaying a bold and distinctive appearance not found on decks today.



Black Baroque

Baroque Balusters come in two colors: Black and Bronze.



DELTA Baroque Balusters work on both wood and composite railings and are designed for 36" railing heights & 42" railing heights

5 balusters per pack




40" Black Baroque being used as a 42" rail





DELTA Artisan Installation Instructions


Cut the Baluster Spacers to the same length as the rail, equally spaced so the holes line up.



Snap Baluster Spacer into Bottom Rail. Place inverted Baluster Spacer on top of first Balustr Spacer.




Place Baluster in Baluster Spacer into holes.




Install Top Rail & slide Top Baluster Spacer up, snapping it into place.

Traditional Installation Instructions




Length of rail ÷ 4.5 = balusters
If number is odd: balusters will be centered
If number is even: balusters will be offset 2 1/4" from center





Attach Baluster Connectors as shown above. 4 1/2" on center.

DELTA Designer Installation Instructions




Length of rail " ÷ 4.5 = balusters
If number is odd: balusters will be centered
If number is even: balusters will be offset 2 1/4" from center.


Space connectors 2 1/4" apart on center.




Slide balusters onto bottom connectors.



Lower Top Rail with connectors onto balusters.



Use the measurements above to achieve a railing height.




Completed railing section with top rail.


| | | |
|---------------------------|---------|---------|
| Traditional Baluster size | 30 3/8" | 36 3/8" |
| Rail Height | 36" | 42" |

| | | |
|---------------------------|-----|-----|
| Traditional Baluster size | 26" | 32" |
| Rail Height | 36" | 42" |


DELTA Artisan Installation Instructions




Completed railing section with top rail.



B. Snap Baluster Spacer into Bottom Rail.
C. Place inverted Baluster Spacer on top of first Baluster Spacer.




D. Place Balusters in Baluster Spacer holes.




E. Install Top Rail & slide Top Baluster Spacer up, snapping it into place.

Baroque Installation Instructions




Length of rail $\div 4.5 =$ balusters
If number is odd: balusters will be centered
If number is even: balusters will be offset 2 1/4" from center.



Use the measurements above to achieve a rail height.



Note: a 2x4 can be used for spacing the Architectural balusters.



| Baroque Balustersize | 32 1/4" | 40" |
|----------------------|---------|-----|
| Rail Height | 36" | 42" |

| Baroque Balustersize | 30 3/8" | 36 3/8" |
|----------------------|---------|---------|
| Rail Height | 36" | 42" |


Product Categories

| ITEM | Baroque Balusters size | | | |
|------------------|------------------------|--------|---------|--------|
| | 30.375" | 32.25" | 36.375" | 40" |
| Pcs/Box | 5 | 5 | 5 | 5 |
| Weight(pcs(g)) | 338.35 | 358.3 | 398.02 | 436.48 |
| Box Size(cm) | L | 77.8 | 82.5 | 93 |
| | W | 10.3 | 10.3 | 9.5 |
| | H | 2.8 | 2.8 | 2.8 |
| Box Weight(g) | 225 | 245 | 275 | 308 |
| Boxes/ Carton | 10 | 10 | 10 | 10 |
| Carton Size(cm) | L | 79.3 | 84 | 94.5 |
| | W | 21.6 | 21.6 | 21.6 |
| | H | 15 | 15 | 15 |
| Carton Weight(g) | 315 | 325 | 345 | 370 |
| Cartons/Pallet | 20 | 20 | 20 | 20 |
| Pallet Size(cm) | L | 112 | 112 | 107 |
| | W | 83.3 | 88 | 98.5 |
| | H1 | 12 | 12 | 12 |
| | H2 | 102 | 102 | 102 |
| Pallet Weight(g) | 1100 | 1370 | 1600 | 1830 |

| ITEM | Traditional Balusters size | | | |
|------------------|----------------------------|---------|--------|---------|
| | 26" | 30.375" | 32" | 36.375" |
| Pcs/Box | 10 | 10 | 10 | 10 |
| Weight(pcs(g)) | 116.89 | 136.56 | 143.87 | 163.53 |
| Box Size(cm) | L | 66.6 | 77.8 | 81.9 |
| | W | 9.8 | 9.8 | 9.8 |
| | H | 4.3 | 4.3 | 4.3 |
| Box Weight(g) | 230 | 248 | 255 | 273 |
| Boxes/ Carton | 10 | 10 | 10 | 10 |
| Carton Size(cm) | L | 68.1 | 79.3 | 83.5 |
| | W | 20.6 | 20.6 | 20.6 |
| | H | 22.5 | 22.5 | 22.5 |
| Carton Weight(g) | 350 | 380 | 420 | 445 |
| Cartons/Pallet | 20 | 20 | 20 | 20 |
| Pallet Size(cm) | L | 107 | 112 | 112 |
| | W | 72.1 | 83.3 | 88 |
| | H1 | 12 | 12 | 12 |
| | H2 | 102 | 102 | 102 |
| Pallet Weight(g) | 900 | 1100 | 1370 | 1600 |

About DELTA

Delta is a professional manufacture in Aluminum fence, railing and decking products. Our factory is located in Thailand. We have more than 13 years of experience and professional team in the outdoor business. With our automatic production facilities, such as CNC, powder static spray line, packing and our high-tech lab, we can provide our customers with good quality products with the latest technology and designs, for an affordable price



LABORATORY



Testing equipment for physical and chemical properties, as well as weathering.

ALUMINUM WORKSHOP



500 ft imported powder coating line
Specialized Fabrication Machinery