



GENERAL NOTES

Precast concrete shall be exposure Class S and meet min compressive strength of 35MPA

Cement: Type GU
 Air Category: 4.0% - 7.0%
 Aggregate: CSA/CAN A23.4
 Maximum Size: 20mm
 Admixtures: CSA/CAN A23.4
 Reinforcing: Grade 400W CSA G30.18-09
 Inserts/Embeds: As noted in drawing details

Manufacture of precast concrete units shall be in accordance with specification CSA A23.4

**** LEKO PRECAST LTD SHALL NOT BE RESPONSIBLE FOR ANY INSTALLATION PRACTICES FOLLOWED ON-SITE UNLESS PERFORMED BY LEKO PRECAST LTD ****

Tank Volume 1,220igal (800/420)
 Tank Weight 4,457Kg (9,825 lbs)
 Lid Weight 2,100Kg (4,630 lbs)
 Total Weight 6,560Kg (14,450 lbs)



1250IG H2O PUMP OUT TANK

DRAWN BY: JA		CHECKED BY:		APPROVED BY:		DATE: June 2022	
ASSEMBLY DWG.		PREVIOUS DWG.		DRAWING NO. S0205MH			REVISION 2
SCALE: 1:50		ISOMETRIC: 1:50					
DO NOT SCALE THIS DRAWING							