



GENERAL NOTES

Precast concrete shall be exposure Class S and meet min compressive strength of 35MPA

Cement: Type GU
 Air Category: 4.0% - 7.0%
 Aggregate: CSA/CAN A23.4
 Maximum Size: 20mm
 Admixtures: CSA/CAN A23.4
 Reinforcing: Grade 400W CSA G30.18-09
 Inserts/Embeds: As noted in drawing details

Manufacture of precast concrete units shall be in accordance with specification CSA A23.4

**** LEKO PRECAST LTD SHALL NOT BE RESPONSIBLE FOR ANY INSTALLATION PRACTICES FOLLOWED ON-SITE UNLESS PERFORMED BY LEKO PRECAST LTD ****

Tank Volume 1,315gal (5,920L)
 Tank Weight 4,457Kg (9,825 lbs)
 Lid Weight 1,391Kg (3,066 lbs)
 Total Weight 5,848Kg (12,900 lbs)



1250 IG SINGLE COMPARTMENT TANK

DRAWN BY: JA	CHECKED BY:	APPROVED BY:	DATE: June 2022
ASSEMBLY DWG.	PREVIOUS DWG.	DRAWING NO. S0205S	REVISION 3
SCALE: 1:50	ISOMETRIC: 1:50		
DO NOT SCALE THIS DRAWING			