

| HTC INSTRUMENTS                           |                       |  | (APR 2021) | PG. 1 |           |
|---|-----------------------|--|------------|-------|-----------|
| SR. No.                                   | PRODUCT & DESCRIPTION |  | UNIT       | MOQ   | HSN CODE  |
| <b>MULTIMETER</b>                         |                       |  |            |       |           |
| HTC-A1                                    | 360 TREB              | Analog Multimeter                              | 710        | 40    | 903031.00 |
| HTC-A2                                    | DM-830L               | Digital Multimeter                             | 610        | 120   |           |
| HTC-A3                                    | DM-830LN              | 2000 COUNT Digital Multimeter                  | 605        | 120   |           |
| HTC-A4                                    | DM-830L+              | 2000 COUNT Digital Multimeter                  | 610        | 120   |           |
| HTC-A5                                    | DM-81                 | Digital Multimeter                             | 790        | 42    |           |
| HTC-A6                                    | DM-82                 | Pen Digital Multimeter                         | 1,855      | 30    |           |
| HTC-A7                                    | DM-86                 | Digital Multimeter                             | 1,290      | 40    |           |
| HTC-A8                                    | DM-88                 | Logic Digital Multimeter                       | 1,880      | 40    |           |
| HTC-A9                                    | DM-91                 | Terminal Inter Lock Digital Multimeter         | 1,425      | 42    |           |
| HTC-A10                                   | DM-92                 | Digital Multimeter                             | 1,430      | 30    |           |
| HTC-A11                                   | DM-97                 | Digital Multimeter with Temp/TRms              | 1,635      | 30    |           |
| HTC-A12                                   | DM-98                 | 3 (3/4) Digital 6000 Counts /TRms              | 1,780      | 40    |           |
| HTC-A13                                   | DM-23                 | 4 (1/2) Digital Multimeter                     | 2,840      | 30    |           |
| HTC-A14                                   | DM-56                 | Digital Multimeter with Conductance            | 2,695      | 10    |           |
| HTC-A15                                   | DM-87                 | VSD Digital Multimeter                         | 5,525      | 10    |           |
| HTC-A16                                   | DM-8045R              | Bench Type Digital Multimeter                  | 6,365      | 8     |           |
| HTC-A17                                   | DM-83T                | 3 (1/2) Digital TRms DMM With TEMP.            | 915        | 50    |           |
| HTC-A18                                   | DM-85T                | 3 (5/6) Digital TRms DMM With FREQ.& TEMP.     | 1,170      | 50    |           |
| <b>CLAMP METER</b>                        |                       |  |            |       |           |
| HTC-B1                                    | CM-2000               | 600A AC Clamp Meter                            | 975        | 120   | 903031.00 |
| HTC-B2                                    | CM-2007               | 600A AC Clamp Meter with Temp. & Frequence     | 1,545      | 80    |           |
| HTC-B3                                    | CM-2030               | 1000A AC Clamp Meter                           | 1,145      | 90    |           |
| HTC-B4                                    | CM-2070C              | 1000A AC Clamp Meter with Temp.                | 1,545      | 30    |           |
| HTC-B5                                    | CM-2070 FT            | 1000A AC Clamp Meter with Temp. & Frequence    | 1,765      | 30    |           |
| HTC-B6                                    | CM-2090               | 3000A AC Flexible Current Clamp                | 6,240      | 5     |           |
| HTC-B7                                    | CL-2054               | mA Clamp Meter                                 | 4,850      | 5     |           |
| HTC-B8                                    | CL-2055               | AC / DC mA Clamp Meter                         | 8,415      | 3     |           |
| HTC-B8                                    | CM-2016               | 600A AC / DC Clamp Meter with Temp. & Freq     | 2,135      | 40    |           |
| HTC-B9                                    | CM-2046               | 1000A AC / DC Clamp Meter                      | 2,735      | 30    |           |
| HTC-B10                                   | CM-2056               | 1000A AC / DC Clamp Meter with Temp. & Freq    | 3,185      | 30    |           |
| <b>POWER METER / EARTH TESTER</b>         |                       |  |            |       |           |
| HTC-C1                                    | PM-01                 | Power Monitor 10A                              | 1,645      | 20    | 903031.00 |
| HTC-C2                                    | PM-03                 | Power Monitor 20A                              | 2,735      | 20    |           |
| HTC-C3                                    | PC-170A               | 1000A Power Clamp Meter                        | 7,475      | 10    |           |
| HTC-C4                                    | PA-172                | 1000A Power Clamp Meter with Harmonics         | 13,140     | 5     |           |
| HTC-C5                                    | CE-8200               | Clamp on Ground Resistance Tester              | 26,345     | 2     |           |
| HTC-C6                                    | CE-8201               | Clamp on Ground Resistance Tester with Current | 36,740     | 2     |           |
| <b>INSULATION TESTER</b>                  |                       |  |            |       |           |
| HTC-D1                                    | 7250IN                | 5kV-1000GΩ Digital Insualtion Tester           | 25,960     | 4     | 903033.50 |
| HTC-D2                                    | 6250IN                | 5kV-200GΩ Digital Insualtion Tester            | 8,085      | 6     |           |
| HTC-D3                                    | DIT-90                | Digital Insualtion Tester                      | 1,370      | 40    |           |
| <b>DETECTOR</b>                           |                       |  |            |       |           |
| HTC-E1                                    | ST-852                | Phase Sequence Indicator                       | 880        | 10    | 903033.90 |
| HTC-E2                                    | AC-II                 | Pen Voltage Detector                           | 230        | 100   |           |
| HTC-E3                                    | AC-IV                 | Pen Type Voltage Detector With Display         | 425        | 100   |           |
| HTC-E4                                    | PSD II                | Personal Safety Voltage Detector (220V-35KV)   | 660        | 20    |           |
| HTC-E5                                    | HP-500                | HIGH VOLTAGE DETECTOR (220V-500 KV)            | 7,150      | 3     |           |
| <b>CAPACITANCE / LCR / MILLIOHM METER</b> |                       |  |            |       |           |
| HTC-F1                                    | CM-1500               | 20mF Capacitance Meter                         | 1,510      | 30    | 903033.30 |
| HTC-F2                                    | CM-1501               | 200mF Capacitance Meter                        | 1,725      | 30    |           |
| HTC-F3                                    | LCR-4070              | LCR Meter                                      | 2,495      | 30    |           |
| HTC-F4                                    | LCR-4080Q             | LCR-Q Meter                                    | 12,430     | 5     |           |
| HTC-F5                                    | MO-5000               | Milohmeter                                     | 8,350      | 4     |           |
| HTC-F6                                    | SMD TESTER            | Pen RC Meter                                   | 1,885      | 10    |           |
| HTC-F7                                    | TT-825                | Transistor Tester                              | 2,585      | 4     |           |
| <b>LUX METER</b>                          |                       |  |            |       |           |
| HTC-G1                                    | LX-101A               | 200,000 Lux Meter                              | 1,500      | 40    | 902780.90 |
| HTC-G2                                    | LX-102A               | 200,000 Lux Meter + FC                         | 2,425      | 10    |           |
| HTC-G3                                    | LX-103                | 200,000 Lux Meter + FC                         | 2,125      | 40    |           |
| HTC-G4                                    | LX-104                | 400,000 Lux Meter (Data Logging)               | 7,285      | 2     |           |
| HTC-G5                                    | LX-107                | Solar Power Meter                              | 3,870      | 10    |           |
| <b>SOUND LEVEL METER</b>                  |                       |  |            |       |           |
| HTC-H1                                    | SL-1350               | Sound Level Meter                              | 3,135      | 20    | 902780.90 |
| HTC-H2                                    | SL-1352               | Sound Level Meter (Data Logging)               | 9,370      | 4     |           |
| HTC-H3                                    | CAL-900               | Sound Calibrator 2 Point                       | 9,295      | 1     |           |

| HTC INSTRUMENTS                        |                       |   | (APR 2021) | PG. 2 |           |
|--|-----------------------|---|------------|-------|-----------|
| SR. No.                                | PRODUCT & DESCRIPTION |   | UNIT       | MOQ   | HSN CODE  |
| <b>ANEMOMETER</b>                      |                       |   |            |       |           |
| HTC-I1                                 | AVM-06                | Anemometer                                | 3,465      | 20    | 902610.90 |
| HTC-I2                                 | AVM-07                | Anemometer                                | 2,990      | 20    |           |
| HTC-I3                                 | AVM-08                | Hot Wire Anemometer                       | 11,660     | 2     |           |
| <b>VIBRATION METER</b>                 |                       |   |            |       |           |
| HTC-J1                                 | VB-8205               | Vibration Meter                           | 15,425     | 5     | 903180.00 |
| <b>STROBOSCOPE</b>                     |                       |   |            |       |           |
| HTC-K1                                 | DT-2229               | Stroboscope                               | 9,185      | 8     | 902920.30 |
| <b>TEMPRATURE-HUMIDITY DATA LOGGER</b> |                       |   |            |       |           |
| HTC-L1                                 | EASY LOG              | Temprature Humidity Data Logger           | 4,240      | 40    | 902580.90 |
| HTC-L2                                 | PDF LOG               | Temperature & Humidity Data Logger (PDF)  | 3,270      | 30    |           |
| <b>HYGRO-THERMOMETER</b>               |                       |   |            |       |           |
| HTC-M1                                 | 103-CTH               | Hygro Thermometer                         | 480        | 100   | 902580.90 |
| HTC-M2                                 | 288-CTH               | Hygro Thermometer                         | 615        | 70    |           |
| HTC-M3                                 | 288-ATH               | In/Out Hygro Thermometer                  | 675        | 70    |           |
| HTC-M4                                 | HT-306                | Humidity & Temperature Meter              | 3,545      | 10    |           |
| HTC-M5                                 | HD-304                | Humidity & Temperature with Dew Point     | 2,830      | 10    |           |
| <b>DIGITAL THERMOMETER</b>             |                       |   |            |       |           |
| HTC-N1                                 | DT-1                  | Pen Type Waterproof Thermometer           | 360        | 100   | 902580.90 |
| HTC-N2                                 | DT-2                  | Pen Type Thermometer                      | 315        | 100   |           |
| HTC-N3                                 | DT-302-1              | Digital Thermometer (Single Input)        | 1,645      | 10    |           |
| HTC-N4                                 | DT-302-2              | Digital Thermometer (Dual Input)          | 1,840      | 10    |           |
| <b>INFRARED / OPTICAL THERMAMETER</b>  |                       |   |            |       |           |
| HTC-O1                                 | MTX-1                 | 550C Infrared Thermometer                 | 1115       | 80    | 902519.20 |
| HTC-O2                                 | MTX-2                 | 580C Infrared Thermometer                 | 1,535      | 40    |           |
| HTC-O3                                 | MT-4                  | 550C Infrared Thermometer                 | 1,140      | 80    |           |
| HTC-O4                                 | MTX-4                 | 550C Dual Contact & Infrared Thermometer  | 2,415      | 40    |           |
| HTC-O5                                 | MT-6                  | 750C Infrared Thermometer                 | 1,815      | 40    |           |
| HTC-O6                                 | MT-8                  | 800C Infrared Thermometer                 | 1,815      | 40    |           |
| HTC-O7                                 | IRX-63                | 850C Dual Contact & Infrared Thermometer  | 5,265      | 10    |           |
| HTC-O8                                 | IRX-64                | 1050C Dual Contact & Infrared Thermometer | 5,445      | 10    |           |
| HTC-O9                                 | IRX-65                | 1250C Dual Contact & Infrared Thermometer | 7,230      | 10    |           |
| HTC-O10                                | IRX-66                | 1550C Dual Contact & Infrared Thermometer | 8,450      | 10    |           |
| HTC-O11                                | IRX-67                | 1250 Infrared Thermometer (Data Logging)  | 16,170     | 3     |           |
| HTC-O12                                | IRX-68                | 1850 Infrared Thermometer (Data Logging)  | 18,315     | 3     |           |
| HTC-O13                                | IRX-69                | 2250C Infrared Thermometer (Data Logging) | 20,130     | 3     |           |
| HTC-O14                                | SCAN II               | Body Infrared Thermometer                 | 1,815      | 20    | 902511.10 |
| HTC-O15                                | VT-100                | Thermal Imaging Camera                    | 24,750     | 2     | 902519.20 |
| HTC-O16                                | VT-110                | Thermal Imaging Camera                    | 19,635     | 2     |           |
| <b>MINI SERIES</b>                     |                       |   |            |       |           |
| HTC-P1                                 | HD-303                | Mini Hygrometer 0-100% RH, -10-60°C       | 1,320      | 40    | 902580.90 |
| HTC-P2                                 | SL-13A                | Mini Sound Level Meter 30-130 Db          | 1,345      | 40    | 902780.90 |
| HTC-P3                                 | AVM-03                | Mini Anemometer 0-30m/s                   | 1,400      | 40    | 902610.90 |
| HTC-P4                                 | LX-10A                | Mini Lux Meter 0-199,999 Lux              | 1,320      | 40    | 902780.90 |
| <b>CALIBRATOR</b>                      |                       |   |            |       |           |
| HTC-Q1                                 | CC-01                 | Thermocouple Calibrator                   | 16,930     | 2     | 903033.90 |
| HTC-Q2                                 | CC-02                 | RTD Calibrator                            | 16,040     | 2     |           |
| HTC-Q3                                 | CC-04                 | VOLT./mA Calibrator                       | 18,175     | 2     |           |
| HTC-Q4                                 | CC-09                 | Multi Calibrator                          | 6,85,025   | 1     |           |
| HTC-Q5                                 | RB-01                 | 0.01M-5GΩ Resistance Box                  | 46,750     | 1     |           |
| HTC-Q6                                 | RB-02                 | High Voltage Resistance Box               | 1,68,025   | 1     |           |
| <b>FORCE GAUGE</b>                     |                       |   |            |       |           |
| HTC-R1                                 | FG 5KG                | 5KG Force Guage                           | 11,365     | 2     | 903180.00 |
| HTC-R2                                 | FG-20KG               | 20KG Force Guage                          | 11,715     | 2     |           |
| HTC-R3                                 | FG-100KG              | 100KG Force Guage                         | 12,100     | 2     |           |

| HTC INSTRUMENTS                               |                               |   |        |     | PG. 3     |
|---|-------------------------------|---|--------|-----|-----------|
| SR. No.                                       | PRODUCT & DESCRIPTION         |   | UNIT   | MOQ | HSN CODE  |
| <b>MANOMETER</b>                              |                               |   |        |     |           |
| HTC-S1  | PM-6102                       | 2 PSI Manometer                               | 3,345  | 5   | 902610.90 |
| HTC-S2  | PM-6105                       | 5 PSI Manometer                               | 3,345  | 5   |           |
| HTC-S3  | PM-6115                       | 15 PSI Manometer                              | 4,820  | 5   |           |
| HTC-S4  | PM-6130                       | 30 PSI Manometer                              | 4,820  | 5   |           |
| HTC-S5  | PM-6175                       | 75 PSI Manometer                              | 4,820  | 5   |           |
| HTC-S6  | PM-6202                       | 2PSI Manometer (Data Logging)                 | 6,545  | 5   |           |
| HTC-S7  | PM-6205                       | 5PSI Manometer (Data Logging)                 | 6,545  | 5   |           |
| <b>ELECTRO-MAGNETIC FIELD TESTER</b>          |                               |   |        |     |           |
| HTC-T1  | EMF-522                       | EMF Tester (Single axis)                      | 5,445  | 10  | 903033.90 |
| HTC-T2  | EMF-523                       | Electro Smog Tester (3 axis)                  | 10,210 | 3   |           |
| <b>OSCILLOSCOPE</b>                           |                               |   |        |     |           |
| HTC-U1  | HTC-5020                      | 20 MHz Dual Channel Oscilloscope              | 23,540 | 2   | 903020.00 |
| HTC-U2  | HTC-5020C                     | 20 MHz Dual Channel Oscilloscope(With Compone | 24,750 | 2   |           |
| HTC-U3  | HTC-5030                      | 30 MHz Dual Channel Oscilloscope              | 24,640 | 2   |           |
| HTC-U4  | HTC-5030C                     | 30 MHz Dual Channel Oscilloscope(With Compone | 25,850 | 2   |           |
| HTC-U5  | PDO-5025S                     | 25 MHz Dual Channel DigitalOscilloscope       | 19,800 | 4   |           |
| HTC-U6  | PDO-5050S                     | 50 MHz Dual Channel DigitalOscilloscope       | 21,120 | 2   |           |
| HTC-U7  | PDO-5070S                     | 70 MHz Dual Channel DigitalOscilloscope       | 26,730 | 2   |           |
| HTC-U8  | PDO-50100S                    | 100 MHz Dual Channel DigitalOscilloscope      | 28,050 | 2   |           |
| HTC-U9  | PDO-50200S                    | 200 MHz Dual Channel DigitalOscilloscope      | 43,725 | 2   |           |
| <b>DC REGULATED POWER SUPPLY</b>              |                               |   |        |     |           |
| HTC-V1  | SMPS-3002                     | DC 2A SMPS Power Supply                       | 3,960  | 8   | 903033.90 |
| HTC-V2  | SMPS-3005                     | DC 5A SMPS Power Supply                       | 4,125  | 8   |           |
| HTC-V3  | DC-3002                       | DC 2A Linear Power Supply                     | 4,620  | 4   |           |
| HTC-V4  | DC-3003                       | DC 3A Linear Power Supply                     | 5,005  | 4   |           |
| HTC-V5  | DC-3005                       | DC 5A Linear Power Supply                     | 5,335  | 4   |           |
| HTC-V6  | DC-3010                       | DC 10A Linear Power Supply                    | 11,605 | 4   |           |
| HTC-V7  | DC-3002-II                    | DC 2A Linear Dual Power Supply                | 8,330  | 2   |           |
| HTC-V8  | DC-3003-II                    | DC 3A Linear Dual Power Supply                | 9,185  | 2   |           |
| HTC-V9  | DC-3005-II                    | DC 5A Linear Dual Power Supply                | 9,980  | 2   |           |
| <b>FUNCTION GENERATOR / FREQUENCY COUNTER</b> |                               |   |        |     |           |
| HTC-W1  | FG-2002                       | 2 MHz Function Generator                      | 9,750  | 2   | 903033.40 |
| HTC-W2  | FG-2010                       | 10 MHz Function Generator                     | 12,060 | 2   |           |
| HTC-W3  | VC-3165                       | Frequency Counter                             | 4,590  | 6   |           |
| <b>ALTIMETER / DISTANCE METER</b>             |                               |   |        |     |           |
| HTC-X1  | AL-7000                       | Analog Altimeter                              | 1,345  | 10  | 903180.00 |
| HTC-X2  | AL-7010                       | Digital Altimeter                             | 2,915  | 10  |           |
| HTC-X3  | UDM-01                        | 18 M Ultrasonic Distance Meter                | 1,070  | 20  |           |
| HTC-X4  | LD-40                         | 40 M Laser Distance Meter                     | 3,080  | 5   |           |
| HTC-X5  | LD-70                         | 70 M Laser Distance Meter                     | 3,850  | 5   |           |
| HTC-X6  | LD-100                        | 100 M Laser Distance Meter                    | 5,500  | 2   |           |
| <b>CARBON MONOXIDE METER / BATTREY</b>        |                               |   |        |     |           |
| HTC-Y1  | CO-01                         | Carbon Monoxide Meter                         | 8,150  | 2   | 902710.00 |
| HTC-Y2  | BTS -600                      | Battery Impedence Teaster                     | 45,760 | 1   | 903033.90 |
| HTC-Y3  | ML-2                          | Microwave Leakage Detector                    | 2,110  | 1   | 903033.90 |
| <b>ACCESSORIES</b>                            |                               |   |        |     |           |
| HTC-Z1  | TL-1                          | Multimeter Test Lead                          | 150    | 100 | 903031.00 |
| HTC-Z2  | TL-2                          | Multimeter Test Lead                          | 100    | 200 |           |
| HTC-Z3  | TP-01                         | Temprature Probe                              | 100    | 10  | 902580.90 |
| HTC-Z4  | TP-02A                        | Temprature Probe                              | 200    | 10  |           |
| HTC-Z5  | TP-03A                        | Temprature Probe                              | 240    | 10  |           |
| HTC-Z6  | TP-04                         | Temprature Probe                              | 120    | 10  |           |
| <b>COMPUTER INTERFACE</b>                     |                               |   |        |     |           |
| HTC-Z7  | RS-232 / USB SOFTWARE & CABLE |   | 880    | 1   | 903033.90 |