



AN ISO 9001:2015 COMPANY

G-17, Bharat Industrial Estate, T. J. Road, Sewree (W), Mumbai – 400 015.

Tel No.: 022-24156638, 27754546, 24181649, 24124540, 27750662.

E-mail : sales@kusam-meco.co.in

Website : www.kusamelectrical.com

**PRICELIST FOR DEALER REFERENCE**

Ref. No.: KEIL/PL/35/2020

Date:01/06/2020

Sr. No.	ITEMS	Page No.
1	INTRINSICALLY SAFE MULTIMETER ( HSN CODE : 9030 )	1
2	HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS ( HSN CODE : 9030 )	1
	LOW VOLTAGE DETECTORS	1
3	SOFTWARE (Optional ) ( HSN CODE : 9030 )	1
4	MAGNETIC HANGER (OPTIONAL) ( HSN CODE : 9030)	1
5	UL" APPROVED 1KV TEST LEADS MODEL ( HSN CODE : 9030 )	1
6	PROFESSIONAL GRADE DIGITAL MULTIMETERS ( HSN CODE : 9030 )	2
	4½ DIGIT / 6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS	2
	DIGITAL MULTIMETERS	2
	BASIC DIGITAL MULTIMETERS	2
7	DIGITAL LCR + MULTIMETERS & CAPACITANCE METER	2
	BENCH TYPE DIGITAL LCR METER	2
8	UL/ETL ' APPROVED DIGITAL CLAMPMETER ( HSN CODE : 9030 )	3
9	SOFTWARE( Optional ) ( HSN CODE : 90309010 )	3
10	PROFESSIONAL & INDUSTRIAL GRADE DIGITAL CLAMPMETERS ( HSN CODE : 9030 )	4
	PROFESSIONAL GRADE DIGITAL CLAMPMETERS	4
	INDUSTRIAL GRADE DIGITAL CLAMPMETERS	4
	DIGITAL LEAKAGE CURRENT CLAMPMETER	4
	AC & AC / DC CURRENT ADAPTOR	4
	AC LINE SEPARATOR	4
11	INSULATION RESISTANCE TESTER ( HSN CODE : 9030 )	5
	UL/ETL HAND HELD INSULATION RESISTANCE TESTER CUM MULTIMETER	5
	HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER	5
	LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER	5
	ANALOG INSULATION RESISTANCE TESTER ( HSN CODE : 9030 )	6
	RESISTOR CALIBRATION BOX	6
12	DIGITAL EARTH RESISTANCE TESTERS ( HSN CODE : 9030 )	6
	CLAMP-ON EARTH RESISTANCE TESTERS	6
	ONLINE EARTH RESISTANCE TESTERS	6
13	NON-CONTACT HIGH VOLTAGE DETECTORS & PERSONAL SAFETY DETECTORS ( HSN CODE : 9031 )	7
	TELESCOPIC HOT STICK (HSN CODE : 9030 )	7
	PHASEING STICKS	8
	Accessories to be used with Phasing stick Model PC44KV/PC 33KV/22KV/11KV/PC7KV	8
14	SINGLE PHASE DISCHARGE ROD (HSN CODE : 3926)	8
	THREE PHASE DISCHARGE ROD (HSN CODE : 3926 )	8
15	TEST & MEASURING INSTRUMENTS ( HSN CODE : 9031)	9
	DIGITAL ELCB TESTERS	9
	DIGITAL TACHOMETER / STROBOSCOPE (HSN CODE :9027)	9
	DIGITAL DISTANCE METER (HSN CODE :9031)	9
	VIBRATION METER (HSN CODE :9031)	9

	DIGITAL ULTRASONIC THICKNESS GUAGE (HSN CODE :9031)	9
	DIGITAL COATING THICKNESS GUAGE (HSN CODE :9031)	10
	DIGITAL CONTACT TYPE THERMOMETER (HSN CODE : 9025)	10
	PHASE SEQUENCE INDICATOR (HSN CODE : 9030)	10
16	LABORATORY INSTRUMENTS(HSN CODE :9030)	10
	FUNCTION GENERATOR	10
	FREQUENCY COUNTER	10
	DIGITAL STORAGE OSCILLOSCOPE	10
	ANALOG OSCILLOSCOPE	10
	DIGITAL MILLI OHM METER	10
	DC REGULATED POWER SUPPLY (HSN CODE :9031)	11
	NETWORK CABLE TESTER	11
17	ENVIRONMENTAL TESTING INSTRUMENTS (HSN CODE : 9027)	11
	DIGITAL SOUND LEVEL METER & SOUND LEVEL CALIBRATORS	11
	DIGITAL LUX METER	11
	DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER (HSN CODE : 9025 )	11
	DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER (HSN CODE : 9025 )	12
	DIGITAL THERMO ANEMOMETER (HSN CODE : 9025 )	12
	DIGITAL CONTACT TYPE THERMOMETER (HSN CODE : 9025 )	13
	DIGITAL NON-CONTACT INFRARED THERMOMETER (HSN CODE : 9025 )	13
	ONLINE INFRARED THERMOMETER	13
	DIGITAL ELF DETECTOR (HSN CODE :9030)	13
	DIGITAL SOLAR POWER METER (HSN CODE :9031)	13
	DIGITAL MOISTURE METER (HSN CODE :9031)	13
18	WATERPROOF PEN TESTERS (HSN CODE :9027)	14
19	CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION & SIGNAL CABLES (HSN CODE :9027)	14
20	THERMAL IMAGING CAMERA (HSN CODE : 9027)	14
21	DIGITAL PROCESS CALIBRATORS ( HSN CODE : 9030)	14
22	POWER MEASUREMENT CLAMP-ON-METER ( HSN CODE : 9030 )	15
23	POWER MEASUREMENT & CONTROL INSTRUMENTS (HSN CODE : 9030)	15
	MULTIFUNCTION POWER & HARMONICS ANALYSER	15
	MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)	15
	MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)	15
	Optional Functions FOR MODEL KM-8100 & KM 7200	16
	MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm) (HSN CODE : 8537)	16
	DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY) (HSN CODE : 8537)	16
	INSTALLATION CHARGES	16
	PORTABLE ENERGY ANALYSER (HSN CODE : 8537)	16
	CLAMP ON CT (HSN CODE :9030)	16
24	GAS DETECTORS (HSN CODE :9027)	17

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>1</b>	<b>INTRINSICALLY SAFE MULTIMETER ( HSN CODE : 9030 )</b>			
	KM822sEX	Intrinsically Safe Digital Meter	Kusam Ele	99,000.00
<b>2</b>	<b>HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS ( HSN CODE : 9030 )</b>			
	KM 869	5-4/5 Digit 5,00,000 Counts Auto ranging TRMS Digital Multimeter with VFD Function & PC INTERFACE	Kusam Ele	22,650.00
	KM 839	3-5/6 Digit & 4½ Digit 20,000 Counts Dual Display TRMS Digital Multimeter	Kusam Ele	18,100.00
	KM 829	4 Digit 9999 Counts & 6000 counts True RMS Digital Multimeter With NCV & Probe-Contact EF Detection with IP 54	Kusam Ele	15,675.00
	KM 525	4 Digits 10,000 Counts Multiple Data Logging True RMS Digital Multimeter with 87000 points data log	Kusam Ele	19,800.00
	KM 805s	3-3/4 Digit 4000 Counts Digital Multimeter	Kusam Ele	6,200.00
	KM807s	3-3/4 Digit 4000 Counts Auto ranging TRMS Digital Multimeter	Kusam Ele	8,475.00
	KM 859 CF	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter with Temp. measurement, & PC INTERFACE	Kusam Ele	20,575.00
	KM 857	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter & PC INTERFACE	Kusam Ele	15,100.00
	KM 237R	3-5/6 Digit 6000 Counts TRMS DMM with VFD, EF-Detection, 3Phase Rotation-R & 3Phase Rotation-M(Motors).	Kusam Ele	9,000.00
	KM 235	3-5/6 Digits 6000 Counts Backlight Display Digital Multimeter with VFD	Kusam Ele	9,625.00
	KM 233	3-5/6 Digit 6000 Counts TRMS Digital Multimeter with VFD & EF Detection	Kusam Ele	8,000.00
	KM 257	3-5/6 Digits 6000 Counts TRMS Digital Multimeter with EF-Detection & 24 Segments Analog Bar Graph.	Kusam Ele	11,250.00
	5040	3-5/6 Digit 5000 Counts Autoranging Digital Multimeter with a facility of Computer Interface	Kusam Ele	9,850.00
	5040-T	3-5/6 Digit, 5000 Counts Autoranging TRMS Digital Multimeter with a facility of computer interface (Upgraded)	Kusam Ele	12,100.00
	KM 907	3-5/6 Digits 6000 Counts + 3 Digits 999 counts Dual Display TRMS Digital Multimeter with VFD Function	Kusam Ele	8,775.00
	KM 711	3-5/6 Digits 6000 Counts + 3 Digits 999 counts Dual Display Digital Multimeter with VFD Function	Kusam Ele	6,700.00
	KM 655	6000 Counts Digital Multimeter with EF-Detection	Kusam Ele	DISCONTINUED
	KM 521	4 Digits 10,000 Counts Multiple Data Logging True RMS Digital Multimeter with 10800 points	Kusam Ele	DISCONTINUED
	KM 870	5-4/5 Digits, 500,000 COUNTS AUTO RANGING TRUE RMS DIGITAL MULTIMETER WITH VFD FEATURE & PC INTERFACE & Extended 1500V DC Range	Kusam Ele	DISCONTINUED
	KM 255	3-5/6 Digits 6000 Counts Digital Multimeter with EF-Detection & 24 Segments Analog Bar Graph.	Kusam Ele	DISCONTINUED
	KM 629	Digital Multimeter with Harmonics Index Function,9999 Counts.	Kusam Ele	DISCONTINUED
	<b>LOW VOLTAGE DETECTORS</b>			
	KM 66	Voltage Detector with EF Detection	Kusam Ele	4,350.00
	KM 69	3 Digit, 1000 Counts Voltage Detector with RCD Load Test & EF Detection	Kusam Ele	7,200.00
<b>3</b>	<b>SOFTWARE (Optional) ( HSN CODE : 9030 )</b>			
	BU-86X or BU-82X	SOFTWARE BU-86X or BU-82X - Model - KM 829,KM 525 KM 869 & KM 870	Kusam Ele	4,575.00
	BRUA-85Xa	SOFTWARE BRUA-85Xa - Model - KM 857, KM 859CF & 5040		
<b>4</b>	<b>MAGNETIC HANGER (OPTIONAL) ( HSN CODE : 9030 )</b>			
		<b>For multimeter Models :</b> KM 829, KM 525, KM 869, KM 255, KM 257, KM 233, KM 237R, KM 839	Kusam Ele	350.00
		<b>For Insulation Testers :</b> KM 887, KM 878, KM 877		
<b>5</b>	<b>UL" APPROVED 1KV TEST LEADS MODEL ( HSN CODE : 9030 )</b>			
	BL20P2-C	<b>For Multimeter Model :</b> KM 829, KM 525, KM 869, KM 859CF, KM 857, KM 255, KM257, KM 5040, KM 887, KM 877, KM 878 KM 907, KM 805s , <b>For Clampmeter Model :</b> 2754A, 2754A-T, KM 061, KM 062, 2772, 2799, KM 111M, KM112M, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D	Kusam Ele	900.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
6	<b>PROFESSIONAL GRADE DIGITAL MULTIMETERS ( HSN CODE : 9030 )</b>			
<b>4½ DIGIT / 6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS</b>				
M3500A		6½ Digit Dual Display TRMS Bench Top Digital Multimeter with 5X7 dot matrix VFD Dual Display with Three colour annunciators	KM	1,00,625.00
M3510A		6½ Digit Bench Top TRMS Digital Multimeter with dot matrix Display with AC/DC 10A Current & K-type Thermocouple	KM	69,275.00
M3511A		6½ Digit Bench Top TRMS Digital Multimeter with Dot Matrix Display with AC/DC 10A Current	KM	55,550.00
		A-Opt01 Multipoint Scanner Card( 10 Channel)	KM	19,600.00
		A-Opt02 Thermocouple Adaptor	KM	1,325.00
		A-Opt03 BNC to Banana Adaptor	KM	5,900.00
		A-Opt04 GPIB Card	KM	12,450.00
		A-Opt05 RTD Probe Adaptor	KM	DISCONTINUED
		A-Opt06 RS232 Card	KM	3,525.00
KM 8045		4½ Digit 19999 Counts TRUE RMS Digital Bench Top Multimeter	KM	9,375.00
<b>DIGITAL MULTIMETERS</b>				
KM 405-MK-1		4½ Digit 19,999 Counts True RMS Digital Multimeter with large LCD Display	Kusam LLP	8,425.00
DMM 90		4½ Digit 19999 Counts Digital Multimeter with test leads connection Display	KM	5,450.00
KM 6050		4½ Digit 19999 Counts Digital Multimeter with Mechanical Terminal Blocking System	KM	4,150.00
KM 6040		3¾ Digit 3999 Counts Auto ranging Digital Multimeter with Mechanical Terminal Blocking	KM	2,850.00
KM 6030		3½ Digit 2000 Counts Digital Multimeter with Mechanical Terminal Blocking	KM	2,400.00
KM-60		Touch Screen Digital Multimeter	Kusam Ele	7,000.00
KM 6060		3½ Digit 1999 Counts Digital Automotive Multimeter	KM	2,425.00
KM-ST-505N		Analog Multimeter	KM	9,375.00
PD-28		High Voltage Probe (DC 0 ~ 40 KV, AC 0 ~ 28 KV) 50Hz	Kusam LLP.	6,775.00
KM-DMM-41		TRMS Auto Scan Digital Multimeter	KM	DISCONTINUED
KM 19		Digital 5 in 1 environmental Multimeter	Kusam Ele	DISCONTINUED
<b>BASIC DIGITAL MULTIMETERS</b>				
207-MK-1(T)		3¾ Digit 4000 Counts Autoranging Digital Multimeter	KM	2,100.00
801- L		3¾ Digit 3999 Counts Large LCD Display Digital Multimeter	KM	2,450.00
603		3½ Digit 1999 Counts Large LCD Display Digital Multimeter	KM	1,600.00
702		3½ Digit 2000 Counts Liquid Crystal LCD Display Digital Multimeter	KM	1,100.00
108		3½ Digit 1999 Counts LCD Display Digital Multimeter with 10A fused.	KM	975.00
KM 4001		3½ Digit 1999 Counts Digital Multimeter	KM	1,500.00
7	<b>DIGITAL LCR + MULTIMETERS &amp; CAPACITANCE METER</b>			
KM 520B		Digital LCR Meter	KM	23,525.00
KM 503		Digital Auto Scan Pen R/C meter	KM	2,625.00
LCR 459		4½ Digit 19999 Counts Dual Display Autoranging LCR Meter to measure L,C,R,Q,D.	KM	11,350.00
KM 954MK-II		3½ Digit 1999 Counts Large Display LCR Meter	KM	6,700.00
306		3½ Digit 1999 Counts Digital Multimeter + LCR Meter	KM	5,550.00
333		3½ Digit 1999 Counts Capacitance Meter with Capacitor Discharge Function	KM	2,850.00
334		½ Digit 1999 Counts Capacitance Meter	KM	DISCONTINUED
<b>BENCH TYPE DIGITAL LCR METER</b>				
BR5810		100Hz ~ 10kHz four typical test frequency points LCR Meter	LLP	71,450.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
8	<b>UL/ETL ' APPROVED DIGITAL CLAMPMETER ( HSN CODE : 9030 )</b>			
	KM 2777	2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface	Kusam Ele	18,200.00
	KM 2778	2000A AC / DC ,1500V DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface	Kusam Ele	19,350.00
	KM 076	3-5/6 Digits 6000 Counts 600A AC TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation,Function & 3 Phase Sequence Indication Function.	Kusam Ele	9,575.00
	KM 078	3-5/6 Digits 6000 Counts 600A AC+DC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	10,300.00
	KM 086	3-5/6 Digits 6000 Counts 1000A AC TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation Function & 3 Phase Sequence Indication Function.	Kusam Ele	11,600.00
	KM 088	3-5/6 Digits 6000 Counts 1000A AC/DC; DC+AC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	12,600.00
	KM 072	3-5/6 Digits 6000 Counts Dual Display 600A AC TRMS Digital Clampmeter WITH VFD, EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	6,775.00
	KM 033	3-5/6 digits 6000 counts 600A AC TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	7,100.00
	KM 035	3-5/6 digits 6000 counts 600A AC/DC TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	8,000.00
	KM 175D	3-5/6 Digits 6000 Counts Dual Display 600A AC TRMS Digital Clampmeter with DC $\mu$ A VIA TEST LEADS VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	9,950.00
	2754A	3 $\frac{3}{4}$ Digit 4000 Counts AC/DC Autoranging Digital Clampmeter with Multimeter Ranges (1000A DC / 800A AC)	Kusam Ele	7,550.00
	2754A(T)	3 $\frac{3}{4}$ Digit 4000 Counts AC/DC TRMS Autoranging Digital Clampmeter with Multimeter Ranges (1000A DC / 800A AC)	Kusam Ele	9,050.00
	KM 061	3 $\frac{3}{4}$ Digit 4000 Counts 400A DC/AC Autoranging Digital Clampmeter with Multimeter Ranges	Kusam Ele	6,400.00
	KM 062	3 $\frac{3}{4}$ Digit 4000 Counts TRMS 400A DC/AC Autoranging Digital Clampmeter with Multimeter Ranges	Kusam Ele	7,550.00
	KM 2772	3-5/6 Digit, 6000 Counts Autoranging AC TRMS Clampmeter with 2000A ACA & Non-Contact EF-Detection	Kusam Ele	8,475.00
	KM 111M	3 $\frac{3}{4}$ Digit 4000 Counts 600A AC Autoranging Digital Clampmeter with Ultra Slim Jaw	Kusam Ele	4,575.00
	KM 112M	3 $\frac{3}{4}$ Digit 4000 Counts 600A AC Autoranging Digital TRMS Clampmeter with Ultra Slim Jaw	Kusam Ele	6,050.00
	2799	3 $\frac{3}{4}$ Digit 4000 Counts (600A) Dual Display Autoranging DigitalClampmeter for HAVC Application (Separate Display for Voltage and Current)	Kusam Ele	7,900.00
	KM 038F	Fork Type Clampmeter	Kusam Ele	6,000.00
	KM 089	1000A AC/DC TRMS DIGITAL CLAMPMETER WITH VFD, EF-DETECTION & 3 PHASE ROTATION CHECK FUNCTION & 3 PHASE SEQUENCE INDICATIONExtended 1500V DC Range	Kusam Ele	DISCONTINUED
	KM 135	TRMS Data Logger Clampmeter with 5400 Points 9999 Counts & 1000A ACA	Kusam Ele	DISCONTINUED
	KM 181	3-5/6 Digit 6000 Counts Digital Clampmeter with VFD Function	Kusam Ele	DISCONTINUED
9	<b>SOFTWARE( Optional ) ( HSN CODE : 90309010 )</b>			
	BRUA 19X	Software BRUA 19X for KM 2778 & KM 2777	Kusam Ele	4,575.00
	BRUA 13X	Software BRUA 13X for KM 135	Kusam Ele	DISCONTINUED

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
10	<b>PROFESSIONAL &amp; INDUSTRIAL GRADE DIGITAL CLAMP METERS ( HSN CODE : 9030 )</b>			
<b>PROFESSIONAL GRADE DIGITAL CLAMP METERS</b>				
KM 2775		3¾ Digits, 4000 Counts, 2000A AC/DC Autoranging Digital Clampmeter	Kusam LLP.	14,175.00
9999		4 Digit 9999 Counts TRUE RMS Autoranging AC / DC Clampmeter with INRUSH Current Measurement (1000A)	Kusam LLP.	11,900.00
KM 2784-T		3¾ Digit 3999 Counts LCD Display AC/DC Digital TRMS Clampmeter(1000A)	KM	3,950.00
KM 2720		3¾ Digit 4000 Counts Autoranging AC/DC Clampmeter with 40/200A ACA/DCA	KM	5,900.00
KM 2725		3¾ Digit 4000 Counts Autoranging AC/DC Clampmeter with 4/40A ACA/DCA	KM	5,950.00
KM 2780		3¾ Digit 3,999 Counts 1000A AC Digital Clampmeter	KM	2,850.00
KM 071		Milliamp Process Clampmeter measures 4-20mA DC without breaking electrical circuit.	KM	29,400.00
KM 2718		3½ Digit 2000 Counts AC Digital Clampmeter (400A)AC with temperature measurement	KM	2,175.00
KM 2009		4 digit 6000 counts AC / DC 600A Current Clampmeter for Solar applications.with Datalogging	KM	13,725.00
KM 2782		3¾ Digit 3999 Counts AC/DC Digital Clampmeter with 2 display	Kusam Ele.	DISCONTINUED
KM 2782-T		3¾ Digit 3999 Counts AC/DC TRMS Digital Clampmeter with 2 display	Kusam Ele.	DISCONTINUED
KM 2783		3¾ Digit 3999 Counts AC Digital Clampmeter with 2 display	Kusam Ele.	DISCONTINUED
KM 2783-T		3-5/6 Digit 6,000 Counts 1000A AC/DC Digital Clampmeter with 2	Kusam Ele.	DISCONTINUED
<b>INDUSTRIAL GRADE DIGITAL CLAMP METERS</b>				
KM 860A		3000A AC TRMS AC/DC Dual Display Digital Clamp Multimeter	Kusam Ele.	On Inquiry
KM 3060		3½ Digit 1,999 Counts 1000A AC Digital Clampmeter	KM	1,400.00
KM 3060-T		3-5/6 Digit 5,999 Counts 1000A AC Digital Clampmeter	KM	1,650.00
999		3½ Digit 1999 Counts Digital AC Clamp meter (1000A)	KM	4,200.00
2781		3¾ Digit 3999 Counts Liquid crystal LCD Display AC/DC Digital Clampmeter(1000A)	KM	5,250.00
2781-T		3¾ Digit 3999 Counts LCD Display AC/DC Digital TRMS Clampmeter(1000A)	KM	6,325.00
2700		3½ Digit 1999 Counts (300A) AC Clampmeter	Kusam LLP	3,050.00
2790		3¾ Digit 2000 Counts Large LCD Display Digital Clampmeter (600A)AC	KM	3,000.00
KM 1001		3½ Digit 1,999 Counts 400A AC Digital Clampmeter	KM	850.00
KM 1002		3½ Digit 1,999 Counts 400A AC Digital Clampmeter	KM	DISCONTINUED
2763		3½ Digit 3999 Counts Autoranging Digital Clampmeter (1000A) AC	KM	DISCONTINUED
<b>DIGITAL LEAKAGE CURRENT CLAMP METER</b>				
KM 2006		4 Digit 5000 Counts AC / DC TRMS Leakage Clampmeter	KM	22,000.00
KM 2007		3¾ Digit 3999 Counts AC Leakage Clamp On Meter with Harmonics Low Pass Filter Function Ranges: AC Current : 40mA/400mA/4A/100A & AC Voltage : 600V	Kusam LLP.	20,675.00
KM 2008A		4 Digit 3000 counts AC Leakage Current Clampmeter upto 300A	KM	11,100.00
KM 2008		4 Digit 3000 counts AC Leakage Current Clampmeter with Data logging & PC Interface	KM	13,900.00
<b>AC &amp; AC / DC CURRENT ADAPTOR</b>				
CA 3000		3000A Flexible Current Probe	KM	10,250.00
CA 3000D		3000A TRMS Reading Flexible Current Probe with display	KM	15,000.00
CA1000		1000A AC/DC Current Clamp Adaptor 400/1000A, O/P 1mV/A	KM	4,900.00
CA2000		2000A AC/DC Current Adaptor 400/2000A, O/P 1mV/A	KM	5,350.00
CA500		500 A AC/DC Current Clamp Adaptor O/P 1mV/A	KM	6,775.00
<b>AC LINE SEPARATOR</b>				
ALS-1		AC line Separator	Kusam Ele.	1,325.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>11</b>	<b>INSULATION RESISTANCE TESTER ( HSN CODE : 9030 )</b>			
<b>UL/ETL HAND HELD INSULATION RESISTANCE TESTER CUM MULTIMETER</b>				
	KM 887	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD Function. & AC/DC Current Range Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele.	27,225.00
	KM 878	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD, capacitance, AC/DC Current Range & Temperature Function Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele.	29,750.00
	KM 877	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD, PI, DAR & PASS/FAIL Insulation compare Feature Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele.	25,175.00
	KM 885	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with VFD	Kusam Ele.	DISCONTINUED
	KM 876	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with VFD PI & DAR Function	Kusam Ele.	DISCONTINUED
<b>HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER</b>				
	KM 7016 IN	Test Insulation Resistance upto 30TΩ Test Insulation Voltage upto 15kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP.	1,32,000.00
	KM 7015 IN	Test Insulation Resistance upto 2TΩ Test Insulation Voltage upto 15kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP.	1,18,950.00
	KM 6213 AIN	Test Insulation Resistance upto 600GΩ Test Insulation Voltage upto 10kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP.	79,000.00
	KM 6310 IN	Test Insulation Resistance upto 20TΩ Test Insulation Voltage upto 10kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP.	83,850.00
	KM 6305 IN	5KV H. V. Insulation Resistance Tester with PI & DAR Function & PC Interface Test voltage : 500/1000/2500/5000V with Rechargeable Battery with test insulation resistance range upto 10TΩ	Kusam LLP.	91,475.00
	KM 6305 AIN	5KV H. V. Insulation Resistance Tester with PI & DAR Function & PC Interface Test voltage : 500/1000/2500/5000V with Alkaline Battery & test insulation resistance range upto 10TΩ	Kusam LLP.	76,250.00
	KM 2805 MK-1	5KV H. V. Insulation Resistance Tester: 0.5KV/1KV/2.5KV/5KV Test Insulation Resistance upto 1TΩ with PI Function & PC Interface	KM	32,675.00
		Adaptor of KM 2805 MK-1		2,400.00
		Standard test lead Approx. 1.5 mtr. for KM 2805 MK-1		3,675.00
		10 Meter long test lead for KM 2805 MK-1		6,550.00
	KM 2803 IN	5KV H. V. Insulation Resistance Tester: 0.5KV/1KV/2.5KV/5KV Test Insulation Resistance upto 250GΩ	Kusam LLP.	45,725.00
	KM 2804 IN	10 KV H. V. Insulation Resistance Tester: 1KV/2.5KV/5KV/10KV Test Insulation Resistance upto 500GΩ	Kusam LLP.	56,200.00
<b>LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER</b>				
	KM 1154 TMF	Digital Medium voltage Multifunction Insulation Resistance & Continuity Voltage with MOV & Gas Arrester Tester with Test Voltage 50V/100V/125V/ 250/500/1000V & Measuring Range upto 10GΩ	Kusam LLP.	22,000.00
	KM 1152 MF	Digital Medium voltage Multifunction Insulation Resistance & Continuity Voltage with MOV & Gas Arrester Tester with PI & DAR Test Voltage 250/500/1000V & Measuring Range upto 0-8GΩ	Kusam LLP.	22,000.00
	KM 370	3% DIGIT DIGITAL INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS With Test voltage : 500V/1000V/2500V with test insulation resistance upto 40 GΩ	KM	6,350.00
	KM 379	3% DIGIT DIGITAL INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS With Test voltage : 250V/500V/1000V with test insulation resistance upto 40 GΩ	KM	5,125.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>ANALOG INSULATION RESISTANCE TESTER ( HSN CODE : 9030 )</b>				
	KM 01	Analog Insulation Tester 100V/50 Megohms; 0-600V AC	KM	2,275.00
	KM 03	Analog Insulation Tester 500V/100 Megohms; 0-600V AC	KM	2,300.00
	KM 41	Analog Insulation Tester 500V/1000 Megohms; 0-600V AC	KM	2,350.00
	KM 81	Analog Insulation Tester 1000V/2000 Megohms; 0-600V AC	KM	2,375.00
	KM 71	Analog Insulation Tester 1000V/500 Megohms; 0-600V AC	KM	DISCONTINUED
<b>RESISTOR CALIBRATION BOX</b>				
	RCB-3-1T	RCB Calibration Box : 50MΩ/500MΩ/1GΩ/5GΩ/20GΩ/100GΩ/395GΩ/1TΩ	Kusam Ele.	4,68,000.00
<b>12</b>	<b>DIGITAL EARTH RESISTANCE TESTERS ( HSN CODE : 9030 )</b>			
	KM 4234ER	4 Wire Digital Earth Resistance Tester : 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	43,350.00
	KM 4235ER	Digital Earth Resistance Soil Resistivity Tester 4 Wire Earth Resistance: 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP.	50,325.00
	KM 1105ER	ANALOGUE EARTH RESISTANCE Earth Resistance: Range upto 1200 Ω Test Frequency 820Hz	KM	19,825.00
	KM 2040	Digital Earth Resistance Soil Resistivity Tester 4 Wire Earth Resistance: 20.9KΩ Resistivity measurement	Kusam Ele.	20,700.00
		Test lead set of 50 meter length for Model KM 2040	Kusam Ele.	12,550.00
	KM 1520	Digital Earth Resistance Tester 3 Terminal ,3 3/4 Digit 4000 counts LCD Display Earth Resistance: Range 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	14,650.00
	KM 1520A	Digital Earth Resistance Tester 3 Terminal ,3 1/2 Digit 2000 counts LCD Display Earth Resistance: Range : 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	20,000.00
	KM 1320	Digital Earth Resistance Soil Resistivity Tester 2 / 3 / 4 Wire Earth Resistance: 0.00Ω-30.00kΩ, Earth Voltage 0.0 ~ 600V & Test Frequency 128Hz/111Hz/105Hz/94Hz(AFC) with RS232 Interface	KM	71,000.00
	KM 2030	3½ Digit LCD display Digital.Ground resistance measurements 2000Ω with 0.01Ω resolution.Earth Voltage 0 ~ 30V	Kusam Ele.	8,100.00
<b>CLAMP-ON EARTH RESISTANCE TESTERS</b>				
	KM 1620	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω	KM	35,200.00
	KM 1820 (KM 1720+)	Clamp On Earth Resistance Tester With PC interface. Leakage Current Range : 20A ,Resistance Range 0.01~1200Ω	KM	51,175.00
	KM 1720	Clamp On Earth Resistance Tester With Leakage Current Range : 20A Resistance Range 0.01~1200Ω	KM	38,500.00
	KM 1220	Clamp On Earth Resistance Tester With Leakage Current Range : 20A Resistance Range 0.01~1000Ω	KM	DISCONTINUED
	KM 1120	Clamp On Earth Resistance Tester With Resistance Range 0.01~1000Ω	KM	DISCONTINUED
<b>ONLINE EARTH RESISTANCE TESTERS</b>				
	2800B	NON-CONTACT GROUNDING RESISTANCE ONLINE TESTER Without Display. Range : 0.01Ω ~ 200Ω		29,000.00
	2800C	4 Digit LCD Display NON-CONTACT GROUNDING RESISTANCE ONLINE TESTER With Display . Range : 0.01Ω ~ 200Ω		35,500.00

All prices are subject to change without prior notice.



SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>13</b>	<b>NON-CONTACT HIGH VOLTAGE DETECTORS &amp; PERSONAL SAFETY DETECTORS ( HSN CODE : 9031 )</b>			
	500HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V- 500KV	Kusam LLP	13,425.00
	278HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 2	Kusam LLP	15,250.00
	375HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 2	Kusam LLP	15,500.00
	275HP	High Voltage Non-Contact Proximity Detectorwith 8 Voltage setting from 240V- 275KV	Kusam LLP	13,100.00
	273HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP.	7,625.00
	277HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP.	11,550.00
	230 HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 36.5kV Retracted : 893 ± 50mm ; Extracted : 1520 ± 50mm.	Kusam LLP.	17,850.00
	213HVD	Capacitive High Voltage Detector(Contact) upto 11KV	Kusam LLP.	39,625.00
	KM 302 SVD	Personal Safety High Voltage Detector AC Voltage 100V ~ 50kV.	Kusam LLP.	8,275.00
	388 SVD	Personal Safety High Voltage Detector AC Voltage 240V ~ 69kV.	Kusam LLP.	14,175.00
	288 SVD	Personal Safety High Voltage Detector AC Voltage 110V (240V-50kV).	Kusam LLP.	13,425.00
	276 HD	High Voltage Detector :Measur.Volt Range :H.V.: 3kV-24kV AC L. V. : 80V ~ 600V AC	Kusam LLP.	14,825.00
	276 HD 33KV	High Voltage Detector :Measur.Volt Range :H.V.: 3kV-33kV AC L. V. : 80V ~ 600V AC	Kusam LLP.	15,850.00
	287 SVD	Personal Safety High Voltage Detector Range (Arm & Helmet wearing) : 110V ~ 22.8KV	Kusam LLP.	6,550.00
	286 SVD	Personal Safety High Voltage Detector Range(Arm & Helmet wearing) : 110V ~ 11.4KV	Kusam LLP.	6,100.00
	285HD-A	Pole Mounting High Voltage Detector : 3kV ~ 7kV	Kusam LLP.	3,500.00
	285HD-B	Pole Mounting High Voltage Detector 6.6kV ~ 11kV	Kusam LLP.	3,500.00
	285HD-C	Pole Mounting High Voltage Detector 10kV ~ 22kV	Kusam LLP.	3,500.00
	290 HD	Telescopic High Voltage Detector upto : Measur. Volt Range : 6kV ~ 81.5KV Retracted :1370 ± 50mm ; Extracted : 2450 ± 50mm.	Kusam LLP.	21,125.00
<b>TELESCOPIC HOT STICK ( HSN CODE : 9030 )</b>				
	HSR 120	Fibre Glass Rod 1x1.2m Orange stick + 3x1.8m Black stick <b>(SET)</b>	Kusam LLP.	44,225.00
	HSR 120A	Fibre Glass Rod 1.2m Orange with cover	Kusam LLP.	15,675.00
	HSR 120B	Fibre Glass Rod 1.8m Black with cover	Kusam LLP.	9,600.00
	HSR 120C	Fibre Glass Rod 1.8m Black with handle with cover	Kusam LLP.	9,150.00
	HS 120R	Fibre Glass Rod 1.2m Black with handle with cover	Kusam LLP.	15,675.00
	HS 800	Fibre Glass Rod 0.8 m Black with handle with cover	Kusam LLP.	10,225.00
	HS-175-3	TELESCOPIC HOT STICK, Fibre Glass Rod 3.82 meters	Kusam LLP.	40,100.00
	HS-175-4	TELESCOPIC HOT STICK, Fibre Glass Rod 5.10 meters	Kusam LLP.	52,275.00
	HS-175-5	TELESCOPIC HOT STICK, Fibre Glass Rod 6.42 meters	Kusam LLP.	69,680.00
	HS-175-6	TELESCOPIC HOT STICK Fibre Glass Rod 7.78 meters	Kusam LLP.	86,250.00
	HS-175-7	TELESCOPIC HOT STICK Fibre Glass Rod 9.18 meters	Kusam LLP.	90,400.00
	HS-175-8	TELESCOPIC HOT STICK Fibre Glass Rod 10.62 meters	Kusam LLP.	1,08,450.00
	HS-175-9	TELESCOPIC HOT STICK Fibre Glass Rod 12.09 meters	Kusam LLP.	1,26,550.00
	HOK-HS166	Disconnect Hook	Kusam LLP.	475.00
	ADP-HS120	FUSE EXTRACTOR HEAD	Kusam LLP.	350.00
	HSR 121-3M	Retractable Fibre Glass Rod 3 meters with cover (HSN CODE : 3926 )	Kusam LLP.	11,450.00
	HSR 122-5M	Retractable Fibre Glass Rod 5 meters with cover (HSN CODE : 3926 )	Kusam LLP.	14,650.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>PHASEING STICKS</b>				
	KM-MPS-50K	Digital Multifunction Phasing Sticks (AC/DC 50KV) with digital display with CE	Kusam LLP.	1,07,575.00
	PC 44KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 44KV	Kusam LLP.	1,47,250.00
	PC 33KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 33KV	Kusam LLP.	1,32,400.00
	PC 22KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 22KV	Kusam LLP.	1,22,625.00
	PC 11KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 11KV	Kusam LLP.	1,12,625.00
	PC 7KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 6.6KV	Kusam LLP.	1,05,200.00
<b>Accessories to be used with Phasing stick Model PC44KV/PC 33KV/22KV/11KV/PC7KV</b>				
	TER-40mm	Piercing Tip 40mm(Pair)	Kusam LLP.	1,450.00
	TER-70mm	Piercing Tip 70mm (Pair)	Kusam LLP.	1,450.00
	PC-160	Right Angle Adaptors It can be semi-disconnected for storage into the case (Pair)	Kusam LLP.	12,850.00
	ADP-PCXXK	Adaptor	Kusam LLP.	1,200.00
	TER-213 100mm	Contact Type Terminal 100mm	Kusam LLP.	900.00
	TER-213 60mm	Contact Type Terminal 60mm	Kusam LLP.	650.00
	TER-213 40mm	Contact Type Terminal 40mm	Kusam LLP.	425.00
<b>14</b>	<b>SINGLE PHASE DISCHARGE ROD (HSN CODE : 3926)</b>			
	11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP.	9,450.00
	11-33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP.	10,000.00
	33-66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP.	11,975.00
	66-132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP.	20,350.00
	132-220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP.	24,000.00
	400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP.	29,950.00
<b>THREE PHASE DISCHARGE ROD (HSN CODE : 3926)</b>				
	11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP.	28,300.00
	11-33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP.	30,000.00
	33-66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP.	35,900.00
	66-132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP.	61,000.00
	132-220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP.	72,100.00
	400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP.	89,850.00
		Cable For Discharge Rod (Other than Standard Size & Length) ,4 sq. mm/6sq. Mm/10 sq. mm/16 sq. mm/,25 sq. mm/,35 sq. mm		PRICES ON ENQUIRY

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
15	<b>TEST &amp; MEASURING INSTRUMENTS ( HSN CODE : 9031)</b>			
<b>BATTERY QUALITY ANALYSER</b>				
	KM 900	BATTERY QUALITY ANALYZER for current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/1200Ah	Kusam LLP	2,66,300.00
	KM 900 C	BATTERY QUALITY ANALYZER for current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/6000Ah & AC Ripple Current measurement	Kusam LLP	3,31,275.00
	KM 900 S	SERIES BATTERY QUALITY ANALYZER with Model CA 500 AC/DC Current Clamp Adaptor for current measurement With Battery Range 100V/3000Ah	Kusam LLP	DISCONTINUED
<b>DIGITAL ELCB TESTERS</b>				
	KM 1812 EL-A	Digital ELCB Tester - 240Vac,Max. current 500mA	Kusam LLP.	18,725.00
	KM 1812 EL-B	Digital ELCB Tester - 230Vac,Max. current 500mA	Kusam LLP.	18,725.00
	KM 1812 EL-C	Digital ELCB Tester - 220Vac,Max. current 500mA	Kusam LLP.	18,725.00
	KM 1812 EL-D	Digital ELCB Tester- 110 Vac,Max. current 500mA	Kusam LLP.	18,725.00
		Test Leads for KM 1812EL	Kusam LLP.	3,075.00
	KM 2820 EL	Digital ELCB Tester - 100-450V, Max. current 1A	Kusam LLP.	44,450.00
	KM 6221 EL	3 Phase Digital ELCB Tester - 100Vac-450Vac Max. current 999mA	Kusam LLP.	80,875.00
<b>DIGITAL TACHOMETER / STROBOSCOPE (HSN CODE :9027)</b>				
	KM-2235B	Digital Tachometer (Contact Type) 5 – 9999 / 19,999 RPM	Kusam Ele.	3,275.00
		Accessories for KM 2235B :Set of Surface speed Test Wheel, RPM adapter(cone) & (funnel)	Kusam Ele.	825.00
	KM-2234BL	Digital Tachometer (Non- Contact Type) 5-9999 / 99,999RPM	Kusam Ele.	2,950.00
	KM-2241	Non Contact( Photo) Tachometer 2.5 - 99,999RPM &Contact Tachometer 0.5-19,999 RPM, Surface Speed 0.05-1,999.9M/Min	Kusam Ele.	4,350.00
		Reflective Tape for Tachometer (Non-Contact type)Model No. KM 2234BL & KM 2241 ( 12mm X 100mm) X 6NOS	Kusam Ele	125.00
		Adaptor for KM 2241	Kusam Ele.	825.00
	KM-2240	Stroboscope measuring by NonContact 60- 39,999 RPM	Kusam Ele.	13,000.00
	KM 2239B	Stroboscope measuring by NonContact 60- 20,000 RPM	Kusam Ele.	DISCONTINUED
<b>DIGITAL DISTANCE METER (HSN CODE :9031)</b>				
	KM-972(M)	Digital Distance Meter upto 15 Mtrs. (49 Ft.)	Kusam Ele	1,650.00
	KM-973	30 mtrs distance meter	KM	5,450.00
	KM-975	50 mtrs distance meter	KM	6,550.00
	KM-976	100 mtrs distance meter	KM	9,575.00
	KM 6185	"CE"Approved Non-Contact AC Voltage Detector upto 1000V	KM	725.00
<b>VIBRATION METER (HSN CODE :9031)</b>				
	KM 63	Hand-hold, Pocket vibration meter with built in sensor	KM	13,850.00
	KM 63A	Vibration meter with external sensor	KM	16,550.00
	KM 3961	Vibration meter with external sensor	KM	29,850.00
		USB Cable + Software	KM	6,650.00
		Probe With Magnet	KM	15,400.00
<b>DIGITAL ULTRASONIC THICKNESS GAUGE (HSN CODE :9031)</b>				
	KM 8041	4 Digit LCD display Digital Ultrasonic Thickness Meter Measuring range :1.2mm – 225mm ( steel ) Pipe measures : minimum dia. 20 * 3mm (steel)	KM	20,000.00
	KM 130D	4 Digit LCD display Digital Ultrasonic Thickness Meter Measuring range : 1.0 – 220 mm (steel)	KM	11,550.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>DIGITAL COATING THICKNESS GAUGE (HSN CODE :9031)</b>				
	KM 117A	Coating Thickness Gauge for Ferrous Base Material (iron, Steel)	KM	7,625.00
	KM 8042	4 Digits LCD Display Coating Thickness gauge Meter Measurement range: 0~1200µm.	KM	23,525.00
	KM-FN-500A	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material Range : 0 to 1500µm	KM	9300
	KM -EP-770	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material with USB interface. Range : 0 to 2000µm	KM	11000
	KM 117	3½ Digit 1999 Count Liquid Crystal Display Lcd	KM	DISCONTINUED
	KM 118	3½ Digit 1999 Count Liquid Crystal Display Lcd	KM	DISCONTINUED
	KM 118A	Ferrous (iron, steel) & Non-Ferrous Base Material. (copper, aluminum, zinc, bronze, brass, etc.)	KM	DISCONTINUED
<b>DIGITAL CONTACT TYPE THERMOMETER (HSN CODE : 9025)</b>				
	KM 6502	Probe Temperature Meter -50°C ~ 270°C	KM	1,325.00
	KM 6503	Probe Temperature Meter -50°C ~ +300°C	KM	650.00
<b>PHASE SEQUENCE INDICATOR (HSN CODE : 9030)</b>				
	KM 981-MK-1	Phase Sequence Indicator Operating Voltage 60-600V AC & frequency range 20Hz ~ 400Hz	Kusam LLP	1,750.00
	KM 855PR	Phase Sequence Indicator Operating Voltage 200V-600V AC frequency range 50Hz ~ 60Hz with open phase condition check feature through LED & Buzzer.	Kusam LLP	5,225.00
	KM 888 PMR	3 phases Presence and Rotation Indicator combined with a 3 phases Motor Rotation Tester. Operating Voltage 100V-600V AC	Kusam LLP	5,900.00
	KM 991	3phase Motor Rotation Tester& Open Phase indication. Operat. Voltage 100V-450VAC	KM	2,200.00
	KM 885PR	Phase Sequence Indicator with display with Phase Rotation, Phase Presence & Voltmeter.	Kusam LLP	14,950.00
<b>16</b>	<b>LABORATORY INSTRUMENTS(HSN CODE :9030)</b>			
<b>FUNCTION GENERATOR</b>				
	KM 2001	Digital Signal Generator (2MHz)	Kusam Ele.	12,100.00
	KM 2002	Digital Function Generator(2MHz)	Kusam Ele.	14,850.00
	KM 2005	Digital Function Generator (5MHz)	KM	15,450.00
	KM 2010	Digital Function Generator (10MHz)	KM	17,225.00
<b>FREQUENCY COUNTER</b>				
	KM 3165	3 step function selection 8 Digit LED Display Frequency Counter. Wide measuring range from 0.01 Hz to 2.4 GHz	KM	7,575.00
<b>DIGITAL STORAGE OSCILLOSCOPE</b>				
	KM-20-2025CA	Dual Trace 25MHz Digital Storage Oscilloscope	Kusam Ele	39,825.00
	KM-20-2040CA	Dual Trace 40MHz Digital Storage Oscilloscope	Kusam Ele	41,950.00
	SDS1102CML	2 Channels 100MHz Digital Storage Oscilloscope	Kusam Ele	Price on Enquiry
	SSA3032X	Spectrum Analyser	Kusam Ele	5,71,450.00
		TG-SSA3000X (Tracking generator kit )		
		UKITSSA3X( Utility Kit)		
	KM-20-2100CA	Dual Trace 100MHz Digital Storage Oscilloscope	Kusam Ele	DISCONTINUED
<b>ANALOG OSCILLOSCOPE</b>				
	KM-20-10	20MHz Analog Oscilloscope	Kusam Ele.	33,950.00
	KM 5060	Dual Trace 60MHz Analog Oscilloscope	Kusam Ele.	65,225.00
	KM 5030	Dual Trace 30MHz Analog Oscilloscope	Kusam Ele.	DISCONTINUED
<b>DIGITAL MILLI OHM METER</b>				
	KM-OHM-8500	4½ Digit 19,999 Counts Milli Ohm Meter Range : 1 µΩ to 200K & Output Current 1A	Kusam Ele.	48,400.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>DC REGULATED POWER SUPPLY (HSN CODE :9031)</b>				
	KM-PS-302	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele.	6,225.00
	KM-PS-303	DC Power Supply-0-30V, 3A Single O/P	Kusam Ele.	6,450.00
	KM-PS-305	DC Power Supply-0-30V, 5A Single O/P	Kusam Ele.	6,650.00
	KM-PS-302-AB	DC Power Supply-0-30V, 2A Single O/P + 5V / Fixed Output	Kusam Ele.	7,000.00
	KM-PS-3010-AB	DC Power Supply-0-30V, 10A Single O/P fixed output 5V/2A	Kusam Ele.	17,150.00
	KM-PS-302D-II	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele.	11,350.00
	KM-PS-303D-II	DC Power Supply-0-30V, 3A Dual O/P	Kusam Ele.	13,100.00
	KM-PS-305D-II	DC Power Supply-0-30V, 5A Dual O/P fixed output 5V/3A	Kusam Ele.	16,450.00
<b>NETWORK CABLE TESTER</b>				
	KM 36	Network Cable Tester	KM	1,075.00
<b>17</b>	<b>ENVIRONMENTAL TESTING INSTRUMENTS (HSN CODE : 9027)</b>			
<b>DIGITAL SOUND LEVEL METER &amp; SOUND LEVEL CALIBRATORS</b>				
	KM 926	Digital Sound Level Meter : Measuring Ranges : 30 ~ 130 dBA, 40 ~ 130dbc	Kusam Ele.	4,200.00
	KM 928 MK-1	Digital Sound Level Meter : Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC	KM	4,200.00
	KM 929 MK-1	Digital Sound Level Meter with 4700 Records Data Logger with USB interface Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC & PWM output	KM	4,700.00
	KM 8080	Digital Sound Level Meter : Measuring Ranges : 30dB ~ 120dB with 'A' Frequency weighting	KM	6,225.00
	KM 8080 MK-1	Digital Sound Level Meter : Measuring Ranges : 30dB ~ 130dB with 'A' Frequency weighting	KM	1,825.00
	KM-20 /YF-20	Analog Sound Level Meter : Measuring Ranges : Lo - 40dBA ~ 80dBA	Kusam Ele	4,150.00
	TM-100	Sound Level Calibrator 94 KHz & 114KHz for 1/2 inch microphone condensor	KM	18,550.00
	<b>KM 928</b>	<b>Autoranging Sound Level Meter 30 - 130dB</b>	<b>LLP</b>	<b>DISCONTINUED</b>
	<b>KM 929</b>	<b>Sound Level Meter with 14000 Records Data Logger</b>	<b>LLP</b>	<b>DISCONTINUED</b>
<b>DIGITAL LUX METER</b>				
	KM-LUX-99	Range 0 – 2000 / 20000 / 100,000 LUX. Resolution : 1Lux / 10 Lux / 100Lux	Kusam Ele.	2,000.00
	KM-LUX-200K	Range 0 – 200,000 LUX ,0.01-20,000 FC Resolution : 0.1Lux & 0.01FC	Kusam Ele.	3,425.00
	KM 8051	Digital Lux Meter with adjustable sensor Range : 0 ~ 30000 Lux; 0 ~2788.0 ftc Resolution : 1 Lux (0 ~ 30000 Lux); 0.1 ftc (0 ~ 2788.0 ftc)	Kusam Ele.	5,550.00
	KM 8051 MK-1	Digital Lux Meter with adjustable sensor Range : 0 ~ 200000 Lux;	Kusam Ele.	1,875.00
	KM 203	Data Logging Digital Lux Meter Range : 20, 200, 2000, 20000, 200000Lux	Kusam LLP	21,125.00
	KM 8911A	Digital Lux Meter with Analog Bar Graph & PC Interface : 0 ~ 400,000Lux (0~400kLux, 0~40kFC)	Kusam LLP	4,750.00
	<b>KM-LUX-100K</b>	<b>Range 0-2000 / 20000 / 100000 LUX</b>	<b>Kusam Ele.</b>	<b>DISCONTINUED</b>
<b>DIGITAL THERMO HYGRO METER /TEMPERATURE &amp; HUMIDITY DATALOGGER (HSN CODE : 9025 )</b>				
	KM 600NH	Digital Temperature & Humidity Datalogger upto 16000 data record with USB PC interface	KM	8,275.00
	KM 9122	Wall Mounting HIGH-PRECISION TEMPERATURE & HUMIDITY DATA LOGGER with 16000 data logging & USB Interface.	Kusam LLP	4,750.00
	KM 8102	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER with Dew Point & Wet Bulb Temperature with Internal memory to save 99 groups of data	Kusam LLP	3,225.00
<b>DIGITAL MANNOMETER (HSN CODE : 9026 )</b>				
	KM 8070	6 digit LCD display Digital Absolute Pressure Meter Range : 300 ... 1,200 hPa 120.4 ... 481.8 inH2O	KM	10,600.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>DIGITAL THERMO HYGRO METER /TEMPERATURE &amp; HUMIDITY DATALOGGER (HSN CODE : 9025)</b>				
	KM 8122	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER Measures environment/dewpoint/wetbulb temperature with USB interface & Data Logging 32000 Data	Kusam LLP	4,975.00
	KM 918	3½ Digit 1999 counts Thermo Hygrometer, Dual Display FOR TEMPERATURE / HUMIDITY / WET BULB / DEW POINT MEASUREMENT	Kusam LLP.	7,650.00
	KM 918 A	Digit Thermo Hygrometer with large LCD Triple Display of Clock, Temperature & Humidity	Kusam Ele.	1,200.00
	KM 918 B	Thermo Hygrometer	Kusam Ele.	575.00
	KM 8010	4 digit LCD Display Digital Temperature Humidity Meter with Dew Point	KM	5,125.00
	KM 8010 MK-1	LCD Backlight Dual Display Digital Temperature Humidity Meter with Dew Point & Wet Bulb	KM	2,100.00
	KM 920	Large LCD Dual Display with backlight Digital Humidity & Temperature meter Probe Temperature Range : -10°C~50°C' (-30°C~1000°Cwith separate K-Type )	Kusam LLP.	5,450.00
	KM 8022	DIGITAL TEMPERATURE / AIR VOLUME /VANE ANEMOMETER: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s:/.4 ~ 20m/s	KM	6,500.00
	KM 8022 MK-1	DIGITAL TEMPERATURE / AIR VELOCITY /VANE ANEMOMETER: Range :-10 ~ 45 C, 14 ~ 113 F/ 0 ~ 30 m/s	KM	1,875.00
	KM-THS-03	3-Wire Temperature & Humidity Transmitter for wall Type	Kusam Ele.	18,350.00
	KM-THS-04	3-Wire Temperature & Humidity Transmitter for Duct Type	Kusam Ele.	20,450.00
	KM-THS-33	3-Wire Temperature & Humidity Transmitter with temperature compensation wall Type	Kusam Ele.	25,825.00
	KM-THS-34	3-Wire Temperature & Humidity Transmitter with temperature compensation duct type	Kusam Ele.	27,850.00
	KM 919	Dual LCD Display DIGITAL THERMO HYGROMETER WITH DEW POINT / WET BULB TEMPERATURE / HUMIDITY METER & 200 reading Data Logging	Kusam Ele.	DISCONTINUED
	KM 601	CO2, TEMP, RH MONITOR / DATA LOGGER	KM	DISCONTINUED
	KM 5570	3.5" (8.9cm) with backlight LCD Display Digital CO2/Temperature/RH Datalogger with 12,700 data logging memory.	KM	DISCONTINUED
	KM 921	Large 4-1/2 dual digital LCD display with backlight Temperature & Humidity Meter (Thermo Hygrometer)	KM	DISCONTINUED
<b>DIGITAL THERMO ANEMOMETER (HSN CODE : 9025)</b>				
	KM 909	4 Digit Thermo Anemometer, Dual Backlight Display for temperature & Wind velocity measurement in knots, mph, Km/h, m/s, ft/min.	Kusam LLP.	7,625.00
	KM 908 MK-1	Range : Air Velocity: 0 ~ 45 m/s, 0 ~ 140 km/hr, 0 ~ 8800 Ft/min/0 ~ 88Knots/0 ~ 100 mph, Air Temperature: 0 ~ 45°C, 32 ~ 113°F	KM	4,100.00
	KM 910 MK-1	4 Digit dual LCD Display CFM/CMM Digital Thermo Anemometer	KM	6,225.00
	KM 734 MK-1	Air Velocity/Flow/TemperatureThermal anemometer, for very low air velocity measurement.	KM	16,800.00
	KM 730	IRTHERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity in m/s, ft/min, km/h, mile/h, knots & Temperature in °C and °F	KM	24,175.00
	KM 732	IRTHERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity : m/s, ft/min,km/h, mile/h, knots, Air Flow in CMM (m3 / min),CFM (ft3/min)& temperaturein °C and °F	KM	32,675.00
	KM 733	IRTHERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity : m/s, ft/min,km/h, mile/h, knots, Air Flow in CMM (m3 / min),CFM (ft3/min)& temperaturein °C and °F	KM	45,750.00
	KM 910	4 Digit dual LCD Display CFM/CMM Digital Thermo Anemometer	KM	DISCONTINUED
	KM 734	(Air Velocity/Flow/TemperatureThermal anemometer, for very low air velocity measurement.	KM	DISCONTINUED

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>DIGITAL CONTACT TYPE THERMOMETER (HSN CODE : 9025)</b>				
	KM-936	3½ Digit 1999 Count Thermometer (Single channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele.	2,175.00
	KM-945	3½ Digit Digital Thermometer (Dual channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele.	2,850.00
		Optional - "K" Type Thermocouple Probe for KM 936 & KM 945 1200°C with 12 inch long stem.	Kusam Ele.	2,675.00
<b>DIGITAL NON-CONTACT INFRARED THERMOMETER (HSN CODE : 9025)</b>				
	IRL-380	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1	KM	2,600.00
	IRL-900	Non-Contact with laser sighting, Range: -30°C to 550°C. D:S Ratio 10:1	KM	6,600.00
	IRL-650	Infrared Thermometer with Temperature range -50°C to 650°C D:S Ratio 12:1	KM	3,600.00
	KM-690	Non-Contact Infrared Thermometer Temp. Range : 0-1650°C ; DS ratio 50: 1	KM	26,125.00
	IRL-866	Infrared Thermometer with Temperature range -50°C to 2250°C D:S Ratio 50:1	KM	23,950.00
	IRL-1100	Infrared Thermometer with Temperature range -50°C to 1100°C D:S Ratio 50:1	KM	5,000.00
	IRL-1600	Infrared Thermometer with Temperature range -50°C to 1600°C D:S Ratio 50:1	KM	8,800.00
	IRL 300	Infrared Thermometer with Tempe. range 350oC & DS Ratio 10:1	KM	DISCONTINUED
	IRL-2600fe	Infrared Thermometer for Liquid Steel+Liquid Iron+ Copper Liquid Range: 200°C to 2600°C.	KM	DISCONTINUED
	IRL-1450	Infrared Thermometer with Tempe. range -25°C to 1450°C D:S Ratio 35:1	KM	DISCONTINUED
	IRL-1000	Infrared Thermometer with Tempe. range -50°C to 999°C D:S Ratio 12:1	Kusam Ele.	DISCONTINUED
	IRL-800AL	Non-Contact Infrared Thermometer for Molten Aluminium Range: 200°C to 800oC.	KM	DISCONTINUED
	IRL-151	Infrared Thermometer with Tempe. range -30°C to 650°C D:S Ratio 15:1	KM	DISCONTINUED
	IRL 550	Infrared Thermometer with Tempe. range -25°C to 560°C D:S Ratio 12:1	KM	DISCONTINUED
<b>ONLINE INFRARED THERMOMETER</b>				
	KM 6816-2 (DT 8300B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~300°C Output 4-20mA	KM	7,100.00
	KM 6816-3 (DT 8600B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~600°C Output 4-20mA	KM	10,200.00
	KM 6816-4 (DT 8012B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1200°C Output 4-20mA	KM	18,100.00
	KM 6816-5 (DT 8018B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1800°C Output 4-20mA	KM	24,350.00
<b>DIGITAL ELF DETECTOR (HSN CODE :9030)</b>				
	KM 192	Digital Triaxial ELF Magnetic Field Meter	Kusam Ele.	15,000.00
	KM 195	Three-Axis RF Field Strength Meter	Kusam Ele.	13,725.00
	KM 196	3½ Digit LCD display Digital Electromagnetic Radiation Tester Measuring Range : Electric Field : 1V/m ~ 1999V/m. Magnetic Field	KM	2,725.00
	KM 828	Field Intensity Meter : Measuring Range : 0.1 ~ 400mG, 1 ~ 4000mG; 0.01 ~ 40mT, 0.1 ~ 400mT Frequency : 30Hz ~ 400Hz	Kusam Ele.	7,625.00
<b>DIGITAL SOLAR POWER METER (HSN CODE :9031)</b>				
	KM-SPM-11	3½ digits LCD with 1999 counts Digital Solar Power Meter Measuring Range : 1999W/m2, 634 BTU (ft2*h)	Kusam LLP	9,375.00
	KM-SPM-530	4 digit tripal display backlight LCD Display Digital Solar Power Meter Measuring Range : 0 ~ 2000W/m2 (0 ~ 634 BTU (ft2 * h)	Kusam Ele	12,950.00
<b>DIGITAL MOISTURE METER (HSN CODE :9031)</b>				
	KM 8040	3 digit display Digital Moisture Meter for 07 materials measurement. with temperature Measurement range for % material moisture content 0.0% ~ 95.7%, & for air temperature -10 ~ + 50°C	KM	5,750.00
	KM-963	Digital Wood Moisture Meter : Measurement Range :5% - 40 %	Kusam Ele.	1,525.00
	KM-963-P(N)	Digital Paper Moisture Meter : Measurement Range : 2% - 40%	Kusam Ele.	4,200.00
	KM-963-G	Digital Grain Moisture Meter Measurement range : 2% ~ 30% Measuring Grains : Wheat, Paddy, Rice & Corn.	Kusam Ele.	9,150.00
	KM 963G-II	Digital Grain Moisture Meter Measurement range : 2% ~ 50% Measuring Grains : 9 types : Wheat, Un-Husked rice, Husked rice & Corn.	Kusam Ele.	4,800.00
	KM 917	Concrete Moisture Meter : moisture Test Range : 0 ~ 40%	Kusam Ele.	8,500.00
	KM 7827G	Digital Grain Moisture Meter 36 kinds	Kusam Ele.	DISCONTINUED

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>18</b>	<b>WATERPROOF PEN TESTERS (HSN CODE :9027)</b>			
	7021	Portable COND/TDS/SALT /TEMP	Kusam Ele.	8,000.00
	7031	Portable DO/O2/TEMP	Kusam Ele.	21,350.00
	7200	Portable pH/COND/TEMP/TDS + standard Solution	Kusam Ele.	12,625.00
	6011	Portable PH Waterproof Pen Tester with 0.1pH Resolution	Kusam Ele.	3,725.00
	6011A	Portable PH Waterproof Pen Tester with 0.01pH Resolution	Kusam Ele.	4,800.00
	6021	Portable Conductivity Waterproof Pen Tester with range of 0-19990µS & 10µS/cm Resolution	Kusam Ele.	3,725.00
	6022	Portable Conductivity Waterproof Pen Tester with range of 0-1999µS µS 1µS/cm Resolution	Kusam Ele.	3,725.00
	6031	Portable TDS Waterproof Pen Tester with range of 0-19990ppm & 10ppm Resolution	Kusam Ele.	3,725.00
	6032	Portable TDS Waterproof Pen Tester with range of 0-1999ppm & 1ppm Resolution	Kusam Ele.	3,725.00
	6061	Portable EC Waterproof Pen Tester	Kusam Ele.	3,725.00
	203K	Bench Top PH/mV/Temp meter	Kusam Ele.	Agianst Enquiry
	7011	Portable pH /ORP/TEMP	Kusam Ele.	DISCONTINUED
<b>19</b>	<b>CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION &amp; SIGNAL CABLES (HSN CODE :9031)</b>			
	KM-CFPL-620	Portable Under ground Cable Fault Pre-Locator : Measurement Mode TDR Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m)	Kusam Ele	1,08,900.00
	KM-CFPL-612	Hand Held Cable Fault Pre-Locator Pulse Testing Method (TDR) Pulse Test Range (m) : 8km (4,16,32 optional)	Kusam Ele	91,475.00
	KM-CFPL-620B	Portable Under ground Cable Fault Pre-Locator Measurement Mode : TDR & Bridge Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m) The max length of testing cable : 10 Km	Kusam Ele	DISCONTINUED
<b>20</b>	<b>THERMAL IMAGING CAMERA (HSN CODE : 9027)</b>			
	TG-301	Hand Held Thermal Camera with 128(H) x 160(V) pixel 1.77 inches TFT-LCD Display Temp. -30°C ~650° C	KM	45,750.00
	LT7-P	Thermal Imaging Camera : Display 3.5" TFT LCD, 384 x 288 Pixel	KM	DISCONTINUED
	LT3-P	Thermal Imaging Camera : Display 3.5" TFT LCD, 160 X 120 Pixel	KM	DISCONTINUED
	TE-02	Thermal Imaging Camera Display : 2.4" color Screen 60 X 60 Pixel	KM	DISCONTINUED
	TE-P	Thermal Imaging Camera	KM	DISCONTINUED
<b>21</b>	<b>DIGITAL PROCESS CALIBRATORS ( HSN CODE : 9030)</b>			
	KM-CAL-700	Volt/mA Calibrator DCV,DCA(Source & Sink)	KM	30,000.00
	KM-CAL-710	Thermocouple Calibrator Source( 8 Type thermocouple)	KM	27,900.00
	KM-CAL-720	RTD Calibrator Source & Measure (7 RTD type devices)	KM	30,000.00
	KM-CAL-904MK-1	4-20mA Loop Calibrator(DCA, DCV)	Kusam LLP.	22,000.00
	KM 3600	4½ Digit 19999 Counts Temperature Calibrator with Thermocouple	KM	12,600.00
	KM-CAL-801	Temperature Calibrator (Source)(DCV,OHM,TC, RTD)	KM	25,000.00
	KM-CAL-802	Thermocouple Calibrator Source & Sink (DCV, TC)	KM	25,000.00
	KM-CAL-803	RTD Calibrator Source & Sink	KM	25,000.00
	KM-CAL-804	Voltage/mA Source Calibrator	KM	25,000.00
	KM-CAL-805	Loop Calibrator Source Sink(DCA, DCV)	KM	29,850.00
	KM-CAL-905	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,Pressure (Source & Sink)	KM	2,53,750.00
	KM-CAL-905A	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,(Source & Sink & Without Pressure function)	KM	1,74,250.00
	KM-CAL-906	Digital High Precison Temperature Calibrator DCV, OHM, TC, RTD (Source &	KM	74,150.00
	KM-CAL-907	V/mA Process Calibrator (Source/Sink) DCV, DCA, Hz, Pulse,LOOP,Pressure	KM	74,150.00
	KM-26	Multifunction Process Calibrator with Data Storage 1200 Groups	KM	2,72,250.00
	KM-26H	Multifunction Process Calibrator with Data Storage 1200 Groups &HART communication	KM	3,37,600.00
	KM-CAL-901	Temperature Calibrator with V, Thermocouple & RTD (Source)	KM	DISCONTINUED
	KM-CAL-902	Thermocouple Calibrator (Source & Sink)	KM	DISCONTINUED
	KM-CAL-903	Resistance & Thermoresistance Calibrator (Source & Sink)	KM	DISCONTINUED
	KM-CAL-904	V/mA Process Calibrator (Source)	KM	DISCONTINUED



SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>22</b>	<b>POWER MEASUREMENT CLAMP-ON-METER (HSN CODE : 9030)</b>			
	2709	3 Phase 9999 Counts TRMS Power Clampmeter with AC Current, AC /DC Voltage, KWHr , KVA, KW, KVAR, Power factor, THD% BRUA-13X Software (Optional) to be used with KM 2709	Kusam Ele.	15,200.00
			Kusam Ele.	3,725.00
	2745	3 Phase Power Clampmeter display 4 Digits 9999 Counts with KW, KVA,KVAR, PF, Frequency, AC Current, AC Voltage, Harmonics	Kusam LLP.	15,975.00
	KM 351	Single Phase Balance load TRMS Power Clampmeter	Kusam Ele.	7,550.00
	KM 357	3-Phase 9999 Counts TRMS Power Clampmeter with KWHr recording,AC/DC Voltage, AC Current, Frequency, Resistance, KW, KVA, KVAR &PF functions.	Kusam Ele.	11,450.00
	2736	Single phase 9999 Counts TRMS Power Clampmeter with AC Current,AC/DC Voltage, PF, KVA, KVAR, Temp., Frequency, Resistance; THD%-Functions.	Kusam Ele.	DISCONTNUED
	KM 2760	3¼ Digit Digital DC/AC Watt Power Clampmeter	Kusam Ele.	DISCONTNUED
	KM 2710	Digital 3-Phase TRUE RMS Data Logging Power Clampmeter	Kusam Ele.	DISCONTNUED
	KM 2740	Single phase 9999 Counts TRMS Power Clampmeter with AC Current AC/DC Voltage, Power, KVA, KVAR, Temp., Frequency, Resistance,P.F. Functions	Kusam Ele.	DISCONTNUED
<b>23</b>	<b>POWER MEASUREMENT &amp; CONTROL INSTRUMENTS (HSN CODE : 9030)</b>			
	<b>MULTIFUNCTION POWER &amp; HARMONICS ANALYSER</b>			
	KM 2100	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 400 <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.	Kusam Ele.	1,85,575.00
	KM 2200	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 50 <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele.	1,57,700.00
	KM 2300	<b>Class 'A'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele.	3,81,600.00
	<b>Basic Meter KM 2100 &amp; KM 2200 &amp; KM 2300 includes the following :</b>			
	User Manual & basic program software in CD			
	2 meter long voltage cable (with 4mm banana plug) x 5 pc.			
	Crocodile clip x 5 pc.			
	Power Adaptor, Power cord , Bag & Battery x 1 pc.			
	<b>Optional Current Clamps for KM 2100, KM 2200 &amp; KM 2300 :</b>			
	Clamps - 5A		Kusam Ele.	10,000.00
	Clamps - 50A		Kusam Ele.	11,775.00
	Clamps - 100A		Kusam Ele.	13,500.00
	Clamps - 1000A		Kusam Ele.	17,875.00
	Current Coil - 3000A		Kusam Ele.	11,350.00
	Current Coil - 5000A		Kusam Ele.	21,650.00
	<b>MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)</b>			
	KM 7200-A	Multifunction Power Meter with 3 display (Size 144 x 144mm) (Basic Meter)	Kusam Ele.	29,400.00
	KM 7200-C	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam Ele.	32,675.00
	KM 6300-A	Multifunction Power Meter (Basic Meter)	Kusam Ele.	DISCONTINUED
	KM 7200-B	Multifunction Power Meter + Demand Controller (Basic Meter)	Kusam Ele.	DISCONTINUED
	<b>MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)</b>			
	KM 8100-A	Multifunction Power Meter (Basic Meter) (12 Display)	Kusam Ele.	36,600.00
	KM 8100-B	Multifunction Power Meter + Demand Controller (Basic Meter)	Kusam Ele.	51,850.00
	KM 8100-C	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam Ele.	39,625.00

All prices are subject to change without prior notice.

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>Optional Functions FOR MODEL KM-8100 &amp; KM 7200</b>				
		4 Units of Hi / Lo Setting	Kusam Ele.	10,900.00
		4 Units of Analog outputs	Kusam Ele.	13,075.00
		Pulse Output	Kusam Ele.	5,450.00
		Aux. Supply DC 24V	Kusam Ele.	1,750.00
		System Analyser Software (smart Analyser) for Model KM 8100 / 7200	Kusam Ele.	5,450.00
<b>MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm) (HSN CODE : 8537)</b>				
KM-PM-100	KM-PM-100-3-2-4-0-6 "KUSAM MECO" DIGITAL MULTIFUNCTION POWER METER			
	Input Voltage : 55-600V (L-L)		<b>Kusam Ele.</b>	19,600.00
	Input Current : 5A			
	Out Put Signal : RS-485 MODBUS RTU			
	Alarm Setting : None			
	Aux. Power : AC/DC 85 - 265V			
	<b>Optional Functions (EXTRA CHARGES)</b>			
	Harmonics Function		12,000.00	
	4 Sets Of DC 4~20mA		13,100.00	
	4 Sets Alarm Function		10,900.00	
	Pulse Function		5,450.00	
	Micro SD		14,175.00	
	Ethernet Function		23,400.00	
<b>DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY) (HSN CODE : 8537)</b>				
KM-PFR-9-06	Automatic Power Factor Regulator (6 step) Sequence Based		Kusam Ele.	14,100.00
KM-PFR-S-9-04	Automatic Power Factor Regulator (4 step) KVAR Based		Kusam Ele.	6,150.00
KM-PFR-S-9-08	Automatic Power Factor Regulator (8 step) KVAR Based		Kusam Ele.	6,375.00
KM-PFR-S-9-06	Automatic Power Factor Regulator (6 step) KVAR Based		Kusam Ele.	DISCONTINUED
KM-PFR-9-12	Automatic Power Factor Regulator (12 step) Sequence Based		Kusam Ele.	DISCONTINUED
KM-PFR-S-9-12	Automatic Power Factor Regulator (12 step) KVAR Based		Kusam Ele.	DISCONTINUED
<b>INSTALLATION CHARGES</b>				
	For Power Meter & Power Factor Regulator (Per Man / Day)		Kusam Ele.	ON ENQUIRY BASIS
<b>PORTABLE ENERGY ANALYSER (HSN CODE : 8537)</b>				
R-KM-EA-101A	Portable Energy Analyser in ABS Plastic Casing consisting of Power meter Model KM 8100A with 12 display (basic model) with current & voltage Connecting leads.		Kusam Ele	Prices on Enquiry
R-KM-EA-101B	Portable Energy Analyser in ABS Plastic Casing consisting of Power meter Model KM 8100C with 12 display & harmonics measurement function with		Kusam Ele	Prices on Enquiry
R-KM-EA-102A	Portable Energy Analyser in ABS Plastic Casing consisting of power meter Model KM 6300 (basic model) with 3 rows LED display with current &		Kusam Ele	Prices on Enquiry
R-KM-EA-104A	Portable Energy Analyser in ABS Plastic Casing consisting of power meter Model KM 9600 (basic model) with 3 display with current & voltage		Kusam Ele	Prices on Enquiry
R-KM-EA-105A	Portable Energy Analyser in ABS Plastic Casing consisting of power meter Model KM-PM-100-3-2-4-0-6		Kusam Ele	Prices on Enquiry
R-KM-EA-103A	Portable Energy Analyser in ABS Plastic Casing consisting of power meter Model KM 7200A (basic model) with 3 display with current & voltage Connecting leads.		Kusam Ele	DISCONTINUED
<b>CLAMP ON CT (HSN CODE :9030)</b>				
1000 / 5A	Clamp on CT		Kusam Ele.	Prices on Enquiry
500 / 5A	Clamp on CT		Kusam Ele.	

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	UNIT PRICE
<b>24</b>	<b>GAS DETECTORS (HSN CODE :9027)</b>			
	BX-616	Portable Multi-Gas Detector Detecting Gases : LEL, H2S, CO, O2	Kusam Ele.	63,175.00
	BX-171-H2S	Portable Toxic Gas Detector RANGE 0-100PPM	Kusam Ele.	16,950.00
	BX-171-CO	Portable Toxic Gas Detector RANGE 0-1000PPM	Kusam Ele.	16,950.00
	BX-176-LEL	Portable Single Gas Detector Range 0-100% LEL	Kusam Ele.	27,850.00
	BX-176-CO	Portable Single Gas Detector Range 0-1000ppm	Kusam Ele.	27,850.00
	BX-176-O2	Portable Single Gas Detector Range 0-30%VOL	Kusam Ele.	33,650.00
	BX-176-H2S	Portable Single Gas Detector Range 0-100ppm	Kusam Ele.	27,850.00
	BX-176-H2	Portable Single Gas Detector Range 0-1000ppm	Kusam Ele.	55,650.00
	BX-176-SO2	Portable Single Gas Detector Range 0-100ppm	Kusam Ele.	55,650.00
	BX-176-CL2	Portable Single Gas Detector Range 0-20ppm	Kusam Ele.	55,650.00
	BX-176-NO	Portable Single Gas Detector Range 0-1000ppm	Kusam Ele.	55,650.00
	BX-176-NO2	Portable Single Gas Detector Range 0-20ppm	Kusam Ele.	55,650.00
	BX-176-NH3	Portable Single Gas Detector Range 0-100ppm	Kusam Ele.	55,650.00
	PP-01	Gas Sampling Pump to be used with BX176, BX 171 & BX616	Kusam Ele.	21,800.00
	E1000	Portable Single Gas Detector Detecting Gases : Combustible gas / Toxic Gas	Kusam Ele.	prices available on request depends upon the gases selected
	E4000	Multi-Gas Detector (Four Gasses)	Kusam Ele.	
	E6000	Multi-Gas Detector (Six Gasses)	Kusam Ele.	
	KM 6460	CO2/Temp/RH Indoor Air Quality Meter with Data logger.	KM	44,650.00
	KM 5550	<b>Combustible Gas Leak Detector</b> - Methane (LNG,CNG), Ethane, Propane, Butane, Acetone, Alcohol, Ammonia, Steam, Gasoline, Jet Fuel,Hydrogen Solvents, Lacquer Thinner, Naphtha.	Kusam Ele	2,625.00
	KM 315	Refrigeration Gas Leak Detector with SF6 Gas detector	Kusam Ele.	2,625.00
	KM 310	Refrigerant Leak Detector with Standard Battery	KM	16,350.00
	KM 312	Refrigerant Leak Detector with Rechargeable Battery	KM	22,450.00
	KM 5490	4 digit LCD display Oxygen Detector with Measuring Range 0-25% vol	Kusam Ele.	20,675.00
	KM-CO-910	Mini Carbon Monoxide (CO) Gas Detector with Measuring Range 0-1000PPM	KM	11,950.00
	KM 5420A	Combustible Gas Detector	KM	12,200.00
	KM 303	CO2 Detector with Ambient Temperature & Humidity & Datalogging	KM	DISCONTINUED
	KM 5460	CO2 Detector without Datalogging		DISCONTINUED
	E1500	Industrial Combustion Gas Analyser Detecting Gases : CO, O2, CO2	KM	DISCONTINUED
	E4500	Industrial Combustion Gas & Emission Analyser Detecting Gases (4 gases)	KM	DISCONTINUED
	KM 5540EX	Combustible Gas Leak Detector - Methane (LNG,CNG), Ethane Propane, Butane, Acetone, Alcohol, Ammonia, Steam, Gasoline, Jet Fuel,Hydrogen Solvents, Lacquer Thinner, Naphtha.	Kusam Ele.	DISCONTINUED

All prices are subject to change without prior notice.



AN ISO 9001:2015 COMPANY

G-17, Bharat Industrial Estate, T. J. Road, Sewree (W), Mumbai – 400 015.

Tel No.: 022-24156638, 27754546, 24181649, 24124540, 27750662.

E-mail : sales@kusam-meco.co.in,

Website : www.kusamelectrical.com

## PRICELIST FOR DEALER REFERENCE

Ref. No.: KEIL/PL/35/2020

Date:01/06/2020

(In Rupees)

ITEMS	Company Ref.	UNIT PRICE
<b>SPARES</b>		
Fuses of all respective instruments	KE / KM	Price on Enquiry
Basic Test Leads for Industrial/Professional Grade Multimeter & Clamp Meter	KE / KM	200.00
UL" APPROVED 1KV TEST LEADS MODEL BL20P2-C	KE / KM	825.00
<b>CARRYING CASE</b>		
Carrying case size : for Models 603,801-L,DMM90,IRL-900, 333,IRL-380, 702,1001,CA500	KM	150.00
Carrying case size : for Model KM 6030, KM 6040,KM 6050, KM6060, 954MK-II, LCR 459, 306	KM	175.00
Carrying case size : for Model KM 2700, KM 2790	KM	150.00
Carrying case size : for all UL listed Multimeteres & Clampmeters Models	KM	150.00
Carrying case size : for Km 2745, 999, 9999, CA 1000, CA 2000	KM	175.00
Carrying case size : for Km 918, KM 909	KM	250.00
<b>CALIBRATION CERTIFICATE WITH LIMITED TRACEABILITY TO NABL STANDARDS</b>		
Model – KM 887, KM 877, KM 878, KM 869, KM 859CF, KM857, KM 829, KM 521, KM 257, KM 255, KM 711, KM 233, KM 237R, KM 839,5040, KM 405-MK-1, KM 805s, KM 807s, KM 907s, Km 870, KM 8045	Kusam Ele./KM	1,000.00
KM 2777, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D, 2754A,2754A(T), KM 061, KM 062, KM 111M, KM 112M, 2772, Km 2799, 2709, Km 2778,KM 089, KM 035, KM 033,2745, KM 351, KM 357		
CA 500, CA 1000, CA 2000, CA 3000, CA 3000D		
KM-CAL-802, KM-CAL-803, KM-CAL-804, KM-CAL-805, KM-CAL-905, KM-CAL-906,		
KM 1154TMF, KM 2805MK-1, KM 370, KM 379 ( FOR 1KV Range Only)		
KM 1520, KM 1520A, KM 2030, KM 4234ER, KM 2040, KM 4235ER, KM 1320		
KM 66, KM 69, KM 6185, KM-DMM-41, 90, 333, KM 6030, KM 6040, KM 6050	Kusam Ele./KM	800.00
KM 6060, 801-L , 207MK-1(T), 603, 702, 108, KM 4001, LCR 459, KM 954MK-II, 306, KM 520B, KM 503		
1002, 2781, 2781-T, 2790, 999, KM 2006, KM 2007, KM 2008, KM 2008A, KM 1120, KM 1220, KM 1620, KM 1720		
KM 8080, KM 926, KM 928MK-1, KM 929MK-1		
In house Non- NABL Callibration charges for KM-LUX-99, KM-LUX-200K, KM 8051, KM 203		
KM 2234BL, KM 2235B, KM 2241, KM 2240		
IRL-151, IRL-380, IRL-650, IRL-866, IRL-1100, IRL-1600, IRL-900, IRL-690 ( Upto 450°C)		
KM-PS-302-AB, KM-PS-302, KM-PS-303, KM-PS-305, KM-PS-3010-AB, KM-PS- 302D-II, KM-PS-303D-II, KM-PS-305D-II		
Other Instruments	KE / KM	Price on Enquiry

**NOTE : Calibration Certificate from NABL accredited lab can be arranged at extra cost.**

BUSINESS TERMS:-	Prices	: Ex – Mumbai / Sanpada.
	GST Tax	: Extra as applicable on date of dispatch, presently 18%
	Minimum Order	: Rs.15,000=00 net; otherwise Handling Charge Rs. 300=00 extra.
	Payment	: Against Proforma Invoice by NEFT
Kusam Ele. :	GSTIN -27 AABCK3644E 1ZR	
Kusam-meco :	GSTIN -27 AABCG6718M 1Z9	
Kusam LLP :	GSTIN -27 AANFK0412B 1ZV	

Bank Details	
Company Name	: Kusam Electrical Industries Ltd.
Bank Name	: Canara Bank Branch : Parel
MICR Code	: 400015055 IFSC Code : CNRB 0000110
Acc. No. :	0110261021521 Acc. Type : ODCC

	Company Name : Kusam-Meco Import Export Pvt. Ltd.
	Bank Name : Canara Bank      Branch : Parel
	MICR Code : 400015055      IFSC Code : CNRB 0000110
	Acc. No. : 0110261021642      Acc. Type : ODCC
	Company Name : Kusam Electrical Instruments LLP
	Bank Name : Canara Bank      Branch : Parel
	MICR Code : 400015055      IFSC Code : CNRB 0000110
	Acc. No. : . 0110261021779      Acc. Type : CASH CREDIT
	<ul style="list-style-type: none"> <li>• Please confirm availability at the time of ordering as some products are procured against order only. Some models may be discontinued due to upgradation.</li> <li>• Prices subject to change without notice.</li> </ul>
	<b>E &amp; O.E</b>