

PRICE LIST JANUARY 2026

Ref. No.: KEIL/PL/43/2026

Date: 01/07/2026

Sr. No.	ITEMS	Page No.
1	INTRINSICALLY SAFE APPROVED INSTRUMENTS	03
2	HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS	03-04
3	SOFTWARE (Optional)	04
4	MAGNETIC HANGER (OPTIONAL)	04
5	UL" APPROVED 1KV TEST LEADS (PAIR)	04
6	LOW VOLTAGE DETECTORS	04
7	PROFESSIONAL GRADE DIGITAL MULTIMETERS	05
8	BASIC DIGITAL MULTIMETERS	05
9	LCR METERS	05
10	HIGH SAFETY "UL" APPROVED DIGITAL CLAMPMETER	06
11	PROFESSIONAL & INDUSTRIAL GRADE DIGITAL CLAMPMETERS	06-07
12	DIGITAL LEAKAGE CURRENT CLAMPMETER	07
13	AC & AC / DC CURRENT ADAPTOR	07
14	SOLAR APPLICATION INSTRUMENTS	07
15	MULTIFUNCTION INSTALLATION TESTER	08
16	DIGITAL INSULATION RESISTANCE TESTER	08-09
A	ANALOG INSULATION RESISTANCE TESTERS	09
17	DIGITAL EARTH RESISTANCE TESTERS	09
18	CLAMP ON EARTH RESISTANCE TESTERS	10
19	LOOP IMPEDANCE TESTER	10
20	HIGH VOLTAGE NON CONTACT DETECTORS	10
21	PERSONAL SAFETY NON CONTACT HIGH VOLTAGE DETECTORS	10-11
22	CONTACT TYPE HIGH VOLTAGE DETECTORS	11
23	TELESCOPIC HOT STICK	11
24	RESCUE HOOK	11
25	HIGH VOLTAGE PHASING METER	11-12
26	DISCHARGE ROD (RESISTIVE TYPE)	12
A	DISCHARGE ROD HOOK TYPE	12
B	SINGLE PHASE DISCHARGE ROD	12
C	THREE PHASE DISCHARGE ROD	12
27	BATTERY QUALITY ANALYSER / TESTER	13
28	DIGITAL ELCB / EARTH LEAKAGE TESTERS	13
29	TEST & MEASURING INSTRUMENTS	13
A	TACHOMETERS & STROBOSCOPE	13
B	LASER DISTANCE METER	13
C	VIBRATION METER	13
D	ULTRASONIC THICKNESS GAUGE METER	13
E	COATING THICKNESS GAUGE METER	14
F	PHASE SEQUENCE METERS	14
G	GLOSS METER	14

30	TORQUE WRENCH	14
A	VERNIER CALIPER	14
31	LABORATORY INSTRUMENTS	14
A	FUNCTION GENERATOR	14
B	FUNCTION / ARBITRARY WAVEFORM GENERATOR	14
C	DIGITAL STORAGE OSCILLOSCOPE / FUNCTION WAVEFORM GENERATOR	14
D	DIGITAL FREQUENCY COUNTER	15
E	ANALOG OSCILLOSCOPE	15
F	SPECTRUM ANALYSER	15
32	DIGITAL MICRO OHM METER	15
33	DC REGULATED POWER SUPPLY	15
34	PROGRAMMABLE DC POWER SUPPLY	15
35	NETWORK CABLE TESTER	15
36	ENVIRONMENTAL TESTING INSTRUMENTS	16
A	SOUND LEVEL METER / CALIBRATOR	16
B	LUX METER	16
C	LED LIGHT METER	16
D	UV LIGHT METER	16
E	THERMO ANEMOMETER	16
F	RADIATION METER / EMF DETECTOR	16
G	MOISTURE METER	16
H	CONTACT TYPE THERMOMETER	17
I	TEMPERATURE & HUMIDITY INSTRUMENTS	17
37	INFRARED THERMOMETER	17
38	ONLINE INFRARED THERMOMETER	18
39	WATERPROOF PEN TESTERS	18
40	CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION & SIGNAL CABLES (LOW VOLTAGE < 50V)	18
41	PARTIAL DISCHARGE ACOUSTIC IMAGER	18
42	PORTABLE THERMAL IMAGING CAMERA	18
43	PROCESS CALIBRATORS	19
44	POWER MEASUREMENT CLAMP-ON-METER	19
45	SOCKET POWER METER	19
46	VOLTAGE /CONTINUITY TESTER	19
47	POWER QUALITY & HARMONICS ANALYSER	19-20
A	MULTIFUNCTION POWER METER	20
B	POWER FACTOR CONTROLLERS	21
48	GAS DETECTORS	21
49	ALCOHOL TESTER	21
50	METAL DETECTOR	21
51	SAFETY GLOVES	21

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
1	INTRINSICALLY SAFE APPROVED INSTRUMENTS					
NEW	KM823EX	Industrial Intrinsically Safe Smart Multimeter 6000 Counts True RMS Digital Multimeter with VFD Testing Function. AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Logic Level / Line Level Frequency, Temperature & Duty Cycle. Ex ib IIC T4 Gb / Ex ib IIIC T130°C Db	Kusam Ele	90303390	B	150,000.00
NEW	IRL-8Ex	Industrial Intrinsically Safe 2 In 1 Ring Laser Infrared Thermometer. DS Ratio 20:1. Temperature range: -50°C ~ 1000°C. Ex ib IIC T4 Gb/Ex ib IIIC T130°C Db	Kusam LLP	90251920	B	80,000.00
NEW	KM 4003Ex	Intrinsically Safe Explosion-proof Digital TRMS Clamp Meter. Measure up to 1000A DC current and up to 3000A AC current with true effective value clamp. 50,000 Counts. AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Line Level Frequency, Temperature & Duty Cycle. Ex ib IIC T4 Gb / Ex ib IIIC T130°C Db	Kusam Ele	90303390	B	90,000.00
NEW	KM 303Ex	Industrial Intrinsically Safe Smart Pocket Infra Imager with Rechargeable battery. Infrared resolution : 120 x 90. 3.5-inch touch screen IPS display. Ex ib IIC T4 Gb / Ex ib IIIC T130°C Db	Kusam Ele	90278090	B	109,500.00
	KM822EX	Intrinsically Safe 10000/6000 Counts True RMS Digital Multimeter with PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency. Ex-rating : Ex ib IIA T4 Gb	Kusam Ele	90303390	B	135,000.00
	IRL 7EX	Intrinsically Safe Digital Infrared Thermometer. DS Ratio 20:1. Temperature range: -32°C ~ 700°C. Ex ib I Mb.	Kusam LLP	90251920	B	75,000.00
	KM 1690	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A	38,850.00
	KM 1820EX	Flameproof Casing Clamp-on Earth Resistance Tester. Resistance range : 0.010Ω ~ 1200Ω, Ex-Mark Ex ia II BT3Ga. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A	42,500.00
	KM 1680C	Explosion-proof Loop Type Ground Resistance On-Line Detector	Kusam LLP	90258090	A	40,575.00
	KM 1780KC	Explosion-proof Split Type Ground Resistance On-Line Detector	Kusam LLP	90258090	A	44,000.00

2	HIGH SAFETY "UL" APPROVED DIGITAL MULTIMETERS					
	KM 869	5-4/5 Digit 5,00,000 Counts Auto ranging TRMS Digital Multimeter with VFD Function & PC Interface. Voltage, Current, VFD Voltage, Resistance, Capacitance, Logic Level / Line Level Frequency, Dual Temperature Mode, Conductance, dBm Function. Analog Bar Display. IP 54	Kusam Ele	90303100	A	28,800.00
	KM 859 CF	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter With PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency, Dual Temperature Measurement, dBm Function. Analog Bar Display.	Kusam Ele	90303100	A	26,175.00
	KM 857	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter With PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency, dBm Function. Analog Bar Display.	Kusam Ele	90303100	A	19,150.00
	KM 789	4-5/6 Digit, 60,000 Counts AC & AC+DC TRMS Digital Multimeter with Non-Contact EF-Detection. Voltage, Current, Resistance, Capacitance, Lo-Z Volts, VFD, Dual Temperature, Line Level / Logic Level Frequency, dBm Function.	Kusam Ele	90303100	A	21,925.00
NEW	KM 788BT	4-5/6 Digit, 60,000 Counts AC & AC+DC TRMS Digital Multimeter with Non-Contact EF-Detection. Voltage, Current, Resistance, Capacitance, Lo-Z Volts, VFD, Dual Temperature, Line Level / Logic Level Frequency, Bluetooth Function.	Kusam Ele	90303100	A	28,775.00
	KM 839	3-5/6 Digit 20000 Counts 4½ Digit 6000 Counts Dual Display TRMS Digital Multimeter. IP 40. Voltage, Current, VFD Voltage, Resistance, Capacitance, Line Frequency, Temperature, Conductance. Analog Bar Display. IP 40.	Kusam Ele	90303100	A	22,925.00
	KM 829	10000 Counts & 6000 counts True RMS Digital Multimeter With NCV & Probe-Contact EF Detection with IP 54. Voltage, Current, Autocheck - Resistance / ACV / DCV, Resistance, Capacitance, Line Level / Logic Level Frequency, Dual Temperature, Conductance, dBm, Lo-Z Voltage, NCV. Analog Bar Display. IP 54.	Kusam LLP	90303100	A	19,975.00

All prices are subject to change without prior notice.

Pg. No. 03

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
NEW	KM 251	3-5/6 Digits 6000 Counts TRMS Digital Multimeter with EF-Detection, Voltage, Current, Resistance, Line Level / Logic Level Frequency, Analog Bar Graph.	Kusam Ele	90303100	A	9,325.00
	KM 257	3-5/6 Digits 6000 Counts TRMS Digital Multimeter with EF-Detection, Voltage, Current, Resistance, Capacitance, Line Level / Logic Level Frequency, Temperature, Analog Bar Graph.	Kusam Ele	90303100	A	14,300.00
	KM 239R	3-5/6 Digit 6000 Counts TRMS DMM with VFD, EF-Detection, 3Phase Rotation-R & 3Phase Rotation-M(Motors). Voltage, Current, VFD AC Voltage, Resistance, Capacitance, Line Frequency, Temperature. IP 40.	Kusam Ele	90303100	A	12,700.00
	KM 235	3-5/6 Digits 6000 Counts Backlight Display Digital Multimeter with VFD Function. Voltage, current, Resistance, Capacitance, Line Frequency, Temperature. IP 40.	Kusam Ele	90303100	A	11,675.00
	KM 2257	3-5/6 Digit, 6000 Counts TRMS Digital Multimeter with VFD & EF Detection & PC interface. Voltage, Current, Resistance, Capacitance, Temperature, Line Level / Logic Level frequency, IP 40.	Kusam Ele	90303100	A	14,100.00
	KM 2807CSE	3-5/6 Digit, 6000 Counts TRMS Enhanced Practical Digital Multimeter with VFD & EF Detection. Voltage, Current, Resistance, Capacitance, Temperature, Line Level / logic Level frequency.	Kusam Ele	90303100	A	12,200.00
	KM 5040-T	3-4/5 Digit, 5000 Counts TRMS Digital Multimeter EF Detection, PC Interface. Voltage, Current, Resistance, Capacitance, Frequency, Temperature. Analog Bar Display.	Kusam LLP	90303100	A	16,175.00
	KM 807s	3-3/4 Digit 4000 Counts Auto ranging TRMS Digital Multimeter. Voltage, Current, Resistance, Capacitance, Line Level Frequency, Temperature.	Kusam Ele	90303100	A	10,800.00
	KM 805s	3-3/4 Digit 4000 Counts Digital Multimeter. Voltage, Current, Resistance, Capacitance, Line Level Frequency.	Kusam Ele	90303100	A	7,875.00

3	SOFTWARE (Optional)					
	BU-86X or BU-82X	SOFTWARE BU-86X or BU-82X - Model - KM 829, KM 869	Kusam Ele	90309010	B	5,850.00
	BRUA-85Xa	SOFTWARE BRUA-85Xa-Model-KM 857 & KM 859CF				

4	MAGNETIC HANGER (OPTIONAL)					
		For multimeter Models : KM 829, KM 869, KM 257, KM 235, KM 239R, KM 839	Kusam Ele	90309010	B	550.00
		For Insulation Testers : KM 887, KM 878, KM 877				

5	UL" APPROVED 1KV TEST LEADS (PAIR)					
	BL20P2-C	For Multimeter Model : KM 829, KM 869, KM 859CF, KM 857, KM257, KM 887, KM 877, KM 878 , KM 805s , KM807s	Kusam Ele	90309090	B	1,400.00
		For Clampmeter Model : 2754A-T, 2799, KM112M, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D				
	BL20P2-C	CAT III 1.5K DC Testlead pair	Kusam Ele	90309090	B	1,925.00
	BAC-3	Alligator Clips (1 PAIR)	Kusam Ele	90309090	B	275.00

6	LOW VOLTAGE DETECTORS					
	KM 66	Voltage Detector with EF Detection. 12V - 1000V AC / DC. Resistance, Capacitance. LED Voltage Indication. IP 65.	Kusam Ele	90303100	A	5,500.00
	KM 69	1000 Counts Voltage Detector with RCD Load Test & EF Detection. 0.1V - 1000V AC / DC. Resistance, Capacitance. LED Voltage Indication, Phase Rotation Detection. IP 65.	Kusam Ele	90303100	A	9,150.00
	KM 6190	Dual range Non-Contact AC Voltage Detector upto 1000V. IP 67.	Kusam LLP	90303100	B	1,075.00

All prices are subject to change without prior notice.

Pg. No. 04

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
7	PROFESSIONAL & INDUSTRIAL GRADE DIGITAL MULTIMETERS					
NEW	KM 3700	7½ Bench Top TRMS Digital Multimeter with 4.3 Inch colour LCD display. Graphical display with built-in bar, trend charts, histogram & statistics.	Kusam LLP	90303100	A	514,500.00
NEW	KM 3560	5½ Bench Top Digit Dual Display TRMS Digital Multimeter with 4.3 Inch colour LCD 120000 Counts with Touch Screen.	Kusam Ele	90303100	A	50,125.00
	M3500A	6½ Digit Dual Display TRMS Bench Top Digital Multimeter with 5X7 dot matrix VFD Dual Display 200,000 Counts with Three colour annunciators	Kusam LLP	90303100	A	160,000.00
	M3500A	A-Opt01 Multipoint Scanner Card(10 Channel)	Kusam LLP	90303100	A	31,350.00
	M3500A	A-Opt02 Thermocouple Adaptor	Kusam LLP	90303100	A	2,050.00
	M3500A	A-Opt03 BNC to Banana Adaptor	Kusam LLP	90303100	A	9,525.00
	M3500A, M3510A, M3511A	A-Opt04 GPIB Card	Kusam LLP	90303100	A	30,350.00
	M3500A, M3510A, M3511A	A-Opt06 RS232 Card	Kusam LLP	90303100	A	5,675.00
	M3510A	6½ Digit Bench Top TRMS Digital Multimeter with dot matrix Display with AC/DC 10A Current & K -type Thermocouple	Kusam LLP	90303100	A	109,900.00
	M3511A	6½ Digit Bench Top TRMS Digital Multimeter with Dot Matrix Display with AC/DC 10A Current	Kusam LLP	90303100	A	101,250.00
	KM 8045	4½ Digit 19999 Counts TRUE RMS Digital Bench Top Multimeter	Kusam Ele	90303100	B	12,400.00
	KM 891	4-5/6 DIGIT 60,000 Counts TRMS DMM With Graphical Display, Datalogging & PC Interface. Voltage, Current, Resistance, Capacitance, Frequency, Conductance, Temperature, Pulse Width. IP 65.	Kusam LLP	90303100	A	46,300.00
NEW	KM 405MK-II	25000 Counts Dual Display TRMS Digital Multimeter. Voltage, Current	Kusam LLP	90303100	B	7,475.00
	KM 6030	3½ Digit 2000 Counts Digital Multimeter with Mechanical Terminal Blocking, Voltage, Current, Resistance, Capacitance, Frequency, Temperature.	Kusam Ele	90303100	B	3,375.00
	DMM 90	4½ Digit 20000 Counts Digital Multimeter with test leads connection Display, Voltage, Current, Resistance, Capacitance, Frequency, Temperature.	Kusam LLP	90303100	B	10,450.00
	KM-60	6000 Counts Touch Pad Digital Multimeter, Voltage, Current, Resistance, Capacitance, Line Level / Logic Level frequency, Temperature. IP 65.	Kusam LLP	90303100	B	7,200.00
	KM 60-T	3-5/6 digits 6000 Counts TRMS Digital Multimeter with Non-Contact Voltage Measurement. Voltage, Current, Frequency, Resiatnce, Capacitance. Flash Light, Pulse Output.	Kusam LLP	90303100	B	1,875.00
	KM-ST-505N	Taut Band Analog Multimeter	Kusam LLP	90303100	A	13,450.00
NEW	KM 601T+	3½ Digit 1999 counts True RMS Digital Multimeter	Kusam LLP	90303100	B	900.00
	PD-28	High Voltage Probe (DC 0 ~ 40 KV, AC 0 ~ 28 KV) 50Hz for Digital Multimeters	Kusam LLP	90303390	B	11,375.00

8	BASIC DIGITAL MULTIMETERS					
	801- L	3¾ Digit 4000 Counts Digital Multimeter. Voltage, Current, Resistance, Capacitance, Frequency, logic Test.	Kusam LLP	90303100	B	3,775.00
	603	3½ Digit 2000 Counts Digital Multimeter. Voltage, Current, Resistance.	Kusam LLP	90303100	B	2,825.00
	108	3½ Digit 2000 Counts Digital Multimeter. Voltage, Current, Resistance, frequency, Battery Test.	Kusam LLP	90303100	B	1,700.00

9	LCR METERS					
	BR5810	Bench Top 100Hz ~ 10kHz four typical test frequency points LCR Meter.	Kusam LLP	90308990	A	70,000.00
NEW	BR5812	Bench Top 100kHz LCR Meter	Kusam Ele	90308990	A	115,000.00
	333	3½ Digit 2000 Counts Capacitance Meter with Capacitor Discharge Function.	Kusam LLP	90303390	B	4,175.00
	307	3¾ Digit 4000 Counts Autoranging LCR Meter With DMM Functions	Kusam LLP	90303390	B	8,125.00
NEW	KM 460	LCR METER. Testing Frequency.: 100Hz, 120Hz, 1KHz, 10KHz, 40KHz, 100KHz Measuring Range : (L) 0-2000H, (C) 0-20mF, (R) 0-20MΩ	Kusam LLP	90303390	A	23,750.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
10	HIGH SAFETY "UL" APPROVED DIGITAL CLAMPMETER					
NEW	KM 137ma	3-5/6 digits 6000 counts 200A AC / DC TRMS Digital Clampmeter with Patented AmpTip Jaws	Kusam LLP	90308990	A	13,125.00
	KM 2777	2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface. Jaw Size : 55mm.	Kusam LLP	90303100	A	23,150.00
	KM 088	1000A AC/DC, 6000 Counts; DC+AC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 51mm.	Kusam Ele	90303100	A	16,000.00
	KM 086	1000A AC, 6000 Counts TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation Function & 3 Phase Sequence Indication Function. Jaw Size : 51mm.	Kusam Ele	90303100	A	14,775.00
	KM 078	600A AC+DC, 6000 Counts TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 35mm.	Kusam Ele	90303100	A	13,100.00
	KM 076	600A AC, 6000 Counts TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation,Function & 3 Phase Sequence Indication Function. Jaw Size : 30mm.	Kusam Ele	90303100	A	12,200.00
	KM 035	600A AC/DC, 6000 Counts TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT. Jaw Size : 26mm.	Kusam Ele	90303100	A	10,200.00
	KM 031	600A AC, 6000 Counts TRMS Digital Clampmeter With EF-Detection, Amptip Function For Low Current Measurement	Kusam Ele	90303100	A	7,300.00
	2799	600A AC, 4000 Counts Dual Display Autoranging Digital Clampmeter for HAVC Application (Separate Display for Voltage and Current). Jaw Size : 26mm.	Kusam Ele	90303100	A	10,025.00
	KM 175D	600A AC TRMS, 6000 Counts Digital Clampmeter With Dual Display with DC μ A VIA TEST LEADS VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 30mm.	Kusam Ele	90303100	A	12,700.00
	KM 111M	600A AC, 4000 Counts Autoranging Digital Clampmeter with Ultra Slim Jaw. Jaw Size : 26mm.	Kusam Ele	90303100	A	5,825.00
	KM 112M	600A AC, 4000 Counts Autoranging Digital TRMS Clampmeter with Ultra Slim Jaw. Jaw Size : 26mm.	Kusam Ele	90303100	A	7,725.00
	KM 072	600A AC, 6000 Counts Dual Display TRMS Digital Clampmeter WITH VFD, EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT. Jaw Size : 30mm.	Kusam Ele	90303100	A	8,600.00
	KM 039F	200A AC, 6000 counts LCD display True RMS Digital Fork Type Clampmeter	Kusam Ele	90303100	A	9,050.00
SOFTWARE (Optional)						
	BRUA 19X	Software BRUA 19X for KM 2777	Kusam Ele	90309010	B	5,850.00

11	PROFESSIONAL & INDUSTRIAL GRADE DIGITAL CLAMPMETERS					
NEW	KM 3000	3-5/6 Digits 5999 counts LCD backlight display Digital TRMS AC/DC Clampmeter.	Kusam Ele	90303100	B	6,000.00
	KM2779	2500A AC/DC, 6000 Counts True RMS Digital Clampmeter. Jaw Size : 63mm.	Kusam LLP.	90303390	A	29,100.00
NEW	KM 2776	2000A AC / DC TRMS Clamp-On Multimeter	Kusam Ele	90303100	B	6,000.00
	KM 2775	2000A AC/DC, 4000 Counts Autoranging Digital Clampmeter. Jaw Size : 55mm.	Kusam LLP	90303390	B	22,650.00
	KM 4002	1000A AC / DC, 6000 Counts True RMS Digital Clampmeter. Jaw Size : 42mm.	Kusam LLP	90303390	B	16,325.00
	KM 4000	1000A AC, 6000 Counts True RMS Digital Clampmeter. Jaw Size 42mm.	Kusam LLP.	90303390	B	10,875.00
	KM CCT3K	Flex Clamp Sensor AC current (A) : 30A/300A/3000A For Use With KM 4000 & KM 4002	Kusam LLP	90303390	B	13,175.00
	KM 2780	1000A AC, 4000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	B	4,400.00
	KM 2720	200A AC/DC, 4000 Counts Clampmeter. Jaw Size : 23mm.	Kusam LLP	90303390	B	8,800.00

All prices are subject to change without prior notice.

Pg. No. 06

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
NEW	KM 2725	40A AC/DC, 4000 Counts Clampmeter. Jaw Size : 23mm.	Kusam LLP	90303390	B	8,750.00
	KM 071	4-20mA DC Milliamp Process Clampmeter. Jaw Size 5mm.	Kusam LLP	90303390	A	35,000.00
	KM 9999A+	1000A AC/DC TRMS 6000 Counts Digital Clamp meter	Kusam Ele/LLP	90303390	B	9,350.00
	2781-T	1000A AC/DC, 4000 Counts TRMS Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	A	7,475.00
NEW	2781	1000A AC/DC, 4000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	A	6,500.00
	KM 999A+	1000A AC TRMS, 6000 Counts Clamp meter with Inrush Current. Jaw Size : 42mm.	Kusam Ele/LLP	90303390	B	6,875.00
NEW	Flex 3K	Flexible Clamp for KM 9999A+ & KM 999A+	Kusam Ele	90303390	B	8,325.00
NEW	KM 3060-T	1000A AC TRMS, 6000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	B	2,600.00
	KM 3060	1000A AC, 2000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	B	2,250.00
	KM 2731 (upgraded)	600A AC, 6000 Counts TRMS Digital Clampmeter.	Kusam LLP	90303390	B	1,300.00
	KM 2732	600A AC/DC 6000 Counts TRMS Digital Clampmeter	Kusam LLP	90303390	B	3,550.00
NEW	KM 2733	600A AC/DC, 6000 Counts Dual Display Digital Clampmeter.	Kusam LLP	90303390	B	4,025.00
NEW	2790	600A AC, 2000 Counts Digital Clampmeter. Jaw Size : 32mm.	Kusam LLP	90303390	B	3,600.00
	KM 2719	400A AC, 4000 Counts TRMS Digital Clampmeter. Jaw Size : 28mm.	Kusam LLP	90303390	B	4,275.00
	2700	300A AC, 2000 Counts Clampmeter. Jaw Size : 32mm.	Kusam LLP	90303390	B	3,600.00

12	DIGITAL LEAKAGE CURRENT CLAMPMETER					
NEW	KM 2730	1 mA to 100A AC/DC, 2000 Counts Digital Clampmeter.	Kusam Ele	90303390	B	6,550.00
	KM 2008	0.01mA to 300A AC, 3000 Counts Leakage Current Clampmeter with Data logging & PC Interface. Jaw Size : 40mm.	Kusam LLP	90303390	B	17,975.00
	KM 2008A	0.01mA to 300A AC, 3000 counts Leakage Current Clampmeter with Data storage 60 groups. Jaw Size : 40mm.	Kusam LLP	90303390	B	16,800.00
	KM 2006	0.1 mA to 20A AC/10A DC 5000 Counts TRMS Leakage Clampmeter Jaw Size : 23mm.	Kusam Ele	90303390	B	31,700.00

13	AC & AC / DC CURRENT ADAPTOR					
	CA 3000D	3000A TRMS Reading Flexible Current Probe with display	Kusam Ele/LLP	90303390	A	17,975.00
	CA 3000	3000A Flexible Current Probe	Kusam Ele/LLP	90303390	A	12,400.00
	CA2000	2000A AC/DC Current Adaptor 400/2000A, O/P 1mV/A. Jaw Size : 57mm.	Kusam Ele	90303390	B	7,325.00
	CA500	500 A AC/DC Current Clamp Adaptor O/P 1mV/A. Jaw Size : 30mm.	Kusam Ele	90303390	B	9,275.00

14	SOLAR APPLICATION INSTRUMENTS					
NEW	KM 3000	1000A AC/DC TRMS 2000V AC/DC Clampmeter	Kusam Ele	90303100	B	6,000.00
	KM 3001	DC 1500V. 2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection, PC Interface For Solar Application. Jaw Size : 55mm.	Kusam LLP	90303100	A	24,925.00
	KM 8000 HVDM	4000 Counts TRUE RMS High Voltage Digital Multimeter FOR SOLAR APPLICATIONS DC Voltage : 3000V AC Voltage : 2000V	Kusam LLP	90303100	A	33,900.00
NEW	KM 8002	DC Voltage 1500V / AC 750V WITH AC/DC Auto Scanning Digital Multimeter for solar powersystem & power equipment management	Kusam LLP	90303100	A	24,750.00
NEW	KM 8001	DC / AC Voltage 2000V TRMS Digital Multimeter for solar power system	Kusam LLP	90303100	B	4,075.00
NEW	KM 375	DC / AC Voltage 1500V TRMS 2.5KV Digital Insulation Resistance Tester + Digital Multimeter with PI & DAR Measurement & Rechargeable battery.	Kusam LLP	90303100	A	6,250.00
NEW	KM 2031	DC 1500V / AC 1000V Digital Earth Resistance Tester	Kusam LLP	90303100	B	10,750.00
NEW	KM-SPM-11A	3½ digits LCD with 1999 counts Digital Solar Power Meter Measuring Range : 1999W/m2, 634 BTU (ft2*h)	Kusam LLP	85381010	B	16,150.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
15	MULTIFUNCTION INSTALLATION TESTER					
NEW	KM 5100	3.5 inch TFT Colour LCD Display with 320 x 240 pixels. Provides Insulation Resistance, Earth Resistance, Loop Impedance, Voltage, RCD, PFG & PSC Testing.	Kusam LLP	90309090	B	108,100.00
NEW	KM-EVSE	Electric Vehicle supply equipment adaptor (EVSE Adaptor)	Kusam LLP	85049090	B	20,000.00

16	DIGITAL INSULATION RESISTANCE TESTER					
	KM 878	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, capacitance, AC/DC Current Range & Temperature Function.	Kusam LLP	90303100	A	37,825.00
	KM 887	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD Function & AC/DC Current.	Kusam LLP	90303100	A	34,625.00
	KM 877	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, PI, DAR & PASS/FAIL Insulation compare Feature.	Kusam Ele	90303100	A	31,975.00
	KM 7015 IN	15 KV IR Tester With Insulation Resistance upto 2TΩ, Short circuit current upto 5mA. PI & DAR indication. Optical USB to RS-232 data transmission.	Kusam LLP	90303390	A	179,750.00
	KM 6305 IN	5 KV IR Tester With Insulation Resistance upto 10TΩ with PI & DAR Function & PC Interface. Test voltage : 500/1000/2500/5000V with Rechargeable Battery.	Kusam LLP.	90303390	A	127,500.00
	KM 6305AIN	5 KV IR Tester, Test Voltage : 500/1000/2500/5000V, Insulation Resistance Range upto 10TΩ with PI & DAR Function & PC Interface.	Kusam LLP	90303390	A	102,500.00
		Spare Test Lead Model AL-6305			A	10,775.00
	KM 6213 AIN	10 KV IR Tester, Insulation Resistance upto 600GΩ, Short circuit current upto 5mA. PI & DAR indication.	Kusam LLP	90303390	A	106,575.00
		Spare Test Lead Model AL53Bu			A	11,025.00
	KM 5405 IN	5 KV IR Tester. Insulation Resistance Range : 0.01MΩ~10TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A	68,750.00
	KM 5410 IN	10 KV IR Tester. Insulation Resistance Range : 0.01MΩ~35TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A	82,000.00
	KM 5415 IN	15 KV IR Tester. Insulation Resistance Range : 0.01MΩ~50TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A	135,725.00
	KM 5305 IN	5 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~10TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A	109,300.00
	KM 5310 IN	10 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~20TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A	123,750.00
	KM 5315 IN	15 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~30TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A	160,725.00
		15 METERS TEST LEADS FOR KM 5305 IN, KM 5310 IN, KM 5315 IN	Kusam LLP	90303390	A	Against Enquiry
	KM 2805 MK-1	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 1TΩ with PI Function & PC Interface	Kusam LLP	90303390	A	40,750.00
		Adaptor of KM 2805 MK-1			A	3,375.00
		Standard test lead Approx. 1.5 mtr. for KM 2805 MK-1			A	4,100.00
		10 Meter long test lead for KM 2805 MK-1			A	9,185.00
	KM 2804 IN	10 KV IR Tester: 1KV/2.5KV/5KV/10KV, Insulation Resistance upto 500GΩ	Kusam LLP	90303390	A	75,575.00
		Spare Test Lead Model AL53			A	10,925.00

All prices are subject to change without prior notice.

Pg. No. 08

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
	KM 2803 IN	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 250GΩ	Kusam LLP	90303390	A	61,125.00
		Spare Test Lead Model AL53			A	10,925.00
	KM 1154 TMF	1 KV IR Multifunction Tester, Test Voltage 50V/100V/125V/250/500/1000V, Insulation Resistance upto 10GΩ, Continuity, Voltage with MOV & Gas Arrester Test.	Kusam LLP	90303390	A	30,275.00
	KM 1152 MF	1 KV Multifunction IR Tester, Test Voltage 250/500/1000V & Measuring Range upto 0-8GΩ, PI & DAR Test, Continuity Voltage, MOV & Gas Arrester Test.	Kusam LLP	90303390	A	30,275.00
	NEW KM 373	Insulation Resistance Tester upto 200GΩ. Output Voltage Range 1000V, 2500V, 5000V	Kusam LLP	90303100	A	11,325.00
	NEW KM 376PV	PV INSULATION TESTER. Insulation Resistance 0.125MΩ / 100.0 / 200.0 / 1000 / 2000 / 4000MΩ. Bluetooth function	Kusam LLP	90303100	A	40,000.00
	NEW KM 371	Insulation Resistance Tester upto 20GΩ with maximum display 1999 100 sets of data storage & 11 Sets of adjustable output voltage. (50V to 1000V). PI & DAR Test function.	Kusam Ele/LLP	90303100	A	4,500.00
	NEW KM 372	Test Voltage Range : 50V/100/250/500/1000V. Insulation Resistance upto 20GΩ. TRMS Digital Insulation Resistance Tester with Multimeter Functions AC/DC Voltage, Capacitance, Resistance, Frequency, Diode & ON/OFF measurement. Maximum Display 3999 or 5999.	Kusam LLP	90303100	A	5,050.00
	NEW KM 375	Test Voltage Range : 100/250/500/1000V/ 2500V. Insulation Resistance upto 50GΩ. PI & DAR Test. Rechargeable battery. TRMS Digital Insulation Resistance Tester with Multimeter Functions AC/DC Voltage, Capacitance, Resistance, Frequency, Diode & ON/OFF measurement. Maximum Display 3999 or 5999.	Kusam LLP	90303100	A	6,250.00
	KM 379	1 KV IR Tester, Test Voltage : 250V/500V/1000V, Insulation Resistance upto 40 GΩ, WITH MULTIMETER FUNCTIONS.	Kusam LLP	90303390	A	5,375.00
	KM 370 (upgraded)	2.5 KV IR TESTER, Test Voltage : 500V/1000V/2500V, Insulation Resistance upto 40 GΩ WITH MULTIMETER FUNCTIONS.	Kusam LLP	90303390	A	6,850.00
A	ANALOG INSULATION RESISTANCE TESTERS					
	KM 81	Analog Insulation Resistance Tester 1000V/2000 Megohms; 600 V AC	Kusam LLP	90303390	A	2,875.00
	KM 41	Analog Insulation Resistance Tester 500V/1000 Megohms; 600 V AC	Kusam LLP	90303390	A	2,850.00
	KM 03	Analog Insulation Resistance Tester 500V/100 Megohms; 600 V AC	Kusam LLP	90303390	A	2,825.00
	KM 01	Analog Insulation Resistance Tester 100V/50 Megohms; 600 V AC	Kusam LLP	90303390	A	2,750.00

17	DIGITAL EARTH RESISTANCE TESTERS					
NEW	KM 4237ER	2/3/4 Wire & Dual Clamp Digital Earth Resistance Tester	Kusam LLP	90318000	A	99,275.00
	KM 4235ER	2/3/4 Wire Digital Earth Resistance With Soil Resistivity. Earth Resistance: 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	A	61,225.00
	KM 4234ER	2/3/4 Wire Digital Earth Resistance Tester : 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	A	58,075.00
	KM 1320	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity Test, Earth Resistance: 0.00Ω-30.00kΩ, Earth Voltage 0.0 ~ 600V & Test Frequency 128Hz/111Hz/105Hz/94Hz(AFC) with RS232 Interface	Kusam LLP	90303390	A	43,375.00
	KM 2040	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity, Earth Resistance: 20.9KΩ. Earth Voltage	Kusam Ele	90303390	A	23,250.00
	NEW KM 2030A	Digital Earth Resistance Tester	Kusam LLP	90303390	B	8,775.00
	KM 1520	2/3 Wire Earth Resistance Tester, Range 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	90303390	A	22,725.00
	KM 1520A	2/3 Wire Digital Earth Resistance Tester, 4000 counts, Earth Resistance: Range : 0-40/400/4000Ω, Earth Voltage : 0-400V AC (40-500Hz)	Kusam LLP	90303390	A	27,050.00
	NEW KM 1521	2/3 Wire Digital Earth Resistance Tester, Earth Resistance: Range : 0-10/100/1000Ω, Earth Voltage : 0-750V AC / 1000V DC	Kusam Ele	90309090	A	14,650.00
	NEW KM 2031	DC 1500V / AC 1000V Digital Earth Resistance Tester	Kusam LLP	90303100	B	10,750.00
	KM 1105ER	Analog Earth Resistance Earth Resistance: Range upto 1200 Ω Test Frequency 820Hz	Kusam LLP	90303390	A	26,500.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
18	CLAMP ON EARTH RESISTANCE TESTERS					
NEW	KM 1720+	Clamp On Earth Resistance Tester With PC interface. Leakage Current Range : 10mA to 20A , Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A	36,150.00
	KM 1720 (upgraded)	Clamp On Earth Resistance Tester With Leakage Current Range : 0.00mA to 35A, Bluetooth function & APP Earth Resistance Range 0.001Ω ~ 1500Ω. Clamp Size 65 x 32mm	Kusam LLP	90303390	A	31,000.00
	KM 1620 (upgraded)	Clamp On Earth Resistance Tester with Bluetooth Function & APP Resistance Range 0.001Ω ~ 1500Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A	25,625.00
	KM 1790	Clamp Ground Resistance Tester, Ground Resistance range : 0.01Ω ~ 1200Ω, Leakage Current Range : 0.00mA ~ 20.0A, Data Logging Function. Clamp Size 55 x 32 mm.	Kusam LLP	90303390	A	36,975.00
	KM 1920	4 Wire Ground Pole Type Earth Resistance Tester combined with Clamp-on Type Earth Resistance Tester	Kusam LLP	90303390	A	76,100.00
19	LOOP IMPEDANCE TESTER					
NEW	KM 5209LP	Loop Impedance Tester	Kusam LLP	90303390	A	28,450.00
20	HIGH VOLTAGE NON CONTACT DETECTORS					
NEW	KM 1850	Live line detector for discharge rod	Kusam LLP	90303390	B	9,800.00
NEW	KM 800 HP	High Voltage Non Contact Proximity Detector with 8 Voltage setting from 240V~ 800KV	Kusam LLP	90303390	A	18,250.00
NEW	KM 765 HP	High Voltage Non Contact Proximity Detector with 8 Voltage setting from 240V~ 765KV	Kusam LLP	90303390	A	17,750.00
NEW	KM 500HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V~ 500KV	Kusam LLP	90318000	A	17,525.00
	KM 275HP	High Voltage Non-Contact Proximity Detectorwith 8 Voltage setting from 240V~ 275KV	Kusam LLP	90318000	A	17,275.00
	KM 375HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V~ 275KV	Kusam LLP	90318000	A	18,375.00
	KM 278HP-800KV	Non-Contact High Voltage Detector with 8 Voltage setting from 240V~ 800KV With IP 65.	Kusam LLP	90318000	A	18,775.00
	KM 278HP-765KV	Non-Contact High Voltage Detector with 8 Voltage setting from 240V~ 765KV With IP 65.	Kusam LLP	90318000	A	18,575.00
NEW	KM 278HP-500KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 500KV With IP 65.	Kusam LLP	90318000	A	18,375.00
	KM 278HP-275KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 275KV With IP65.	Kusam LLP	90318000	A	18,125.00
	KM 277HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP	90303390	A	14,500.00
	KM 273HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP	90303390	A	9,400.00
	KM 276 HD	High Voltage Detector : Measure. Volt Range : L. V. : 80V ~ 600V AC, H.V.: 3kV~24kV AC	Kusam LLP	90303390	A	19,000.00
NEW	KM 276 HD 33KV	High Voltage Detector : Measure. Volt Range : L. V. : 80V ~ 600V AC, H.V.: 3kV ~ 33kV AC	Kusam LLP	90303390	A	19,000.00
	KM 290HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 81.5KV Retracted : 1370 ± 50mm ; Extracted : 2450 ± 50mm.	Kusam LLP	90303390	A	29,375.00
	KM 230 HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 36.5kV Retracted : 893 ± 50mm ; Extracted : 1520 ± 50mm.	Kusam LLP	90318000	A	23,100.00
	KM-500MHP	AC HOT STICK AC Voltage detection : 100V ~ 50kv AC	Kusam LLP	90318000	A	17,400.00
21	PERSONAL SAFETY NON CONTACT HIGH VOLTAGE DETECTORS					
NEW	KM-HVW-289	Wrist Type High Voltage Alarm : 1KV ~ 220KV	Kusam LLP	90303390	B	4,775.00
	KM-HVW-289-H2	Wrist Type High Voltage Alarm : 230V ~ 500KV	Kusam LLP	90303390	B	6,835.00
	KM-HVW-289-H1	Safety Helmet High Voltage Alarm : 230V ~ 500KV	Kusam LLP	90303390	B	6,835.00

All prices are subject to change without prior notice.

Pg. No. 10

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
	285HD-A	Pole Mounting High Voltage Detector 3kV ~ 7kV	Kusam LLP	90303390	B	5,800.00
	285HD-B	Pole Mounting High Voltage Detector 6.6kV ~ 11kV	Kusam LLP	90303390	B	5,800.00
	285HD-C	Pole Mounting High Voltage Detector 10kV ~ 22kV	Kusam LLP	90303390	B	6,100.00
	286 SVD	Personal Safety High Voltage Detector Range(Arm & Helmet wearing) : 110V ~ 11.4KV	Kusam LLP	90303390	B	9,525.00
	287 SVD	Personal Safety High Voltage Detector Range (Arm & Helmet wearing) : 110V ~ 22.8KV	Kusam LLP	90303390	B	10,425.00
	KM 302SVD	Personal Safety High Voltage Detector Range : 100V AC ~ 50kV AC	Kusam LLP	90303390	B	13,000.00

22	CONTACT TYPE HIGH VOLTAGE DETECTORS					
	213HVD	Capacitive High Voltage Detector(Contact) upto 132KV	Kusam LLP	90318000	A	52,300.00
	KM-CVD-11 KV	Contact Type High Voltage Detector 11 KV	Kusam LLP	90309090	B	4,125.00
	KM-CVD-33 KV	Contact Type High Voltage Detector 33 KV	Kusam LLP	90309090	B	4,425.00
NEW	KM-CVD-66 KV	Contact Type High Voltage Detector 66 KV	Kusam LLP	90309090	B	4,725.00

23	TELESCOPIC HOT STICK					
	HSR 122-5M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 5M	Kusam LLP	39269099	B	11,225.00
	HSR-121 - 3M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 3M	Kusam LLP	90309090	B	7,125.00
NEW	HSR-135 - 12M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 12M	Kusam LLP	90309090	B	26,350.00
NEW	HSR-124(T) - 3M	TRIANGLE TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 3M	Kusam LLP	90309090	B	22,700.00
NEW	HSR-125 (T) - 5M	TRIANGLE TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 5M	Kusam LLP	90309090	B	34,375.00
	HS-175-9	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 12.09 meters	Kusam LLP	90309090	B	ON ENQUIRY
	HS-175-8	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 10.62 meters	Kusam LLP	90309090	B	
	HS-175-7	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 9.18 meters	Kusam LLP	90309090	B	
	HS-175-6	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 7.78 meters	Kusam LLP	90309090	B	
	HS-175-5	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 6.42 meters	Kusam LLP	90309090	B	
	HS-175-4	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 5.10 meters	Kusam LLP	90309090	B	
	HS-175-3	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 3.82 meters	Kusam LLP	90309090	B	59,500.00
	HSR 120B	Fibre Glass Rod 1.8m Black with cover	Kusam LLP	90309090	B	ON ENQUIRY
	HSR 120C	Fibre Glass Rod 1.8m Black with handle with cover	Kusam LLP	90309090	B	
	HSR 120A	Fibre Glass Rod 1.2m Orange with cover	Kusam LLP	90309090	B	
	HSR 120	Fibre Glass Rod 1x1.2m Orange stick + 3x1.8m Black stick (SET)	Kusam LLP	90309090	B	76,550.00
	HS 120R	Fibre Glass Rod 1.2m Black with handle with cover	Kusam LLP	90309090	B	26,000.00
	ACESSORIES TO BE USED WITH TELESCOPIC HOT STICKS					
	HOK-HS166	Disconnect Hook	Kusam LLP	90309090	B	750.00
	ADP-HS120	FUSE EXTRACTOR HEAD	Kusam LLP	90309090	B	600.00

24	RESCUE HOOK					
NEW	KM-RH 11KV	RESCUE HOOK MODEL "KM-RH-11" FOR 11KV, Rod Length 6'	Kusam LLP	82059090	B	10,800.00
NEW	KM-RH 33KV	RESCUE HOOK MODEL "KM-RH-33" FOR 33KV, Rod Length 6'	Kusam LLP	82059090	B	11,200.00
NEW	KM-RH 66KV	RESCUE HOOK MODEL "KM-RH-66" FOR 66KV, Rod Length 6'	Kusam LLP	82059090	B	11,700.00
	KM-RH 132KV	RESCUE HOOK MODEL "KM-RH-132" FOR 132KV, Rod Length 6'	Kusam LLP	82059090	B	11,425.00

25	HIGH VOLTAGE PHASING METER					
NEW	KM 1810	AC / DC Voltage Detector with Digital Display.	Kusam LLP	90303390	A	80,775.00
	KM-MPS-50K	50 KV AC / DC High Voltage Multifunction Phasing Sticks with Digital Display.	Kusam LLP	90303390	A	127,650.00
	PC 44KV	44 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A	181,475.00
	PC 33KV	33 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A	158,350.00
	PC 22KV	22 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A	146,750.00
	PC 11KV	11 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A	134,725.00
	PC 7KV	7 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A	125,800.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
ACESSORIES TO BE USED WITH PHASING STICK MODEL PC44KV/PC 33KV/22KV/11KV/PC7KV						
	TER-40mm	Piercing Tip 40mm(Pair)	Kusam LLP		A	2,375.00
	TER-70mm	Piercing Tip 70mm (Pair)	Kusam LLP			2,375.00
	PC-160	Right Angle Adaptors It can be semi-disconnected for storage into the case (Pair)	Kusam LLP			29,200.00
	ADP-PCXXK	Adaptor	Kusam LLP			1,000.00
	TER-213 100mm	Contact Type Terminal 100mm	Kusam LLP			2,075.00
	TER-213 60mm	Contact Type Terminal 60mm	Kusam LLP			1,525.00
	TER-213 40mm	Contact Type Terminal 40mm	Kusam LLP			1,000.00

26	DISCHARGE ROD (RESISTIVE TYPE)					
NEW	KM-DSR-35K	35 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A	33,500.00
NEW	KM-DSR-50K	50 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A	36,875.00
NEW	KM-DSR-100K	100 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A	48,875.00
A	DISCHARGE ROD HOOK TYPE					
	KM-HKDR-11KV	11 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 3' 7"	Kusam LLP	85479090	B	7,125.00
	KM-HKDR-33KV	33 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 4' 7"	Kusam LLP	85479090	B	7,600.00
	KM-HKDR-66KV	66 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 6' 10"	Kusam LLP	85479090	B	8,725.00
	KM-HKDR-132KV	132 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 6' 10"	Kusam LLP	85479090	B	9,225.00
	KM-HKDR-220KV	220 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 9' 5"	Kusam LLP	85479090	B	10,500.00
	KM-HKDR-400KV	400 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH : 13' 5"	Kusam LLP	85479090	B	15,750.00
B	SINGLE PHASE DISCHARGE ROD					
NEW	KM-R-25KVDR	25KV Discharge Rod for Railway	Kusam LLP	39269099	B	29,500.00
NEW	KM 765DR	765 KV Discharge Rod	Kusam Ele.	39269099	A	36,250.00
	400KV	400KV FRP Telescopic Discharge / Earthing Rod, With 35 Sq.mm. Cable (L = 10 Mtr), Rod H = 18 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	22,250.00
	132-220KV	220KV FRP Telescopic Discharge / Earthing Rod, With 25 Sq. mm. Cable (L = 10 Mtr), Rod H = 18 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	19,200.00
	66-132KV	66-132KV FRP Telescopic Discharge / Earthing Rod, With 16 Sq. mm. Cable (L = 10Mtr), Rod H = 15 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	17,325.00
	33-66KV	33-66KV FRP Telescopic Discharge / Earthing Rod, With 10 Sq.mm. Cable (L = 10 Mtr), Rod H = 15 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	10,000.00
	11-33KV	11-33KV FRP Telescopic Discharge / Earthing Rod, With 6 Sq. mm. Cable (L = 7 Mtr), Rod H = 15 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	8,175.00
	11-KV	11KV FRP Telescopic Discharge / Earthing Rod, With 4 Sq. mm. Cable (L = 7 Mtr), Rod H = 15 ft in 3 Section, With 50 mm. Top & Carrying Bag	Kusam LLP	39269099	B	7,200.00
C	THREE PHASE DISCHARGE ROD					
	400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	B	66,750.00
	132-220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	B	57,600.00
	66-132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP	39269099	B	51,975.00
	33-66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP	39269099	B	30,000.00
	11-33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	B	24,525.00
	11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	B	21,600.00
	CABLE FOR DISCHARGE ROD FOR DIFFERENT SIZES.					
		Cable For Discharge Rod (Other than Standard Size & Length) ,4 sq. mm/6sq. Mm/10 sq. mm/16 sq. mm/,25 sq. mm/,35 sq. mm	Kusam LLP	39269099		PRICES ON ENQUIRY

All prices are subject to change without prior notice.

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
27	BATTERY QUALITY ANALYSER / TESTER					
NEW	KM 950	Battery Tester with Printer	Kusam LLP	90303390	B	11,700.00
	KM 930	Battery Internal Resistance Tester. Temp. range : -10.0°C ~ 60.0°C. Resistance Range : 0.000mΩ ~ 3 Ω, Voltage Measurement. Data Logging with PC Interface.	Kusam LLP	90303390	A	54,350.00
	KM 900	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, With Battery Range 100V/1200Ah. Current measurement with Model CA 500 AC/DC Current Clamp Adaptor. (Optional)	Kusam Ele	90303390	A	300,000.00
	KM 900 C	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, Capacity Measurement, With Battery Range 100V/6000Ah & AC Ripple Current measurement. Adaptor With Battery Range 100V/6000Ah & AC Ripple Current measurement. Current measurement with Model CA 500 AC/DC Current Clamp . (Optional)	Kusam Ele	90303390	A	350,000.00
28	DIGITAL ELCB / EARTH LEAKAGE TESTERS					
NEW	KM 1812 EL-A	Digital ELCB Tester - 240Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A	26,525.00
	KM 1812 EL-B	Digital ELCB Tester - 230Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A	26,525.00
	KM 1812 EL-C	Digital ELCB Tester - 220Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A	26,525.00
	KM 1812 EL-D	Digital ELCB Tester - 110Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A	26,525.00
		Test Leads for KM 1812EL	Kusam LLP	90318000	A	3,450.00
	KM 6221	3 Phase Digital ELCB Tester - , Leakage Current	Kusam LLP	90318000	A	112,125.00
	KM 2820 EL	Digital ELCB Tester - 100-450V, Leakage Current upto 1A.	Kusam LLP	90318000	A	60,975.00
	KM 582	Digital RCD (ELCB) Tester suitable for single-phase circuits. Range : 10mA to 500mA. Voltage Measurement Range : 30V~600V, 45Hz ~65Hz	Kusam LLP	90318000	A	16,075.00
29	TEST & MEASURING INSTRUMENTS					
A	TACHOMETERS & STROBOSCOPE					
	KM-2235B	Digital Tachometer (Contact Type) 5 – 9999 / 19,999 RPM	Kusam Ele/LLP	90292010	B	5,075.00
		Accessories for KM 2235B :Set of Surface speed Test Wheel, RPM adapter(cone) & (funnel)	Kusam Ele/LLP	85069000	B	1,125.00
	KM-2234BL	Digital Tachometer (Non- Contact Type) 5-9999 / 99,999RPM	Kusam LLP	90292010	B	6,275.00
	KM-2241	Non Contact(Photo) Tachometer 2.5 - 99,999RPM &Contact Tachometer 0.5-19,999 RPM, Surface Speed 0.05-1,999.9M/Min	Kusam LLP	85069000	B	6,975.00
		Reflective Tape for Tachometer (Non-Contact type)Model No. KM 2234BL & KM 2241 (12mm X 100mm) X 6NOS	Kusam LLP	90299000	B	165.00
		Adaptor for KM 2241	Kusam LLP	90292030	B	1,125.00
	KM 2250	Stroboscope measuring by Non Contact Method , Range : 60- 40,000 RPM	Kusam Ele/LLP	90292010	B	20,325.00
B	LASER DISTANCE METER					
NEW	KM 977	Laser Distance Meter with video display	Kusam Ele	90303390	B	13,450.00
NEW	KM 975(M)	Laser Distance Meter : Measuring Range : 0.05m ~ 50m	Kusam Ele	90303390	B	3,625.00
NEW	KM 976(M)	Laser Distance Meter : Measuring Range : 0.05m ~ 100m	Kusam Ele	90303390	B	5,950.00
C	VIBRATION METER					
NEW	KM 63	Hand-hold, Pocket vibration meter with built in sensor	Kusam LLP	90303390	B	15,800.00
	KM 64	Vibration meter with external sensor	Kusam LLP	90303390	B	21,625.00
	KM 3961	Vibration meter with external sensor	Kusam LLP	90318000	B	40,975.00
		USB Cable + Software	Kusam Ele	90318000	B	9,575.00
		Probe With Magnet	Kusam Ele	90318000	B	14,950.00
D	ULTRASONIC THICKNESS GAUGE METER					
	KM 131D	Digital Ultrasonic Thickness Meter, Measuring range : 1.00 ~ 300.0 mm	Kusam Ele/LLP	90318000	B	13,550.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
E COATING THICKNESS GAUGE METER						
NEW	KM -EP-770	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material with USB interface. Range : 0 to 2000µm	Kusam Ele/LLP	90318000	B	15,200.00
	KM-771-P	Ultrasonic Thickness Gauge	Kusam LLP	90318000	B	32,625.00
	KM-FN-500A	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material Range : 0 to 1500µm	Kusam LLP	90318000	B	12,750.00
	KM 117A	Coating Thickness Gauge for Ferrous Base Material (iron, Steel). Range : 0 to 2000µm	Kusam Ele	90318000	B	10,350.00
	KM-EC-370P	Coating Thickness Gauge Meter Range : 0 to 2000µm	Kusam Ele	90318000	B	10,775.00
F PHASE SEQUENCE METERS						
	KM 981-MK-1	Phase Sequence Indicator Operating Voltage 60~600V AC & frequency range 20Hz ~ 400Hz	Kusam Ele/LLP	90303390	B	2,700.00
	KM 888 PMR	3 phases Presence and Rotation Indicator combined with a 3 phases Motor Rotation Tester. Operating Voltage 100V~600V AC	Kusam LLP	90303390	B	9,925.00
	KM 885PR	Phase Sequence Indicator with display with Phase Rotation, Phase Presence & Voltmeter.	Kusam LLP	90303390	B	23,550.00
	KM 855PR	Phase Sequence Indicator Operating Voltage 200V~600V AC frequency range 50Hz ~ 60Hz with open phase condition check feature through LED & Buzzer.	Kusam LLP	90303390	B	9,725.00
G GLOSS METER						
	AG-107B	GLOSS METER Measuring Range : 0.1~200GU	Kusam LLP		B	37,325.00

30 TORQUE WRENCH						
NEW	KM-NGM-10	10N Mini Digital Torque Wrench	Kusam Ele	82041120	A	12,300.00
	KM-NGM-60	60N Mini Digital Torque Wrench	Kusam Ele	82041120	A	13,500.00
	KM-NGM-100	100N Mini Digital Torque Wrench	Kusam Ele	82041120	A	14,450.00
	KM-NG-030	30N Digital Torque Wrench	Kusam Ele	82041120	A	21,200.00
	KM-NG-200	200N Digital Torque Wrench	Kusam Ele	82041120	A	27,000.00
A VERNIER CALIPER						
	KM-VC-5200	200mm Digital Vernier Caliper	Kusam Ele	90173010	A	6,275.00

31 LABORATORY / EDUCATION INSTRUMENTS						
A FUNCTION GENERATOR						
	KM 2001	2 MHz Digital Signal Generator. Square Wave & Sine wave Output.	Kusam Ele	90303390	A	15,425.00
	KM 2002	2 MHz Digital Function Generator. Sine Wave, Square Wave, Rectangle wave, Saw Tooth Wave, Triangle Wave Output.	Kusam Ele	90303390	A	17,450.00
	KM 2005	5 MHz Digital Function Generator. Sine Wave, Triangle Wave, Ramp, Square Wave Output. 20 MHz Frequency Counter.	Kusam Ele	90303390	A	16,900.00
	KM 2010	10 MHz Digital Function Generator. Sine Wave, Triangle Wave, Ramp, Square Wave Output. 20 MHz Frequency Counter.	Kusam Ele	90303390	A	18,725.00
B FUNCTION / ARBITRARY WAVEFORM GENERATOR						
NEW	TFG6803	35MHz 16Mpts waveform length 7 inch Touch Screen display Function / Arbitrary Waveform Generator. Sine Wave, Square Wave, Pulse, Ramp, Noise, DC, PRBS etc.	Kusam LLP	90303390	A	73,950.00
NEW	KM 3022B	25MHz Built in 7 Digit 4.3 inch colour TFT LCD display Arbitrary Waveform Generator. Sine Wave, Square Wave, Ramp, Pulse, Noise, Harmonic, DC. 80MHz Frequency Counter.	Kusam LLP	90303390	A	30,600.00
C DIGITAL STORAGE OSCILLOSCOPE / FUNCTION WAVEFORM GENERATOR						
NEW	KM-DSO-2D10	100MHz Digital Storage Oscilloscope / 35 MHz Function Waveform Generator Oscilloscope : 2 Channels Waveform Generator : 1 Channel	Kusam LLP	90302000	A	32,535.00
NEW	KM-DSO-2C10	100MHz 2 Channels Digital Storage Oscilloscope	Kusam LLP	90302000	A	27,000.00
	KM 2102CEX+	100MHz 2 Channels Digital Storage Oscilloscope	Kusam LLP	90302000	A	32,950.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
D	DIGITAL FREQUENCY COUNTER					
NEW	KM-TFC-2700L	2.7GHz 2 Channels Frequency Counter	Kusam Ele	90302000	A	8,225.00
E	ANALOG OSCILLOSCOPE					
	KM-20-10	20MHz Analog Oscilloscope	Kusam Ele	90302000	A	37,525.00
	KM 5060	Dual Trace 60MHz Analog Oscilloscope	Kusam Ele	90302000	A	56,175.00
F	SPECTRUM ANALYSER					
	SSA3032X	3.2GHz Spectrum Analyser TG-SSA3000X (Tracking generator kit) UKITSSA3X(Utility Kit)	Kusam Ele	90302000	A	PRICES ON INQUIRY
NEW	KM-SA9232	9kHz ~ 3.2GHz Spectrum Analyser (Optional available upto 7.5GHz)	Kusam LLP	90302000	A	PRICES ON INQUIRY

32	DIGITAL MICRO OHM METER					
NEW	KM OHM 8501E	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.01mΩ ~ 30.00KΩ. Resolution : 10μΩ.	Kusam LLP	90303390	A	21,775.00
	KM OHM 8501	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.001mΩ ~ 300.0KΩ. Resolution : 1μΩ	Kusam LLP	90303390	A	25,925.00
	KM OHM 8502	Handheld DC Micro Ohm Meter (10A). Resistance range : 10.0mΩ ~ 50.00KΩ. Resolution : 0.1 μΩ	Kusam LLP	90303390	A	57,100.00
NEW	KM-8500-1	4 ½ digit Digital Display 1A Micro Ohm Meter. Resistance range : 0.1μΩ ~ 2000Ω. Resolution : 0.1μΩ	Kusam LLP	90303390	A	56,725.00
NEW	KM-8500-10	4 ½ digit Digital Display 10A Micro Ohm Meter. Resistance range : 0.1μΩ ~ 2000Ω. Resolution : 0.1μΩ.	Kusam LLP	90303390	A	78,550.00
NEW	KM-8500-100	3.5 Digit LED display 100 Amp DC Constant Current Source Digital Contact Resistance Meter. Resistance range : 0.1μΩ ~ 2000Ω.	Kusam LLP	90303390	A	166,900.00
NEW	KM-8500-200P	Digital Contact Resistance Meter Built-in Printer. Output Current 200A, 150A, 100A, 50A, 25A	Kusam LLP	90303390	A	350,000.00
33	DC REGULATED POWER SUPPLY					
	KM-PS-302	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele	90318000	A	6,750.00
	KM-PS-303	DC Power Supply-0-30V, 3A Single O/P	Kusam Ele	90318000	A	7,000.00
	KM-PS-305	DC Power Supply-0-30V, 5A Single O/P	Kusam LLP	90318000	A	7,375.00
	KM-PS-3010-AB	DC Power Supply-0-30V, 10A Single O/P fixed output 5V/2A	Kusam Ele	90318000	A	18,300.00
	KM-PS-302D-II	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele	90318000	A	13,100.00
	KM-PS-303D-II	DC Power Supply-0-30V, 3A Dual O/P	Kusam Ele	90318000	A	14,550.00
	KM-PS-305D-II	DC Power Supply-0-30V, 5A Dual O/P fixed output 5V/3A	Kusam Ele	90318000	A	18,300.00
NEW	KM-PS-3020ABF	DC Power Supply-0-30V, 20A Dual O/P	Kusam Ele	90318000	A	17,950.00
NEW	KM-PS-3030ABF	DC Power Supply-0-30V, 30A Dual O/P	Kusam Ele	90318000	A	30,175.00
	KM-PS-302F	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele	90318000	A	5,375.00
	KM-PS-305F	DC Power Supply-0-30V, 5A Single O/P	Kusam Ele	90318000	A	6,100.00
	KM-PS-302D-II-F	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele	90318000	A	10,000.00
	KM-PS-305D-II-F	DC Power Supply-0-30V, 5A Dual O/P	Kusam Ele	90318000	A	15,000.00
NEW	KM-PS-3010AB-F	DC Power Supply-0-30V, 10A Dual O/P	Kusam Ele	90318000	A	14,925.00
NEW	KM-PS-602D-II	Linear DC Power Supply- Series Voltage / Current : 0 ~ 128V / 0 ~ 2A Parallel Voltage / Current : 0 ~ 64V / 0 ~ 4A Dual O/P	Kusam Ele	90318000	A	27,375.00
NEW	KM-PS-605D-II	Linear DC Power Supply- Series Voltage / Current : 0 ~ 128V / 0 ~ 5A Parallel Voltage / Current : 0 ~ 64V / 0 ~ 10A Dual O/P	Kusam Ele	90318000	A	45,750.00

34	PROGRAMMABLE DC POWER SUPPLY					
NEW	KM-SK-3323	4 Digit LED Digital Display Programmable DC Power Supply with 3 Channels for Voltage, Current & Power.	Kusam Ele	90318000	A	45,000.00

35	NETWORK CABLE TESTER					
	KM 36	Network Cable Tester	Kusam LLP	90318000	B	1,625.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
36	ENVIRONMENTAL TESTING INSTRUMENTS					
A	SOUND LEVEL METER / CALIBRATOR					
NEW	KM 8023	Digital Sound Level Meter : Measuring Ranges : 30 ~ 135 dB	Kusam Ele	90278090	B	3,550.00
	KM 928 MK-1	Digital Sound Level Meter : Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC	Kusam LLP	90278090	B	4,950.00
	KM 929 MK-1	Digital Sound Level Meter with 4700 Records Data Logger & USB interface Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC & PWM output	Kusam Ele/LLP	90278090	B	5,600.00
	TM-100	Sound Level Calibrator 94 KHz & 114KHz for 1/2 inch microphone condensor	Kusam LLP	90283090	B	21,525.00
B	LUX METER					
	KM-LUX-99	Range 0 – 2000 / 20000 / 100,000 LUX. Resolution : 1Lux / 10 Lux / 100Lux	Kusam LLP	90275090	A	2,625.00
	KM-LUX-200K	Range 0 – 200,000 LUX ,0.01-20,000 FC. Resolution : 0.1Lux & 0.01FC	Kusam Ele/LLP	90275090	A	4,800.00
	KM 8911A	Digital Lux Meter with Analog Bar Graph & PC Interface : Range : 0 ~ 400,000 Lux (0 ~ 400kLux, 0 ~ 40kFC)	Kusam LLP	90314900	A	5,975.00
C	LED LIGHT METER					
	KM 531	Digital LED Light Meter. Range : 0.0 to 199.9 / 1999 / 19990 / 199900 LUX. 0.00 to 19.99 / 199.9 / 1999 / 19990 FC	Kusam Ele	90275090	B	20,100.00
D	UV LIGHT METER					
	KM 532	Digital UV Light Meter Range : Low Range : 1 to 3999 uw/cm2. High Range : 0.01 to 39.99 mw/cm2	Kusam LLP	90275090	B	23,225.00
E	THERMO ANEMOMETER					
	KM 735	Hot Wire Anemometer Air Velocity: 0~25 m/s (0~5000ft/min)	Kusam LLP	90303390	A	25,300.00
	KM 734MK-1	Hot Wire Anemometer. Air Velocity/Flow/TemperatureThermal anemometer, for very low air velocity measurement.	Kusam Ele	90318000	A	15,725.00
	KM 908MK-1	Range : Air Velocity: 0 ~ 45 m/s, 0 ~ 140 km/hr, 0 ~ 8800 Ft/min/0 ~ 88Knots/0 ~ 100 mph, Air Temperature: 0 ~ 45°C, 32 ~ 113°F	Kusam Ele	90251990	B	4,325.00
		Probe with Fan & Cable	Kusam Ele	90251990	B	2,100.00
	KM 910MK-1	Digital Thermo Anemometer with CFM/CMM	Kusam Ele	90318000	B	7,725.00
	KM 8022MK-1	DIGITAL TEMPERATURE / AIR VOLUME /VANE ANEMOMETER: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s;/ 4 ~ 20m/s	Kusam Ele	90318000	B	2,450.00
F	RADIATION METER / EMF DETECTOR					
NEW	KM 197	VA reverse colour screen 9999 Counts display, Digital Electromagnetic Radiation Tester. Measuring Range : V/m : 0 ~ 9999. µT : 0 ~ 74 mG : 0 ~ 740. Frequency : 5Hz ~ 3500MHz.	Kusam Ele	90303390	B	3,850.00
	KM 828-SI	Solar power meter with temperature	Kusam LLP	90303390	B	18,775.00
	KM 828	Solar power meter	Kusam LLP	90271000	B	11,075.00
G	MOISTURE METER					
	KM-963-G	Digital Grain Moisture Meter Measurement range : 2% ~ 30% Measuring Grains : Wheat, Paddy, Rice & Corn.	Kusam Ele./LLP	90318000	B	11,075.00
	KM 963G-II	Digital Grain Moisture Meter Measurement range : 2% ~ 50% Measuring Grains : 9 types : Wheat, Un-Husked rice, Husked rice & Corn.	Kusam Ele./LLP	85381010	B	5,500.00
	KM-963	Digital Wood Moisture Meter : Measurement Range :5% - 40 %	Kusam LLP	90318000	B	2,400.00
	KM-963-P(N)	Digital Paper Moisture Meter : Measurement Range : 2% - 40%	Kusam Ele./LLP	90318000	B	5,625.00
	KM 917	Concrete Moisture Meter : moisture Test Range : 0 ~ 40%	Kusam LLP	90318000	B	11,525.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
H	CONTACT TYPE THERMOMETER					
	KM-936	3½ Digit 1999 Count Thermometer (Single channel) –50–260 °C . Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele/LLP	90251990	B	3,550.00
	KM-945	3½ Digit Digital Thermometer (Dual channel) –50–260 °C . Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele/LLP	90251990	B	3,850.00
		Optional - "K" Type Thermocouple Probe for KM 936 & KM 945, 1200°C with 12 inch long stem.	Kusam Ele/LLP	90251990	B	3,575.00
	KM 6503	Probe Temperature Meter -50°C ~ +300°C	Kusam LLP	90251990	B	750.00
I	TEMPERATURE & HUMIDITY INSTRUMENTS					
	KM 600NH	Wall Mounting Digital Temperature & Humidity Datalogger upto 16000 data record with USB PC interface	Kusam LLP	90258090	B	9,075.00
	KM 9122	USB Type Wall Mounting HIGH-PRECISION TEMPERATURE & HUMIDITY DATA LOGGER with 16000 data logging & USB Interface.	Kusam LLP	90314900	B	6,525.00
	KM 8122	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER Measures environment/dewpoint/wetbulb temperature with USB interface & Data Logging 32000 Data	Kusam LLP	90314900	B	7,425.00
	KM 8102	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER with Dew Point & Wet Bulb Temperature with Internal memory to save 99 groups of data	Kusam LLP	90314900	B	5,400.00
	KM 920	Large LCD Dual Display with backlight Digital Humidity & Temperature meter Probe Temperature Range : -10°C~50°C' (-30°C~1000°Cwith separate K-Type)	Kusam Ele	90258090	B	5,775.00
NEW	KM 8011	Digital Temperature & Humidity Meter with Dew Point & Wet Bulb Temperature.	Kusam Ele	90314900	B	2,675.00
	KM 918 A	Digit Thermo Hygrometer with large LCD Triple Display of Clock, Temperature & Humidity	Kusam Ele/LLP	90251990	B	1,650.00
	KM 918 B	Table Top Thermo Hygrometer Indoor & Outdoor.	Kusam Ele	90251990	B	750.00
NEW	KM 918 C	Table Top Thermo Hygrometer	Kusam Ele	90251990	B	800.00
37	INFRARED THERMOMETER					
	IRL-866	Infrared Thermometer with Temperature range -50°C to 2250°C D:S Ratio 50:1	Kusam LLP	90251190	A	28,925.00
	IRL-1600	Infrared Thermometer with Temperature range -50°C to 1600°C D:S Ratio 50:1	Kusam Ele/LLP	90251990	B	8,975.00
	IRL-1100	Infrared Thermometer with Temperature range -50°C to 1100°C D:S Ratio 50:1	Kusam Ele	90251990	B	4,900.00
	IRL-650	Infrared Thermometer with Temperature range -50°C to 650°C D:S Ratio 12:1	Kusam LLP	90251990	B	3,750.00
	IRL-900	Non-Contact with laser sighting, Range: -30°C to 550°C. D:S Ratio 10:1	Kusam Ele	90251190	B	8,975.00
NEW	IRL-550	Infrared Thermometer with Temperature range -50°C to 550°C D:S Ratio 12:1	Kusam Ele/LLP	90251990	B	1,850.00
	IRL-380	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : Adjustable (0.1 to 1.0)	Kusam Ele/LLP	90251990	B	1,875.00
	IRL-380(F)	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : 0.95 Fixed	Kusam Ele/LLP	90251990	B	1,375.00
	IR BT-1	Human Body Infrared Thermometer with Temperature range 32°C ~ 42.9°C (89.6°F ~ 109.2°F)	Kusam LLP	90251920	B	1000 Nett.
	IR BT-2 / IRL 180	Industrial Infrared Thermometer with Human Body Temperature measurement function. DS Ratio 12:1 Industrial Temperature range 0°C to 380°C & Human Body Temperature range 32°C ~ 42°C	Kusam LLP	90251920	B	1500 Nett.
NEW	IRL(D)-1000	Professional Infrared Thermometer with Circular laser targeting. IR Temperature range : -50°C ~ 1000°C. DS Ratio 30:1	Kusam Ele	90251920	B	12,200.00
NEW	IRLVD-1000	2.2 inch 320 x 240 colour TFT LCD backlight display Infrared Video Thermometer built in 640 x 480 camera Temperature range : -50°C ~ 1000°C. DS Ratio 50:1	Kusam Ele/LLP	90251920	B	PRICES ON INQUIRY
NEW	IRLVD-2200	2.2 inch 320 x 240 colour TFT LCD backlight display Infrared Video Thermometer built in 640 x 480 camera Temperature range : -50°C ~ 2200°C. DS Ratio 50:1	Kusam Ele/LLP	90251920	B	PRICES ON INQUIRY

All prices are subject to change without prior notice.

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
38	ONLINE INFRARED THERMOMETER					
NEW	KM 6816-2 (DT 8300B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~300°C Output 4-20mA	Kusam LLP	90251990	B	9,275.00
	KM 6816-3 (DT 8600B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~600°C Output 4-20mA	Kusam Ele	90251990	B	10,350.00
	KM 6816-4 (DT 8012B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1200°C Output 4-20mA	Kusam LLP	90251990	B	16,800.00
	KM 6816-5 (DT 8018B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1800°C Output 4-20mA	Kusam Ele	90251910	B	23,575.00
	KM 8300-BX	TEMPERATURE TRANSMITTER Temperature range : -50°C ~300°C Output 4-20mA	Kusam LLP	90251910	B	6,775.00
	KM 8600-BX	TEMPERATURE TRANSMITTER Temperature range : -50°C ~600°C Output 4-20mA	Kusam LLP	90251910	B	7,225.00

39	WATERPROOF PEN TESTERS FOR WATER QUALITY TESTING					
	7021	Portable COND/TDS/SALT /TEMP	Kusam Ele/LLP	90278090	B	9,900.00
	7031	Portable DO/O2/TEMP	Kusam Ele/LLP	90278090	B	23,150.00
	7200	Portable pH/COND/TEMP/TDS + standard Solution	Kusam Ele/LLP	90278090	B	14,475.00
	6011	Portable PH Waterproof Pen Tester with 0.1pH Resolution	Kusam Ele/LLP	90278090	A	5,025.00
	6011A	Portable PH Waterproof Pen Tester with 0.01pH Resolution	Kusam Ele/LLP	90278090	A	5,975.00
	6021	Portable Conductivity Waterproof Pen Tester with range of 0~19990µS & 10µS/cm Resolution	Kusam Ele/LLP	90278090	A	5,250.00
	6022	Portable Conductivity Waterproof Pen Tester with range of 0~1999µS 1µS/cm Resolution	Kusam Ele/LLP	90278090	A	5,250.00
	6031	Portable TDS Waterproof Pen Tester with range of 0~19990ppm & 10ppm Resolution	Kusam Ele/LLP	90278090	A	5,250.00
	6032	Portable TDS Waterproof Pen Tester with range of 0~1999ppm & 1ppm Resolution	Kusam Ele/LLP	90278090	A	5,250.00
	6061	Portable EC Waterproof Pen Tester	Kusam Ele/LLP	90278090	A	5,250.00

40	CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION & SIGNAL CABLES (LOW VOLTAGE < 50V)					
	KM-CFPL-620	Portable Under ground Cable Fault Pre-Locator : Measurement Mode TDR Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m)	Kusam LLP	90318000	A	105,000.00

41	PARTIAL DISCHARGE ACOUSTIC IMAGER					
NEW	KM-PDAI	Partial Discharge Acoustic Imager with 128 digital microphones	Kusam Ele	90275090	A	Price on Enquiry

42	PORTABLE THERMAL IMAGING CAMERA					
NEW	KM 300	Hand Held Thermal Camera	Kusam LLP	90278090	A	25,500.00
NEW	KM 310	Hand Held Thermal Camera	Kusam LLP	90278090	A	51,250.00
NEW	TG-301	Hand Held Thermal Camera with 128(H) x 160(V) pixel 1.77 inches TFT-LCD Display Temp. -30°C ~650° C	Kusam LLP	90275090	A	37,500.00
	KM 302	Hand Held Thermal Camera with 120 x 90 pixel Low Temperature : -20 ~ 150°C , High Temperature : 120 ~ 400°C	Kusam LLP	90278090	A	28,750.00
NEW	KM 303	Portable Thermal Imaging Camera Infrared image resolution : 640 x 480 Temperature range :-20°C ~ 150°C ; 0°C ~ 400°C	Kusam Ele	90275090	A	54,500.00
NEW	KM 308	Infrared Thermal Imaging Camera Temperature range : -10°C~600°C (14°F ~ 842°F) Infrared image resolution : 320x240	Kusam LLP	90275090	A	105,000.00
NEW	KM 309	Infrared Thermal Imaging Camera Temperature range : -10°C~600°C ; Image resolution : 220x160	Kusam LLP	90275090	A	65,000.00
NEW	KM 321	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 384x288	Kusam LLP	90275090	A	195,000.00
NEW	KM 322	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 640x480	Kusam Ele	90275090	A	852,575.00
NEW	KM 322D	Infrared Thermal Imaging Camera Temperature range : -20°C~1200°C ; Image resolution : 640x512	Kusam LLP	90275090	A	350,000.00

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
43	PROCESS CALIBRATORS					
NEW	KM CAL-904MK1	4-20mA Loop Calibrator (DCA, DCV)	Kusam LLP	90303390	A	27,725.00
	KM-CAL-811	Temperature Calibrator (Source)(DCV,OHM,TC, RTD)	Kusam Ele/LLP	90303390	A	27,725.00
	KM-CAL-812	Temperature Calibrator (Source & Sink)(DCV,TC, RTD)	Kusam Ele	90303390	A	27,725.00
NEW	KM-CAL-803	RTD Calibrator Source & Sink	Kusam Ele	90303390	A	27,725.00
	KM-CAL-814	Voltage/mA Calibrator. Output : DC Voltage, DC Current.	Kusam Ele	90303390	A	27,725.00
	KM-CAL-815	V / mA Calibrator. Output DC voltage. Measure DC current, DC Voltage.	Kusam Ele/LLP	90303390	A	31,325.00
NEW	KM-CAL-816	V / mA Calibrator. Output DC voltage. Measure mV & V (input), mV & V source (output), mA Measure, mA Source & Loop Power	Kusam LLP	90303390	A	16,300.00
	KM-CAL-905	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,Pressure (Source & Sink)	Kusam Ele	90303390	A	292,825.00
	KM-CAL-905A	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,(Source & Sink) & Without Pressure function)	Kusam LLP	90303390	A	192,800.00
NEW	KM-CAL-905B	Process Calibrator. Measure DCV, DCA, TC, RTD, RESISTANCE. Basic Accuracy 0.05% (Measure & Source)	Kusam LLP	90303390	A	67,500.00
	KM-CAL-906	Digital High Precision Temperature Calibrator DCV, OHM, TC, RTD (Source & Sink)	Kusam Ele/LLP	90303390	A	86,750.00
	KM-CAL-907	V/mA Process Calibrator (Source/Sink) DCV, DCA, Hz, Pulse, LOOP, Pressure	Kusam LLP	90303390	A	86,750.00
	KM-26H	Multifunction Process Calibrator with Data Storage 1200 Groups & HART communication	Kusam LLP	90303390	A	373,550.00

44	POWER MEASUREMENT CLAMP-ON-METER					
	KM 099	AC & AC+DC TRMS Clamp-on Power Meter.	Kusam Ele	90303100	A	28,550.00
	2746	Single Phase & 3 Phase Harmonics TRMS Power Clampmeter with PC Interface.	Kusam LLP	90303390	A	26,025.00
	2709	3 Phase 9999 Counts TRMS Power Clampmeter with AC Current, AC /DC Voltage, KWHr , KVA, KW, KVAR, Power factor, THD%	Kusam LLP	90303100	A	19,375.00
		BRUA-13X Software (Optional)to be used with KM 2709	Kusam Ele	90309010	A	4,975.00
	KM 357	3-Phase 9999 Counts TRMS Power Clampmeter with KWHr recording,AC/DC Voltage, AC Current, Frequency, Resistance, KW, KVA, KVAR &PF functions.	Kusam Ele	90303100	A	14,550.00
NEW	KM 1097BT	AC & AC+DC TRMS Photovoltaics power Clamp-on Multimeter with Bluetooth Function	Kusam LLP	90303100	B	PRICE ON INQUIRY

45	SOCKET POWER METER					
	KM-PM-01	Socket Power Meter	Kusam LLP	90303390	B	1,225.00

46	VOLTAGE/CONTINUITY TESTER					
	KM-CT-01	Continuity Range : 0~500kΩ ; Voltage protection : 50~600V (AC/DC) Voltage/Continuity Tester	Kusam LLP	90303390	B	6,750.00

47	POWER QUALITY & HARMONICS ANALYSER					
NEW	KM 2500	Class 'S' Multifunction Power & Harmonics Analyser with Touch screen	Kusam LLP	90303390	A	226,750.00
		Basic Meter : Voltage / Current / Unbalance (Voltage & Current), Data Flagging , Harmonic Power, Inverter Efficiency, Data Aggregation, Mains Signaling, Waveform Recording				
	KM 2300	Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal. Meets Class 'A' . Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele/LLP	90303390	A	438,000.00
	KM 2100	Class 'S' Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal	Kusam LLP	90303390	A	213,000.00
		Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.				

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
	KM 2200	Class 'S' Multifunction Power & Harmonics Analyser with band width of 50 Hz nominal Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele	90303390	A	181,000.00
	KM 2400	Three Phase Power Quality Analyzer with Touch Screen (Economical) Voltage / ACV (Vrms, Vpk), Current / ACA (Irms, Ipk), Frequency, Harmonic, Active power (P), Reactive power(Q), Apparent power(S), Power Factor (PF), cosΦ (DPF), Active energy (EP), Reactive entergy (EQ), Apparent energy(ES), Dips / swell	Kusam LLP	90303390	A	126,500.00
	Basic Meter KM 2100 & KM 2200 & KM 2300 & KM 2400 includes the following :					
	User Manual & basic program software in CD					
	2 meter long voltage cable (with 4mm banana plug) x 5 pc.					
	Crocodile clip x 5 pc.					
	Power Adaptor, Power cord , Bag & Battery x 1 pc.					
	OPTIONAL CURRENT CLAMPS FOR KM 2100, KM 2200, KM 2300 & KM 2400 :					
	Current Clamp ST08 - 5A AC (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	9,875.00
	Current Clamp CTC0080 - 50A AC (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	13,025.00
	Current Clamp CTC0130 - 200A AC (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	14,950.00
	Current Clamp CTC1535 - 1000A AC (KM 2100 / KM 2200 / KM2300)		Kusam Ele	90303390	A	19,775.00
	Current Clamp 035AD-1000A AC / DC (KM 2100 / KM 2200 / KM2300)		Kusam Ele	90303390	A	15,425.00
	Current Clamps 068AD-1500A AC/DC (KM 2300)		Kusam Ele	90303390	A	26,025.00
	Rogowski Clamps - SY-1500A AC (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	9,650.00
	Rogowski Current Coil - PY-3000A AC (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	12,525.00
	Rogowski Current Coil - PY-5000A AC (KM 2100 / KM 2200)		Kusam Ele	90303390	A	20,725.00
	Rogowski Current Coil - SY-6000A AC (KM 2300 / KM 2400)		Kusam Ele	90303390	A	23,125.00
	Magnetic Voltage Adaptor (KM 2100 / KM 2200 / KM2300 / KM2400)		Kusam Ele	90303390	A	1,800.00
A	MULTIFUNCTION POWER METER					
	KM 7200-A	Multifunction Power Meter with 3 display (Size 144 x 144mm) (Basic Meter)	Kusam LLP	90303390	A	Price On Inquiry
	KM 7200-C	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam LLP	90303390	A	
	KM 8100-A	Multifunction Power Meter (Basic Meter) (12 Display) (280 X 183mm)	Kusam LLP	90303390	A	
	KM 8100-C	Multifunction Power Meter + Harmonics Display	Kusam LLP	90303390	A	
	Optional Functions FOR MODEL KM-8100 & KM 7200					
		4 Units of Hi / Lo Setting	Kusam LLP	90303390	A	Price On Inquiry
		4 Units of Analog outputs	Kusam LLP		A	
		Pulse Output	Kusam LLP		A	
		Aux. Supply DC 24V	Kusam LLP		A	
	KM-PM-100	KM-PM-100-3-2-4-0-6 "KUSAM MECO" DIGITAL MULTIFUNCTION POWER METER (96 X 96mm)	Kusam LLP	90318000	A	Price On Inquiry
		Input Voltage : 55-600V (L-L)				
		Input Current : 5A				
		Out Put Signal : RS-485 MODBUS RTU				
		Alarm Setting : None				
		Aux. Power : AC/DC 85 ~ 265V				
	KM-PM-100D	KM-PM-100 with Control Demand Function	Kusam LLP	90318000	B	Price On Inquiry
	KM-PM-100H	KM-PM-100 Meter with Harmonics Function	Kusam LLP	90318000	B	

PRICE LIST JULY 2026

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	PRICE DETAILS	UNIT PRICE
NEW	KM-PM-237C	Optional Functions (EXTRA CHARGES)				
		KM-PM-100 Meter with Harmonics Function	Kusam LLP		A	Price On Inquiry
		4 Sets Of DC 4-20mA			A	
		4 Sets Alarm Function			A	
		Pulse Function			A	
		Micro SD			A	
		Ethernet Function			A	
NEW	KM-PM-237C	Multifunction Power Meter	Kusam LLP	90303390	B	Price On Inquiry
NEW	KM-PM-337C	DIGITAL MULTIFUNCTION TRMS POWER METER 3P4W 4CT, 3P4W 3CT, 3P3W 3CT, 3P3W 2CT, 1P3W, 1P2W.	Kusam LLP	90303390	B	
B	POWER FACTOR CONTROLLERS					
	KM-PFR-9-06	Automatic Power Factor Regulator (6 step) Sequence Based	Kusam LLP	85372000	A	14,525.00
	KM-PFR-S-9-04	Automatic Power Factor Regulator (4 step) KVAR Based	Kusam LLP	85372000	A	6,350.00
	KM-PFR-S-9-08	Automatic Power Factor Regulator (8 step) KVAR Based	Kusam LLP	85372000	A	6,775.00
	INSTALLATION CHARGES					
		For Power Meter & Power Factor Regulator (Per Man / Day)	ON INQUIRY			

47 GAS DETECTORS						
NEW	BX-616	Intrinsically Safe Portable Multi-Gas Detector For LEL, H2S, CO, O2	Kusam Ele/LLP	90271000	A	72,500.00
	KM-GD-04	Portable Multi Gas Detector For CO,O2, H2S, LEL.	Kusam Ele/LLP	90271000	B	26,175.00
	KM 840-O2	Portable Gas Detector - oxygen (0-30%)	Kusam LLP	90271000	B	16,950.00
	KM 840-H2S	Portable Gas Detector - Hydrogen Sulphide (0-100 PPM)	Kusam Ele/LLP	90271000	B	15,400.00
	KM 840-LEL	Portable Gas Detector - Combustable (0-100%)	Kusam LLP	90271000	B	12,325.00
	KM 840-CO	Portable Gas Detector - Carbon Monoxide 0~1000ppm	Kusam Ele/LLP	90271000	B	21,575.00
	PP-02	External Pump For Gas Detector KM-GD-04 / KM-840-O2 / H2S / LEL	Kusam Ele.	90271000	B	13,850.00
	KM 7460	Portable CO2 Gas Detector	Kusam Ele/LLP	90271000	A	34,700.00
NEW	BX-171-H2S	Intrinsically Safe Portable Toxic Gas Detector RANGE 0-100PPM	Kusam Ele.	90271000	A	14,250.00
NEW	BX-171-CO	Intrinsically Safe Portable Toxic Gas Detector RANGE 0-1000PPM	Kusam Ele.	90271000	A	14,250.00
NEW	BX-171-O2	Intrinsically Safe Portable Single Gas Detector Range 0-30%VOL	Kusam Ele.	90271000	A	18,000.00
	E1000	Intrinsically Safe Portable Single Gas Detector Detecting Gases : Combustible gas / Toxic Gas	Kusam LLP	90271000	A	PRICE ON INQUIRY
	E4000	Intrinsically Safe Multi-Gas Detector (Four Gasses)	Kusam LLP	90271000	A	PRICE ON INQUIRY
	E6000	Intrinsically Safe Multi-Gas Detector (Six Gasses)	Kusam LLP	90271000	A	PRICE ON INQUIRY
	KM 315	Refrigeration Gas Leak Detector with SF6 Gas detector	Kusam Ele/LLP	90318000	B	3,550.00
	KM 313	Refrigerant Leakage Detector Gas Detect : R134a, R404A, R410A, R407C, R22, R502, R600 A	Kusam Ele.	90303390	B	20,100.00
	KM 5490	4 digit LCD display Oxygen Detector with Measuring Range 0~25% vol	Kusam Ele.	90271000	B	24,575.00
	KM-CO-910	Mini Carbon Monoxide (CO) Gas Detector with Measuring Range 0~1000PPM	Kusam Ele	90271000	B	15,000.00
	KM 5420A	Combustible Gas Detector	Kusam LLP	90318000	B	19,150.00
NEW	KM 5421A	Combustible Gas Detector	Kusam LLP	90318000		3,650.00
NEW	KM 5551	Mini Combustible Gas Detector	Kusam Ele.	90318000	B	2,675.00

48 ALCOHOL TESTER						
NEW	AT198	Alcohol Tester	Kusam Ele/LLP	90318000	A	1,325.00
NEW	AT202	Alcohol Tester	Kusam Ele/LLP	90318000	A	1,575.00

49 METAL DETECTOR						
NEW	HMD 101	Metal Detector	Kusam Ele/LLP	85437012	A	1,525.00
NEW	HMD 102	Metal Detector	Kusam Ele/LLP	85437012	A	4,825.00

50 SAFETY GLOVES			Kusam LLP		price on enquiry	
-------------------------	--	--	-----------	--	------------------	--