










**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
<b>1</b>		<b>INTRINSICALLY SAFE APPROVED INSTRUMENTS</b>				
<b>NEW</b>		<b>KM822EX</b>	Intrinsically Safe 10000/6000 Counts True RMS Digital Multimeter with PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency. Ex-rating : Ex ib IIA T4 Gb	Kusam Ele	90303390	1,09,000.00
		<b>IRL 7EX</b>	Intrinsically Safe Digital Infrared Thermometer. DS Ratio 20:1. Temperature range: -32°C ~ 700°C. Ex ib I Mb.	Kusam Ele	90251920	65,000.00
		<b>KM 1690</b>	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A Price
		<b>KM 1820EX</b>	Flameproof Casing Clamp-on Earth Resistance Tester. Resistance range : 0.010Ω ~ 1200Ω, Ex-Mark Ex ia II BT3Ga. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A Price
		<b>1780KC</b>	Explosion-proof Split Type Ground Resistance On-Line Detector	Kusam LLP	90258090	37,000.00
<b>2</b>		<b>HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS</b>				
<b>NEW</b>		<b>KM 869</b>	5-4/5 Digit 5,00,000 Counts Auto ranging TRMS Digital Multimeter with VFD Function & PC Interface. Voltage, Current, VFD Voltage, Resistance, Capacitance, Logic Level / Line Level Frequency, Dual Temperature Mode, Conductance, dBm Function. Analog Bar Display. IP 54	Kusam Ele	90303100	28,675.00
		<b>KM 859 CF</b>	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter With PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency, Dual Temperature Measurement, dBm Function. Analog Bar Display.	Kusam Ele	90303100	26,050.00
		<b>KM 857</b>	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter With PC Interface. Voltage, Current, Resistance, Capacitance, Logic Level / Line Level Frequency, dBm Function. Analog Bar Display.	Kusam Ele	90303100	19,075.00
		<b>KM 789</b>	4-5/6 Digit, 60,000 Counts AC & AC+DC TRMS Digital Multimeter with Non-Contact EF-Detection. Voltage, Current, Resistance, Capacitance, Lo-Z Volts, VFD, Dual Temperature, Line Level / Logic Level Frequency, dBm Function.	Kusam Ele	90303100	21,825.00
		<b>KM 839</b>	3-5/6 Digit 20000 Counts 4½ Digit 6000 Counts Dual Display TRMS Digital Multimeter. IP 40. Voltage, Current, VFD Voltage, Resistance, Capacitance, Line Frequency, Temperature, Conductance. Analog Bar Display. IP 40.	Kusam Ele	90303100	22,825.00
		<b>KM 829</b>	10000 Counts & 6000 counts True RMS Digital Multimeter With NCV & Probe-Contact EF Detection with IP 54. Voltage, Current, Autocheck - Resistance / ACV / DCV, Resistance, Capacitance, Line Level / Logic Level Frequency, Dual Temperature, Conductance, dBm, Lo-Z Voltage, NCV. Analog Bar Display. IP 54.	Kusam Ele	90303100	19,875.00
		<b>KM 257</b>	3-5/6 Digits 6000 Counts TRMS Digital Multimeter with EF-Detection, Voltage, Current, Resistance, Capacitance, Line Level / Logic Level Frequency, Temperature, Analog Bar Graph.	Kusam Ele	90303100	14,225.00
		<b>KM 237R</b>	3-5/6 Digit 6000 Counts TRMS DMM with VFD, EF-Detection, 3Phase Rotation-R & 3Phase Rotation-M(Motors).	Kusam Ele	90303100	12,650.00
		<b>KM 239R</b>	3-5/6 Digit 6000 Counts TRMS DMM with VFD, EF-Detection, 3Phase Rotation-R & 3Phase Rotation-M(Motors). Voltage, Current, VFD AC Voltage, Resistance, Capacitance, Line Frequency, Temperature. IP 40.	Kusam Ele	90303100	12,650.00
		<b>KM 235</b>	3-5/6 Digits 6000 Counts Backlight Display Digital Multimeter with VFD Function. Voltage, current, Resistance, Capacitance, Line Frequency, Temperature. IP 40.	Kusam Ele	90303100	11,625.00
		<b>KM 2257</b>	3-5/6 Digit, 6000 Counts TRMS Digital Multimeter with VFD & EF Detection & PC interface. Voltage, Current, Resistance, Capacitance, Temperature, Line Level / Logic Level frequency, IP 40.	Kusam Ele	90303100	14,000.00
		<b>NEW</b>		<b>KM 2807CSE</b>	3-5/6 Digit, 6000 Counts TRMS Enhanced Practical Digital Multimeter with VFD & EF Detection. Voltage, Current, Resistance, Capacitance, Temperature, Line Level / logic Level frequency.	Kusam Ele
<b>NEW</b>		<b>5040-T</b>	3-4/5 Digit, 5000 Counts TRMS Digital Multimeter EF Detection, PC Interface. Voltage, Current, Resistance, Capacitance, Frequency, Temperature. Analog Bar Display.	Kusam Ele	90303100	16,100.00

**B PRICE LIST 05/07/2024**

SR.NO	RODUCT IMAG	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		KM807s	3-3/4 Digit 4000 Counts Auto ranging TRMS Digital Multimeter. Voltage, Current, Resistance, Capacitance, Line Level Frequency, Temperature.	Kusam Ele	90303100	10,750.00
		KM 805s	3-3/4 Digit 4000 Counts Digital Multimeter. Voltage, Current, Resistance, Capacitance, Line Level Frequency.	Kusam Ele	90303100	7,825.00
<b>3</b>		<b>LOW VOLTAGE DETECTORS</b>				
		KM 66	Voltage Detector with EF Detection. 12V - 1000V AC / DC. Resistance, Capacitance. LED Voltage Indication. IP 65.	Kusam Ele	90303100	5,375.00
		KM 69	1000 Counts Voltage Detector with RCD Load Test & EF Detection. 0.1V - 1000V AC / DC. Resistance, Capacitance. LED Voltage Indication, Phase Rotation Detection. IP 65.	Kusam Ele	90303100	8,300.00
		KM 6190	Dual range Non-Contact AC Voltage Detector upto 1000V. IP 67.	Kusam Ele	90303100	900.00
<b>4</b>		<b>SOFTWARE (Optional)</b>				
		BU-86X or BU-82X	SOFTWARE BU-86X or BU-82X - Model - KM 829, KM 869	Kusam Ele	90309010	5,825.00
		BRUA-85Xa	SOFTWARE BRUA-85Xa-Model-KM 857 & KM 859CF			
<b>5</b>		<b>MAGNETIC HANGER (OPTIONAL)</b>				
			For multimeter Models : KM 829, KM 869, KM 257, KM 235, KM 237R, KM 839	Kusam Ele	90309010	450.00
		For Insulation Testers : KM 887, KM 878, KM 877				
<b>6</b>		<b>UL" APPROVED 1KV TEST LEADS (PAIR)</b>				
		BL20P2-C	For Multimeter Model : KM 829, KM 869, KM 859CF, KM 857, KM257, KM 887, KM 877, KM 878 , KM 805s , KM807s For Clampmeter Model : 2754A-T, 2799, KM112M, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D	Kusam Ele	90309090	1,150.00
		BAC-3	Alligator Clips ( 1 PAIR)			
<b>7</b>		<b>PROFESSIONAL GRADE DIGITAL MULTIMETERS</b>				
<b>A)</b>		<b>4½ DIGIT / 6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS</b>				
		M3500A	6½ Digit Dual Display TRMS Bench Top Digital Multimeter with 5X7 dot matrix VFD Dual Display 200,000 Counts with Three colour annunciators	Kusam LLP	90303100	A price
		M3500A	A-Opt01 Multipoint Scanner Card( 10 Channel)	Kusam LLP	90303100	
		M3500A	A-Opt02 Thermocouple Adaptor	Kusam LLP	90303100	
		M3500A	A-Opt03 BNC to Banana Adaptor	Kusam LLP	90303100	
		M3500A, M3510A, M3511A	A-Opt04 GPIB Card	Kusam LLP	90303100	
		M3500A, M3510A, M3511A	A-Opt06 RS232 Card	Kusam LLP	90303100	
		M3510A	6½ Digit Bench Top TRMS Digital Multimeter with dot matrix Display with AC/DC 10A Current & K -type Thermocouple	Kusam LLP	90303100	
		M3511A	6½ Digit Bench Top TRMS Digital Multimeter with Dot Matrix Display with AC/DC 10A Current	Kusam LLP	90303100	
		KM 8045	4½ Digit 19999 Counts TRUE RMS Digital Bench Top Multimeter	Kusam Ele	90303100	10,300.00
<b>B)</b>		<b>INDUSTRIAL GRADE DIGITAL MULTIMETERS &amp; HIGH VOLTAGE PROBE</b>				
<b>NEW</b>		KM 891	4-5/6 DIGIT 60,000 Counts TRMS DMM With Graphical Display, Datalogging & PC Interface. Voltage, Current, Resistance, Capacitance, Frequency, Conductance, Temperature, Pulse Width. IP 65.	Kusam LLP	90303100	A price
		KM 405MK-II	25000 Counts Dual Display TRMS Digital Multimeter. Voltage, Current,	Kusam Ele	90303100	6,000.00
		KM 6030	3½ Digit 2000 Counts Digital Multimeter with Mechanical Terminal Blocking, Voltage, Current, Resistance, Capacitance, Frequency, Temperature.	Kusam Ele	90303100	2,575.00
		DMM 90	4½ Digit 20000 Counts Digital Multimeter with test leads connection Display, Voltage, Current, Resistance, Capacitance, Frequency, Temperature.	Kusam LLP	90303100	7,500.00
		KM-60	6000 Counts Touch Pad Digital Multimeter, Voltage, Current, Resistance, Capacitance, Line Level / Logic Level frequency, Temperature. IP 65.	Kusam Ele	90303100	7,000.00




**B PRICE LIST 05/07/2024**

SR.NO	RODUCT IMAG	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		<b>KM 60-T</b>	3-5/6 digits 6000 Counts TRMS Digital Multimeter with Non-Contact Voltage Measurement. Voltage, Current, Frequency, Resiatnce, Capacitance. Flash Light, Pulse Output.	Kusam Ele	90303100	1,825.00
		<b>KM-ST-505N</b>	Analog Multimeter	Kusam LLP	90303100	A price
		<b>PD-28</b>	High Voltage Probe (DC 0 ~ 40 KV, AC 0 ~ 28 KV) 50Hz for Digital Multimeters	Kusam LLP	90303390	8,650.00
<b>C)</b>		<b>BASIC DIGITAL MULTIMETERS</b>				
		<b>801- L</b>	3¾ Digit 4000 Counts Digital Multimeter. Voltage, Current, Resistance, Capacitance, Frequency, Logic Test.	Kusam LLP	90303100	2,675.00
		<b>702</b>	3½ Digit 2000 Counts DMM. Voltage, Current, Resistance, Capacitance.	Kusam LLP	90303100	1,175.00
		<b>603</b>	3½ Digit 2000 Counts Digital Multimeter. Voltage, Current, Resistance.	Kusam LLP	90303100	1,850.00
		<b>207-MK-1(T)</b>	3¾ Digit 4000 Counts Digital Multimeter. Voltage, Current, Resistance, Capacitance, Frequency, Temperature.	Kusam LLP	90303100	2,475.00
		<b>108</b>	3½ Digit 2000 Counts Digital Multimeter. Voltage, Current, Resistance, frequency, Battery Test.	Kusam LLP	90303100	1,325.00
<b>8</b>		<b>BENCH TYPE DIGITAL LCR METER</b>				
		<b>BR5810</b>	100Hz ~ 10kHz four typical test frequency points LCR Meter.	Kusam Ele	90308990	A price
<b>NEW</b>		<b>BR5812</b>	100kHz Bench Top LCR Meter	Kusam Ele	90308990	A price
<b>9</b>		<b>HAND HELD DIGITAL LCR + MULTIMETERS &amp; CAPACITANCE METER</b>				
		<b>333</b>	3½ Digit 2000 Counts Capacitance Meter with Capacitor Discharge Function.	Kusam LLP	90303390	3,350.00
		<b>307</b>	3¾ Digit 4000 Counts Autoranging LCR Meter With DMM Functions	Kusam Ele	90303390	6,350.00
<b>NEW</b>		<b>KM 460</b>	LCR METER. Testing Frequency.: 100Hz, 120Hz, 1KHz, 10KHz, 40KHz, 100KHz Measuring Range : (L) 0-2000H, (C) 0-20mF, (R) 0-20MΩ	Kusam Ele	90303390	A price
<b>NEW</b>		<b>KM 461</b>	LCR METER. Testing Frequ.:100Hz-100KHz adjustable, step from 1Hz Measuring Range : (L) 0-2000H, (C) 0-20mF, (R) 0-20MΩ	Kusam Ele	90303390	A price

All prices are subject to change without prior notice.

Pg. No. 03

## B PRICE LIST 05/07/2024









SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
10		<b>UL/ETL * APPROVED DIGITAL CLAMPMETER</b>				
		KM 3001	DC 1500V. 2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection, PC Interface For Solar Application. Jaw Size : 55mm.	Kusam Ele	90303100	A price
		KM 2777	2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface. Jaw Size : 55mm.	Kusam Ele	90303100	A price
		KM 2772	2000A AC TRMS , 6000 Counts Autoranging Clampmeter Non-Contact EF-Detection. Jaw Size : 45mm.	Kusam Ele	90303100	10,225.00
		KM 088	1000A AC/DC, 6000 Counts; DC+AC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 51mm.	Kusam Ele	90303100	15,925.00
		KM 086	1000A AC, 6000 Counts TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation Function & 3 Phase Sequence Indication Function. Jaw Size : 51mm.	Kusam Ele	90303100	14,700.00
		2754A(T)	1000A DC / 800A AC, 4000 Counts TRMS Autoranging Digital Clampmeter with Multimeter Functions. Jaw Size : 50mm.	Kusam Ele	90303100	11,475.00
		KM 078	600A AC+DC, 6000 Counts TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 35mm.	Kusam Ele	90303100	13,050.00
		KM 076	600A AC, 6000 Counts TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation,Function & 3 Phase Sequence Indication Function. Jaw Size : 30mm.	Kusam Ele	90303100	12,150.00
		KM 035	600A AC/DC, 6000 Counts TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT. Jaw Size : 26mm.	Kusam Ele	90303100	10,150.00
		2799	600A AC, 4000 Counts Dual Display Autoranging Digital Clampmeter for HAVC Application (Separate Display for Voltage and Current). Jaw Size : 26mm.	Kusam Ele	90303100	9,975.00
		KM 175D	600A AC TRMS, 6000 Counts Digital Clampmeter With Dual Display with DC $\mu$ A VIA TEST LEADS VFD, EF-Detection, AMP Tip For Low Current Measurement Function. Jaw Size : 30mm.	Kusam Ele	90303100	12,650.00
		KM 112M	600A AC, 4000 Counts Autoranging Digital TRMS Clampmeter with Ultra Slim Jaw. Jaw Size : 26mm.	Kusam Ele	90303100	7,700.00
		KM 072	600A AC, 6000 Counts Dual Display TRMS Digital Clampmeter WITH VFD, EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT. Jaw Size : 30mm.	Kusam Ele	90303100	8,550.00
	KM 039F	200A AC, 6000 counts LCD display True RMS Digital Fork Type Clampmeter	Kusam Ele	90303100	9,000.00	
11		<b>SOFTWARE( Optional )</b>				
		BRUA 19X	Software BRUA 19X for KM 2777	Kusam Ele	90309010	5,825.00
12		<b>PROFESSIONAL &amp; INDUSTRIAL GRADE DIGITAL CLAMPMETERS</b>				
A)		<b>PROFESSIONAL GRADE DIGITAL CLAMPMETERS</b>				
		KM2779	2500A AC/DC, 6000 Counts True RMS Digital Clampmeter. Jaw Size : 63mm.	Kusam LLP.	90303390	A price
		KM 2775	2000A AC/DC, 4000 Counts Autoranging Digital Clampmeter. Jaw Size : 55mm.	Kusam LLP	90303390	17,225.00
		KM 4002	1000A AC / DC, 6000 Counts True RMS Digital Clampmeter. Jaw Size : 42mm.	Kusam LLP	90303390	12,475.00
		KM 4000	1000A AC, 6000 Counts True RMS Digital Clampmeter. Jaw Size 42mm.	Kusam LLP.	90303390	8,325.00
		KM CCT3K	Flex Clamp Sensor AC current (A) : 30A/300A/3000A For Use With KM 4000 & KM 4002	Kusam LLP	90303390	10,075.00
		KM 2780	1000A AC, 4000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	3,350.00
		KM 2720	200A AC/DC, 4000 Counts Clampmeter. Jaw Size : 23mm.	Kusam LLP	90303390	6,950.00
		KM 2725	40A AC/DC, 4000 Counts Clampmeter. Jaw Size : 23mm.	Kusam LLP	90303390	6,950.00
		KM 071	4-20mA DC Milliamp Process Clampmeter. Jaw Size 5mm.	Kusam LLP	90303390	A price
B)		<b>INDUSTRIAL GRADE DIGITAL CLAMPMETERS</b>				
NEW		KM 9999A+	1000A AC/DC TRMS 6000 Counts Digital Clamp meter	Kusam Ele	90303390	7,575.00
		2781-T	1000A AC/DC, 4000 Counts TRMS Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	A price
		2781	1000A AC/DC, 4000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	A price

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
NEW		KM 999A+	1000A AC TRMS, 6000 Counts Clamp meter with Inrush Current. Jaw Size : 42mm.	Kusam Ele	90303390	5,400.00
		KM 3060-T	1000A AC TRMS, 6000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	1,950.00
		KM 3060	1000A AC, 2000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	1,675.00
NEW		KM 2732	600A AC/DC TRMS Digital Clampmeter	Kusam Ele	90303390	3,000.00
NEW		KM 2731	600A AC, 4000 Counts TRMS Digital Clampmeter.	Kusam Ele	90303390	1,300.00
		2790	600A AC, 2000 Counts Digital Clampmeter. Jaw Size : 32mm.	Kusam Ele / Kusam LLP	90303390	3,600.00
		KM 2719	400A AC, 4000 Counts TRMS Digital Clampmeter. Jaw Size : 28mm.	Kusam LLP	90303390	3,275.00
		2700	300A AC, 2000 Counts Clampmeter. Jaw Size : 32mm.	Kusam Ele / Kusam LLP	90303390	3,600.00
NEW		KM 2730	100A AC/DC, 2000 Counts Digital Clampmeter.	Kusam Ele	90303390	5,250.00
13			<b>DIGITAL LEAKAGE CURRENT CLAMPMETER</b>			
	KM 2008		0.01mA to 300A AC, 3000 Counts Leakage Current Clampmeter with Data logging & PC Interface. Jaw Size : 40mm.	Kusam LLP	90303390	15,600.00
	KM 2008A		0.01mA to 300A AC, 3000 counts Leakage Current Clampmeter with Data storage 60 groups. Jaw Size : 40mm.	Kusam LLP	90303390	13,500.00
	KM 2006		0.1 mA to 20A AC/10A DC 5000 Counts TRMS Leakage Clampmeter Jaw Size : 23mm.	Kusam Ele	90303390	27,000.00
14		<b>AC &amp; AC / DC CURRENT ADAPTOR</b>				
		CA 3000D	3000A TRMS Reading Flexible Current Probe with display	Kusam Ele	90303390	A price
		CA 3000	3000A Flexible Current Probe	Kusam Ele	90303390	A price
		CA2000	2000A AC/DC Current Adaptor 400/2000A, O/P 1mV/A. Jaw Size : 57mm.	Kusam Ele	90303390	6,250.00
		CA1000	1000A AC/DC Current Clamp Adaptor 400/1000A, O/P 1mV/A. Jaw Size : 57mm.	Kusam Ele	90303390	5,750.00
	CA500	500 A AC/DC Current Clamp Adaptor O/P 1mV/A. Jaw Size : 30mm.	Kusam Ele	90303390	7,900.00	
15		<b>SOLAR APPLICATION INSTRUMENTS</b>				
		KM 3001	DC 1500V. 2000A AC / DC TRMS Clamp-On Multimeter with VFD, Detection, PC Interface For Solar Application. Jaw Size : 55mm.	EF- Kusam Ele	90303100	A price
		KM 8000 HVDM	4000 Counts TRUE RMS High Voltage Digital Multimeter FOR SOLAR APPLICATIONS DC Voltage : 3000V AC Voltage : 2000V	Kusam LLP	90303100	A price
	KM 8002	DC Voltage 1500V / AC 750V WITH AC/DC Auto Scanning Digital Multimeter for solar powersystem& power equipment management	Kusam LLP	90303100	A price	

All prices are subject to change without prior notice.

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
16		<b>INSULATION RESISTANCE TESTER</b>				
A)		<b>UL/ETL HAND HELD INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS</b>				
		<b>KM 878</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, capacitance, AC/DC Current Range & Temperature Function.	Kusam Ele	90303100	A price
		<b>KM 887</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD Function & AC/DC Current.	Kusam Ele	90303100	A price
		<b>KM 877</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, PI, DAR & PASS/FAIL Insulation compare Feature.	Kusam Ele	90303100	A price
B)		<b>HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER (5 / 10 / 15KV)</b>				
		<b>KM 7016 IN</b>	15 KV IR Tester With Insulation Resistance upto 30TΩ, Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	A price
		<b>KM 7015 IN</b>	15 KV IR Tester With Insulation Resistance upto 2TΩ, Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	A price
		<b>KM 6305 IN</b>	5 KV IR Tester With Insulation Resistance upto 10TΩ with PI & DAR Function & PC Interface. Test voltage : 500/1000/2500/5000V with Rechargeable Battery.	Kusam LLP.	90303390	A price
		<b>KM 6305AIN</b>	5 KV IR Tester, Test Voltage : 500/1000/2500/5000V, Insulation Resistance Range upto 10TΩ with PI & DAR Function & PC Interface. Spare Test Lead Model AL-6305	Kusam LLP	90303390	A price
		<b>KM 6213 AIN</b>	10 KV IR Tester, Insulation Resistance upto 600GΩ, Short circuit current upto 5mA. PI & DAR indication. Spare Test Lead Model AL53Bu	Kusam LLP	90303390	A price
		<b>KM 5405 IN</b>	5 KV IR Tester. Insulation Resistance Range : 0.01MΩ~10TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A price
NEW		<b>KM 5410 IN</b>	10 KV IR Tester. Insulation Resistance Range : 0.01MΩ~35TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A price
NEW		<b>KM 5415 IN</b>	15 KV IR Tester. Insulation Resistance Range : 0.01MΩ~50TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	A price
NEW		<b>KM 5305 IN</b>	5 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~10TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A price
NEW		<b>KM 5310 IN</b>	10 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~20TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A price
NEW		<b>KM 5315 IN</b>	15 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~30TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	A price
		15 METERS TEST LEADS FOR KM 5305 IN, KM 5310 IN, KM 5315 IN		Kusam LLP	90303390	A price
		<b>KM 2805 MK-1</b>	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 1TΩ with PI Function & PC Interface Adaptor of KM 2805 MK-1 Standard test lead Approx. 1.5 mtr. for KM 2805 MK-1 10 Meter long test lead for KM 2805 MK-1	Kusam LLP	90303390	A price
		<b>KM 2804 IN</b>	10 KV IR Tester: 1KV/2.5KV/5KV/10KV, Insulation Resistance upto 500GΩ Spare Test Lead Model AL53	Kusam LLP	90303390	A price
		<b>KM 2803 IN</b>	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 250GΩ Spare Test Lead Model AL53	Kusam LLP	90303390	A price
						A price

**B PRICE LIST 05/07/2024**





SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
<b>C)</b>		<b>LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER (1000V / 2500V)</b>				
		<b>KM 1154 TMF</b>	1 KV IR Multifunction Tester, Test Voltage 50V/100V/125V/ 250/500/1000V, Insulation Resistance upto 10GΩ, Continuity, Voltage with MOV & Gas Arrester Test.	Kusam LLP	90303390	A price
		<b>KM 1152 MF</b>	1 KV Multifunction IR Tester, Test Voltage 250/500/1000V & Measuring Range upto 0-8GΩ, PI & DAR Test, Continuity Voltage, MOV & Gas Arrester Test.	Kusam LLP	90303390	A price
		<b>KM 379</b>	1 KV IR Tester, Test Voltage : 250V/500V/1000V, Insulation Resistance upto 40 GΩ, WITH MULTIMETER FUNCTIONS.	Kusam LLP	90303390	5,375.00
		<b>KM 370</b>	2.5 KV IR TESTER, Test Voltage : 500V/1000V/2500V, Insulation Resistance upto 40 GΩ WITH MULTIMETER FUNCTIONS.	Kusam LLP	90303390	6,850.00
<b>D)</b>		<b>ANALOG INSULATION RESISTANCE TESTER</b>				
		<b>KM 81</b>	1000V/2000 Megohms; 600 V AC	Kusam LLP	90303390	2,925.00
		<b>KM 41</b>	500V/1000 Megohms; 600 V AC	Kusam LLP	90303390	2,825.00
		<b>KM 03</b>	500V/100 Megohms; 600 V AC	Kusam LLP	90303390	2,725.00
		<b>KM 01</b>	100V/50 Megohms; 600 V AC	Kusam LLP	90303390	2,725.00
<b>17</b>		<b>DIGITAL EARTH RESISTANCE TESTERS</b>				
<b>NEW</b>		<b>KM 4237ER</b>	2/3/4 Wire & Dual Clamp Digital Earth Resistance Tester	Kusam LLP	90318000	A price
		<b>KM 4235ER</b>	2/3/4 Wire Digital Earth Resistance With Soil Resistivity. Earth Resistance: 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	A price
		<b>KM 4234ER</b>	2/3/4 Wire Digital Earth Resistance Tester : 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	A price
		<b>KM 1320</b>	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity Test, Earth Resistance: 0.00Ω-30.00kΩ, Earth Voltage 0.0 ~ 600V & Test Frequency 128Hz/111Hz/105Hz/94Hz(AFC) with RS232 Interface	Kusam LLP	90303390	A price
		<b>KM 2040</b>	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity, Earth Resistance: 20.9KΩ. Earth Voltage	Kusam Ele	90303390	A price
		<b>KM 2030</b>	2/3 Wire Digital Earth Resistance Tester, Earth Measurements upto 2000Ω with 0.01Ω resolution. Earth Voltage 0 ~ 30V	Kusam Ele	90303390	8,850.00
		<b>KM 1520</b>	2/3 Wire Earth Resistance Tester, Range 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	90303390	A price
		<b>KM 1520A</b>	2/3 Wire Digital Earth Resistance Tester, 4000 counts, Earth Resistance: Range : 0-40/400/4000Ω, Earth Voltage : 0-400V AC (40-500Hz)	Kusam LLP	90303390	A price
<b>18</b>		<b>ANALOG EARTH RESISTANCE TESTERS</b>				
		<b>KM 1105ER</b>	ANALOGUE EARTH RESISTANCE Earth Resistance:Range upto 1200 Ω Test Frequency 820Hz	Kusam LLP	90303390	A price
<b>19</b>		<b>CLAMP-ON EARTH RESISTANCE TESTERS</b>				
<b>NEW</b>		<b>KM 1720+</b>	Clamp On Earth Resistance Tester With PC interface. Leakage Current Range : 20A , Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A price
		<b>KM 1720</b>	Clamp On Earth Resistance Tester With Leakage Current Range : 20A, Earth Resistance Range 0.01~1200Ω. Clamp Size 65 x 32mm	Kusam LLP	90303390	A price
		<b>KM 1620</b>	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A price
		<b>KM 1690</b>	Clamp Ground Resistance Tester. Ground Resistance range : 0.01Ω ~ 1200Ω. Clamp Size 55 x 32 mm. Data Logging Function. Explosion Proof Casing.	Kusam LLP	90303390	A price
<b>NEW</b>		<b>KM 1790</b>	Clamp Ground Resistance Tester, Ground Resistance range : 0.01Ω ~ 1200Ω, Leakage Current Range : 0.00mA ~ 20.0A, Data Logging Function. Clamp Size 55 x 32 mm.	Kusam LLP	90303390	A price
<b>NEW</b>		<b>KM 1820EX</b>	Flameproof Casing Clamp-on Earth Resistance Tester, Resistance range : 0.010Ω ~ 1200Ω, Ex-Mark Ex ia II BT3Ga. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	A price
<b>NEW</b>		<b>KM 1920</b>	4 Wire Ground Pile Type Earth Resistance Tester combined with Clamp-on Type Earth Resistance Tester	Kusam LLP	90303390	A price

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
20		<b>ONLINE EARTH RESISTANCE TESTERS</b>				
		1780KC	Explosion-proof Split Type Ground Resistance On-Line Detector	Kusam LLP	90258090	A price
		1680C	4 Digit LCD Display Non-Contact Grounding Resistance Online Tester With Display . Range : 0.01Ω ~ 200Ω	Kusam LLP	90303390	A price
21		<b>DIGITAL LOOP IMPEDANCE TESTER</b>				
NEW		KM 5208LP	Loop Impedance Tester, Loop Impedance Range : 20Ω / 200Ω / 2000Ω, Prospective Short-circuit Current : 20KA / 2000A / 200A	Kusam LLP	90303390	A price
22	  	<b>NON-CONTACT HIGH VOLTAGE DETECTORS &amp; PERSONAL SAFETY DETECTORS</b>				
NEW		KM 800 HP	High Voltage Non Contact Proximity Detector with 8 Voltage setting from 240V~ 800KV	Kusam LLP	90303390	18,500.00
		KM 765 HP	High Voltage Non Contact Proximity Detector with 8 Voltage setting from 240V~ 765KV	Kusam LLP	90303390	17,500.00
		KM 500HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V~ 500KV	Kusam LLP	90318000	16,600.00
		KM 275HP	High Voltage Non-Contact Proximity Detectorwith 8 Voltage setting from 240V~ 275KV	Kusam LLP	90318000	A price
		KM 375HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V~ 275KV	Kusam LLP	90318000	17,325.00
NEW		KM 278HP-800KV	Non-Contact High Voltage Detector with 8 Voltage setting from 240V~ 800KV With IP 65.	Kusam LLP	90318000	19,500.00
		KM 278HP-765KV	Non-Contact High Voltage Detector with 8 Voltage setting from 240V~ 765KV With IP 65.	Kusam LLP	90318000	18,500.00
		KM 278HP-500KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 500KV With IP 65.	Kusam LLP	90318000	A price
		KM 278HP-275KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 275KV With IP 65.	Kusam LLP	90318000	A price
		KM 277HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP	90303390	13,675.00
		KM 273HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV~132kV	Kusam LLP	90303390	A price
		KM 276 HD	High Voltage Detector :Measure.Volt Range :L. V. : 80V ~ 600V AC, H.V.: 3kV~24kV AC	Kusam LLP	90303390	18,000.00
		KM 276 HD 33KV	High Voltage Detector :Measure.Volt Range :L. V. : 80V ~ 600V AC, H.V.: 3kV~33kV AC	Kusam LLP	90303390	18,000.00
	KM 290HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 81.5KV Retracted : 1370 ± 50mm ; Extracted : 2450 ± 50mm.	Kusam LLP	90303390	28,300.00	
	KM 230 HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 36.5kV Retracted : 893 ± 50mm ; Extracted : 1520 ± 50mm.	Kusam LLP	90318000	21,850.00	
23	 	<b>PERSONAL SAFETY NON CONTACT HIGH VOLTAGE DETECTORS</b>				
NEW		KM-HVW-289	Wrist Type High Voltage Alarm : 1KV ~ 220KV	Kusam LLP	90303390	4,200.00
		287 SVD	Personal Safety High Voltage Detector Range (Arm & Helmet wearing) : 110V ~ 22.8KV	Kusam LLP	90303390	8,000.00
		286 SVD	Personal Safety High Voltage Detector Range(Arm & Helmet wearing) : 110V ~ 11.4KV	Kusam LLP	90303390	7,300.00
		285HD-A	Pole Mounting High Voltage Detector 3kV ~ 7kV	Kusam LLP	90303390	4,900.00
		285HD-B	Pole Mounting High Voltage Detector 6.6kV ~ 11kV	Kusam LLP	90303390	4,900.00
		285HD-C	Pole Mounting High Voltage Detector 10kV ~ 22kV	Kusam LLP	90303390	4,900.00
24		<b>CONTACT TYPE HIGH VOLTAGE DETECTORS</b>				
NEW		213HVD	Capacitive High Voltage Detector(Contact) upto 11KV	Kusam LLP	90318000	50,650.00
NEW		KM-CVD-11 KV	Contact Type High Voltage Detector 11 KV	Kusam LLP	90309090	3,525.00
NEW		KM-CVD-33 KV	Contact Type High Voltage Detector 33 KV	Kusam LLP	90309090	3,775.00
NEW		KM-CVD-66 KV	Contact Type High Voltage Detector 66 KV	Kusam LLP	90309090	4,275.00



**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE			
25		<b>TELESCOPIC HOT STICK</b>							
		HSR 122-5M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 5M	Kusam LLP	39269099	9,000.00			
		HSR-121 - 3M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 3M	Kusam LLP	90309090	5,725.00			
		HSR-135 - 12M	ROUND TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 12M	Kusam LLP	90309090	21,150.00			
		HSR-124(T) - 3M	TRIANGLE TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 3M	Kusam LLP	90309090	19,175.00			
		HSR-125 (T) - 5M	TRIANGLE TUBE TELESCOPIC HOT STICK-EXTENDED LENGTH 5M	Kusam LLP	90309090	30,650.00			
		HS-175-9	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 12.09 meters	Kusam LLP	90309090	1,46,400.00			
		HS-175-8	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 10.62 meters	Kusam LLP	90309090	1,25,525.00			
		HS-175-7	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 9.18 meters	Kusam LLP	90309090	1,04,400.00			
		HS-175-6	TELESCOPIC TRIANGLE HOT STICK Fibre Glass Rod 7.78 meters	Kusam LLP	90309090	99,850.00			
		HS-175-5	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 6.42 meters	Kusam LLP	90309090	80,650.00			
		HS-175-4	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 5.10 meters	Kusam LLP	90309090	60,475.00			
		HS-175-3	TELESCOPIC TRIANGLE HOT STICK, Fibre Glass Rod 3.82 meters	Kusam LLP	90309090	46,325.00			
		HSR 120B	Fibre Glass Rod 1.8m Black with cover	Kusam LLP	90309090	17,525.00			
		HSR 120C	Fibre Glass Rod 1.8m Black with handle with cover	Kusam LLP	90309090	14,150.00			
		HSR 120A	Fibre Glass Rod 1.2m Orange with cover	Kusam LLP	90309090	20,150.00			
		HSR 120	Fibre Glass Rod 1x1.2m Orange stick + 3x1.8m Black stick <b>(SET)</b>	Kusam LLP	90309090	60,950.00			
		HS 120R	Fibre Glass Rod 1.2m Black with handle with cover	Kusam LLP	90309090	20,150.00			
		<b>ACCESSORIES TO BE USED WITH TELESCOPIC HOT STICKS</b>							
		HOK-HS166	Disconnect Hook	Kusam LLP	90309090	600.00			
		ADP-HS120	FUSE EXTRACTOR HEAD	Kusam LLP	90309090	475.00			
		26		<b>RESCUE HOOK</b>					
				KM-RH 11KV	RESCUE HOOK MODEL "KM-RH-11" FOR 11KV, ROD LENGTH	Kusam LLP	82059090	7,925.00	
				KM-RH 33KV	RESCUE HOOK MODEL "KM-RH-33" FOR 33KV, ROD LENGTH	Kusam LLP	82059090	8,250.00	
				KM-RH 66KV	RESCUE HOOK MODEL "KM-RH-66" FOR 66KV, ROD LENGTH	Kusam LLP	82059090	9,175.00	
KM-RH 132KV	RESCUE HOOK MODEL "KM-RH-132" FOR 132KV, ROD LENGTH			Kusam LLP	82059090	9,450.00			
27		<b>PHASING STICKS</b>							
		KM-MPS-50K	50 KV AC / DC High Voltage Multifunction Phasing Sticks with Digital Display.	Kusam LLP	90303390	A price			
		PC 44KV	44 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A price			
		PC 33KV	33 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A price			
		PC 22KV	22 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A price			
		PC 11KV	11 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A price			
		PC 7KV	7 KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	A price			
<b>ACCESSORIES TO BE USED WITH PHASING STICK MODEL PC44KV/PC 33KV/22KV/11KV/PC7KV</b>									
	TER-40mm	Piercing Tip 40mm(Pair)	Kusam LLP		A price				
	TER-70mm	Piercing Tip 70mm (Pair)	Kusam LLP						
	PC-160	Right Angle Adaptors It can be semi-disconnected for storage into the case (Pair)	Kusam LLP						
	ADP-PCXXK	Adaptor	Kusam LLP						
	TER-213 100mm	Contact Type Terminal 100mm	Kusam LLP						
	TER-213 60mm	Contact Type Terminal 60mm	Kusam LLP						
	TER-213 40mm	Contact Type Terminal 40mm	Kusam LLP						

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
<b>28</b>		<b>DISCHARGE ROD (RESISTIVE TYPE)</b>				
NEW		KM-DSR-35K	35 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A price
NEW		KM-DSR-50K	50 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A price
NEW		KM-DSR-100K	100 KV Resistive Type Discharge Rod	Kusam LLP	39269099	A price
<b>29</b>		<b>SINGLE PHASE DISCHARGE ROD</b>				
A)		765KV	765 KV Discharge Rod	Kusam Ele.	39269099	34,800.00
		400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	18,150.00
		220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	16,575.00
		132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP	39269099	15,125.00
		66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP	39269099	8,100.00
		33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	6,900.00
		11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	6,050.00
B)		<b>THREE PHASE DISCHARGE ROD</b>				
		400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	54,450.00
		220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	49,750.00
		132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP	39269099	45,375.00
		66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP	39269099	24,350.00
		33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	20,700.00
		11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	18,150.00
		<b>CABLE FOR DISCHARGE ROD FOR DIFFERENT SIZES.</b>				
		Cable For Discharge Rod (Other than Standard Size & Length) ,4 sq. mm/6sq. Mm/10 sq. mm/16 sq. mm/,25 sq. mm/,35 sq. mm	Kusam LLP	39269099	PRICES ON ENQUIRY	
C)		<b>DISCHARGE ROD (HOOK TYPE)</b>				
		KM-HKDR-11KV	11 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	5,700.00
		KM-HKDR-33KV	33 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	6,100.00
		KM-HKDR-66KV	66 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	6,700.00
		KM-HKDR-132KV	132 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	7,000.00
		KM-HKDR-220KV	220 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	8,375.00
	KM-HKDR-400KV	400 KV HOOK TYPE DISCHARGE ROD. EXTRACTED LENGTH :	Kusam LLP	85479090	12,650.00	
D)		<b>DISCHARGE ROD AS PER KUSAM-MECO MODEL (WITH CLAMP)</b>				
		KM-CTDR-132KV	DISCHARGE ROD 132KV	Kusam LLP	85479090	12,600.00

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
30		<b>TEST &amp; MEASURING INSTRUMENTS</b>					
A)		<b>BATTERY QUALITY ANALYSER / TESTER</b>					
NEW		KM 950	Battery Tester with Printer	Kusam LLP	90303390	12,000.00	
		KM 930	Battery Internal Resistance Tester. Temp. range : -10.0°C ~ 60.0°C. Resistance Range : 0.000mΩ ~ 3 Ω, Voltage Measurement. Data Logging with PC Interface.	Kusam LLP	90303390	A price	
		KM 900	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, With Battery Range 100V/1200Ah. Current measurement with Model CA 500 AC/DC Current Clamp Adaptor.	Kusam Ele	90303390	A price	
		KM 900 C	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, Capacity Measurement, With Battery Range 100V/6000Ah & AC Ripple Current measurement. Current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/6000Ah & AC Ripple Current measurement	Kusam Ele	90303390	A price	
B)		<b>DIGITAL ELCB TESTERS</b>					
NEW		KM 1812 EL-A	Digital ELCB Tester - 240Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A price	
		KM 1812 EL-B	Digital ELCB Tester - 230Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A price	
		KM 1812 EL-C	Digital ELCB Tester - 220Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A price	
		KM 1812 EL-D	Digital ELCB Tester - 110Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	A price	
				Test Leads for KM 1812EL	Kusam LLP	90318000	A price
		KM 6221	3 Phase Digital ELCB Tester - , Leakage Current	Kusam LLP	90318000	A price	
		KM 2820 EL	Digital ELCB Tester - 100-450V, Leakage Current upto 1A.	Kusam LLP	90318000	A price	
	KM 582	Digital RCD (ELCB) Tester suitable for single-phase circuits. Range : 10mA to 500mA. Voltage Measurement Range : 30V-600V, 45Hz -65Hz	Kusam LLP	90318000	A price		
C)		<b>DIGITAL TACHOMETER / STROBOSCOPE</b>					
NEW		KM-2235B	Digital Tachometer (Contact Type) 5 – 9999 / 19,999 RPM	Kusam Ele/LLP	90292010	3,950.00	
			Accessories for KM 2235B :Set of Surface speed Test Wheel, RPM adapter(cone) & (funnel)	Kusam Ele/LLP	85069000	950.00	
		KM-2234BL	Digital Tachometer (Non- Contact Type) 5-9999 / 99,999RPM	Kusam Ele/LLP	90292010	4,275.00	
		KM-2241	Non Contact( Photo) Tachometer 2.5 - 99,999RPM &Contact Tachometer 0.5-19,999 RPM, Surface Speed 0.05-1,999.9M/Min	Kusam Ele/LLP	85069000	5,475.00	
			Reflective Tape for Tachometer (Non-Contact type)Model No. KM 2234BL & KM 2241 ( 12mm X 100mm) X 6NOS	Kusam Ele/LLP	90299000	130.00	
			Adaptor for KM 2241	Kusam Ele/LLP	90292030	950.00	
	KM 2250	Stroboscope measuring by Non Contact Method , Range : 60- 40,000 RPM	Kusam Ele/LLP	90292010	16,325.00		
D)		<b>VIBRATION METER (HSN CODE :9031)</b>					
		KM 63	Hand-hold, Pocket vibration meter with built in sensor	Kusam Ele	90303390	15,475.00	
		KM 3961	Vibration meter with external sensor	Kusam Ele	90318000	34,925.00	
			USB Cable + Software	Kusam Ele	90318000	8,150.00	
			Probe With Magnet	Kusam Ele	90318000	12,750.00	
E)		<b>DIGITAL ULTRASONIC THICKNESS GAUGE</b>					
		KM 131D	Digital Ultrasonic Thickness Meter, Measuring range : 1.00 ~ 300.0 mm	Kusam Ele.	90318000	12,950.00	
F)		<b>DIGITAL COATING THICKNESS GAUGE</b>					
NEW		KM -EP-770	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material with USB interface. Range : 0 to 2000µm	Kusam Ele	90318000	12,950.00	
		KM-FN-500A	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material Range : 0 to 1500µm	Kusam Ele	90318000	10,875.00	
		KM-EC-370P	Coating Thickness Gauge Meter Range : 0 to 2000µm	Kusam Ele	90318000	8,650.00	
		KM 117A	Coating Thickness Gauge for Ferrous Base Material (iron, Steel). Range : 0 to 2000µm	Kusam Ele	90318000	8,825.00	
G)		<b>DIGITAL CONTACT TYPE FOOD THERMOMETER</b>					
		KM 6503	Probe Temperature Meter -50°C ~ +300°C	Kusam Ele	90251990	425.00	

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
H)		<b>PHASE SEQUENCE INDICATOR</b>				
		KM 991	3phase Motor Rotation Tester& Open Phase indication. Operat. Voltage 100V-450VAC	Kusam Ele	90303390	2,400.00
		KM 981-MK-1	Phase Sequence Indicator Operating Voltage 60-600V AC & frequency range 20Hz ~ 400Hz	Kusam Ele	90303390	2,175.00
		KM 888 PMR	3 phases Presence and Rotation Indicator combined with a 3 phases Motor Rotation Tester. Operating Voltage 100V-600V AC	Kusam LLP	90303390	7,625.00
		KM 885PR	Phase Sequence Indicator with display with Phase Rotation, Phase Presence & Voltmeter.	Kusam LLP	90303390	18,200.00
		KM 855PR	Phase Sequence Indicator Operating Voltage 200V-600V AC frequency range 50Hz ~ 60Hz with open phase condition check feature through LED & Buzzer.	Kusam LLP	90303390	7,450.00
31		<b>TORQUE WRENCH</b>				
		KM-NGM-10	10N Mini Digital Torque Wrench	Kusam Ele	82041120	A price
		KM-NGM-30	30N Mini Digital Torque Wrench	Kusam Ele	82041120	A price
		KM-NGM-100	100N Mini Digital Torque Wrench	Kusam Ele	82041120	A price
		KM-NG-030	30N Digital Torque Wrench	Kusam Ele	82041120	A price
		KM-NG-060	60N Digital Torque Wrench	Kusam Ele	82041120	A price
		KM-NG-200	200N Digital Torque Wrench	Kusam Ele	82041120	A price
32		<b>VERNIER CALIPER</b>				
		KM-VC-5200	200mm Digital Vernier Caliper	Kusam Ele	90173010	A price
		KM-VC-5300	300mm Digital Vernier Caliper	Kusam Ele	90173010	A price
33	<b>LABORATORY INSTRUMENTS</b>					
A)		<b>FUNCTION GENERATOR</b>				
		KM 2001	2 MHz Digital Signal Generator. Square Wave & Sine wave Output.	Kusam Ele	90303390	13,325.00
		KM 2002	2 MHz Digital Function Generator. Sine Wave, Square Wave, Rectangle wave, Saw Tooth Wave, Triangle Wave Output.	Kusam-Meco	90303390	16,350.00
		KM 2005	5 MHz Digital Function Generator. Sine Wave, Triangle Wave, Ramp, Square Wave Output. 20 MHz Frequency Counter.	Kusam Ele	90303390	17,350.00
		KM 2010	10 MHz Digital Function Generator. Sine Wave, Triangle Wave, Ramp, Square Wave Output. 20 MHz Frequency Counter.	Kusam Ele	90303390	19,225.00
B)		<b>DIGITAL STORAGE OSCILLOSCOPE</b>				
		KM 2102CEX+	100MHz 2 Channels Digital Storage Oscilloscopes	Kusam LLP	90302000	A price
		SSA3032X	3.2GHz Spectrum Analyser TG-SSA3000X (Tracking generator kit ) UKITSSA3X( Utility Kit)	Kusam Ele	90302000	A price
C)		<b>ANALOG OSCILLOSCOPE</b>				
		KM-20-10	20MHz Analog Oscilloscope	Kusam Ele	90302000	37,375.00
		KM 5060	Dual Trace 60MHz Analog Oscilloscope	Kusam Ele	90302000	55,100.00

All prices are subject to change without prior notice.

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
D)		<b>DIGITAL MICRO OHM METER</b>				
NEW		KM OHM 8501E	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.01mΩ~30.00KΩ. Resolution : 10μΩ.	Kusam LLP	90303390	A price
NEW		KM OHM 8501	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.001mΩ~300.0KΩ. Resolution : 1μΩ	Kusam LLP	90303390	A price
NEW		KM OHM 8502	Handheld DC Micro Ohm Meter (10A). Resistance range : 10.0mΩ ~ 50.00KΩ. Resolution : 0.1 μΩ	Kusam LLP	90303390	A price
NEW		KM-8500-1	4 ½ digit Digital Display 1A Micro Ohm Meter. Resolution : 1μΩ	Kusam LLP	90303390	A price
NEW		KM-8500-10	4 ½ digit Digital Display 10A Micro Ohm Meter. Resolution : 0.1μΩ.	Kusam LLP	90303390	A price
NEW		KM-8500-100	3.5 Digit LED display 100 Amp DC Constant Current Source Digital Contact Resistance Meter (Micro - Ohm Meter)	Kusam LLP	90303390	A price
E)		<b>CT PT ANALYSER</b>				
NEW		KM-201P	CT-PT Analyser	Kusam LLP		A price
F)		<b>DC REGULATED POWER SUPPLY</b>				
		KM-PS-302	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele	90318000	A price
		KM-PS-303	DC Power Supply-0-30V, 3A Single O/P	Kusam Ele	90318000	A price
		KM-PS-305	DC Power Supply-0-30V, 5A Single O/P	Kusam Ele	90318000	A price
		KM-PS-3010-AB	DC Power Supply-0-30V, 10A Single O/P fixed output 5V/2A	Kusam Ele	90318000	A price
		KM-PS-302D-II	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele	90318000	A price
		KM-PS-303D-II	DC Power Supply-0-30V, 3A Dual O/P	Kusam Ele	90318000	A price
		KM-PS-305D-II	DC Power Supply-0-30V, 5A Dual O/P fixed output 5V/3A	Kusam Ele	90318000	A price
34		<b>NETWORK CABLE TESTER</b>				
		KM 36	Network Cable Tester	Kusam LLP	90318000	1,275.00
35		<b>ENVIRONMENTAL TESTING INSTRUMENTS</b>				
A)		<b>DIGITAL SOUND LEVEL METER &amp; SOUND LEVEL CALIBRATOR</b>				
		KM 928 MK-1	Digital Sound Level Meter : Measuring Ranges : 30 - 130 dBA, 35 - 130 dBC	Kusam Ele	90278090	4,225.00
		KM 929 MK-1	Digital Sound Level Meter with 4700 Records Data Logger & USB interface Measuring Ranges : 30 - 130 dBA, 35 - 130 dBC & PWM output	Kusam Ele	90278090	5,175.00
		TM-100	Sound Level Calibrator 94 KHz & 114KHz for 1/2 inch microphone condensor	Kusam LLP	90283090	18,375.00
B)		<b>DIGITAL LUX METER</b>				
		KM-LUX-99	Range 0 - 2000 / 20000 / 100,000 LUX. Resolution : 1Lux / 10 Lux / 100Lux	Kusam Ele	90275090	2,600.00
		KM-LUX-200K	Range 0 - 200,000 LUX ,0.01-20,000 FC. Resolution : 0.1Lux & 0.01FC	Kusam Ele/LLP	90275090	4,775.00
		KM 8911A	Digital Lux Meter with Analog Bar Graph & PC Interface : 0 - 400,000 Lux (0-400kLux, 0-40kFC)	Kusam LLP	90314900	5,400.00
		<b>DIGITAL LED LIGHT METER</b>				
New		KM 531	Digital LED Light Meter. Range : 0.0 to 199.9 / 1999 / 19990 / 199900 LUX. 0.00 to 19.99 / 199.9 / 1999 / 19990 FC	Kusam Ele	90275090	16,325.00
		<b>DIGITAL UV LIGHT METER</b>				
New		KM 532	Digital UV Light Meter Range : Low Range : 1 to 3999 uw/cm2. High Range : 0.01 to 39.99 mw/cm2	Kusam Ele	90275090	18,875.00

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
<b>C)</b>		<b>DIGITAL THERMO HYGRO METER /TEMPERATURE &amp; HUMIDITY DATALOGGER</b>				
		<b>KM 600NH</b>	Wall Mounting Digital Temperature & Humidity Datalogger upto 16000 data record with USB PC interface	KM / Kusam LLP	90258090	8,400.00
		<b>KM 9122</b>	USB Type Wall Mounting HIGH-PRECISION TEMPERATURE & HUMIDITY DATA LOGGER with 16000 data logging & USB Interface.	Kusam LLP	90314900	5,400.00
		<b>KM 8122</b>	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER Measures environment/dewpoint/wetbulb temperature with USB interface & Data Logging 32000 Data	Kusam LLP	90314900	5,825.00
		<b>KM 8102</b>	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER with Dew Point & Wet Bulb Temperature with Internal memory to save 99 groups of data	Kusam LLP	90314900	3,775.00
<b>D)</b>		<b>DIGITAL THERMO HYGRO METER / TEMPERATURE &amp; HUMIDITY METER</b>				
		<b>KM 918 A</b>	Digit Thermo Hygrometer with large LCD Triple Display of Clock, Temperature & Humidity	Kusam Ele/LLP	90251990	1,325.00
		<b>KM 918 B</b>	Thermo Hygrometer	KM	90251990	625.00
		<b>KM 8010</b>	4 digit LCD Display Digital Temperature Humidity Meter with Dew Point	Kusam LLP	90258090	6,150.00
		<b>KM 920</b>	Large LCD Dual Display with backlight Digital Humidity & Temperature meter Probe Temperature Range : -10°C-50°C' (-30°C-1000°Cwith separate K-Type )	KM / Kusam Ele	90258090	5,250.00
<b>E)</b>		<b>DIGITAL THERMO ANEMOMETER</b>				
<b>New</b>		<b>KM 735</b>	Hot Wire Anemometer Air Velocity: 0-25 m/s (0-5000ft/min)	Kusam Ele	90303390	A price
		<b>KM 734MK-1</b>	Air Velocity/Flow/TemperatureThermal anemometer, for very low air velocity measurement.	KM / Kusam Ele	90318000	A price
		<b>KM 908MK-1</b>	Range : Air Velocity: 0 ~ 45 m/s, 0 ~ 140 km/hr, 0 ~ 8800 Ft/min/0 ~ 88Knots/0 ~ 100 mph, Air Temperature: 0 ~ 45°C, 32 ~ 113°F	Kusam Ele	90251990	4,525.00
		<b>KM 910MK-1</b>	4 Digit dual LCD Display CFM/CMM Digital Thermo Anemometer	Kusam Ele	90318000	7,075.00
		<b>KM 8022</b>	DigitalL Temperature / Air Volume /Vane Anemometer: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s;/.4 ~ 20m/s	KM	90251990	6,625.00
		<b>KM 8022MK-1</b>	DIGITAL TEMPERATURE / AIR VOLUME /VANE ANEMOMETER: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s;/.4 ~ 20m/s	KM / Kusam Ele	90318000	2,050.00
<b>F)</b>		<b>DIGITAL CONTACT TYPE THERMOMETER</b>				
		<b>KM-936</b>	3½ Digit 1999 Count Thermometer (Single channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele	90251990	2,850.00
		<b>KM-945</b>	3½ Digit Digital Thermometer (Dual channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele	90251990	3,100.00
		<b>OPTIONAL ACCESSORY FOR DIGITAL CONTACT TYPE THERMOMETER</b>				
			Optional - "K" Type Thermocouple Probe for KM 936 & KM 945, 1200°C with 12 inch long stem.	Kusam Ele	90251990	3,025.00
<b>G)</b>		<b>DIGITAL NON-CONTACT INFRARED THERMOMETER</b>				
		<b>IRL-866</b>	Infrared Thermometer with Temperature range -50°C to 2250°C D:S Ratio 50:1	Kusam Ele	90251190	30,600.00
		<b>IRL-1600</b>	Infrared Thermometer with Temperature range -50°C to 1600°C D:S Ratio 50:1	Kusam Ele	90251990	8,300.00
		<b>IRL-1100</b>	Infrared Thermometer with Temperature range -50°C to 1100°C D:S Ratio 50:1	Kusam Ele	90251990	4,100.00
		<b>IRL-650</b>	Infrared Thermometer with Temperature range -50°C to 650°C D:S Ratio 12:1	Kusam Ele	90251990	2,650.00
		<b>IRL-900</b>	Non-Contact with laser sighting, Range: -30°C to 550°C. D:S Ratio 10:1	Kusam Ele	90251190	7,650.00
		<b>IRL-550</b>	Infrared Thermometer with Temperature range -50°C to 550°C D:S Ratio 12:1	Kusam Ele	90251990	1,500.00
		<b>IRL-380</b>	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : Adjustable (0.1 to 1.0)	Kusam Ele	90251990	1,500.00

**B PRICE LIST 05/07/2024**



SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
NEW		IRL-380(F)	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : 0.95	Kusam Ele	90251990	1,100.00
		IR BT-1	Human Body Infrared Thermometer with Temperature range 32°C ~ 42.9°C (89.6°F ~ 109.2°F)	Kusam LLP	90251920	1000 NETT.
		IR BT-2 / IRL 180	Industrial Infrared Thermometer with Human Body Temperature measurement function. DS Ratio 12:1 Industrial Temperature range 0°C to 380°C & Human Body Temperature range 32°C ~ 42°C	Kusam LLP	90251920	1500 NETT.
H)		<b>ONLINE INFRARED THERMOMETER</b>				
NEW NEW		KM 6816-2 (DT 8300B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~300°C Output 4-20mA	KM	90251990	7,450.00
		KM 6816-3 (DT 8600B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~600°C Output 4-20mA	KM	90251990	8,300.00
		KM 6816-4 (DT 8012B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1200°C Output 4-20mA	KM	90251990	12,250.00
		KM 6816-5 (DT 8018B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~1800°C Output 4-20mA	KM	90251910	26,625.00
		KM 8300-BX	TEMPERATURE TRANSMITTER Temperature range : -50°C ~300°C Output 4-20mA	KM	90251910	5,600.00
		KM 8600-BX	TEMPERATURE TRANSMITTER Temperature range : -50°C ~600°C Output 4-20mA	KM	90251910	7,785.00
I)		<b>DIGITAL EMF DETECTOR</b>				
		KM 196	3½ Digit LCD display Digital Electromagnetic Radiation Tester Measuring Range : Electric Field : 1V/m ~ 1999V/m. Magnetic Field : 0.01µT ~ 19.99µT. Frequency : 5Hz ~ 3.5GHz.	Kusam Ele.	90303390	3,000.00
		KM 828	Field Intensity Meter : Measuring Range : 0.1 ~ 400mG, 1 ~ 4000mG; 0.01 ~ 40µT, 0.1 ~ 400µT Frequency : 30Hz ~ 400Hz	Kusam Ele.	90271000	8,400.00
J)		<b>DIGITAL SOLAR POWER METER</b>				
		KM-SPM-11	3½ digits LCD with 1999 counts Digital Solar Power Meter Measuring Range : 1999W/m2, 634 BTU (ft2*h)	Kusam LLP	85381010	12,500.00
K)		<b>DIGITAL MOISTURE METER</b>				
		KM-963-G	Digital Grain Moisture Meter Measurement range : 2% ~ 30% Measuring Grains : Wheat, Paddy, Rice & Corn.	Kusam Ele./LLP	90318000	8,900.00
		KM 963G-II	Digital Grain Moisture Meter Measurement range : 2% ~ 50% Measuring Grains : 9 types : Wheat, Un-Husked rice, Husked rice & Corn.	Kusam Ele./LLP	85381010	4,525.00
		KM-963	Digital Wood Moisture Meter : Measurement Range :5% - 40 %	Kusam Ele./LLP	90318000	1,925.00
		KM-963-P(N)	Digital Paper Moisture Meter : Measurement Range : 2% - 40%	Kusam Ele./LLP	90318000	4,525.00
		KM 917	Concrete Moisture Meter : moisture Test Range : 0 ~ 40%	Kusam Ele./LLP	90318000	9,600.00
36		<b>WATERPROOF PEN TESTERS</b>				
		7021	Portable COND/TDS/SALT /TEMP	Kusam Ele.	90278090	10,450.00
		7031	Portable DO/O2/TEMP	Kusam Ele.	90278090	25,000.00
		7200	Portable pH/COND/TEMP/TDS + standard Solution	Kusam Ele.	90278090	15,300.00
		6011	Portable PH Waterproof Pen Tester with 0.1pH Resolution	Kusam Ele.	90278090	5,350.00
		6011A	Portable PH Waterproof Pen Tester with 0.01pH Resolution	Kusam Ele.	90278090	6,375.00
		6021	Portable Conditivity Waterproof Pen Tester with range of 0-19990µS & 10µS/cm Resolution	Kusam Ele.	90278090	5,625.00
		6022	Portable Conditivity Waterproof Pen Tester with range of 0-1999µS µS 1µS/cm Resolution	Kusam Ele.	90278090	5,625.00
		6031	Portable TDS Waterproof Pen Tester with range of 0-19990ppm & 10ppm Resolution	Kusam Ele.	90278090	5,625.00
		6032	Portable TDS Waterproof Pen Tester with range of 0-1999ppm & 1ppm Resolution	Kusam Ele.	90278090	5,625.00
		6061	Portable EC Waterproof Pen Tester	Kusam Ele.	90278090	5,625.00

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
37		<b>CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION &amp; SIGNAL CABLES</b>				
		KM-CFPL-620	Portable Under ground Cable Fault Pre-Locator : Measurement Mode TDR Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m)	Kusam Ele	90318000	A price
		KM-CFPL-612	Hand Held Cable Fault Pre-Locator Pause Testing Method (TDR) Pulse Test Range (m) : 8km (4,16,32 optional)	Kusam Ele	90318000	A price
38		<b>THERMAL IMAGING CAMERA</b>				
		TG-301	Hand Held Thermal Camera with 128(H) x 160(V) pixel 1.77 inches TFT-LCD Display Temp. -30°C ~650° C	Kusam Ele	90275090	A price
NEW		KM 302	Hand Held Thermal Camera with 120 x 90 pixel Low Temperature : - 20 ~ 150°C , High Temperature : 120 ~ 400°C	Kusam Ele.	90278090	A price
NEW		TG-304	Infrared Thermal Imaging Camera Temperature range : -20°C~450°C (-4°F ~ 842°F) Infrared image resolution : 220x160	Kusam Ele.	90278090	A price
NEW		KM 308	Infrared Thermal Imaging Camera Temperature range : -10°C~600°C (14°F ~ 842°F) Infrared image resolution : 320x240	Kusam Ele	90275090	A price
NEW		KM 309	Infrared Thermal Imaging Camera Temperature range : -10°C~450°C (14°F ~ 842°F) Infrared image resolution : 220x160	Kusam Ele	90275090	A price
NEW		KM 321	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 384x288	Kusam Ele	90275090	A price
NEW		KM 322	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 640x480	Kusam Ele	90275090	A price
39		<b>PARTIAL DISCHARGE ACOUSTIC IMAGER</b>				
NEW		KM PDAI	Partial Discharge Acoustic Imager	Kusam Ele	90275090	ON INQUIRY
NEW		KM PDAI-EX	Intrinsically Safe Partial Discharge Acoustic Imager	Kusam Ele	90275090	ON INQUIRY
40		<b>DIGITAL PROCESS CALIBRATORS</b>				
		KM CAL-904MK1	4-20mA Loop Calibrator (DCA, DCV)	Kusam LLP.	90303390	A price
NEW		KM-CAL-811	Temperature Calibrator (Source)(DCV,OHM,TC, RTD)	KM	90303390	A price
		KM-CAL-802	Thermocouple Calibrator Source & Sink (DCV, TC)	KM/Kusam Ele	90303390	A price
		KM-CAL-803	RTD Calibrator Source & Sink	KM	90303390	A price
NEW		KM-CAL-814	Voltage/mA Calibrator. Output : DC Voltage, DC Current.	KM	90303390	A price
NEW		KM-CAL-815	V / mA Calibrator. Output DC voltage. Measure DC current, DC Voltage.	KM/Kusam Ele	90303390	A price
		KM-CAL-905	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,Pressure (Source & Sink)	KM	90303390	A price
		KM-CAL-905A	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,(Source & Sink) & Without Pressure function)	KM	90303390	A price
		KM-CAL-906	Digital High Precison Temperature Calibrator DCV, OHM, TC, RTD (Source & Sink)	KM	90303390	A price
		KM-CAL-907	V/mA Process Calibrator (Source/Sink) DCV, DCA, Hz, Pulse, LOOP, Pressure	KM	90303390	A price
		KM-26	Multifunction Process Calibrator with Data Storage 1200 Groups	Kusam Ele	90303390	A price
		KM-26H	Multifunction Process Calibrator with Data Storage 1200 Groups & HART communication	Kusam Ele	90303390	A price






**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
41		<b>POWER MEASUREMENT CLAMP-ON-METER</b>					
		<b>KM 099</b>	AC & AC+DC TRMS Clamp-on Power Meter.	Kusam Ele	90303100	28,325.00	
		<b>2746</b>	Single Phase & 3 Phase Harmonics TRMS Power Clampmeter with PC Interface.	Kusam Ele	90303390	27,550.00	
		<b>2709</b>	3 Phase 9999 Counts TRMS Power Clampmeter with AC Current, AC /DC Voltage, KWHr , KVA, KW, KVAR, Power factor, THD%	Kusam Ele	90303100	19,300.00	
			BRUA-13X Software (Optional )to be used with KM 2709	Kusam Ele	90309010	4,850.00	
	<b>KM 357</b>	3-Phase 9999 Counts TRMS Power Clampmeter with kWh recording, AC/DC Voltage, AC Current, Frequency, Resistance, KW, KVA, KVAR & PF functions.	Kusam Ele	90303100	14,500.00		
42		<b>POWER &amp; HARMONICS ANALYSER - PORTABLE TYPE</b>					
		<b>KM 2300</b>	<b>Class 'A'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal	Kusam Ele	90303390	A price	
			<b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.				
		<b>KM 2100</b>	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal	Kusam Ele	90303390	A price	
			<b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.				
		<b>KM 2200</b>	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 50 Hz nominal	Kusam Ele	90303390	A price	
			<b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.				
		<b>KM 2400</b>	<b>Three Phase Power Quality Analyzer with Touch Screen (Economical)</b>	Kusam Ele	90303390	A price	
			Voltage / ACV (Vrms, Vpk), Current / ACA (Irms, Ipk), Frequency, Harmonic, Active power (P), Reactive power(Q), Apparent power(S), Power Factor (PF), cosΦ (DPF), Active energy (EP), Reactive energy (EQ), Apparent energy(ES), Dips / swell				
			<b>Basic Meter KM 2100 &amp; KM 2200 &amp; KM 2300 includes the following :</b>				
			User Manual & basic program software in CD	Kusam Ele	90303390		
			2 meter long voltage cable (with 4mm banana plug) x 5 pc.				
			Crocodile clip x 5 pc.				
			Power Adaptor, Power cord , Bag & Battery x 1 pc.				
			<b>OPTIONAL CURRENT CLAMPS FOR KM 2100, KM 2200 &amp; KM 2300 :</b>				
			Current Clamp ST08 - 5A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price	
			Current Clamp CTC0080 - 50A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price	
			Current Clamp CTC0130 - 100A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price	
			Current Clamp CTC1535 - 1000A AC <b>(KM 2100 / KM 2200 / KM2300)</b>	Kusam Ele	90303390	A Price	
		Current Clamp 035AD-1000A AC / DC <b>(KM 2100 / KM 2200 / KM2300)</b>	Kusam Ele	90303390	A Price		
		Current Clamps 068AD-1500A AC/DC <b>(KM 2300)</b>	Kusam Ele	90303390	A Price		
		Rogowski Clamps - SY-1500A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price		
		Rogowski Current Coil - PY-3000A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price		
		Rogowski Current Coil - PY-5000A AC <b>(KM 2100 / KM 2200)</b>	Kusam Ele	90303390	A Price		
		Rogowski Current Coil - SY-6000A AC <b>(KM 2300 / KM 2400)</b>	Kusam Ele	90303390	A Price		
		Magnetic Voltage Adaptor <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>	Kusam Ele	90303390	A Price		

NEW

NEW

**B PRICE LIST 05/07/2024**

SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
		<b>MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)</b>					
		<b>KM 7200-A</b>	Multifunction Power Meter with 3 display (Size 144 x 144mm) (Basic Meter)	Kusam Ele	90303390	A Price	
		<b>KM 7200-C</b>	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam Ele	90303390	A Price	
		<b>MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)</b>					
		<b>KM 8100-A</b>	Multifunction Power Meter (Basic Meter) (12 Display)	Kusam Ele	90303390	A Price	
		<b>KM 8100-C</b>	Multifunction Power Meter + Harmonics Display	Kusam Ele	90303390	A Price	
		<b>Optional Functions FOR MODEL KM-8100 &amp; KM 7200</b>					
			4 Units of Hi / Lo Setting	Kusam Ele	90303390	A Price	
			4 Units of Analog outputs	Kusam Ele		A Price	
			Plus Output	Kusam Ele		A Price	
			Aux. Supply DC 24V	Kusam Ele		A Price	
			<b>MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm)</b>				
			<b>KM-PM-100</b>	KM-PM-100-3-2-4-0-6 "KUSAM MECO" DIGITAL MULTIFUNCTION POWER METER	Kusam Ele.	90318000	A Price
				Input Voltage : 55-600V (L-L)			
			Input Current : 5A				
			Out Put Signal : RS-485 MODBUS RTU				
			Alarm Setting : None				
			Aux. Power : AC/DC 85 ~ 265V				
	<b>KM-PM-100D</b>		KM-PM-100 with Control Demand Function	Kusam Ele.	90318000	52,000.00	
	<b>KM-PM-100H</b>		KM-PM-100 Meter with Harmonics Function	Kusam Ele.	90318000	32,625.00	
			<b>Optional Functions (EXTRA CHARGES)</b>				
			KM-PM-100 Meter with Harmonics Function			A Price	
		4 Sets Of DC 4~20mA			A Price		
		4 Sets Alarm Function			A Price		
		Pulse Function			A Price		
		Micro SD			A Price		
		Ethernet Function			A Price		
		<b>DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY)</b>					
		<b>KM-PFR-9-06</b>	Automatic Power Factor Regulator (6 step) Sequence Based	Kusam Ele	85372000	A Price	
		<b>KM-PFR-S-9-04</b>	Automatic Power Factor Regulator (4 step) KVAR Based	Kusam Ele	85372000	A Price	
		<b>KM-PFR-S-9-08</b>	Automatic Power Factor Regulator (8 step) KVAR Based	Kusam Ele	85372000	A Price	
		<b>INSTALLATION CHARGES</b>					
		For Power Meter & Power Factor Regulator (Per Man / Day)			ON INQUIRY		

All prices are subject to change without prior notice.

**B PRICE LIST 05/07/2024**









SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
<b>43</b>	<b>GAS DETECTORS</b>				
	<b>BX-616</b>	Intrinsically Safe Portable Multi-Gas Detector For <b>LEL, H2S, CO, O2</b>	Kusam Ele.	90271000	PRICE ON INQUIRY
	<b>KM-GD-04</b>	Portable Multi Gas Detector For <b>CO,O2, H2S, LEL.</b>	Kusam Ele.	90271000	21,675.00
	<b>KM 840-O2</b>	Portable Gas Detector - <b>oxygen (0-30%)</b>	Kusam Ele.	90271000	17,850.00
	<b>KM 840-H2S</b>	Portable Gas Detector - <b>Hydrogen Sulphide (0-100 PPM)</b>	Kusam Ele.	90271000	17,850.00
	<b>KM 840-LEL</b>	Portable Gas Detector - Combustable (0-100%)	Kusam Ele.	90271000	10,200.00
	<b>PP-02</b>	External Pump For Gas Detector KM-GD-04 / KM-840-O2 / H2S / LEL	Kusam Ele.	90271000	9,725.00
	<b>NEW</b> <b>KM 316-M</b>	Intrinsically safe Multi Gas Detector LEL / O2 / H2S / CO	Kusam Ele.	90271000	43,900.00
	<b>NEW</b> <b>KM 810-O2</b>	Intrinsically safe Portable Gas Detector -Oxygen	Kusam Ele.	90271000	18,000.00
	<b>NEW</b> <b>KM 810-LEL</b>	Intrinsically safe Portable Gas Detector	Kusam Ele.	90271000	15,750.00
	<b>KM 7460</b>	Portable CO2 Gas Detector	Kusam Ele.	90271000	35,200.00
	<b>BX-171-H2S</b>	Intrinsically Safe Portable Toxic Gas Detector RANGE 0-100PPM	Kusam Ele.	90271000	PRICE ON INQUIRY
	<b>BX-171-CO</b>	Intrinsically Safe Portable Toxic Gas Detector RANGE 0-1000PPM	Kusam Ele.	90271000	
	<b>BX-176-LEL</b>	Intrinsically Safe Portable Single Gas Detector Range 0-100% LEL	Kusam Ele.	90271000	
	<b>BX-176-CO</b>	Intrinsically Safe Portable Single Gas Detector Range 0-1000ppm	Kusam Ele.	90271000	
	<b>BX-176-O2</b>	Intrinsically Safe Portable Single Gas Detector Range 0-30%VOL	Kusam Ele.	90271000	
	<b>BX-176-H2S</b>	Intrinsically Safe Portable Single Gas Detector Range 0-100ppm	Kusam Ele.	90271000	
	<b>PP-01</b>	Gas Sampling Pump to be used with BX176, BX 171 & BX616	Kusam Ele.	90271000	
	<b>E1000</b>	Intrinsically Safe Portable Single Gas Detector Detecting Gases : Combustible gas / Toxic Gas	Kusam Ele.	90271000	
	<b>E4000</b>	Intrinsically Safe Multi-Gas Detector (Four Gasses)	Kusam Ele.	90271000	
	<b>E6000</b>	Intrinsically Safe Multi-Gas Detector (Six Gasses)	Kusam Ele.	90271000	
	<b>KM 315</b>	Refrigeration Gas Leak Detector with SF6 Gas detector	Kusam Ele.	90318000	2,850.00
	<b>KM 313</b>	Refrigerant Leakage Detector Gas Detect : R134a, R404A, R410A, R407C, R22, R502, R600 A	Kusam Ele.	90303390	16,325.00
	<b>KM 5491</b>	Portable Oxygen Detector Range : O2 : 0 ~ 25%VOL Temperature : -15 ~ 50°C	Kusam Ele.	90271000	14,275.00
	<b>KM 5490</b>	4 digit LCD display Oxygen Detector with Measuring Range 0~25% vol	Kusam Ele.	90271000	22,800.00
	<b>KM-CO-910</b>	Mini Carbon Monoxide (CO) Gas Detector with Measuring Range 0-1000PPM	KM	90271000	14,025.00
	<b>KM 5420A</b>	Combustible Gas Detector	KM	90318000	14,275.00
					

All prices are subject to change without prior notice.

## A PRICE LIST 05/07/2024

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	A
1		<b>PROFESSIONAL GRADE DIGITAL MULTIMETERS</b>					
A)		<b>6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS</b>					
		M3500A	6½ Digit Dual Display TRMS Bench Top Digital Multimeter with 5X7 dot matrix VFD Dual Display 200,000 Counts with Three colour annunciators	Kusam LLP	90303100	1,35,650.00	
		M3500A	A-Opt01 Multipoint Scanner Card( 10 Channel)	Kusam LLP	90303100	26,350.00	
		M3500A	A-Opt02 Thermocouple Adaptor	Kusam LLP	90303100	1,725.00	
		M3500A	A-Opt03 BNC to Banana Adaptor	Kusam LLP	90303100	8,000.00	
		M3500A, M3510A, M3511A	A-Opt04 GPIB Card	Kusam LLP	90303100	25,500.00	
		M3500A, M3510A, M3511A	A-Opt06 RS232 Card	Kusam LLP	90303100	4,750.00	
		M3510A	6½ Digit Bench Top TRMS Digital Multimeter with dot matrix Display with AC/DC 10A Current & K -type Thermocouple	Kusam LLP	90303100	93,525.00	
		M3511A	6½ Digit Bench Top TRMS Digital Multimeter with Dot Matrix Display with AC/DC 10A Current	Kusam LLP	90303100	74,950.00	
B)		<b>INDUSTRIAL GRADE DIGITAL MULTIMETERS</b>					
		KM 891	4-5/6 DIGIT 60,000 Counts TRMS DMM With Graphical Display, Datalogging & PC Interface. Voltage, Current, Resistance, Capacitance, Frequency, Conductance, Temperature, Pulse Width. IP 65.	Kusam LLP	90303100	34,400.00	
		KM-ST-505N	Analog Multimeter	Kusam LLP	90303100	9,700.00	
2		<b>BENCH TYPE DIGITAL LCR METER</b>					
		BR5810	100Hz ~ 10kHz four typical test frequency points LCR Meter.	Kusam Ele	90308990	73,200.00	
NEW		BR5812	100kHz Bench Top LCR Meter	Kusam Ele	90308990	1,09,000.00	
3		<b>HAND HELD DIGITAL LCR + MULTIMETERS</b>					
		KM 460	LCR METER. Testing Frequency.: 100Hz, 120Hz, 1KHz, 10KHz, 40KHz, 100KHz Measuring Range : (L) 0-2000H, (C) 0-20mF, (R) 0-20MΩ	Kusam Ele	90308990	18,525.00	
NEW		KM 461	LCR METER. Testing Frequ.:100Hz-100KHz adjustable, step from 1Hz Measuring Range : (L) 0-2000H, (C) 0-20mF, (R) 0-20MΩ	Kusam Ele	90308990	38,625.00	
4		<b>UL/ETL * APPROVED DIGITAL CLAMPMETER</b>					
		KM 2777	2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface. Jaw Size : 55mm.	Kusam Ele	90303100	18,750.00	
5		<b>PROFESSIONAL &amp; INDUSTRIAL GRADE DIGITAL CLAMPMETERS</b>					
A)		<b>PROFESSIONAL GRADE DIGITAL CLAMPMETERS</b>					
		KM2779	2500A AC/DC, 6000 Counts True RMS Digital Clampmeter. Jaw Size : 63mm.	Kusam LLP.	90303390	22,425.00	
		KM 071	4-20mA DC Milliamp Process Clampmeter. Jaw Size 5mm.	Kusam LLP	90303390	31,325.00	
B)		<b>INDUSTRIAL GRADE DIGITAL CLAMPMETERS</b>					
		2781-T	1000A AC/DC, 4000 Counts TRMS Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	6,050.00	
		2781	1000A AC/DC, 4000 Counts Digital Clampmeter. Jaw Size : 40mm.	Kusam LLP	90303390	4,485.00	
6		<b>AC &amp; AC / DC CURRENT ADAPTOR</b>					
		CA 3000D	3000A TRMS Reading Flexible Current Probe with display	Kusam Ele	90303390	15,350.00	
		CA 3000	3000A Flexible Current Probe	Kusam Ele	90303390	10,150.00	
7		<b>SOLAR APPLICATION INSTRUMENTS</b>					
		KM 3001	DC 1500V. 2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection, PC Interface For Solar Application. Jaw Size : 55mm.	Kusam Ele	90303100	19,575.00	
		KM 8000 HVDM	4000 Counts TRUE RMS High Voltage Digital Multimeter FOR SOLAR APPLICATIONS DC Voltage : 3000V AC Voltage : 2000V	Kusam LLP	90303100	25,675.00	
		KM 8002	DC 1500V / AC 750V with AC/DC Auto Scanning Digital Multimeter for solar power system & power equipment management.	Kusam LLP	90303100	19,450.00	


**A PRICE LIST 05/07/2024**

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE
8		<b>INSULATION RESISTANCE TESTER</b>				
A)		<b>UL/ETL HAND HELD INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS</b>				
		<b>KM 878</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, capacitance, AC/DC Current Range & Temperature Function.	Kusam Ele	90303100	30,600.00
		<b>KM 887</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD Function & AC/DC Current.	Kusam Ele	90303100	28,000.00
		<b>KM 877</b>	Test Voltage Range : 50V/100/250/500/1000V. Insulation Range : 3.000MΩ ~ 25.0GΩ. 6000 Counts TRMS Digital Insulation Multimeter with added VFD, PI, DAR & PASS/FAIL Insulation compare Feature.	Kusam Ele	90303100	25,875.00
B)		<b>HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER</b>				
		<b>KM 7016 IN</b>	15 KV IR Tester With Insulation Resistance upto 30TΩ, Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	1,40,400.00
		<b>KM 7015 IN</b>	15 KV IR Tester With Insulation Resistance upto 2TΩ, Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	1,33,575.00
		<b>KM 6305 IN</b>	5 KV IR Tester With Insulation Resistance upto 10TΩ with PI & DAR Function & PC Interface. Test voltage : 500/1000/2500/5000V with Rechargeable Battery.	Kusam LLP.	90303390	94,775.00
		<b>KM 6305AIN</b>	5 KV IR Tester, Test Voltage : 500/1000/2500/5000V, Insulation Resistance Range upto 10TΩ with PI & DAR Function & PC Interface. Spare Test Lead Model AL-6305	Kusam LLP	90303390	76,100.00 8,925.00
		<b>KM 6213 AIN</b>	10 KV IR Tester, Insulation Resistance upto 600GΩ, Short circuit current upto 5mA. PI & DAR indication. Spare Test Lead Model AL53Bu	Kusam LLP	90303390	82,150.00 9,200.00
NEW		<b>KM 5405 IN</b>	5 KV IR Tester. Insulation Resistance Range : 0.01MΩ~10TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	67,300.00
NEW		<b>KM 5410 IN</b>	10 KV IR Tester. Insulation Resistance Range : 0.01MΩ~35TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	78,250.00
NEW		<b>KM 5415 IN</b>	15 KV IR Tester. Insulation Resistance Range : 0.01MΩ~50TΩ, Short Circuit Current : ≥6mA, Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp Function.	Kusam LLP	90303390	1,28,250.00
NEW		<b>KM 5305 IN</b>	5 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~10TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	97,825.00
NEW		<b>KM 5310 IN</b>	10 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~20TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	1,05,000.00
NEW		<b>KM 5315 IN</b>	15 KV IR Tester. Insulation Resistance Range : 0.5MΩ ~30TΩ. Short Circuit Current ≥7mA. Step Voltage, Capacitance, Leakage Current Function. PI, DAR, Ramp, Dielectric Discharge Function.	Kusam LLP	90303390	1,25,400.00
			15 METERS TEST LEADS FOR KM 5305 IN, KM 5310 IN, KM 5315 IN	Kusam LLP	90303390	Against Enquiry
		<b>KM 2805 MK-1</b>	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 1TΩ with PI Function & PC Interface Adaptor of KM 2805 MK-1 Standard test lead Approx. 1.5 mtr. for KM 2805 MK-1 10 Meter long test lead for KM 2805 MK-1	Kusam LLP	90303390	31,400.00 2,975.00 4,075.00 8,100.00
		<b>KM 2804 IN</b>	10 KV IR Tester: 1KV/2.5KV/5KV/10KV, Insulation Resistance upto 500GΩ Spare Test Lead Model AL53	Kusam LLP	90303390	58,225.00 9,200.00
		<b>KM 2803 IN</b>	5 KV IR Tester: 0.5KV/1KV/2.5KV/5KV, Insulation Resistance upto 250GΩ Spare Test Lead Model AL53	Kusam LLP	90303390	47,125.00 9,200.00

## A PRICE LIST 05/07/2024

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE
C)		<b>LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER</b>				
		<b>KM 1154 TMF</b>	1 KV IR Multifunction Tester, Test Voltage 50V/100V/125V/ 250/500/1000V, Insulation Resistance upto 10GΩ, Continuity, Voltage with MOV & Gas Arrester Test.	Kusam LLP	90303390	23,325.00
		<b>KM 1152 MF</b>	1 KV Multifunction IR Tester, Test Voltage 250/500/1000V & Measuring Range upto 0-8GΩ, PI & DAR Test, Continuity Voltage, MOV & Gas Arrester Test.	Kusam LLP	90303390	23,325.00
9		<b>DIGITAL EARTH RESISTANCE TESTERS</b>				
NEW		<b>KM 4237ER</b>	2/3/4 Wire & Dual Clamp Digital Earth Resistance Tester	Kusam LLP	90318000	87,025.00
		<b>KM 4235ER</b>	2/3/4 Wire Digital Earth Resistance With Soil Resistivity. Earth Resistance: 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	47,200.00
		<b>KM 4234ER</b>	2/3/4 Wire Digital Earth Resistance Tester : 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	44,650.00
		<b>KM 1320</b>	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity Test, Earth Resistance: 0.00Ω-30.00kΩ, Earth Voltage 0.0 ~ 600V & Test Frequency 128Hz/111Hz/105Hz/94Hz(AFC) with RS232 Interface	Kusam LLP	90303390	42,750.00
		<b>KM 2040</b>	2/3/4 Wire Digital Earth Resistance Tester With Soil Resistivity, Earth Resistance: 20.9KΩ. Earth Voltage	Kusam Ele	90303390	20,390.00
		<b>KM 1520</b>	2/3 Wire Earth Resistance Tester, Range 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	90303390	17,400.00
		<b>KM 1520A</b>	2/3 Wire Digital Earth Resistance Tester, 4000 counts, Earth Resistance: Range : 0-40/400/4000Ω, Earth Voltage : 0-400V AC (40-500Hz)	Kusam LLP	90303390	20,925.00
10		<b>ANALOG EARTH RESISTANCE TESTERS</b>				
		<b>KM 1105ER</b>	ANALOGUE EARTH RESISTANCE Earth Resistance:Range upto 1200 Ω Test Frequency 820Hz	Kusam LLP	90303390	20,475.00
11		<b>CLAMP-ON EARTH RESISTANCE TESTERS</b>				
		<b>KM 1720+</b>	Clamp On Earth Resistance Tester With PC interface. Leakage Current Range : 20A , Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	27,550.00
		<b>KM 1720</b>	Clamp On Earth Resistance Tester With Leakage Current Range : 20A, Earth Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	26,600.00
		<b>KM 1620</b>	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	23,750.00
NEW		<b>KM 1690</b>	Clamp Ground Resistance Tester. Ground Resistance range : 0.01Ω ~ 1200Ω. Clamp Size 55 x 32 mm. Data Logging Function. Explosion Proof Casing.	Kusam LLP	90303390	36,000.00
NEW		<b>KM 1790</b>	Clamp Ground Resistance Tester, Ground Resistance range : 0.01Ω ~ 1200Ω, Leakage Current Range : 0.00mA ~ 20.0A, Data Logging Function. Clamp Size 55 x 32 mm.	Kusam LLP	90303390	34,300.00
NEW		<b>KM 1820EX</b>	Flameproof Casing Clamp-on Earth Resistance Tester, Resistance range : 0.010Ω ~ 1200Ω, Ex-Mark Ex ia II BT3Ga. Clamp Size 65 x 32 mm.	Kusam LLP	90303390	38,000.00
NEW		<b>KM 1920</b>	4 Wire Ground Pile Type Earth Resistance Tester combined with Clamp-on Type Earth Resistance Tester	Kusam LLP	90303390	70,875.00
12		<b>ONLINE EARTH RESISTANCE TESTERS</b>				
		<b>1780KC</b>	Explosion-proof Split Type Ground Resistance On-Line Detector	Kusam LLP	90258090	37,000.00
		<b>1680C</b>	4 Digit LCD Display Non-Contact Grounding Resistance Online Tester With Display . Range : 0.01Ω ~ 200Ω	Kusam LLP	90303390	34,100.00
13		<b>DIGITAL LOOP IMPEDANCE TESTER</b>				
NEW		<b>KM 5208LP</b>	Loop Impedance Tester, Loop Impedance Range : 20Ω / 200Ω / 2000Ω, Prospective Short-circuit Current : 20KA / 2000A / 200A	Kusam LLP	90303390	22,050.00

## A PRICE LIST 05/07/2024

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE	
14	<b>NON-CONTACT HIGH VOLTAGE DETECTORS &amp; PERSONAL SAFETY DETECTORS</b>					
	KM 275HP	High Voltage Non-Contact Proximity Detector with 8 Voltage setting from 240V- 275KV	Kusam LLP	90318000	13,300.00	
	KM 278HP-500KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 500KV With IP 65.	Kusam LLP	90318000	14,075.00	
	KM 278HP-275KV	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 275KV With IP 65.	Kusam LLP	90318000	13,900.00	
	KM 273HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV-132kV	Kusam LLP	90303390	7,225.00	
15	<b>PHASING STICKS</b>					
	KM-MPS-50K	50 KV AC / DC High Voltage Multifunction Phasing Sticks with Digital Display.	Kusam LLP	90303390	98,500.00	
	PC 44KV	44KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	1,42,550.00	
	PC 33KV	33KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	1,24,425.00	
	PC 22KV	22KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	1,15,250.00	
	PC 11KV	11KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	1,05,900.00	
	PC 7KV	7KV High Voltage Multifunction Phasing Sticks with Analog Display	Kusam LLP	90303390	98,875.00	
<b>ACCESSORIES TO BE USED WITH PHASING STICK MODEL PC44KV/PC 33KV/22KV/11KV/PC7KV</b>						
	TER-40mm	Piercing Tip 40mm(Pair)	Kusam LLP		1,900.00	
	TER-70mm	Piercing Tip 70mm (Pair)	Kusam LLP		1,900.00	
	PC-160	Right Angle Adaptors It can be semi-disconnected for storage into the case (Pair)	Kusam LLP		23,475.00	
	ADP-PCXXK	Adaptor	Kusam LLP		800.00	
	TER-213 100mm	Contact Type Terminal 100mm	Kusam LLP		1,675.00	
	TER-213 60mm	Contact Type Terminal 60mm	Kusam LLP		1,200.00	
	TER-213 40mm	Contact Type Terminal 40mm	Kusam LLP		800.00	
16	<b>DISCHARGE ROD (RESISTIVE TYPE)</b>					
NEW		KM-DSR-35K	35 KV Resistive Type Discharge Rod	Kusam LLP	39269099	26,325.00
NEW		KM-DSR-50K	50 KV Resistive Type Discharge Rod	Kusam LLP	39269099	29,050.00
NEW		KM-DSR-100K	100 KV Resistive Type Discharge Rod	Kusam LLP	39269099	39,200.00
17	<b>TEST &amp; MEASURING INSTRUMENTS</b>					
A)	<b>BATTERY QUALITY ANALYSER / TESTER</b>					
 	KM 930	Battery Internal Resistance Tester. Temp. range : -10.0°C ~ 60.0°C. Resistance Range : 0.000mΩ ~ 3 Ω, Voltage Measurement. Data Logging with PC Interface.	Kusam LLP	90303390	46,950.00	
	KM 900	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, With Battery Range 100V/1200Ah. Current measurement with Model CA 500 AC/DC Current Clamp Adaptor.	Kusam Ele	90303390	2,59,200.00	
	KM 900 C	BATTERY QUALITY ANALYZER, Battery Impedance, Voltage, Temperature, DC Current Measurement, Capacity Measurement, With Battery Range 100V/6000Ah & AC Ripple Current measurement. Current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/6000Ah & AC Ripple Current measurement	Kusam Ele	90303390	3,02,400.00	
B)	<b>DIGITAL ELCB TESTERS</b>					
 	KM 1812 EL-A	Digital ELCB Tester - 240Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	19,900.00	
	KM 1812 EL-B	Digital ELCB Tester - 230Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	19,900.00	
	KM 1812 EL-C	Digital ELCB Tester - 220Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	19,900.00	
	KM 1812 EL-D	Digital ELCB Tester - 110Vac, Leakage Current from 3mA to 500mA	Kusam LLP	90318000	19,900.00	
		Test Leads for KM 1812EL	Kusam LLP	90318000	2,825.00	
	KM 6221	3 Phase Digital ELCB Tester - , Leakage Current	Kusam LLP	90318000	Against Enquiry	
	KM 2820 EL	Digital ELCB Tester - 100-450V, Leakage Current upto 1A.	Kusam LLP	90318000	47,000.00	
NEW	KM 582	Digital RCD (ELCB) Tester suitable for single-phase circuits. Range : 10mA to 500mA. Voltage Measurement Range : 30V-600V, 45Hz ~65Hz	Kusam LLP	90318000	12,400.00	

**A PRICE LIST 05/07/2024**






SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE	
18	<b>TORQUE WRENCH</b>					
		KM-NGM-10	10N Mini Digital Torque Wrench	Kusam Ele	82041120	9,950.00
		KM-NGM-30	30N Mini Digital Torque Wrench	Kusam Ele	82041120	10,150.00
		KM-NGM-100	100N Mini Digital Torque Wrench	Kusam Ele	82041120	11,700.00
		KM-NG-030	30N Digital Torque Wrench	Kusam Ele	82041120	17,150.00
		KM-NG-060	60N Digital Torque Wrench	Kusam Ele	82041120	19,300.00
		KM-NG-200	200N Digital Torque Wrench	Kusam Ele	82041120	21,850.00
19	<b>VERNIER CALIPER</b>					
		KM-VC-5200	200mm Digital Vernier Caliper	Kusam Ele	90173010	5,450.00
		KM-VC-5300	300mm Digital Vernier Caliper	Kusam Ele	90173010	8,300.00
20	<b>LABORATORY INSTRUMENTS</b>					
A)	<b>DIGITAL STORAGE OSCILLOSCOPE</b>					
		KM 2102CEX+	100MHz 2 Channels Digital Storage Oscilloscopes	Kusam LLP	90302000	32,950.00
		SSA3032X	Spectrum Analyser TG-SSA3000X (Tracking generator kit ) UKITSSA3X( Utility Kit)	Kusam Ele	90302000	2,54,575.00
B)	<b>DIGITAL MICRO OHM METER</b>					
NEW		KM OHM 8501E	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.01mΩ~30.00KΩ. Resolution : 10μΩ.	Kusam LLP	90303390	18,825.00
NEW		KM OHM 8501	Digital DC Micro Ohm Meter. Output Current : 1A, Resistance range : 0.001mΩ~300.0KΩ. Resolution : 1μΩ	Kusam LLP	90303390	25,050.00
NEW		KM OHM 8502	Handheld DC Micro Ohm Meter (10A). Resistance range : 10.0mΩ ~ 50.00KΩ. Resolution : 0.1 μΩ	Kusam LLP	90303390	53,350.00
NEW		KM-8500-1	4 ½ digit Digital Display 1A Micro Ohm Meter. Resolution : 1μΩ	Kusam LLP	90303390	42,500.00
NEW		KM-8500-10	4 ½ digit Digital Display 10A Micro Ohm Meter. Resolution : 0.1μΩ.	Kusam LLP	90303390	57,525.00
NEW		KM-8500-100	3.5 Digit LED display 100 Amp DC Constant Current Source Digital Contact Resistance Meter (Micro - Ohm Meter)	Kusam LLP	90303390	1,25,125.00
C)	<b>CT PT ANALYSER</b>					
NEW		KM-201P	CT-PT Analyser	Kusam Ele	90303390	15,18,480.00
D)	<b>DC REGULATED POWER SUPPLY</b>					
		KM-PS-302	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele	90318000	5,025.00
		KM-PS-303	DC Power Supply-0-30V, 3A Single O/P	Kusam Ele	90318000	5,350.00
		KM-PS-305	DC Power Supply-0-30V, 5A Single O/P	Kusam Ele	90318000	5,900.00
		KM-PS-3010-AB	DC Power Supply-0-30V, 10A Single O/P fixed output 5V/2A	Kusam Ele	90318000	14,100.00
		KM-PS-302D-II	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele	90318000	10,150.00
		KM-PS-303D-II	DC Power Supply-0-30V, 3A Dual O/P	Kusam Ele	90318000	11,700.00
		KM-PS-305D-II	DC Power Supply-0-30V, 5A Dual O/P fixed output 5V/3A	Kusam Ele	90318000	14,725.00
21	<b>ENVIRONMENTAL TESTING INSTRUMENTS</b>					
New	<b>DIGITAL THERMO ANEMOMETER</b>					
		KM 735	Hot Wire Anemometer Air Velocity: 0-25 m/s (0-5000ft/min)	Kusam Ele	90303390	20,750.00
		KM 734 MK-1	Air Velocity/Flow/Temperature Thermal anemometer, for very low air velocity measurement.	KM / Kusam Ele	90318000	14,650.00






**A PRICE LIST 05/07/2024**

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE
<b>B)</b>	<b>CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION &amp; SIGNAL CABLES</b>				
	<b>KM-CFPL-620</b>	Portable Under ground Cable Fault Pre-Locator : Measurement Mode TDR Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m)	Kusam Ele	90318000	90,750.00
	<b>KM-CFPL-612</b>	Hand Held Cable Fault Pre-Locator Pause Testing Method (TDR) Pulse Test Range (m) : 8km (4,16,32 optional)	Kusam Ele	90318000	86,400.00
<b>C)</b>	<b>THERMAL IMAGING CAMERA</b>				
	<b>TG-301</b>	Hand Held Thermal Camera with 128(H) x 160(V) pixel 1.77 inches TFT-LCD Display Temp. -30°C ~650° C	Kusam Ele	90275090	32,400.00
	<b>KM 302</b>	Hand Held Thermal Camera with 120 x 90 pixel Low Temperature : - 20 ~ 150°C , High Temperature : 120 ~ 400°C	Kusam Ele.	90278090	27,500.00
	<b>TG-304</b>	Infrared Thermal Imaging Camera Temperature range : -20°C~450°C (-4°F ~ 842°F) Infrared image resolution : 220x160	Kusam Ele.	90278090	63,325.00
	<b>KM 308</b>	Infrared Thermal Imaging Camera Temperature range : -10°C~600°C (14°F ~ 842°F) image resolution : 320x240	Kusam Ele	90275090	92,900.00
	<b>KM 309</b>	Infrared Thermal Imaging Camera Temperature range : -10°C~450°C (14°F ~ 842°F) Infrared image resolution : 220x160	Kusam Ele	90275090	56,150.00
	<b>KM 321</b>	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 384x288	Kusam Ele	90275090	4,19,000.00
	<b>KM 322</b>	Infrared Thermal Imaging Camera Temperature range : -20°C~600°C (customizable, up to 1600°C) Infrared image resolution : 640x480	Kusam Ele	90275090	8,27,750.00
<b>D)</b>	<b>PARTIAL DISCHARGE ACOUSTIC IMAGER</b>				
	<b>KM PDAI</b>	Partial Discharge Acoustic Imager	Kusam Ele	90275090	ON INQUIRY
	<b>KM PDAI-EX</b>	Intrinsically Safe Partial Discharge Acoustic Imager	Kusam Ele	90275090	ON INQUIRY
<b>22</b>	<b>DIGITAL PROCESS CALIBRATORS</b>				
 	<b>KM CAL-904MK1</b>	4-20mA Loop Calibrator (DCA, DCV)	Kusam LLP.	90303390	21,250.00
	<b>KM-CAL-811</b>	Temperature Calibrator (Source)(DCV,OHM,TC, RTD)	KM	90303390	22,425.00
	<b>KM-CAL-802</b>	Thermocouple Calibrator Source & Sink (DCV, TC)	KM / Kusam Ele	90303390	22,425.00
	<b>KM-CAL-803</b>	RTD Calibrator Source & Sink	KM	90303390	22,425.00
	<b>KM-CAL-814</b>	Voltage/mA Calibrator. Output : DC Voltage, DC Current.	KM	90303390	22,425.00
	<b>KM-CAL-815</b>	V / mA Calibrator. Output DC voltage. Measure DC current, DC Voltage.	KM / Kusam Ele	90303390	28,000.00
	<b>KM-CAL-905</b>	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,Pressure (Source & Sink)	KM	90303390	2,37,600.00
	<b>KM-CAL-905A</b>	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,(Source & Sink) & Without Pressure function)	KM	90303390	1,72,800.00
	<b>KM-CAL-906</b>	Digital High Precison Temperature Calibrator DCV, OHM, TC, RTD (Source & Sink)	KM	90303390	73,525.00
	<b>KM-CAL-907</b>	V/mA Process Calibrator (Source/Sink) DCV, DCA, Hz, Pulse, LOOP, Pressure	KM	90303390	73,525.00
	<b>KM-26</b>	Multifunction Process Calibrator with Data Storage 1200 Groups	Kusam Ele	90303390	3,00,000.00
	<b>KM-26H</b>	Multifunction Process Calibrator with Data Storage 1200 Groups & HART communication	Kusam Ele	90303390	3,50,000.00

**A PRICE LIST 05/07/2024**

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE	
23	<b>POWER &amp; HARMONICS ANALYSER - PORTABLE TYPE</b>					
	 <b>KM 2300</b>	<b>Class 'A'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele	90303390	3,78,500.00	
		<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.				
	 <b>KM 2100</b>	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.	Kusam Ele	90303390	1,84,000.00	
		<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 50 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.				
	 <b>KM 2200</b>	<b>Class 'S'</b> Multifunction Power & Harmonics Analyser with band width of 50 Hz nominal <b>Basic Meter :</b> Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele	90303390	1,56,500.00	
		<b>Three Phase Power Quality Analyzer with Touch Screen (Economical)</b> Voltage / ACV (Vrms, Vpk), Current / ACA (Irms, Ipk), Frequency, Harmonic, Active power (P), Reactive power(Q), Apparent power(S), Power Factor (PF), cosΦ (DPF), Active energy (EP), Reactive energy (EQ), Apparent energy(ES), Dips / swell				
	 <b>KM 2400</b>	<b>Basic Meter KM 2100 &amp; KM 2200 &amp; KM 2300 includes the following :</b> User Manual & basic program software in CD 2 meter long voltage cable (with 4mm banana plug) x 5 pc. Crocodile clip x 5 pc. Power Adaptor, Power cord , Bag & Battery x 1 pc.	Kusam Ele	90303390		
		<b>OPTIONAL CURRENT CLAMPS FOR KM 2100, KM 2200 &amp; KM 2300 :</b> Current Clamp ST08 - 5A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b> Current Clamp CTC0080 - 50A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b> Current Clamp CTC0130 - 100A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b> Current Clamp CTC1535 - 1000A AC <b>(KM 2100 / KM 2200 / KM2300)</b> Current Clamp 035AD-1000A AC / DC <b>(KM 2100 / KM 2200 / KM2300)</b> Current Clamps 068AD-1500A AC/DC <b>(KM 2300)</b> Rogowski Clamps - SY-1500A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b> Rogowski Current Coil - PY-3000A AC <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b> Rogowski Current Coil - PY-5000A AC <b>(KM 2100 / KM 2200)</b> Rogowski Current Coil - SY-6000A AC <b>(KM 2300 / KM 2400)</b> Magnetic Voltage Adaptor <b>(KM 2100 / KM 2200 / KM2300 / KM2400)</b>				
	NEW					
	NEW					
	24	<b>MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)</b>				
		 <b>KM 7200-A</b>	Multifunction Power Meter with 3 display (Size 144 x 144mm) (Basic Meter)	Kusam Ele	90303390	30,450.00
			<b>KM 7200-C</b>	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam Ele	90303390

**A PRICE LIST 05/07/2024**

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT A PRICE	
25	<b>MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)</b>					
		<b>KM 8100-A</b>	Multifunction Power Meter (Basic Meter) (12 Display)	Kusam Ele	90303390	37,600.00
		<b>KM 8100-C</b>	Multifunction Power Meter + Harmonics Display	Kusam Ele	90303390	40,600.00
	<b>Optional Functions FOR MODEL KM-8100 &amp; KM 7200</b>					
			4 Units of Hi / Lo Setting	Kusam Ele	90303390	10,800.00
			4 Units of Analog outputs	Kusam Ele		12,950.00
			Plus Output	Kusam Ele		6,475.00
			Aux. Supply DC 24V	Kusam Ele		ON Enquiry
26	<b>MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm)</b>					
		<b>KM-PM-100</b>	KM-PM-100-3-2-4-0-6 "KUSAM MECO" DIGITAL MULTIFUNCTION POWER METER	<b>Kusam Ele.</b>	90318000	20,750.00
			Input Voltage : 55-600V (L-L)			
			Input Current : 5A			
			Out Put Signal : RS-485 MODBUS RTU			
			Alarm Setting : None			
			Aux. Power : AC/DC 85 ~ 265V			
		<b>KM-PM-100D</b>	KM-PM-100 with Control Demand Function	<b>Kusam Ele.</b>	90318000	52,000.00
		<b>KM-PM-100H</b>	KM-PM-100 Meter with Harmonics Function	<b>Kusam Ele.</b>	90318000	32,625.00
	<b>Optional Functions (EXTRA CHARGES)</b>					
			KM-PM-100 Meter with Harmonics Function			12,950.00
		4 Sets Of DC 4-20mA			12,950.00	
		4 Sets Alarm Function			10,800.00	
		Pulse Function			6,475.00	
		Micro SD			On Enquiry	
		Ethernet Function			On Enquiry	
27	<b>DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY)</b>					
		<b>KM-PFR-9-06</b>	Automatic Power Factor Regulator (6 step) Sequence Based	Kusam Ele	85372000	14,100.00
		<b>KM-PFR-S-9-04</b>	Automatic Power Factor Regulator (4 step) KVAR Based	Kusam Ele	85372000	6,150.00
		<b>KM-PFR-S-9-08</b>	Automatic Power Factor Regulator (8 step) KVAR Based	Kusam Ele	85372000	6,575.00
	<b>INSTALLATION CHARGES</b>					
		For Power Meter & Power Factor Regulator (Per Man / Day)			ON INQUIRY	

All prices are subject to change without prior notice.