

(₹) PRICE LIST
W.E.F. 30/05/2026

Rev No.: 29



**TEST AND MEASURING INSTRUMENTS
ENVIRONMENTAL AND OTHER INSTRUMENTS**

Affordable, Accurate, Precise & Reliable instruments... since 1982

Pioneers and Experts in Test and Measuring Instruments...

THINK METERS, THINK MECO-G

**GOLIYA INSTRUMENTS PRIVATE LTD.
MUMBAI**

TEST AND MEASURING INSTRUMENTS

(₹) PRICE LIST W.E.F. 30/05/2026

A. PALM SIZE / POCKET SIZE DIGITAL MULTI-METERS (AUTO / MANUAL / TRMS)				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-36B	3½ Dgt. 2000 Counts Multimeter with Backlight, Diode Test, Continuity, Resistance, APO, Battery check and Date hold	765	1530
2	R-36C	3½ Dgt. 2000 Counts Multimeter with Backlight, Diode Test Temperature, Data Hold, Resistance, Continuity and APO	DISCONTINUED	
3	R-801T	3½ Dgt. 6000 Counts Trms Auto-Ranging Multimeter with Capacitance, Frequency, Duty Cycle, hFE, Data Hold, Backlight, Max. Hold, Temperature	1530	3060

B. PROFESSIONAL DIGITAL MULTI-METERS (AUTO / MANUAL / TRMS)				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-603A	3½ Dgt. 2000 Counts Trms Multimeter with APO, LIVE, Capacitance, Diode Check, Continuity Check, Resistance, Square Wave Output, Hz	1350	2700
2	R-603B	3½ Dgt. 2000 Counts Multimeter with APO, Capacitance, Temperature, Frequency, Diode Test, Continuity, Resistance	DISCONTINUED	
3	R-909T	3½ Dgt. 6000 Counts Trms Auto-Ranging Multimeter with NCV, Capacitance, Frequency, Duty Cycle, hFE, Backlight, Max. Hold., Relativity, Temperature, Data Hold	2280	4560

C. DIGITAL CLAMP-METERS (AUTO / MANUAL / TRMS) (Small)				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-2700T rms	3½ Dgt. 6000 Counts 300AAC Trms Clampmeter with Temperature, Frequency, Duty Cycle, Capacitance, Resistance, Backlight, Data Hold	2520	5040
2	R-27AT	3¾ Dgt. 4000 Counts 600AAC Trms Clampmeter with Temperature, Duty Cycle, Capacitance, NCV, Resistance, Backlight, Data Hold	1135	2270
3	R-2070C	3½ Dgt. 6000 Counts 600AAC Trms Clampmeter with Temperature, Frequency, Duty Cycle, Capacitance, NCV, Resistance, Backlight, Data Hold	1440	2880
4	R-2070D	3½ Dgt. 6000 Counts 600AAC/DC Trms Clampmeter with Temperature, Frequency, Duty Cycle, Capacitance, Resistance, Backlight, Data Hold	3330	6660

D. DIGITAL CLAMP-METERS (AUTO / MANUAL / TRMS)				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-2025	3½ Dgt. 2000 Counts 1000AAC Clampmeter with APO, Data Hold, Continuity Check, Resistance, Backlight	1445	2890
2	R-2025 Thz	3½ Dgt. 6000 Counts 1000AAC Trms Clampmeter with Resistance, Diode Test, Temperature, Frequency, Duty Cycle, Capacitance, APO, hFE	1890	2646
3	R-1818T	3½ Dgt. 6000 Counts 1000AAC/DC Trms Clampmeter with Resistance, Diode Test, Temperature, Frequency, Duty Cycle, Capacitance, APO, hFE	3600	7200

E. DIGITAL EARTH TESTER				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-DET216A	3½ Dgt. 2000 Counts 10Ω - 1000Ω with Rechargeable Batteries	3051	6102

TEST AND MEASURING INSTRUMENTS

(₹) PRICE LIST W.E.F. 30/05/2026

F. DIGITAL INSULATION TESTER				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	R-DT903A-1	1KV Digital Insulation Tester (250/500/1000V) (0-200MΩ/2000MΩ) with VAC / VDC Voltage Check, 2000Ω Check, Backlight, Carry Case, Battery and Test Leads.	4158	8316
2	R-DIT936	2.5KV Digital Insulation Tester (100/250/500/1000/2500V) (0-200MΩ/500MΩ/1GΩ/20GΩ/49.9GΩ) with VAC Voltage Check Backlight, Carry Case, Battery and Test Leads.	5220	10440
3	R-DIT945K-1	5KV Digital Insulation Tester (100/250/500/1000/2500/5000V) (0-20MΩ/200GΩ) with Backlight, Carry Case, Battery, test Leads 12VDC adaptor	11500	23000

G. ENVIRONMENTAL TESTING INSTRUMENTS				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	IR-550	Infrared Thermometer - (-32°~550°C) (-26°F ~ 1022°F) with Laser, APO, Adjustable Emissivity, Backlight, Low Battery Indication Max/Min Function,	999	1998
2	IR-1050	Infrared Thermometer - (-32°~1050°C) (-26°F ~ 1922°F) with Laser, APO, Adjustable Emissivity, Backlight, Low Battery Indication Max/Min Function,	ON REQUEST	
3	IR-1350	Infrared Thermometer - (-32°~1350°C) (-26°F ~ 2462°F) with Laser, APO, Adjustable Emissivity, Backlight, Avg. Func., Max/Min Function, Backlight, Low Battery Indication, Data Storage, High/Low Temperature with Alarm Setting Diff. Function	ON REQUEST	
4	LX-50B	Lux Meter 0-50,000 Lux with 3 Ranges, Hold and APO	1701	3402
5	PG-99	POWER GUARD having Indian Plug-Socket with Backlight to display Watts (W) (0.2~2300W), P.F. , Co2, Frequency, Kwh, Voltage (V) (180~260VAC) and Amps (A) (0.001mA~10A max.)	1539	4310
6	R-EMR	ELECTRO-MAGNETIC RADIATION TESTER Electric Field and Magnetic Field checking of Radiation Over range indication, Testing Bandwidth 5Hz ~ 3500MHz	2835	5670
7	R-2034A	NON-CONTACT TACHOMETER (RPM METER) (2.5~99999RPM)	2286	4572
8	R-2241A	CONTACT / NON-CONTACT TACHOMETER (COMBINED) Non-Contact (Photo) Tachometer: 2.5~99999RPM Contact Tachometer: 0.5~19999RPM Surface Speed: 0.05~1999.9m/Min Surface Distance: 0.05~99999m	2862	5724
9	R-63A	VIBRATION METER (HANDHELD) Measurement of Acceleration, Velocity & Displacement	15120	30240
10	R-108A	COATING THICKNESS METER (1.80mm) for use of FERROUS AND NON FERROUS MATERIALS	4725	9450
11	R-180A	COATING THICKNESS METER (1800μm) for use of FERROUS AND NON FERROUS MATERIALS	8127	16254
12	R-126	DIGITAL SOUND LEVEL METER (dBa) 35dB - 130dB (31.5 Frequency to 8K Frequency), MAX / MIN / HOLD, Over Range, Back-light, Auto Power Off	1926	3852

TEST AND MEASURING INSTRUMENTS

(₹) PRICE LIST W.E.F. 30/05/2026

G. ENVIRONMENTAL TESTING INSTRUMENTS				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
13	R-135	DIGITAL SOUND LEVEL METER (dBC & dBA) 35dB - 130dB (31.5 Frequency to 8K Frequency), MAX / MIN / HOLD, Over Range, Back-light, Auto Power Off	4041	8082

H. LCR METER				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	LCR-4077	LCR Meter Inductance: 200μH ~ 200H, Resistance: 20Ω ~ 20MΩ Capacitance: 200pF ~ 2000μF, With Zero Adjuster, Large Display, APO, HOLD	4950	9900

I. ACCESSORIES				
Sr.	MODEL	DESCRIPTION	LIST PRICE (₹)	MRP (₹)
1	CT-600	CLAMP ON ADAPTOR for measuring upto 600AAC	605	1210
2	AD-1	DC POWER ADAPTOR for R-DT903-1A / R-DET9	265	530
3	TL-1	TEST LEADS	100	200
4	TL-2	TEST LEADS	50	100
5	P-1	Carrying Case for all other instruments	50	100
6	P-2	Carrying Case for R-DT903A-1 & R-DET216	110	220
7	KTDET	Earth Resistance Measuring Kit for R-DET216	1200	2400

J. CALIBRATION CHARGES (TRACEABLE UPTO NPL STANDARDS)				
1	R-36B/C			300
2	R-603A, R-603B, R-801T, R-909T, R-27AT, R-2070C, R-2700Trms			350
3	IR-550, R-2070D, R-2025THz, R-1818T			400
4	R-DT903A-1 / R-DET216			500

TERMS AND CONDITIONS

(₹) PRICE LIST W.E.F. 30/05/2026

Business Terms and Conditions

- This Price List supersedes all our Previous Price List
- Order to be placed on M/s. **GOLIYA INSTRUMENTS PRIVATE LTD.**, 311, BHARAT INDUSTRIAL ESTATE, T.J. ROAD, SEWREE (W), MUMBAI - 400015
- All products are guaranteed for 12 months against defective workmanship as per our standard guarantee policy.
- This Price List is subject to Mumbai Jurisdiction only.
- Prices are subject to change without notice.

Commercial & Taxes

- Prices are Ex-Works (Mumbai). Packing, forwarding, freight, insurance, bank charges, local town duties, demurrage, overdue interest and other incidental expenses shall be extra.
- Minimum order value is Rs. 7500.00, otherwise handling charges of Rs. 150.00 will be extra per order.
- Please provide complete specification and reference number with date of our correspondence at the time of placing order.
- TAXES (GST):
- For Maharashtra: GST @ 18% (CGST @ 9% + SGST @ 9%)
- Rest of India: GST @ 18% (IGST @ 18%)

Please Mention the following in your Purchase Order:-

1. GSTIN Number, CIN Number, PAN Number
2. Buyers Company Name, Billing Address, Contact Person Name and Mobile Number.
3. Consignee Company Name, Delivery Address, Contact Person Name and Mobile Number.
4. Transport / Freight Details.
5. Insurance Details

Registration Details / Numbers

GSTIN	TIN	CIN	PAN
27AAACG1870H1ZQ	27760356781	U29210MH1982PTC026691	AAACG1870H

Payment and Bank Details.

- 100% Payment against Proforma Invoice by DD or Cheque payable at Mumbai or 100% payment against documents through bank. Your bank charges to your Account. Documents to be retired within 7 days from the date of presentation by bank, otherwise interest @ 18.00% p.a. will be charged extra.
- In case of non - standard products or non - familiar customers, the payment terms will be 50% in advance with the order and balance payment against Proforma Invoice prior to dispatch of goods.
- Our bank details are as below, kindly inform payment details by E-mail after remitting the payment. Goods will be dispatched within 2-3 working days thereafter.

Beneficiary Name	GOLIYA INSTRUMENTS PRIVATE LTD.
Bank Name	KOTAK MAHINDRA BANK LIMITED, MATUNGA BRANCH
Bank Address	RAJ NIKETAN, BHANDARKAR ROAD, MATUNGA, MUMBAI - 400019
A/C Number	1212600708
NEFT & IFSC	KKBK0000644
MICR Code of Bank	400485049
Account Type	Overdraft Cash Credit / OCC

Calibration

- Instruments undergo calibration via a series of internal standards, ensuring traceability to National Standards. However, the issuance of a calibration and traceability certificate is contingent upon specific requests and incurs additional charges. Kindly inquire about this service during the ordering process for detailed information.

Service Center:

Mumbai - M/s. **GOLIYA IMPEX**

316, BHARAT INDUSTRIAL ESTATE, T.J. ROAD, SEWREE (W), MUMBAI - 400015

Tel: +91-22-24149657, 24179467 E-mail: repairs@goliyainstruments.com

TERMS AND CONDITIONS

(₹) PRICE LIST W.E.F. 30/05/2026

Business Terms and Conditions

- This Price List supersedes all our Previous Price List
- Order to be placed on M/s. **GOLIYA IMPEX**, 316, BHARAT INDUSTRIAL ESTATE, T.J. ROAD, SEWREE (W), MUMBAI - 400015
- All products are guaranteed for 12 months against defective workmanship as per our standard guarantee policy.
- This Price List is subject to Mumbai Jurisdiction only.
- Prices are subject to change without notice.

Commercial & Taxes

- Prices are Ex-Works (Mumbai). Packing, forwarding, freight, insurance, bank charges, local town duties, demurrage, overdue interest and other incidental expenses shall be extra.
- Minimum order value is Rs. 7500.00, otherwise handling charges of Rs. 150.00 will be extra per order.
- Please provide complete specification and reference number with date of our correspondence at the time of placing order.
- TAXES (GST):
- For Maharashtra: GST @ 18% (CGST @ 9% + SGST @9%)
- Rest of India: GST @ 18% (IGST @ 18%)

Please Mention the following in your Purchase Order:-

1. GSTIN Number, CIN Number, PAN Number
2. Buyers Company Name, Billing Address, Contact Person Name and Mobile Number.
3. Consignee Company Name, Delivery Address, Contact Person Name and Mobile Number.
4. Transport / Freight Details.
5. Insurance Details

Registration Details / Numbers

GSTIN	PAN
27AAMFG0230G1ZQ	AAMFG0230G

Payment and Bank Details.

- 100% Payment against Proforma Invoice by DD or Cheque payable at Mumbai or 100% payment against documents through bank. Your bank charges to your Account. Documents to be retired within 7 days from the date of presentation by bank, otherwise interest @ 18.00% p.a. will be charged extra.
- In case of non - standard products or non - familiar customers, the payment terms will be 50% in advance with the order and balance payment against Proforma Invoice prior to dispatch of goods.
- Our bank details are as below, kindly inform payment details by E-mail after remitting the payment. Goods will be dispatched within 2-3 working days thereafter.

Beneficiary Name	GOLIYA IMPEX
Bank Name	CANARA BANK, PAREL BRANCH
Bank Address	G.S. LANE, NR. SHISHU MANDIR, PAREL MUMBAI - 400012
A/C Number	0110261021777
NEFT & IFSC	CNRB0000110
MICR Code of Bank	400015055
Account Type	Overdraft Cash Credit / OCC

Calibration

- All instruments are calibrated through a chain of internal standards which are ultimately traceable to National Standards. However, calibration and traceability certificate is issued only against specific requirement at extra charges. Please inform at the time of inquiry / ordering.

Service Center:

Mumbai - M/s. **GOLIYA IMPEX**

316, BHARAT INDUSTRIAL ESTATE, T.J. ROAD, SEWREE (W), MUMBAI - 400015

Tel: +91-22-24149657, 24179467 E-mail: repairs@goliyainstruments.com