

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
ACIDITY TESTING KIT					
Acidity Testing Kit					
ATK	Testing Kit used to measure the Acidic content of Transformer Oil	2300	90314900	3105	https://metravi.com/wp-content/uploads/2020/09/Metravi-ATK-Acidity-Testing-Kit-Catalogue.pdf
ACOUSTIC IMAGERS					
Acoustic Imager					
AI-09	Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection, IP56 and free software with reports as per ISO-50001 and data analysis.	On Request	90275090	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-09-AI-09EX-Acoustic-Imager-Catalogue.pdf
AI-09EX	Explosion-proof Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection and free software with reports as per ISO-50001 and data analysis. With ATEX Certification. For use in hazardous environments.	On Request	90275090	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-09-AI-09EX-Acoustic-Imager-Catalogue.pdf
AI-1T	Industrial Acoustic Imager with Thermal Imager module for detecting/diagnosing gas leakage, partial discharge, featuring 128 MEMS microphone, with 7" Touchscreen, Visual Camera for Photos & Videos, rated IP5X, Data Storage capabilities, removable Rechargeable Battery and USB Interface.	On Request	90275090	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-1-PRO-AI-1T-Acoustic-Imager-with-Thermal-Imager-Catalogue.pdf
AI-1	Industrial Acoustic Imager for detecting/diagnosing gas leakage, partial discharge, featuring 128 MEMS microphone, with 7" Touchscreen, Visual Camera for Photos & Videos, rated IP5X, external Data Storage capabilities, removable Rechargeable Battery and USB Interface.	On Request	90275090	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-1-PRO-AI-1T-Acoustic-Imager-with-Thermal-Imager-Catalogue.pdf
PRO AI-10	Handheld, Explosion-proof Industrial Acoustic Imager for ultrasound detection of gas leakages, partial discharge and other applications with 96 sensitive Microphones, Touchscreen, Photos & Video storage, IP56 protection, ATEX Certification, WiFi & USB interface and Rechargeable Battery. Can be used in hazardous environments.	On Request	90275090	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-10-Acoustic-Imager-Catalogue.pdf
BATTERY TESTER					
Battery Impedance Tester					
TM-6002	Battery Impedance Tester to check Battery internal resistance, Voltage, Current and temperature, with 9999 memory, with PC Interface cable and software	99000	90303900	133650	https://www.metravi.com/wp-content/uploads/Metravi-TM-6002-Battery-Impedance-Tester-Catalogue.pdf
BT-200	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With backlit LCD display. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	2450	90309090	3308	https://www.metravi.com/wp-content/uploads/Metravi-BT-200-BT-220-Battery-Analysers-Catalogue.pdf
BT-220	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With high definition colour LCD display. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	3700	90309090	4995	https://www.metravi.com/wp-content/uploads/Metravi-BT-200-BT-220-Battery-Analysers-Catalogue.pdf
BT-900	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With high definition colour LCD display and built-in Thermal Printer. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	10800	90303900	14580	https://www.metravi.com/wp-content/uploads/Metravi-BT-900-Battery-Analyser-With-Built-in-Printer-Catalogue.pdf
CABLE FAULT LOCATOR					
Cable Fault Locator					
CFL-01	Digital Cable and Cable Fault Locator featuring a Transmitter and Receiver used to detect or trace conductors and find short faults in them.	21000	90303390	28350	https://www.metravi.com/wp-content/uploads/Metravi-CFL-01-Cable-Fault-Locator-Catalogue-Web.pdf
CFL-02	Digital Cable Fault Locator for Power, Control and Telecom Cables buried underground, to pinpoint Open Circuit, Short Circuit and Medium/High Resistance Faults.	73000	90303390	98550	https://metravi.com/wp-content/uploads/2020/08/Metravi-CFL-02-Cable-Fault-Locator-with-Pipe-and-Cable-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
TDRL-912	Cable Fault Locator for Telecom Cables, measures exact fault location such as the broken line, cross faults, earthing, poor insulation and poor contact of the lead covered cables as well as plastic cables. With colour LCD display, Digital Gain Adjustment Control, Digital Waveform and rechargeable battery.	On Request	90303390	On Request	https://www.metravi.com/wp-content/uploads/Metravi-TDRL-912-Handheld-Telecom-Cable-Fault-Locator-Catalogue.pdf
PRO CFL-01A NEW!!	Cable Fault Locator to effortlessly track underground / hidden cables and wires upto 2.5 meters depth with Energised/Live wire detection up to 480V(AC/DC). Transmitter displays corresponding voltages (voltage of live cable: ≥8V), and Receiver simultaneously displays the signal strength, transmitter code, transmitter power level, low battery, etc., and supports up to 8 transmitters. Receiver Sensitivity is adjustable automatically or manually (3 levels). With built-in Flashlight, Backlit Displays, LED and buzzer indications, CE, RoHS certified, 1m drop-proof. Ideal tool for low-voltage cabling engineering, engineering and maintenance of metal conductors, etc.	17000	90303390	22950	https://www.metravi.com/wp-content/uploads/Metravi-PRO-CFL-01A-Cable-Fault-Locator-Catalogue.pdf
CABLE LOCATOR					
Cable Locator					
CL-2160A	Multi-frequency Cable Route Tracer & Locator serves as a Pipe and Cable Tracer for underground pipelines & cables without the need for excavations. For detecting position, direction and depth of underground water pipelines, metal pipelines and cables, the position and size of any damage points of the anticorrosion layer of steel pipelines, underground water pipelines, metal pipelines and cables.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-CL-2160A-Multi-Frequency-Cable-Route-Tracer-Catalogue-Web.pdf
PRO CL-2150 NEW!!	Explosion-proof Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection and free software with reports as per ISO-50001 and data analysis. With ATEX Certification. For use in hazardous environments.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-CL-2150-Cable-Route-Tracer-and-Locator-Catalogue.pdf
PRO CL-2150G NEW!!	Explosion-proof Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection and free software with reports as per ISO-50001 and data analysis. With GPS tracking & ATEX Certification. For use in hazardous environments.	On Request	90318000	On Request	
DC EARTH & GROUND FAULT LOCATOR					
DC Ground Fault Locator					
DCGFL-999 999kΩ	Earth and Ground Fault Locator for fast location of earth faults on the DC system, to avoid the damage in the event of a second fault. Directly locates earth faults, with no need to cut any cables. Current Waveform mode operation.	On Request	90303390	On Request	https://www.metravi.com/wp-content/uploads/Metravi-DCGFL-999-DC-Earth-and-Ground-Fault-Locator-Catalogue-Web.pdf
DCGFL-999 500kΩ	Earth and Ground Fault Locator for fast location of earth faults on the DC system, to avoid the damage in the event of a second fault. Directly locates earth faults, with no need to cut any cables. Current Waveform mode operation.	On Request	90303390	On Request	https://www.metravi.com/wp-content/uploads/Metravi-DCGFL-999-DC-Earth-and-Ground-Fault-Locator-Catalogue-Web.pdf
CALIBRATORS					
Calibrator					
CAL-400-3	Hand Held, 3-1/2 Digits, Battery Operated, 0 - 19.99 /24mA, -199.9mV to 199.9mV source and current & power measurement	6300	90318000	8505	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CAL-400-3-mV-mA-Calibrator-Catalogue.pdf
CAL-400-4	Hand Held, 4-1/2 Digits, Battery Operated, 0 - 199.9mV / 0 - 19.999mA sourcing and measuring range	9500	90318000	12825	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CAL-400-4-mV-mA-Calibrator-Catalogue.pdf
CAL-402-4	Bench type, 230V AC 50Hz Operated, 0 - 199.99mV / 1.9999 / 19.999V & 0 - 199.99u / 1.999m / 19.999mA Sourcing & Measuring	11500	90318000	15525	https://www.metravi.com/wp-content/uploads/Metravi-CAL-402-4-mV-mA-Calibrator-Catalogue-New.pdf
CAL-404-4 NEW!!	Bench type with Rechargeable Battery & 20,000 counts, 4 1/2 digit LED display. Source for 0 - 199.99mV / 1.9999V / 19.999V, 0 - 199.99μA / 1.9999mA / 19.999mA, RTD/PT100 (-50, -30, 0, 30, 50, 100, 150, 200, 300, 400, 600) °C. Measure 0-199.99mV / 1.9999V / 19.999V, 0 - 199.99μA / 1.9999mA / 19.999mA. With adjustable Coarse/Fine.	13800	90318000	18630	https://www.metravi.com/wp-content/uploads/Metravi-CAL-404-4-mV-mA-RTD-Calibrator-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CAL-408	Bench type RTD Calibrator, Outputs available at -200, -100, -50, -25, 0, 25, 50, 100, 150, 200, 300, 400, 500, 600 °C	9800	90318000	13230	https://metravi.com/wp-content/uploads/2020/08/Metravi-CAL-408-Bench-type-RTD-Calibrator-Catalogue.pdf
CAL-600	Hand Held, 4 Digits Large LCD Display, Measures and Provides output for 20mV / 100mV / 15V DC, Current output up to 24mA, 24V Loop Power, Resistance output and measurement and outputs for K, E, J, T, R, S, B, N & PT-100 types of thermocouples	13200	90318000	17820	https://www.metravi.com/wp-content/uploads/Metravi-CAL-600-Universal-Calibrator-Catalogue-May-2025.pdf
M-01S	5 Digits LCD Display, 0.05% accuracy, provides output only for DC Voltage, Resistance, Thermocouples - R, S, K, E, J, T, N, B, A, C, D and Thermal Resistance RTD - PT-100, PT-200, PT-500, PT-1000, Cu-50. The output temperature value and the corresponding temperature signal are displayed on the same screen. With Auto power-off, backlight, flashlight.	29500	90318000	39825	https://www.metravi.com/wp-content/uploads/Metravi-M-01S-mV-Thermocouple-RTD-Source-Calibrator-Catalogue.pdf
M-02S	5 Digits LCD Display, 0.05% accuracy, The measured / output temperature value and the corresponding temperature signal are displayed on the same screen. measures - DC voltage, resistance, thermocouple, thermal resistance RTD, on/off. 2W / 3W / 4W measurements are available for OHM and RTD. output - DC voltage, resistance, thermocouple, thermal resistance RTD, H/L settings are available for OHM excitation current. Thermocouples - R, S, K, E, J, T, N, B, A, C, D and Thermal Resistance - PT-100, PT-200, PT-500, PT-1000, Cu-50	29500	90318000	39825	
03+	5 Digits 0.5% Accuracy, Sources and Measures Resistance, PT-100 Sensor and Cu-50 Sensors	28400	90318000	38340	https://www.metravi.com/wp-content/uploads/Metravi-03-Plus-RTD-Calibrator-Catalogue.pdf
M-05S NEW!!	5 Digits, 0.05% Accuracy, Sources DC Current, Analogue Transducer & Loop Power and Measures DC Voltage, DC Current and Loop Power Supply. IP40 and 1m drop test.	31850	90303390	42998	https://www.metravi.com/wp-content/uploads/Metravi-M-05S-mV-mA-Loop-Calibrator-Catalogue.pdf
11+		85750	90318000	115763	https://metravi.com/wp-content/uploads/2020/08/Metravi-11-Thermocouple-Calibrator-Catalogue.pdf
14+	6 Digits, ±0.02% Accuracy, Sources and Measures DC Voltage, PT-100, Cu-50 Sensors and R, S, B, E, K, J, T & N types of Thermocouples.	85750	90303390	115763	https://www.metravi.com/wp-content/uploads/Metravi-14-Plus-Universal-Source-Thermocouple-Calibrator-Catalogue.pdf
15+	6 Digits, 0.2% Accuracy, Sources and Measures DC Voltage, DC Current, Analogue Transducer and LOOP Power.	85750	90318000	115763	https://www.metravi.com/wp-content/uploads/Metravi-15-Plus-mV-mA-Pressure-Calibrator-Catalogue.pdf
25 NEW!!	50,000 Counts, 0.2% Universal Calibrator for DC Voltage, Current, Resistance, Frequency, all thermocouples and thermo-resistance and for pressure	306250	90318000	413438	https://metravi.com/wp-content/uploads/2020/08/Metravi-25-Universal-Calibrator-Catalogue.pdf
709H	mA Loop Calibrator with HART COMMUNICATOR, Accuracy 0.01%	115000	90318000	155250	https://www.metravi.com/wp-content/uploads/Metravi-709H-Loop-Calibrator-with-HART-Communication-Catalogue.pdf
CAL-400 NEW!!	mV mA Calibrator for Measuring and Source of 100mV / 30V DC Voltage, 20mA DC Current and switching value measurements. Supports manual Step Output, Automatic Waveform Output, and allows for simultaneous display of Voltage (V), Current (mA), and percentage. Loop detection function, overload protection.	9600	90318000	12960	https://www.metravi.com/wp-content/uploads/Metravi-CAL-400-mV-mA-Calibrator-Catalogue.pdf
CAL-400T NEW!!	Universal Calibrator for Measuring and Source of 100mV / 30V DC Voltage, 20mA DC Current and switching value measurements. Supports manual Step Output, Automatic Waveform Output, and allows for simultaneous display of Voltage (V), Current (mA), and percentage. Loop detection function, overload protection. Supports 8 thermocouple types (R, S, B, K, E, J, T, and N) for both measurement and output, Temperature in °C/°F. Automatic and manual cold junction compensation.	10750	90318000	14513	https://www.metravi.com/wp-content/uploads/Metravi-CAL-400T-Universal-Calibrator-Catalogue.pdf
CAL-600H NEW!!	High precision Signal Generator, Multifunction Process Calibrator and Digital Multimeter all-in-one. Output simulation: 0/4-20mA source/passive, 0-11V, 0-110mV, 20-400Ω, R, E, S, K, J, B, T, N type thermocouple, PT1000, PT100, CU50, 24V outputs, frequency, etc. Measurement: -30+30V, -150- +150mV, -30mA to +30mA, 0-999.9Ω, R, E, S, K, J, B, T, N type thermocouple, PT100, Pt1000 CU50, 24V, 0-24mA, Ohm, frequency, etc. standard MODBUS Master, MODBUS Slave, Hart communicator or operator function.	16000	90318000	21600	https://www.metravi.com/wp-content/uploads/Metravi-CAL-600H-Multifunction-Process-Calibrator-Catalogue-030126.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO CAL-900 NEW!!	High-precision, multifunction, universal thermocouple & RTD calibrator for accurate sourcing & measurement. Supports 11 thermocouple types & 14 RTD/resistance types. Wide range of excitation current (0.05mA to 5mA) for RTD simulation. 2W/3W/4W connections, cold junction compensation, selectable °C/°F, fixed current calibration, Auto Step, Auto Ramp, Memory functions, Backlit dot matrix LCD.	75000	90318000	101250	https://www.metravi.com/wp-content/uploads/Metravi-Pro-CAL-900-Universal-Temperature-Calibrator-Catalogue-New.pdf
Vibration Calibrator					
VIB-CAL-01	Vibration Calibrator. Combines signal generator, power amplifier, standard transducer and a shaker in one housing and features a small size, high accuracy and easy operation.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-VIB-CAL-01-Handheld-Vibration-Calibrator-Catalogue.pdf
Earth Resistance Tester Calibrator					
CAL-ER	Earth Resistance Tester Calibrator. Used for calibrating grounding resistance testers, equipotential testers and other instruments which require a standard resistor.	34400	90318000	46440	https://www.metravi.com/wp-content/uploads/Metravi-CAL-ER-Earth-and-Ground-Tester-Calibrator-Catalogue.pdf
Sound Level Calibrator					
CEM SC-05	Sound Level Calibrator provides signals of 94dB and 114dB. Accurate and simple to use; Fits 1/2" diameter microphone.	11800	90309090	15930	https://www.metravi.com/wp-content/uploads/Metravi-CEM-SC-05-Sound-Level-Calibrator.pdf
Non-contact Tachometer Calibrator					
CE-0102TMC	Calibrator for Non Contact Tachometer for up to 199,999 RPM	15000	90292090	20250	
Infrared Thermometer Calibrator					
CEM BX-500	Black Body Source for Calibrating Infrared Thermometer from 50 to 500°C	85000	90318000	114750	https://www.cem-instruments.in/pdf/BX-500.pdf
Process Meter					
PM-29 NEW MODEL!!	4 & 5 digits Digital Multimeter with DC mV / Voltage / Frequency / Resistance / mA Calibrator and also provides output for all types of Thermocouples	51000	90303390	68850	https://www.metravi.com/wp-content/uploads/Metravi-PM-29-Process-Meter-with-Multimeter-Catalogue-Web.pdf
PM-39	5 Digits, Digital Multimeter combined with source for DC voltage, resistance, frequency, all kind of thermocouples, thermal resistance, and DC current. supply power to 24V circuits and meanwhile measure current; with built-in 250 Ω HART loop resistance	55000	90308990	74250	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PM-39-Process-Meter-Catalogue.pdf
Decade Box					
R-100	With 7 decades of Resistance ranges and slide switches to allow easy addition and subtraction of resistance values.	3980	90303100	5373	https://www.metravi.com/wp-content/uploads/Metravi-CEM-R-100-Resistance-Decade-Box-Catalogue.pdf
C-100	With 5 decades of Capacitance ranges and slide switches to allow easy addition and subtraction of capacitance values.	4980	90303100	6723	https://www.metravi.com/wp-content/uploads/Metravi-CEM-C-100-Capacitance-Decade-Box-Catalogue.pdf
Accessories for Calibrators					
709H-USB	USB communication interface cable and software for 709H	46000	90318000	62100	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-709H-mV-mA-Calibrator-with-HART-Communication-Catalogue.pdf
PM-S Series	Pressure Calibration Modules for 15+	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/METRAVI-PM-S-PRESSURE-CALIBRATOR-MODULES-FOR-15-PLUS-CALIBRATOR-CATALOGUE-WEB.pdf
CAPACITANCE METER					
Digital Capacitance Meter					
DCM-1502	3-1/2 Digits, LCD, Zero Adjustment, up to 20mF Capacitance Measurement	2850	90303100	3848	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DCM-1502-Digital-Capacitance-Meter-Catalogue-2.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CLAMP METER					
Analogue Clamp Meter					
M-300	Clamp Jaw Dia 34mm, AC/DC Voltage, AC Current up to 300A, Resistance & Temperature. Pointer Lock Facility, with temperature probe	2900	90303100	3915	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-M-300-Analogue-Clamp-Meter-Catalogue.pdf
M-600	Clamp Jaw Dia 34mm, AC/DC Voltage, AC Current up to 600A, Resistance & Temperature. Pointer Lock	3400	90303100	4590	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-M-600-Analogue-Clamp-Meter-Catalogue.pdf
M-1000	Clamp Jaw Dia 48mm, AC Voltage up to 600V, DC Voltage up to 300V, AC Current in the range of 0-50/250/500/1000A AC, Resistance up to 2000K. Ohms, Temperature, Audible continuity Test	5300	90303100	7155	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-M-1000-Analogue-Clamp-Meter-Catalogue.pdf
Digital AC Clamp Meter					
DT-225 PHASED OUT	3-3/4 Digits, Backlit LCD, Data Hold, Max Hold, 30mm Jaw Size, AC/DC Voltage, AC Current up to 400A, Resistance, Temperature, Frequency, Diode and Continuity Test. 500V DC/AC Protection in all ranges.	3010	90303100	4064	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-225-Non-contact-Voltage-Detector-Clamp-Meter-Catalogue.pdf
DT-225 NEW MODEL!!	2000 counts, Backlit LCD, T-RMS, 600V AC/DC, 400A AC, Capacitance upto 2mF, Resistance upto 20MΩ, Frequency, Continuity & Diode Test. Max / Min, Non-contact Voltage Detector (NCV), Live Wire detection, Jaw dia 26mm, CAT-III 600V, Auto Power-off, Input Polarity Indication, built-in Flashlight	1600	90303100	2160	https://www.metravi.com/wp-content/uploads/Metravi-DT-225-Digital-TRMS-AC-Clamp-Meter-2024-Model-Catalogue.pdf
DT-115	6000 Counts, Backlit LCD, With Flashlight, Autoranging, Auto Power Off, T-RMS, Non-contact voltage detection, Flashlight, Data Hold, 40 mm Jaw Size, AC/DC Voltage, AC Current up to 600A T-RMS, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test.	1975	90308990	2666	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-115-Digital-T-RMS-Clamp-Meter-Catalogue.pdf
DT-115A	6000 Counts Backlit LCD Display, Built-in Flashlight to access dark Areas, Non Contact Voltage Detection, Simple to use, Just provide the input and the instrument, detects the signal and displays the parameter, No Selection required, Just provide Input, Automatic Selection of AC/DC Voltage, Resistance, Capacitance, Diode Test, T-RMS, 600A T-RMS Measurements	2400	90303100	3240	https://www.metravi.com/wp-content/uploads/Metravi-DT-115A-Intelligent-Digital-TRMS-Clamp-Meter-Catalogue.pdf
DT-369	3-4/5 Digits 6000 Counts, LCD, Data Hold, T-RMS, 30mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Frequency and Temperature & Continuity Test	2500	90303100	3375	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-369-AC-T-RMS-Clamp-Meter-Catalogue.pdf
DT-1150	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A Clamp Meter with AC/DC Voltage	2050	90303100	2768	https://www.metravi.com/wp-content/uploads/Metravi-DT-1150-Digital-AC-Clamp-Meter-Catalogue-New.pdf
DT-1150A	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A Clamp Meter with AC/DC Voltage, Resistance, Capacitance, Temperature and Frequency	2575	90303100	3476	https://www.metravi.com/wp-content/uploads/Metravi-DT-1150A-Digital-AC-Clamp-Meter-Catalogue-1.pdf
DT-1250	3-1/2 Digits, Backlit LCD, Data Hold, Max Hold, 30mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Diode and Continuity Test. 500V DC/AC Protection in all ranges.	3300	90303100	4455	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-1250-Digital-Clamp-Meter-Catalogue.pdf
DT-2250	3-3/4 Digits, Backlit LCD, Data Hold, 30mm Jaw size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Duty Cycle, Diode and Continuity Test Facility.	3900	90303100	5265	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-2250-Digital-Clamp-Meter-Catalogue.pdf
METRACLAMP-10	3-3/4 Digits, Backlit LCD, CAT-IV 600V, Data Hold, Relative, 55mm Jaw Dia, AC/DC Voltage, AC Current up to 1000A, Resistance, Cap, Temp and Frequency with Diode and Continuity Test	6200	90303100	8370	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-METRACLAMP-10-Digital-Clamp-Meter-Catalogue.pdf
DT-3150	3-3/4 Digits, Backlit LCD, Data Hold, 57mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Frequency, Duty Cycle, Diode and Continuity Test Facility. 1000V DC/AC Protection in all ranges.	4200	90303100	5670	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-3150-Digital-Clamp-Meter-Catalogue.pdf
DT-7250	3-1/2 Digits, LCD, Data Hold, Auto-ranging, 57mm Jaw Size, AC/DC Voltage, AC Current up to 2000A, Resistance, Frequency, Duty Cycle, Diode & Continuity Test.	5900	90303100	7965	https://www.metravi.com/wp-content/uploads/Metravi-DT-7250-Digital-AC-Clamp-Meter-Catalogue.pdf
PRO IRC-600	6000 counts, Data Hold, NCV, 34mm Jaw Size, AC/DC Voltage 1000V, T-RMS AC Current up to 1000A, VFD Voltage, Resistance, Capacitance, Frequency, Duty Cycle, Diode & Continuity Test, with Backlit LCD, Flashlight, built-	8280	90303100	11178	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IRC-600-PRO-IRC700-TRMS-Clamp-Meter-with-IR-Thermometer-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
UNIKS C-126 NEW!!	6000 Counts, Backlit 2" LCD, LED Flashlight, Autoranging & Manual, Auto Power Off, T-RMS, Non-contact Voltage detection, Data Hold, AC/DC Voltage, AC Current up to 1000A, InRush Current, VFD Filter, LoZ, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test. CATIV 600V, CATIII 1000V. Made in Europe.	8200	90303100	11070	https://www.metravi.com/wp-content/uploads/Metravi-UNIKS-C-126-C-128-Digital-TRMS-Clamp-Meters-Catalogue-Web.pdf
Digital AC/DC Clamp Meter					
DT-230 PHASED OUT!	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 400A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test.	5105	90303100	6892	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-230-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-230 NEW MODEL!!	3999 Counts, Backlit LCD Display, TRMS, 600V AC/DC, 400A AC/DC, Resistance 40MΩ, Capacitance 100mF, Frequency, Continuity & Diode Test, Temperature. MAX/MIN, Flashlight, Auto-Ranging, Auto Power Off, Data Hold, Non-contact Voltage Detector (NCV), Live Wire indication, Low Pass Filter (LPF), Low Z Voltage measurement, CAT- III 600V	2900	90303100	3915	https://www.metravi.com/wp-content/uploads/Meytravi-DT-230-Digital-TRMS-AC-DC-Clamp-Meter-2024-Model-Catalogue.pdf
DT-325	3-3/4 Digits 3999 Counts, Digital AC/DC Clamp Meter, Confirming to CAT-III 300V, Jaw Size 28 mm, Auto Power Off, Data Hold, AC/DC Voltage up to 600V, AC/DC Current up to 400A, Resistance, Frequency, Duty Cycle, Diode & Continuity Test Facility	3700	90303100	4995	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-325-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-725	3-5/6-digit 5999 Count, Backlight LCD, T-RMS, Auto-Ranging, NCV, Flashlight, Relative Measurement, AC(750V)/DC(1000V) Voltage, 600A AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity. Square Wave Output, CAT-IV 600V	3200	90303100	4320	https://www.metravi.com/wp-content/uploads/Metravi-DT-725-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue-Web.pdf
DT-425T	3-3/4 Digits 3999 Counts Backlit LCD, T-RMS AC/DC Clamp meter, Confirms to CAT-III 600V, Data Hold, MAX/MIN, Relative, In-Built Flash Light, Overload Protection, 30mm Clamp Jaw Dia, Auto Power Off, AC T-RMS / DC Current 600A, AC T-RMS / DC Voltage 600V, Resistance, Capacitance, Temperature, Frequency, Non Contact Voltage Detector, Diode and Cotinuity Test	6700	90303100	9045	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-425T-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-1350	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A AC/DC Clamp Meter with AC/DC Voltage, Resistance, Diode and Continuity Check	3100	90303100	4185	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350-Digital-AC-DC-Clamp-Meter-Catalogue-New.pdf
DT-1350A	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A AC/DC Clamp Meter with AC/DC Voltage, Resistance, Capacitance, Temperature and Frequency	3500	90303100	4725	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350A-Digital-AC-DC-Clamp-Meter-Catalogue-New.pdf
DT-1350AT	3-5/6 digit, 6000 Counts, backlit LCD, Measure TRMS AC/DC Current & Voltage, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity. Protected in all ranges.	3650	90303100	4928	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350AT-Digital-TRMS-AC-DC-6000-Counts-Clamp-Meter-Catalogue.pdf
DT-3690	3-4/5 Digits 6000 Counts, Backlit LCD, Data Hold, T-RMS, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Frequency and Temperature, Diode & Continuity Test.	3980	90303100	5373	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3690-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-3250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC Voltage,1000A DC/AC Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency measurement from input terminals and also through clamp, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	7900	90303100	10665	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-3250A NEW MODEL	6000 Counts, Backlit LCD, Dual impedance, TRMS, 1000V DC, 750V, VFD Voltage, 1000A AC/DC, VFD Current, Frequency, Duty Ratio, Resistance 60MΩ, Capacitance 100mF, Temperature, Diode & Continuity Test, NCV, Inrush Current, 40mm Jaw, Auto Range mode, Live Line detection, High Input Impedance Voltage, Low Input Impedance Voltage (LoZ), Zero/REL, CAT III 1000V, CAT IV 600V, Auto power-off	5500	90303100	7425	https://www.metravi.com/wp-content/uploads/Metravi-DT-3250A-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-4250	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Duty Cycle, Diode & Continuity Test.	8200	90303100	11070	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-4250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DT-3600	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 1200A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	8200	90303100	11070	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3600-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-5250	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, T-RMS, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test.	8800	90303100	11880	https://www.metravi.com/wp-content/uploads/Metravi-DT-5250-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf
Pro 419	3-3/4 Digit Professional T-RMS AC/DC Clamp Meter, 4000 Count, 1000V AC T-RMS/DC, 1000A AC T-RMS/DC, Auto Power Off, Non Contact Voltage Detector, Flashlight, Data Hold, MAX-MIN Record, Relative Measurement, 100mF Capacitance, 100kHz Frequency, 40MOhms Resistance, 1000°C Temperature measurement using K type sensor, Continuity.	8000	90303100	10800	https://metravi.com/wp-content/uploads/2020/09/Metravi-PRO-419-AC-DC-Clamp-Meter-Catalogue.pdf
Pro Solar-2A	3-3/4 digits (4000 counts) backlit LCD, TRMS, PV Voltage upto 1500V DC, AC Voltage, AC/DC Current. Peak Current, Resistance, Capacitance, Frequency, Diode & Continuity, Temperature, Auto-range, 52mm Jaw, Data Hold, Auto Power-off, over-range protection, CAT III 1000V, CAT IV 600V	8500	90303100	11475	https://www.metravi.com/wp-content/uploads/Metravi-PRO-SOLAR-2A-Digital-TRMS-AC-DC-Clamp-Meter-Web.pdf
Pro 421	3 5/6 Digits TRMS Clamp Meter, 6000 Counts, 1000V AC/DC, 1000A AC/DC with LoZ, Inrush, Peak, VFD, Capacitance, Frequency, Resistance, Temperature, Continuity Test, NCV	8500	90303100	11475	https://www.metravi.com/wp-content/uploads/Metravi-PRO-421-TRMS-AC-DC-Digital-Clamp-Meter-Catalogue.pdf
DT-8250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC Voltage, 2000A DC/AC Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	8700	90303100	11745	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-8250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
METRACLAMP-15 DISCONTINUED	3999 Counts, Backlit LCD, 52mm jaw Dia, Non Contact Voltage Detector, Auto Power Off, T-RMS, AC/DC Voltage, AC T-RMS/DC 1000A, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test, double Injection mould, CAT-IV 600V	8600	90303100	11610	https://metravi.com/wp-content/uploads/2020/08/Metravi-METRACLAMP-15-Digital-AC-DC-T-RMS-Clamp-Meter-Catalogue.pdf
Pro IRC-700	6000 counts, Data Hold, NCV, 34mm Jaw Size, AC/DC Voltage 1000V, T-RMS AC Current up to 1000A, DC Current 1000A, VFD Voltage, Resistance, Capacitance, Frequency, Duty Cycle, Diode & Continuity Test, with Backlit LCD, Flashlight, REL function and built-in Infrared Thermometer for up to 350°C.	9800	90303100	13230	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IRC-600-PRO-IRC700-TRMS-Clamp-Meter-with-IR-Thermometer-Catalogue.pdf
DT-9250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 2000A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	9500	90303100	12825	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-9250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
2003A	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 2000A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	9500	90303100	12825	https://www.metravi.com/wp-content/uploads/Metravi-2003A-TRMS-ACDC-Digital-Clamp-Meter-Catalogue.pdf
METRACLAMP-20	4-3/4 Digits, 40,000 Counts, Backlit, T-RMS, Autoranging, 52mm Jaw Dia, Non Contact Voltage Detector, Fully Protected, AC/DC Voltage, AC/DC Current up to 1500A, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Diode and Continuity Test	13500	90303100	18225	https://metravi.com/wp-content/uploads/2020/08/Metravi-METRACLAMP-20-Digital-AC-T-RMS-DC-Clamp-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DT-5250W	3-3/4 Digits, Backlit LCD, 30mm jaw size, T-RMS AC Current 1000A, DC Current 1000A, T-RMS AC Voltage 600V, DC Voltage 600V, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test, Peak & Data Hold, Wireless PC Interface, IEC 61010 CAT III 600V / CAT II 1000V	11000	90303100	14850	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-5250W-AC-DC-T-RMS-Clamp-Meter-with-Wireless-PC-Interface-Catalogue.pdf
Pro EV-C1	3-3/4 digits, backlit LCD, T-RMS, wide AC/DC Ampere range (4.000 to 1000A), bar graph, high resolution, best accuracy, one-touch zero, Inrush current, Low Pass filter, non-contact Frequency and Voltage detection, data hold, auto power-off.	15750	90303100	21263	https://www.metravi.com/wp-content/uploads/Metravi-PRO-EV-C1-Digital-TRMS-AC_DC-Clamp-Meter-Catalogue-1.pdf
Pro 474	6000 counts, digital AC/DC T-RMS clamp meter, TFT LCD display, Bluetooth, 1000V AC T-RMS /DC, 1000A AC T-RMS/DC, 34mm Jaw, 10" Flexible Clamp adaptor for upto 3000A AC, AC+DC Voltage, Inrush Current, VFD AC T-RMS Voltage, Lo-Z Voltage, NCV, Capacitance, Resistance, Frequency, Temperature, Continuity and Duty Cycle, Free APP, Datalogging, Trend Capture on device and APP simultaneously	25000	90303100	33750	https://www.metravi.com/wp-content/uploads/Metravi-Pro-474-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
Pro Solar-3	Professional T-RMS Industrial AC/DC Clamp Meter with TFT Colour Display with Bluetooth and IP65. High accuracy & 1500V DC for Solar & Photovoltaic Applications. In-rush current and VFD measurement for all Motor Applications.	22000	90303100	29700	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-3-TRMS-AC-DC-Clamp-Meter-Catalogue-1.pdf
Pro Solar-3 with Flexible Clamp	Professional T-RMS Industrial AC/DC Clamp Meter with 3000A Flexible Clamp, TFT Colour Display with Bluetooth and IP65. High accuracy & 1500V DC for Solar & Photovoltaic Applications. In-rush current and VFD measurement for all Motor Applications.	28000	90303100	37800	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-3-TRMS-AC-DC-Clamp-Meter-Catalogue-1.pdf
PRO UNIKS C128 NEW!!	6000 Counts, Backlit 2" LCD, LED Flashlight, Autoranging & Manual, Auto Power Off, T-RMS, Non-contact Voltage detection, Data Hold, AC/DC Voltage, AC/DC Current up to 1000A, InRush Current, VFD Filter, LoZ, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test. CATIV 600V, CATIII 1000V. Made in Europe.	10500	90303100	14175	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Uniks-C128-1000A-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
PRO UNIKS SKILL NEW!!	6000 Counts, Fully Automatic, Backlit Dual Display for 2 readings together, 600V AC/DC Voltage, 1000A AC/DC Current, Low Pass Filter, Frequency, Resistance, Continuity. CATIV 600V, CAT III 1000V. Made in Europe. LED Flashlight, T-RMS, Non-contact Voltage detection, Data Hold.	9900	90303100	13365	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Uniks-Skill-Fully-Automatic-AC-DC-Clamp-Meter-Catalogue.pdf
Pro Solar-4 NEW!!	4000 Counts, 3 3/4 digits, Backlit LCD. Jaw Opening 35mm. TRMS 400A AC, DC 400A, TRMS 1000V AC, 1500V DC, Frequency, Resistance, Capacitance, NCV, LPF, Diode, Continuity Test. Automatic Polarity, Data Hold, Min/Max, Zero, Inrush Current, Flashlight. Overload Protection. CAT IV 1000V. Made in Germany.	7350	90303100	9923	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-4-TRMS-AC-DC-Clamp-Meter-Catalogue-Nov24.pdf
Pro Solar-5 NEW!!	4000 Counts, 3 3/4 digits, Backlit LCD. Jaw Opening 35mm. TRMS 1000A AC, DC 1000A, TRMS 1000V AC, 1500V DC, Frequency, Resistance, Capacitance, NCV, LPF, Diode, Continuity Test. Automatic Polarity, Data Hold, Min/Max, Zero, Flashlight. Overload Protection. CAT IV 1000V. Made in Germany.	9800	90303100	13230	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-5-T-RMS-AC-DC-Clamp-Meter-Catalogue-Jan-2025.pdf
Pro 476 NEW!!	9999 digits, 35mm Ultra-thin Jaws, 2500V DC, 1500V AC, 1000A AC, 1000A DC, Low-pass Filtered Voltage/Current, AC Inrush Current & Peak Value, Resistance, Circuit Continuity, Diodes, Capacitance, and Temperature. Data Logging, Solar Panel Polarity indication, Audible & Visual Alarms, Bluetooth App for Android & iOS. CAT III 1500V/ CAT IV 600V, IP65.	29200	90303100	39420	https://www.metravi.com/wp-content/uploads/Metravi-Pro-476-TRMS-AC-DC-Clamp-Meter-Catalogue-1.pdf
Pro 476 with Flexible Clamp NEW!!	9999 digits, 35mm Ultra-thin Jaws, 2500V DC, 1500V AC, 1000A AC, 1000A DC & DC Power 2000kW (using external flexible clamp head), 3000A AC with flex clamp, Low-pass Filtered Voltage/Current, AC Inrush Current & Peak Value, Resistance, Circuit Continuity, Diodes, Capacitance, and Temperature. Data Logging, Solar Panel Polarity indication, Audible & Visual Alarms, Bluetooth App for Android & iOS. CAT III 1500V/ CAT IV 600V, IP65.	37000	90303100	49950	https://www.metravi.com/wp-content/uploads/Metravi-Pro-476-TRMS-AC-DC-Clamp-Meter-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Pro 475 NEW!!	4-in-1 innovative experience which combines T-RMS Clamp Meter, Multimeter, Oscilloscope & Data Recorder functions. 20,000 Counts IPS LCD Colour Display with dual theme, 38mm narrow edge jaw, Bluetooth Interface, Rechargeable Battery. Clamp Meter 1000A AC/DC, 1000V AC/DC, Resistance 100.00MΩ, Capacitance 20.00mF, Frequency 20.000MHz, Duty Cycle, Diode & Continuity Test, Inrush Current, Non-contact Voltage detection. Single-channel Oscilloscope Bandwidth 1MHz for Voltage & 1kHz Current, 5.0 MSa/s. Data Logging. PC Interface & Smartphone App for data analysis.	12000	90303100	16200	https://www.metravi.com/wp-content/uploads/Metravi-Pro-475-TRMS-ACDC-Clamp-Meter-with-Datalogger-and-Oscilloscope-Catalogue-Web.pdf
High Current U-type Clamp Meter					
9310B NEW!!	On-line AC Current measurements upto 9999A. Unique U-type jaw, wireless transmission upto 100m, Data Hold, Data Logging. Complete kit with Clamp, Remote Receiver and telescopic Insulated Rod.	On Request	90303100		https://www.metravi.com/wp-content/uploads/Metravi-9310B-U-type-High-Current-Clamp-Meter-Catalogue-Web.pdf
Flexible High Current Clamp Meter					
PRO FCM-9000A	Flexible/Rogowski Φ300mm Coil Clamp for AC Current 0mA~10000A, AC Voltage 0.0V~750V AC, DC Voltage 0.0V~1000V, Resistance 0Ω~2kΩ and Continuity	17000	90303100	22950	https://www.metravi.com/wp-content/uploads/Metravi-Pro-FCM-9000A-Flexible-AC-Current-Clamp-Meter-with-Data-Logger-Catalogue.pdf
PRO FCM-900P	Flexible Coil Clamp Power Meter for the field measurement of Three Phase AC Voltage, Current, Leakage Current, Phase between Voltage, Phase between Voltage and Current, Frequency, Phase Sequence, Electric Energy, Active Power, Reactive Power, Apparent Power, Power Factor and Total Power. Φ200mm flexible Clamp (80mmX80mm: can clamp & test φ80mm cable, or 96mmX4mm flat steel grounding leads). With Data Logging, Backlit LCD Display, Data Hold.	22500	90303100	30375	https://www.metravi.com/wp-content/uploads/Metravi-Pro-FCM-900P-Flexible-Coil-Clamp-on-Power-Meter-Catalogue.pdf
Digital Clamp-on Power Meter					
307N	4 Digits, Dual LCD, Single Phase and Three Phase, Max /Min / Peak Hold, 55mm Jaw Dia, T-RMS, AC Voltage, AC Current up to 1000A, KW, KVA, KVAR, Power Factor, Phase Angle, KWh, Frequency and Temperature. With Data Logging and PC Interface	11000	90303100	14850	https://www.metravi.com/wp-content/uploads/Metravi-307N-Digital-Clamp-On-Power-Meter-Catalogue-220222.pdf
307	6000 Counts, Backlit LCD, Single Phase and Three Phase, Non Contact Voltage Detector, Data Hold, Peak Hold, Relative, Max/Min Reocrd, Single Phase KW, KVA, KVAR, PF, KWh and KW & PF for Three Phase. Clamp Jaw Size 56mm. AC Current up to1500A AC.	16500	90303100	22275	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-307-Digital-Clamp-On-Power-Meter-Catalogue.pdf
107F	10000 Counts Digital Clamp On Power Meter, AC/DC Voltage and AC/DC Current Auto Detection, NCV, Jaw Dia 42mm, KW, PF, THD up to 25th Harmonics	29000	90303100	39150	https://www.metravi.com/wp-content/uploads/Metravi-107F-Digital-Clamp-On-Power-Meter-New-Catalogue.pdf
307H NEW!!		21750	90303100	29363	
Digital AC Leakage Current Clamp Meter					
4671	3-3/4 Digits, Analogue Bargraph, LCD, Data Hold, MAX/MIN Record, 30mm Jaw Size, AC Voltage 400V, AC Current 100A, Resistance 400Ω. Has Low Pass Filter to filter out noise.	7400	90303100	9990	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-4671-Leakage-Current-Clamp-Meter-Catalogue.pdf
6054	3-1/2 Digits LCD, Data Hold, Max Hold, 30mm Jaw Dia, 0 - 200mA / 2A / 200A AC.	6000	90303100	8100	https://www.metravi.com/wp-content/uploads/Metravi-M-6054-Digital-Leakage-Current-Clamp-Meter-Catalogue.pdf
MULTI-140	3-1/2 Digits, 3200 Counts LCD, Data Hold, 40mm jaw Dia, 0 - 30m/300m/30/300A AC	35000	90303100	47250	https://www.metravi.com/wp-content/uploads/Metravi-Multi-140-Digital-AC-Leakage-Current-Clamp-Meter-Catalogue.pdf
PRO 468AC	6000 Counts, Auto-Backlit LCD Display, Auto Power Off, as per IEC 61557-13: Class 2, 40mm Jaw Dia, IEC / EN 61010-1, IEC / EN 61010-2-032, CAT. III 600V, Pollution Degree 2, EN 61326-1 EN 61326-2-2, bandwidth up to 1kHz, 1% accuracy, 0 - 6mA / 60mA / 600mA / 6A / 60A, With resolution of 1uA, Bluetooth connection to connect it to freely available APP for recording data	35000	90303100	47250	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-PRO-468AC-Leakage-Current-Clamp-Meter-Catalogue.pdf
PRO 568 NEW!!		16800	90303100	22680	

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Digital AC/DC Leakage Current Clamp Meter					
4672	3-3/4 Digits, LCD, Data Hold, 23mm Jaw Size, AC/DC Voltage, AC/DC Leakage Current measurement, Capacitance, Resistance, Frequency, Duty Cycle, Diode & Continuity Test	7800	90303100	10530	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-4672-Digital-Leakage-Current-Clamp-Meter-Catalogue.pdf
4673	3-1/2 Digits, LCD, T-RMS, AC/DC Leakage Current Meter, Non contact voltage detector, Data Hold, Can be used for Variable Frequency Control Drives, Measures from 1mA, AC/DC Current up to 100A, AC/DC Voltage, Resistance, Capacitance, Diode and Continuity Test	6300	90303100	8505	https://www.metravi.com/wp-content/uploads/Metravi-4673-ACDC-Leakage-Current-Clamp-Meter-Catalogue.pdf
PRO 2010	AC/DC Auto-ranging Leakage Current Clamp Meter, 0.1mA resolution, 5000 counts, Backlit LCD, Data Hold, 23mm Jaw Size, AC/DC Voltage, AC/DC Leakage Current, Resistance, Continuity Test	25700	90303100	34695	https://www.metravi.com/wp-content/uploads/Metravi-Pro-2010-T-RMS-AC-DC-Leakage-Current-Clamp-Meter-Catalogue-March-2022.pdf
Digital AC Leakage Current Clamp Meter with Harmonics					
PRO HCM-60	AC 0.00mA~300A. Jaw Size Φ 40mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	16300	90303100	22005	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Cureent-Clamp-Meter-with-Harmonics-Catalogue.pdf
PRO HCM-65	AC 0.00mA~1200A. Jaw Size Φ 70mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	27500	90303100	37125	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Cureent-Clamp-Meter-with-Harmonics-Catalogue.pdf
PRO HCM 69	AC 0.00mA~2000A. Jaw Size 80mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	42000	90303100	56700	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Cureent-Clamp-Meter-with-Harmonics-Catalogue.pdf
Digital Process Clamp Meter					
771+	Milliamp Process Clamp Meter, measures 4-20 mA DC without breaking the electrical circuit. DC mA measurement (4-20mA) using a remotely connected clamp via extension cable, Electronic zero, Percentage span (0-100%), Data Hold, Backlit Display, Measurement spotlight LED, Auto Power Off, 0mA... \pm 20.99mA, Resolution 0.01 mA, Accuracy: 0.3% readding \pm 8 digits, Also measures \pm 21.0mA, \pm 99.9mA with Resolution of 0.1mA, Clamp Jaw 4.5 mm, IP40, IEC 61010-1, 61010-2-032, CAT II 300V	25000	90303100	33750	https://www.metravi.com/wp-content/uploads/Metravi-771-plus-Digital-Milliamp-Process-Clamp-Meter-Catalogue.pdf
COMPONENT TESTERS					
Digital SMT Component Tester					
SMT-01	SMT Component tester that can measure Capacitance and Resistance values of SMT components, it can also measure AC/DC Voltage, continuity and Diode test	4300	90303100	5805	https://metravi.com/wp-content/uploads/2020/08/Metravi-SMT-01-SMT-Component-Tester-Catalogue.pdf
DATA LOGGERS					
Data Logger for Sound Level					
DL-SL-01	Sound Level Data logger to record sound, from 30 to 130 dB, with 129920 data Points	14500	90278090	19575	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DL-SL-01-Sound-Level-Data-Logger-Catalogue.pdf
Data Logger for Temperature & Humidity					
DL-TH-01	Temperature and Humidity Data Logger with dual display LCD, Data Logging up to 32700 points, USB PC interface, PDF & XLS data file download, long-lasting replaceable lithium battery. Temperature -40 to 70°C; Relative Humidity Range: 0 to 100% RH. High accuracy & Alarms. User-settable sampling time. Free Software for PC download and analysis. Comes with wall-mountable holster and lock.	5600	90308990	7560	https://metravi.com/wp-content/uploads/2020/08/Metravi-DL-TH-01-Temperature-and-Humidity-Data-Logger-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DL-TH-02	Dry Ice Data Logger for to -80~70°C(-112~158°F), 17280 records, USB interface and IP67 protection	7700	90258090	10395	https://www.metravi.com/wp-content/uploads/Metravi-DL-TH-02-Dry-Ice-Data-Logger-Catalogue.pdf
DL-TH-09 NEW!!	USB-based Temperature (-30° ~ 70°C / -22° ~ 158°F) & Humidity (0 ~ 100% RH) Data Logger with high accuracy sensors, large LCD, 10s-24h interval setting, user-configurable parameters, Visual Alarms, Log Metravi software, 32000 points data logging, Shadow Data Recording, long Battery Life, Up to 1-2 years of operation* with replaceable lithium battery. Auto, Compliant, tamper-proof pdf data reports (csv & txt also available). Certified IP65, (EMC) IEC 61326-1: CISPR 11: Group 1, Class A EN12830, CE, RoHS, IEC 610101-1, Pollution Degree 2. Ideal for cold chain, pharmaceuticals, food storage, labs, warehouses & more.	4200	90258090	5670	https://www.metravi.com/wp-content/uploads/Metravi-DL-TH-09-DL-TH-09E-Temperature-and-Humidity-Data-Loggers-Catalogue.pdf
DL-TH-09E NEW!!	USB-based Temperature (-30° ~ 70°C / -22° ~ 158°F) & Humidity (0 ~ 100% RH) Data Logger with high accuracy 1.2m external sensor, large LCD, 10s-24h interval setting, user-configurable parameters, Visual Alarms, Log Metravi software, 32000 points data logging, Shadow Data Recording, long Battery Life, Up to 1-2 years of operation* with replaceable lithium battery. Auto, Compliant, tamper-proof pdf data reports (csv & txt also available). Certified IP65, (EMC) IEC 61326-1: CISPR 11: Group 1, Class A EN12830, CE, RoHS, IEC 610101-1, Pollution Degree 2. Ideal for cold chain, pharmaceuticals, food storage, labs, warehouses & more.	6000	90258090	8100	https://www.metravi.com/wp-content/uploads/Metravi-DL-TH-09-DL-TH-09E-Temperature-and-Humidity-Data-Loggers-Catalogue.pdf
Data Logger for Voltage and Current					
DL-VL-01	Data Logger for Voltage and Current with digital display and 100096 data points	17000	90303100	22950	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-DL-VI01-Voltage-and-Current-Data-Logger-Catalogue.pdf
Multi-channel Data Logger					
TP-700	Multi-channel Data Logger with IoT. 8 groups of different modules can be inserted for various data acquisitions and functions, like relay output, power supply and wireless transmission, etc. Features high-definition display graphs, digital graphs, bar graphs, data overview, etc. Strong anti-interference ability, highest accuracy, 7" Touchscreen colour display. RS485 connects external acquisition modules and increase numbers of channels upto 200*. Displays: Comprehensive, Number, Alarm, Real time curves, Historical curves, Bar-graph. Input Signals: Thermocouples, Thermal Resistance, Current, Voltage. Extra module for 8 programmable input Extra Module for WiFi Extra Module for 4G	On Request On Request On Request	90251920 90251920 90251920		https://www.metravi.com/wp-content/uploads/Metravi-TP-700-Multi-Channel-Data-Logger-with-IoT-Catalogue.pdf
DL-T-2000	32 channels displayed simultaneously, 1 second Interval, can record for 97 days. List, Curve, Histogram display. Customise channel names & export EXCEL files, Multistage Alarms, Double Relay Output, supports Multiple Sensor Inputs: K, J, E, T, N, S, R, B. 5" true colour touchscreen, Standard model with 8 channels. Extra Module for 8 Channels	67000 24000	90251920 90251920	90450 32400	https://www.metravi.com/wp-content/uploads/Metravi-DL-T-2000-Multichannel-Temperature-Data-Logger-Catalogue.pdf https://www.metravi.com/wp-content/uploads/Metravi-DL-T-2000-Multichannel-Temperature-Data-Logger-Catalogue.pdf
DL-T-100 NEW!!		46500	90251920	62775	
DISCHARGE RODS					
Single Phase Discharge Rod					
DR 11-33kV	Insulated 11-33kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	4600	85441920	6210	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 33-66kV	Insulated 33-66kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	6500	85441920	8775	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 66-132kV	Insulated 55-132kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	10750	85441920	14513	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DR 132-220kV	Insulated 132-220kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	13500	85441920	18225	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 400kV	Insulated 400kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	17500	85441920	23625	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
Three Phase Discharge Rod					
Upto 33kV	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 33kV having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	17000	85441920	22950	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 66kV	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 66kV having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	19000	85441920	25650	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 132kV	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 132kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	25000	85441920	33750	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 220kV	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 220kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	32000	85441920	43200	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 400kV	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 400kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	38000	85441920	51300	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Accessories for Discharge Rods					
10 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 10 sq.mm as per IS-694	250	85441920	338	
25 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 25 sq.mm as per IS-695	520	85441920	702	
35 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 35 sq.mm as per IS-696	650	85441920	878	
Grounding C Clamp	Die Cast Aluminium Grounding C Clamp	750	85441920	1013	
<p>Note:</p> <ol style="list-style-type: none"> The above cables can be used for both 3-phase and single phase discharge rods. The above prices are the difference in the price of the standard 6m/6sq.mm. cable provided with the discharge rod and the extra cable that is required. Die Case Aluminium grounding C clamp is provided with the instrument, the above price is for the extra piece if required by the customer 					
DISTANCE METERS					
Digital Distance Meter					
LDM-40H	Laser Distance Meter to measure up to 40m, with Area / Volume Calculations	4000	90303100	5400	https://metravi.com/wp-content/uploads/2020/08/Metravi-LDM-40H-Laser-Distance-Meter-Catalogue-1.pdf
LDM-100H	Laser Distance Meter to measure up to 100m, with Area / Volume Calculations	7600	90303100	10260	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-LDM-100H-Laser-Distance-Meter-Catalogue.pdf
ELECTRICAL TESTERS					
ELCB Tester					
1810D	Digital ELCB Tester with Current Rating up to 500mA, Trip Test, Fault Trip Time, Self Powered. With two pin plug.	7300	90308990	9855	https://metravi.com/wp-content/uploads/2020/08/Metravi-1810D-ELCB-Tester-Catalogue.pdf
1811	Digital ELCB Tester with Current rating up to 500mA, Auto Ramp, Phase Switch, Reads Disconnection Time, Self-Powered	14000	90308990	18900	https://metravi.com/wp-content/uploads/2020/08/Metravi-1811-ELCB-Tester-Catalogue.pdf
1813	Digital ELCB Tester with Current rating up to 1A, Trip Test, Fault Trip Time, 230V AC Operated	13800	90308990	18630	https://www.metravi.com/wp-content/uploads/Metravi-1813-ELCB-RCD-Tester-Catalogue-Web.pdf
1812EL DISCONTINUED	Digital ELCB Tester with Current Rating up to 500mA, Trip Test, Fault Trip Time, DC Test, Auto Ramp Test, Self Powered, verifies wiring connection, 1000mS readout for testing latest ELCB	10500	90308990	14175	https://www.metravi.com/wp-content/uploads/Metravi-1812EL-New-ELCB-RCD-Tester-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
1812 NEW!!	Digital ELCB Tester with Current Rating up to 500mA with 10 gears, Trip Test, Fault Trip Time, Data Logging for 500 groups, super-large 4 digit display. Measures AC and DC Voltage.	10000	90308990	13500	https://www.metravi.com/wp-content/uploads/Metravi-1812-ELCB-Tester-Catalogue.pdf
Two Pole Voltage Tester					
PRO ELEC+	Two-pole Voltage Tester with LCD display and LED signalling. Features Audible Continuity and RCD tripping test. Built-in LED flashlight, IP67 dust and splash proof, over-voltage protection with CAT III 1000V / CAT IV 600V.	7000	90303100	9450	https://www.metravi.com/wp-content/uploads/Metravi-PRO-ELEC-Plus-Voltage-Detector-and-Electrical-Tester-Catalogue.pdf
PRO ETS	The Swiss army knife for electricians. Measures AC Current via Fork Jaw. 4 digit backlit display. Fork Opening 16mm. Up to 1500V with LED light alarm & readings. 0-200A AC/DC Current measurement. Single Pole Phase Test. Phase Rotation Test. Resistance, Frequency, Continuity & Diode test, Cable Break test using NCV, Duty Cycle, Self Test. Flashlight, Auto Power-off, Test Leads with storage clips. CAT IV 600V, CAT III 1000V, IP64 protection..	9200	90303100	12420	https://www.metravi.com/wp-content/uploads/Metravi-Pro-ETS-Pro-ETS-Plus-Smart-Electrical-Testers-Catalogue-Web.pdf
PRO ETS+ NEW!!	The Swiss army knife for electricians. Only tester measuring DC Current via Fork Jaw. 4 digit backlit display. Fork Opening 16mm. Up to 1500V with LED light alarm & readings. 0-200A AC/DC Current measurement. Single Pole Phase Test. Phase Rotation Test. Resistance, Frequency, Continuity & Diode test, Cable Break test using NCV, Duty Cycle, Self Test. Flashlight, Auto Power-off, Test Leads with storage clips. CAT IV 600V, CAT III 1000V, IP64 protection.	10000	90303100	13500	https://www.metravi.com/wp-content/uploads/Metravi-Pro-ETS-Pro-ETS-Plus-Smart-Electrical-Testers-Catalogue-Web.pdf
PRO M80 NEW!!	Two Pole Detector 1200V AC, 1500V DC, ideal for Solar & PV with Continuity & Resistance Test, 30mA RCD testing via buttons, Phase Rotation Direction Test & Detector, LED indicator of voltage presence even with flat batteries, Auto Ranging, Differential tripping test (RCD 30mA), Cyclic sense of the phases. Torch, LCD display, Data Hold, Auto Power Off, IP64, CAT IV 600V, CAT III 1000V . Made in Europe.	8000	90303100	10800	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Uniks-M80-Two-Pole-Voltage-Detector-Catalogue-.pdf
High Voltage Tester					
1810 NEW!!	With Telescopic insulated rod, hook probe and LCD Display. Voltage to Earth measurement, 30V~35kV DC & AC Voltage Detection & Measurement, Induced Voltage measurement, Light & Buzzer Alarms. Equipped with magnet ground wire and clamp ground wire.	On Request	90303390	On Request	https://www.metravi.com/wp-content/uploads/Metravi-1810-AC-DC-High-Voltage-Tester-Catalogue.pdf
Phase Sequence Indicator for upto 700V					
AC-7	Phase Rotation Indicator, no battery required, Nominal Voltage 40 - 690V, 15 to 400Hz.	4600	90309090	6210	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AC-7-Phase-Sequence-Indicator-Catalogue-1.pdf
Phase Sequence Indicator for High Voltage					
PSI-HV NEW!!	Automatic Phase Detection from 10V to 500kV, test Phase, Frequency, Phase Frequency, along with Electricity Testing & Line Circuit Voltage display. 3.5 inch colour LCD screen displays all on the same screen, simultaneously. Wireless interface with Voice prompts, monitoring software with online real-time monitoring, historical data reading, viewing, saving, printing and query, vector graph indication and phase indication	76000	90309090	102600	https://www.metravi.com/wp-content/uploads/Metravi-PSI-HV-Wireless-High-Voltage-Phase-Sequence-Indicator-Set-Catalogue.pdf
Socket Polarity Tester					
AC-6	Socket Polarity & Earth Leakage Tester. Checks for No Earth / Line Neutral Reversal / No Neutral / Line Earth Reversal / No Line states.	1660	90303900	2241	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AC-6-Socket-Polarity-and-Earth-Leakage-Tester-Catalogue.pdf
ST-09	Socket Polarity Tester to be used for currents up to 6A and input voltage up to 250V AC, when inserted in the plug, it indicates whether the connections of LINE, NEUTRAL & EARTH is correct, indicates errors for missing earth, Live earth reversal, Live Neutral Reversal, Missing Neutral, Live Earth Reversal & Missing Neutral.	790	90319000	1067	https://www.metravi.com/wp-content/uploads/Metravi-ST-09-ST-09A-Socket-Polarity-Tester-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
ST-09A	Socket Polarity Tester to be used for currents up to 16A and input voltage up to 250V AC, when inserted in the plug, it indicates whether the connections of LINE, NEUTRAL & EARTH is correct, indicates errors for missing earth, Live earth reversal, Live Neutral Reversal, Missing Neutral, Live Earth Reversal & Missing Neutral.	850	90319000	1148	https://www.metravi.com/wp-content/uploads/Metravi-ST-09-ST-09A-Socket-Polarity-Tester-Catalogue.pdf
ST-09B NEW MODEL	Electrical Socket Tester with RCD/GFCI Test Button & large, backlit LCD display. Socket sequence test. Three hole socket Line Neutral Earth (L-N-E) detection.Phase Voltage (L_N) measurement. Leakage Voltage (N_E) measurement. RCD Test. Change in the display back-lit colour indicates problems.Automatic shutdown. Data Hold.	780	90303900	1053	https://www.metravi.com/wp-content/uploads/Metravi-ST-09B-Smart-Socket-Polarity-Tester-2024-Model-Catalogue-1.pdf
Power Guard					
PG-01	Multifunction Power Meter, works on 6A, 230V, indicates, voltage, current, power factor, Power, KWh, Calculates CO2 emission, total time the equipment is under test and the cost of electricity consumed accordingly. During load shedding it memorises readings. Ideal for analysing power consumed for different kinds of loads.	2300	90303100	3105	https://www.metravi.com/wp-content/uploads/Metravi-PG-01-Power-Guard-Power-Meter-Catalogue.pdf
Multifunction Tester					
CEM DT-6650	Rugged multifunction installation tester with 3.5" TFT colour LCD display; provides Insulation Resistance, Earth Resistance, Loop Impedance, Voltage, RCD, PFG and PSC testing. Select voltage measurement between L-N, L-PE and N-PE. Supports SD memory, USB & Bluetooth interface. Internal Memory, Safe Earth Volt Touchpad detects raised earth voltages >50V indicating potentially dangerous situations.	86000	90303100	116100	https://www.cem-instruments.in/pdf/DT-6650.pdf
UNIKS RAPID PRO NEW!!	Smart, Multifunction, Installation Tester, Socket size. Test/measure/record Socket Polarity, ELCB/RCD, PSC, Earth Loop, Voltage and Harmonics. Auto Data Logging for 64 sets. Built-in Reporting which can be shared via QR Code. TFT Colour display, CATIII 300V. Made in Europe.	19950	90303100	26933	https://www.metravi.com/wp-content/uploads/Metravi-UNIKS-Rapid-Pro-Multifunction-Tester-Catalogue-Web.pdf
PRO MFT-9101 NEW!!	Multifunction Tester for measurement of T-RMS Insulation Resistance, Continuity, Low Resistance, RCD types A, AC, B, B+, F, Loop Impedance, Line Impedance, Voltage, Frequency, Earth Resistance, Phase Rotation, RCD/FI for Electric Vehicles Charging Stations (6 mA DC), RCD/FI for Electric Vehicles Charging Stations (6 mA DC). With TFT Colour LCD, Data Logging for 1000 readings and Rechargeable Battery, USB Interface. CAT III 600V, CAT IV 300V, Double Insulation, IP42. MADE IN GERMANY.	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/Metravi-Pro-MFT-9101-Multifunction-Tester-Catalogue-Nov-2024.pdf
UNIKS Quadro Test NEW!!	UNIKS Quadro Test NEW!!	On Request	90303100	On Request	https://drive.google.com/file/d/14imiqPrGjUfi1oOA19cPA6CyORKOOb-_view?usp=drive_link
UNIKS HV-5100 NEW!!	High Voltage adapter unit to expand the functionality of the Quadro Test main unit with AC HV capability to measure Dielectric Strength up to 5100V AC.	On Request	90303100	On Request	
CEM DT-1500PV NEW!!	IV Curve Tracer & PV Analyser	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/CEM-DT-1500PV-I-V-Curve-Tracer-and-PV-Analyser-Catalogue.pdf
Loop/PSC Tester					
CEM DT-5301	Loop Impedance Tester with PSC, microprocessor controlled, high accuracy. 3 LEDs for checking correct wiring status. 15mA LOOP measurement: LOOP impedance 2000Ω range measurement with low test current (15mA). Direct reading of Prospective Short Circuit Current (PSC), Safe voltage measurement function, Large custom digital display readout. Measure low loop resistance (resolution 0.01Ω). Automatic lock-out & Visual indication of reversed phase and neutral wiring at socket.	13000	90303100	17550	https://www.metravi.com/wp-content/uploads/CEM-DT-5301-Loop-and-PSC-Tester-Catalogue-1.pdf
EMF/GAUSS METERS					

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Gauss Meter					
GM-197	For static & electromagnets, DC/AC (40-500Hz), N/S polarity of Static Magnets, measures intensity of magnetic Field in Gauss/Tesla, measures up to 0~3000mT(milli Tesla) / 0~30000G (Gauss), Relative / Peak Hold / Real time Zero function, Auto Range, DATA HOLD, MAX/MIN hold, GO/NO-GO alarms, Production testing, Manual Data Logging for 200 records, Auto Data Logging for 6000 records, USB PC Interface with software, real time function.	33500	90309090	45225	https://metravi.com/wp-content/uploads/2020/09/Metravi-GM-197-Static-cum-Electromagnet-Gauss-Meter-Catalogue.pdf
Extra Probe for GM-197	Spare Transverse Probe for GM-197 Gauss Meter	15000	90309090	20250	https://metravi.com/wp-content/uploads/2020/09/Metravi-GM-197-Static-cum-Electromagnet-Gauss-Meter-Catalogue.pdf
ENVIRONMENTAL METERS					
Air Particle Counter					
PRO APC-80	Air Particle Counter with unique 2.8" colour TFT LCD display, built-in camera for capturing videos/photos, internal memory or microSD card, for viewing on PC, providing fast, easy and accurate readings for particle counter, Air Temperature, Relative Humidity, Dew Point & Wet Bulb Temperature. Up to 6 channels of particle sizes . Free software to generate reports with videos, photos, and data points.	80000	90318000	108000	https://www.metravi.com/wp-content/uploads/Metravi-APC-80-APC-81-Air-Particle-Counters-Catalogue-Web.pdf
PRO APC-81	Air Particle Counter with unique 2.8" colour TFT LCD display, built-in camera for capturing videos/photos, internal memory or a microSD card, for viewing on PC, providing fast, easy and accurate readings for particle counter, Air Temperature, Relative Humidity, Dew Point & Wet Bulb Temperature and , Gas Detection. Up to 6 channels of particle sizes. Free software to generate reports with videos, photos, and data points. Measure HCHO (Methanal) Gas and CO (Carbon Mono-Oxide) Gas.	98000	90318000	132300	https://www.metravi.com/wp-content/uploads/Metravi-APC-80-APC-81-Air-Particle-Counters-Catalogue-Web.pdf
PRO APC-83	Particle count upto.3, 2.5 and 10µm, PM 2.5 and PM 10 Mass Concentration. Detect, measure and record Formaldehyde Gas (HCHO), Carbon Dioxide (CO2), TVOC, Air Temperature, Relative Humidity and Dew Point temperature. Data logging. Inbuilt camera for photos & videos. Rechargeable battery. Tripod-mountable. USB PC Interface with analysis software.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-APC-83-6-in-1-Air-Particle-Counter-Catalogue.pdf
Thermo-Anemometer					
ET-99A	Thermo-anemometer with backlit LCD display, Data Hold, Max/Avg Records. Measures Air Velocity up to 30m/sec, measures in km/hr, ft/min, knots, mph as well. Measures Air Temperature -20° to 50°C.	2100	90268090	2835	https://www.metravi.com/wp-content/uploads/Metravi-ET-99A-Digital-Anemometer-Catalogue.pdf
AVM-03 NEW MODEL	Smart Thermo-anemometer measures Wind Speed, Temperature, Humidity, Dew Point, Wet Bulb Temperature, Wind Chill, Air Volume. Data Logging 8000 sets. WiFi and USB Interface. Smartphone App. Trend Graph, Statistical functions. Rechargeable Battery.	6750	90268090	9113	https://www.metravi.com/wp-content/uploads/Metravi-AVM-03-Multifunction-Anemometer-with-Data-Logger-and-WiFi-USB-Interface-2023-Catalogue.pdf
AVM-04	Digital Thermo-Anemometer with extendable vane and facility to measure up to 45m/Sec and in ft/min also	6600	90268090	8910	https://metravi.com/wp-content/uploads/2020/08/Metravi-AVM-04-Digital-Thermo-Anemometer-Catalogue.pdf
AVM-05	Digital Thermo-Anemometer with extendable vane and facility to measure wind flow (CFM / CMM)	8400	90268090	11340	https://metravi.com/wp-content/uploads/2020/08/Metravi-AVM-05-CMM-CFM-Thermo-Anemometer-Catalogue-1.pdf
AVM-07	Digital Thermo-Anemometer to measure up to 30m/Sec with metal blade vane, Temp. -10 to 60°C / 14 to 140°F	6000	90268090	8100	https://metravi.com/wp-content/uploads/2020/08/Metravi-AVM-07-Metal-Fan-Thermo-Anemometer-Catalogue.pdf
AVM-08	Digital Thermo-Anemometer with facility to measure wind flow (CFM / CMM) and built in infrared thermometer to measure from -50 to 260°C, 8:1 D:S Ratio and Emissivity Fixed at 0.95	14000	90268090	18900	https://metravi.com/wp-content/uploads/2020/08/Metravi-AVM-08-Thermo-Anemometer-with-CFM-CMM-and-built-in-Infrared-Thermometer-Catalogue-1.pdf
AVM-09	Digital Thermo-Anemometer with facility to measure wind flow (CFM/CMM) with built in Pressure Meter	21000	90268090	28350	https://www.metravi.com/wp-content/uploads/Metravi-AVM-09-Digital-Thermo-Anemometer-with-Manometer-and-CFM-CMM-Catalogue.pdf
AVM-10	Digital Hot Wire Anemometer with telescopic probe, Dual Display backlit LCD, 0.1 to 20m/Sec and Temperature from -20 to 80°C / -5 to 175°F	16500	90268090	22275	https://www.metravi.com/wp-content/uploads/Metravi-AVM-10-Hot-Wire-Anemometer-with-USB-Interface-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO AFM-1 NEW!!	To measure Air Velocity and Airflow in tight or hard-to-reach spaces using a Pitot Tube. Simultaneous display of Pressure, Airflow/Velocity and Temperature. Pressure range (± 0.7252 psi), selectable units, Data Logging, USB connectivity, large backlit LCD. Ideal for HVAC diagnostics. Functions include area calculation, Max/Min/Avg., recording, and software support.	21500	90268090	29025	https://www.metravi.com/wp-content/uploads/Metravi-Pro-AFM-1-Pitot-Tube-Anemometer-Catalogue.pdf
Lux Meter					
ET-99L	Digital Lux Meter measuring upto 200000 Lux with backlit display, high accuracy, selectable range, MAX/MIN/REL, Data Hold, User-selectable unit and range.	1950	90268090	2633	https://www.metravi.com/wp-content/uploads/Metravi-ET-99L-Digital-Lux-Light-Meter-Catalogue.pdf
1310	4 Digits Backlit LCD Display, Data Hold, Hi/Lo Indication, Split Probe, Lux and Foot Candle Measurement, Auto Power Off, Lo-Battery Indication, Measures up to 199,900 Lux / Fc	3400	90278090	4590	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1310-Lux-Meter-Catalogue.pdf
1330	Measures up to 50,000 Lux with extendable sensor	3000	90278090	4050	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1330-Lux-Meter-Catalogue.pdf
1331	Measures up to 50,000 Lux / Ft Candle with Max Hold, Data Hold, with extendable sensor	3600	90278090	4860	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1331-Lux-Meter-Catalogue.pdf
1332	Measures up to 200,000 Lux / Ft Candle with Peak Hold and Data Hold	8500	90278090	11475	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1332-Lux-Meter-Catalogue.pdf
1332A	Measures up to 200,000 Lux / Ft Candle with Max Hold and Data Hold	9200	90278090	12420	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1332A-Lux-Meter-Catalogue.pdf
1333	Measures up to 0 - 20 / 200 / 2000 / 200000 / 200,000 Lux / Ft Candle with Max Hold and Data Hold	5800	90278090	7830	https://www.metravi.com/wp-content/uploads/Metravi-1333-Digital-Lux-Meter-Catalogue.pdf
1334	Measures up to 400,000 Lux/40,000 Ft Candle, Data & Peak Hold, Max Min Record, USB PC Interface, Backlit LCD with Analogue Bargraph	7200	90278090	9720	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1334-Digital-Lux-Meter-with-USB-PC-Interface-Catalogue.pdf
1335	Measures visible light up to 400000 Lux from luminaries equipped with white light LED, fluorescent, metal halide, high-pressure sodium and incandescent sources.	9400	90303100	12690	https://www.metravi.com/wp-content/uploads/Metravi-1-1335-LED-Lux-Meter-Catalogue-160422.pdf
PLX-1400 NEW!!	Pocket Lux Meter to measure luminosity from 0 to 100,000 Lux along with ambient temperature. Accuracy $\pm(3\% +5\text{Lux})$. Backlit LCD with Max/Min readings, Data Hold, Auto Power-off and low battery indication.	1390	90303100	1877	https://www.metravi.com/wp-content/uploads/Metravi-PLX-1400-Pocket-Lux-Meter-Catalogue.pdf
Solar Power & Irradiance Meter					
207	Solar Power Meter / Sunlight Meter, to measure the sunlight intensity falling on solar panels or on any surface exposed to sunlight, using a sensitive silicon sensor. It measures up to 1999W/m ² or 634BTU / (Ft ² *hr) irradiance. With high accuracy and fast Response, it also features Data Hold function.	7000	90318000	9450	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-207-Solar-Power-Meter-Catalogue.pdf
PRO IM-09	Multifunction, high accuracy instrument to measure Irradiance up to 1400 W/m ² , Temperature, Inclination Angle with a built in Compass, backlit large LCD, selectable °C/°F units, Data Hold, Auto Off and a self-calibratable compass.	12000	90318000	16200	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IM-09-Solar-Irradiance-Meter-Catalogue-Web.pdf
Sound Level Meter					
ET-99SL	Class II, 30dB to 130dB with backlit 3 1/2 digits display, data hold, Min/Max, Slow/Fast response and ± 1.5 dB accuracy.	2100	90268090	2835	https://www.metravi.com/wp-content/uploads/Metravi-ET-99SL-Digital-Sound-Level-Meter-Catalogue.pdf
SL-3010	4 Digital Backlit LCD, Sound Level Meter, Fast & Slow Response, Data Hold, MAX/MIN Record, A Weighting, Measures sound in the range of 30dB to 130dB with resolution of 0.1dB and accuracy of 1.5dB. With Over-range and Low Battery Indication	2000	90268090	2700	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-SL-3010-Sound-Level-Meter-Catalogue.pdf
SL-4010	3-1/2 Digits Backlit LCD, has A & C Weighting, measures in the range of 30 to 130 dB, with maximum hold. Class II.	6800	90303900	9180	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-SL-4010-Sound-Level-Meter-Catalogue-1.pdf
SL-4005	3-1/2 Digits, has A & C Weighting, measures in the range of 35 to 130 dB, with data hold and maximum hold, with built in calibration check. Class II.	7700	90303900	10395	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-SL-4005-Sound-Level-Meter-Catalogue.pdf
SL-4015	4 Digits, has A & C Weighting, measures in the range of 30 to 130 dB, USB PC Interface, with Max/Min Data Hold and Data Logging facility. Class II	13300	90303390	17955	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-SL-4015-Sound-Level-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PSL-3005	Pocket Sound Level Meter with Electric Condenser Microphone & built-in high performance sensor. 30~130dB. Accuracy ±1.5dB (94dB@1KHz), ±5dB (94dB@8KHz). A-weighting, FAST/SLOW Time Weighting.	1400	90278990	1890	https://www.metravi.com/wp-content/uploads/Metravi-PSL-3005-Pocket-Sound-Level-Meter-Catalogue.pdf
Thermohygro Meter / Temperature & Humidity Meter					
HTC-1	Jumbo LCD display, wall hanging, with time and alarm facility, -50 to 70°C, 20% to 99%RH	695	90258090	938	https://metravi.com/wp-content/uploads/2020/08/Metravi-HTC-01-Temperature-and-Humidity-Meter-Catalogue.pdf
TH-04	LCD Display, wall hanging, with time and alarm facility, calander, climatic condition display, 0 to 50°C, 10% to 90% RH	1290	90258090	1742	https://metravi.com/wp-content/uploads/2020/08/Metravi-TH-04-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-13	Digital Thermo-Hygro Meter with jumbo display, to measure Temperature measurement, with Humidity. Selectable scales, Alarm Clock and Comfort Level Indicator, Temperature range -10 to 50°C and humidity from 20 to 95%.	1350	90258090	1823	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-HT-13-Temperature-Humidity-Meter.pdf
HT-12	Digital Thermo-Hygro Meter with jumbo display, to measure Indoor and Outdoor Temperature measurement simultaneously, with Humidity. Selectable scales, Alarm Clock and Comfort Level Indicator, Temperature range -10 to 50°C and humidity from 20 to 95%	1395	90258090	1883	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-12-Temperature-and-Humidity-Meter-Catalogue.pdf
ET-99TH	Thermo-hygro Meter with dual backlit display, measures Temperature -20° to 60°C and Humidity 0% to 100%RH with high accuracy.	2150	90268090	2903	https://www.metravi.com/wp-content/uploads/Metravi-ET-99TH-Digital-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-305A	Backlit LCD dual display, with split type Sensor for temperature and Humidity, Data Hold, MAX / MIN Record, Auto Power Off, Measure Temperature from -10 to 60 Degree C, and Humidity Up to 100% RH	3200	90258090	4320	https://www.metravi.com/wp-content/uploads/Metravi-HT-305A-Thermohygro-Meter-Catalogue.pdf
HT-3005	Digital Thermo-Hygro Meter with K-type thermometer and backlit LCD display	4900	90258090	6615	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-3005-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-3006	Digital Thermo-Hygro Meter with facility to measure wet bulb and dew point temperature	7200	90258090	9720	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-3006-Temperature-and-Humidity-Meter-with-Dew-Point-and-Wet-Bulb-Catalogue.pdf
HT-3004CT	Digital Thermo-Hygro Meter with in-built infrared thermometer and backlit LCD display	10500	90258090	14175	https://metravi.com/wp-content/uploads/2020/09/Metravi-HT-3004CT-Non-contact-Temperature-and-Humidity-Meter-Catalogue.pdf
Wet Bulb Globe Temperature Meter					
WBGT-188D	Quick-response capacitance sensor, accurate measurement for wet bulb globe temperature(WBGT), black globe temperature(TG), humidity(%RH), air temperature(TA), wet bulb(WET) and dew point(DEW). Max/Min and data hold, Low battery indication, LCD display with LED backlight, Viewing data records, Switch the temperature unit to °C or °F, Brass black ball in 50mm diameter, WBGT alarm setting, Auto power off with disable function, Data logging capacity: 12000 records, USB PC serial interface, Sampling interval: Max 24 hours; Min 1 Second	28000	90258090	37800	https://www.metravi.com/wp-content/uploads/Metravi-WBGT-188-Wet-Bulb-Globe-Temperature-Meter-Catalogue.pdf
Dew Point Meter					
DT-8321	Quick-response capacitance sensor, accurate measurement for wet bulb globe temperature(WBGT), black globe temperature(TG), humidity(%RH), air temperature(TA), wet bulb(WET) and dew point(DEW). Max/Min and data hold, Low battery indication, LCD display with LED backlight, Viewing data records, Switch the temperature unit to °C or °F, Brass black ball in 50mm diameter, WBGT alarm setting, Auto power off with disable function	70000	90258090	94500	https://drive.google.com/file/d/1adnvQuq7h1xMZhezPBbKmCx8J4BoC/view?usp=sharing
RADIATION METER					
Radiation Detector & Meter					
CEM DT-9501	Multi-function radiation detector with Bluetooth transmission, uses Geiger counter sensor, with HD LCD, pulse counting function, Automatic selection of measurement range, 4000 sets Data Logging. Features Alarm, Real-Time Stamp & Bluetooth data transfer and data analysis software.	On Request	90301000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-CEM-DT-9501-Radiation-Scanner-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
FREQUENCY COUNTER					
Digital Frequency Counter					
FC-2700 NEW MODEL!!	8 Digits LED Frequency Counter 10Hz~2.4GHz with Period measurement 100ns~1s. High accuracy, fast measurement speed.	9900	90303100	13365	https://www.metravi.com/wp-content/uploads/Metravi-FC-2700-2024-Model-Frequency-Counter-Catalogue.pdf
FUNCTION GENERATOR					
Function Generator					
FG-1000 NEW!!	1MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	11500	85432000	15525	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-2000 NEW!!	2MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	12000	90303900	16200	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-3000 NEW!!	3MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	13000	85432000	17550	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-5000 NEW!!	5MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	14500	85432000	19575	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-10000 NEW!!		24000	85432000	32400	
DDS Function Generator					
DDS-35 NEW!!	35MHz Dual-Channel Arbitrary Waveform Generator, 125MSa/s Sample Rate, 14-Bit Resolution, 150 Built-in Waveforms, 3.6" TFT LCD Function Generator, Portable with USB PC Remote Control	23000	85432000	31050	https://www.metravi.com/wp-content/uploads/Metravi-DDS-35-DDS-70-Compact-DDS-Function-Generator-Catalogue.pdf
DDS-70 NEW!!	70MHz Dual-Channel Arbitrary Waveform Generator, 125MSa/s Sample Rate, 14-Bit Resolution, 150 Built-in Waveforms, 3.6" TFT LCD Function Generator, Portable with USB PC Remote Control	26000	85432000	35100	https://www.metravi.com/wp-content/uploads/Metravi-DDS-35-DDS-70-Compact-DDS-Function-Generator-Catalogue.pdf
DDS-1005 NEW MODEL!!	5 MHz DDS Function generator, 125MSa/s Sampling Rate, 1 µHz Frequency resolution, 14 bits Vertical resolution, 45 built-in waveforms and user defined arbitrary waveform, USB connector	28000	90303900	37800	https://www.metravi.com/wp-content/uploads/Metravi-DDS-1005-DDS-1010-DDS-Function-Generator-Catalogue.pdf
DDS-1010 NEW MODEL!!	10 MHz DDS Function generator, 125MSa/s Sampling Rate, 1 µHz Frequency resolution, 14 bits Vertical resolution, 45 built-in waveforms and user defined arbitrary waveform, USB connector	30000	90303900	40500	https://www.metravi.com/wp-content/uploads/Metravi-DDS-1005-DDS-1010-DDS-Function-Generator-Catalogue.pdf
DDS-1025	25 MHz DDS Function generator, 125MSa/s sampling rate	47000	90303900	63450	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DDS-1025-DDS-Function-Generator-Catalogue.pdf
DDS-1060	60 MHz DDS Function generator, 125MSa/s sampling rate	70000	85432000	94500	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DDS-1060-DDS-Function-Generator-Catalogue.pdf
DDS-1080 NEW!!	80MHz DDS Function generator, 320MSa/s sampling rate	114000	85432000	153900	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-DDS-1080-DDS-Function-Generator-Catalogue.pdf
DDS-1120 NEW!!	120MHz DDS Function generator, 320MSa/s sampling rate	145000	85432000	195750	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-DDS-1120-DDS-Function-Generator-Catalogue.pdf
ECO DDS-9-6 NEW!!	6MHz DDS Function Generator, 250MSa/s sampling rate, 12 bit wide waveform generator, Pre-installed 17 common waveforms, high accuracy & resolution. With Sweep, Save & Follow functions. Trigger output function.	8600	85432000	11610	https://www.metravi.com/wp-content/uploads/Metravi-Eco-DDS-9-Series-DDS-Function-Generator-Catalogue.pdf
ECO DDS-9-12 NEW!!	12MHz DDS Function Generator, 250MSa/s sampling rate, 12 bit wide waveform generator, Pre-installed 17 common waveforms, high accuracy & resolution. With Sweep, Save & Follow functions. Trigger output function.	9300	85432000	12555	https://www.metravi.com/wp-content/uploads/Metravi-Eco-DDS-9-Series-DDS-Function-Generator-Catalogue.pdf
ECO DDS-9-25 NEW!!	25MHz DDS Function Generator, 250MSa/s sampling rate, 12 bit wide waveform generator, Pre-installed 17 common waveforms, high accuracy & resolution. With Sweep, Save & Follow functions. Trigger output function.	10500	85432000	14175	https://www.metravi.com/wp-content/uploads/Metravi-Eco-DDS-9-Series-DDS-Function-Generator-Catalogue.pdf
GAS DETECTORS & ANALYSERS					
Carbon Monoxide Meter					
CO-110	Compact device to detect Carbon Monoxide (CO) and measures concentrations between 1-1000 parts per million (PPM), with visual and audible alarms	16500	90271000	22275	https://www.metravi.com/wp-content/uploads/Metravi-CO-110-Carbon-Monoxide-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
GD-09-CO	Portable Carbon Monoxide detector for 100ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	16000	90308990	21600	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CO-A	Portable Carbon Monoxide detector for 1000ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	11500	90308990	15525	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CO-B	Portable Carbon Monoxide detector for 2000ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	12000	90308990	16200	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
Combustible Gas Leakage Detector					
GLD-01	16" Gooseneck detector for detecting Combustible Gas Leakage. With Audio and Visual Alarm	6500	90271000	8775	https://www.metravi.com/wp-content/uploads/Metravi-GLD-01-Combustible-Gas-Leakage-Detector-Tester-Catalogue.pdf
GD-09-1M	Plug type, Combustible Gas Detector and Alarm with high sensitivity, compact design and reliable performance for detecting combustible gas (like LPG) leaks. Features audible alarm with red flashing light, when gas concentrations reach or exceed the alarm set point.	1950	90308990	2633	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-01M-Combustible-Gas-Detector-Catalogue.pdf
Multi Gas Detector					
GD-09-4M DISCONTINUED!	4-in-1 Multi Gas Detector for O2, CO, H2S and Explosive/Combustible Gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	19350	90308990	26123	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-4M-Four-in-One-Multi-Gas-Detector-Catalogue-1.pdf
GD-09-4M 2025 MODEL	Portable 4-in-1 Multi-Gas Detector to detect Explosive Gas (EX), Oxygen (O2), Carbon Monoxide (CO) and Hydrogen Sulphide (H2S) continuously and simultaneously with visual, audible, vibration and light alarms and Data Logging for 500 records and Rechargeable battery.	19350	90308990	26123	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-4M-2025-Model-Four-in-One-Multi-Gas-Detector-Catalogue.pdf
GD-09-6M	Six-in-one Pumping Multi Gas detector for 6 gases: Oxygen (O2), Carbon Di Oxide (CO2), Carbon Monoxide (CO), Hydrogen Sulfide (H2S), Nitrogen Di Oxide (NO2) and Explosive Gases (EX). Also features PM2.5/PM10 detection module, 4G module and GPS. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	158000	90308990	213300	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-6M-6-in-1-MultiGas-Detector-with-Pump-Catalogue.pdf
CEM GD-3803	Multiple gas analyser to measure Oxygen, Carbon Monoxide and Carbon Dioxide. Can also measure the Air Temperature and Humidity. With data logging for 500 data sets.	38000	90271000	51300	https://www.metravi.com/wp-content/uploads/CEM-GD-3803-Multiple-Gas-Analyser-Catalogue.pdf
Single Gas Detector					
GD-09-02 DISCONTINUED	Portable and world's smallest, clip-on Oxygen Gas Detector with audio & visual alarms. Detects Oxygen concentration in the air.	15750	90308990	21263	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-02-Portable-Oxygen-Gas-Detector-Catalogue.pdf
ET-99HT	High-precision HCHO (Formaldehyde) and TVOC (Total Volatile Organic Compounds) meter with backlit LCD display, dual readings, Data Hold and Max/Min.	7000	90271000	9450	https://www.metravi.com/wp-content/uploads/Metravi-ET-99HT-Digital-HCHO-and-TVOC-Meter-Catalogue.pdf
GD-09-X	Portable single gas detector, which can be customised for more than 30 types of gases, as per the requirement of range and alarms. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	On Request	90308990		https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-EX	Portable single gas detector, for Explosive and combustible gases. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	8100	90308990	10935	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CH4	Portable single gas detector, for Explosive and combustible gases. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	8100	90308990	10935	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-H2S	Portable single gas detector, for Explosive Hydrogen Sulfide. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	12000	90308990	16200	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-02-A	Portable single gas detector, for Oxygen 0-30%vol. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	12500	90308990	16875	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NH3	Portable single gas detector, for Ammonia gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-H2-A	Portable single gas detector, for Hydrogen gas. 0-100%LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	9000	90308990	12150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
GD-09-H2-B	Portable single gas detector, for Hydrogen gas. 0-1000ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CL2-A	Portable single gas detector, for Chlorine 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CL2-B	Portable single gas detector, for Chlorine 0-50ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-O3	Portable single gas detector, for Ozone gas -20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-O3-A NEW!!	Portable single gas detector, for Ozone gas -10ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	43000	90308990	58050	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CO2	Portable single gas detector, for Carbon di Oxide. 0-5000 ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	52000	90308990	70200	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CO2-A NEW!!	Portable single gas detector, for Carbon di Oxide. 0-50000 ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	52000	90308990	70200	
GD-09-SO2	Portable single gas detector, for Sulfur Dioxide gas. 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-SO2-A NEW!!	Portable single gas detector, for Sulfur Dioxide gas. 0-100ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NO	Portable single gas detector, for Nitric Oxide gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-N2O	Portable single gas detector, for Nitrous Oxide gas. 0-50ppm Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NO2	Portable single gas detector, for Nitrogen di Oxide gas. 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Batter	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-N2	Portable single gas detector, for Nitrogen gas. 70-100% VOL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	17000	90308990	22950	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4-A	Portable single gas detector, for Ethylene gas. 0-20ppm. LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4-B	Portable single gas detector, for Ethylene gas. 100\$ LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	7800	90308990	10530	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4O	Portable single gas detector, for Ethylene Oxide gas.0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4O-A NEW!!	Portable single gas detector, for Ethylene Oxide gas.0-100ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28000	90308990	37800	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H6O NEW!!	Portable single gas detector, for Ethyl Alcohol gas. 100% LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	8000	90308990	10800	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C6H6 NEW!!	Portable single gas detector, for Benzene gas. 0-100ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28000	90308990	37800	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-PH3	Portable single gas detector, for Phosphane gas. 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-PH3-A	Portable single gas detector, for Phosphane gas. 0-5ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-HCL	Portable single gas detector, for Hydrogen Chloride gas. 0-10ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-HCL-A NEW!!	Portable single gas detector, for Hydrogen Chloride gas. 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
GD-09-HCL-B NEW!!	Portable single gas detector, for Hydrogen Chloride gas. 0-500ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	43000	90308990	58050	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CH2O	Portable single gas detector, for Formaldehyde. 0-10ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-HCN	Portable single gas detector, for Hydrogen Cyanide. 0-10ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-HCN-A NEW!!	Portable single gas detector, for Hydrogen Cyanide. 0-50ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-VOC	Portable single gas detector for Volatile Organic Compounds. 0-100ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-VOC-A NEW!!	Portable single gas detector for Volatile Organic Compounds. 0-1000ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	33000	90308990	44550	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C3H8	Portable single gas detector for Propane gas. 100% LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery. Low Alarm 20% LEL, High Alarm 50% LEL.	8000	90308990	10800	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CH3OH NEW!!	Portable single gas detector for Methyl Alcohol. 0-100ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-3805	Intelligent, portable, Ammonia Detector 0-100ppm & 0.1 ppm resolution. With built-in pump detection mode. Integrated water vapour and dust filter for use in high humidity and dust environments. Measures in both ppm and mg/m ³ . Rechargeable Battery, Data Logging, 2.8" colour LCD display.	36000	90271000	48600	https://www.metravi.com/wp-content/uploads/GD-3805-Ammonia-Detector-with-built-in-Pump-Catalogue-Web.pdf
Refrigerant Gas Leakage Detector					
RLD-01	16" Gooseneck sensor, detects all CFC Refrigerants such as R-22, R-124, R-11 and R-12, R-134a, R-404A, and new R-22 replacements, R-410A and R-407C.	13000	90271000	17550	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RLD-01-Refrigerant-Gas-Leakage-Detector-Catalogue.pdf
Accessories for Gas Detectors & Analysers					
GD-GSP	Portable Gas Sampling Pump compatible with GD-09-4M and GD-09-X series	7100	90271000	9585	https://www.metravi.com/product/gd-gsp-gas-sampling-pump/
GROUND AND EARTH RESISTANCE TESTER					
Digital Earth Resistance Tester					
ERT-1501	0 - 10 / 100 / 1000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case	8500	90303900	11475	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1501R	0 - 10 / 100 / 1000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case as above with Rechargeable Battery and Battery Charger	13000	90303900	17550	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1502	0 - 10 / 100 / 2000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case	9500	90303900	12825	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1502-ERT-1502R-Digital-Resistance-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1502R	0 - 10 / 100 / 2000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case as above with Rechargeable Battery and Battery Charger	14000	90303900	18900	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
PRO ERT-1602	Earth Resistance 0-30.00kΩ, Earth Voltage 0.0~600V AC, Soil Resistivity 9000kΩm. Precision 4-wire, 3-wire and simple 2-wire measurements. Complete kit in hard carrying case.	39000	90303900	52650	https://www.metravi.com/wp-content/uploads/Metravi-Pro-ERT-1602-Earth-Resistance-and-Soil-Resistivity-Tester-Catalogue.pdf
PRO ERT-1605 NEW!!		17000	90303900	22950	

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO ERT-1635	Earth Resistance 0.00Ω ~ 30KΩ, Earth Voltage 0.0 ~ 100.0V AC, Earth Current 0.0mA ~ 600.0A, Soli Resistivity 0.00Ωm ~ 9000KΩm. Double Clamp, multi-function, Earth and Grounding Resistance Tester for on-site measurement of grounding resistance, soil resistivity, grounding voltage, grounding line leakage current, AC current and DC resistance. Offers precision 4-wire method, 3-wire method and simple 2-wire method, selection method, double-clamp methods.	92000	90303900	124200	https://www.metravi.com/wp-content/uploads/Metravi-PRO-ERT-1635-Double-Clamp-Earth-Resistance-Tester-Catalogue-2025.pdf
Clamp-on Ground Resistance Tester					
CET-01	4 Digits LCD, 32mm Clamp Jaw Dia, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	23500	90303900	31725	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-02	4 Digits LCD, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	23500	90303900	31725	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-03	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	28000	90303900	37800	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-04	4 Digits LCD, 32mm Clamp Jaw Dia, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms. With Leakage Current Measurement up to 35A.	28000	90303900	37800	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-05	4 Digits LCD, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	22000	90303900	29700	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-06	4 Digits LCD, 32 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	22000	90303900	29700	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-02EX	Explosion Proof Clamp On Ground Resistance Tester, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	41000	90303900	55350	https://www.metravi.com/wp-content/uploads/Metravi-CET-02EX-Clamp-On-Ground-and-Earth-Resistance-Tester-Catalogue-low.pdf
CET-09	4 Digits LCD, 35 mm Elliptical Clamp Jaw, Range 0.01Ω to 1500Ω, Max Resolution 0.001Ω, Data Hold, Open Clamp Jaw Indication. With USB Interface & Rechargeable Battery – features Ground Resistance, Loop Resistance, Leakage Current measurements as well as judges Ground Faults.	60000	90303900	81000	https://www.metravi.com/wp-content/uploads/Metravi-CET-09-Clamp-on-Ground-Resistance-Tester-with-USB-Interface-and-Rechargeable-Battery-Catalogue.pdf
CET-01B	4 Digits LCD, 32mm Clamp Jaw Dia, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	23500	90303900	31725	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-02B	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	23500	90303900	31725	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-03B	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	29000	90303900	39150	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-04B	4 Digits LCD, 32mm Clamp Jaw Dia, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms. With Leakage Current Measurement up to 35A.	29000	90303900	39150	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-05B	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	22000	90303900	29700	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-06B	4 Digits LCD, 32 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	28000	90303900	37800	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-05S NEW!!	4 Digits LCD, 32 X 55 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	16500	90303900	22275	https://www.metravi.com/wp-content/uploads/Metravi-CET-05S-CET-05AS-2025-Clamp-on-Earth-Resistance-Tester-Catalogue_compressed.pdf
CET-05AS NEW!!	4 Digits LCD, 32 X 55 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1000 Ohms. Maximum Resolution 0.001 Ohms. With Leakage Current Measurement up to 30A.	23500	90303900	31725	https://www.metravi.com/wp-content/uploads/Metravi-CET-05S-CET-05AS-2025-Clamp-on-Earth-Resistance-Tester-Catalogue_compressed.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
HIGH VOLTAGE TESTING EQUIPMENT					
AC High Voltage Test Set					
ACHV	Please refer to Annexure 1		90303390		https://metravi.com/wp-content/uploads/2020/11/Metravi-ACHV-AC-High-Voltage-Test-Set-Catalogue.pdf
	Digital Meter for above, extra to be paid	5000	84212900	6750	
	Digital Timer for above, extra to be paid	5000	84212900	6750	
DC High Voltage Test Set					
DCHV	Please refer to Annexure 2		90303390		https://www.metravi.com/wp-content/uploads/2020/12/Metravi-DCHV-DC-High-Voltage-Test-Set-Catalogue.pdf
	Digital Meter for above, extra to be paid	5000	84212900	6750	
	Digital Timer for above, extra to be paid	5000	84212900	6750	
Motor Operated Oil Test Set					
50-MOTS	50kV Motor operated Oil Test Set	51000	84212900	68850	https://metravi.com/wp-content/uploads/2020/08/Metravi-50-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
60-MOTS	60kV Motor operated Oil Test Set	53000	84212900	71550	https://metravi.com/wp-content/uploads/2020/09/Metravi-60-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
70-MOTS	70kV Motor operated Oil Test Set	57000	84212900	76950	https://metravi.com/wp-content/uploads/2020/09/Metravi-70-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
75-MOTS	75kV Motor operated Oil Test Set	61000	84212900	82350	https://metravi.com/wp-content/uploads/2020/09/Metravi-75-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
80-MOTS	80kV Motor operated Oil Test Set	72000	84212900	97200	https://metravi.com/wp-content/uploads/2020/09/Metravi-80-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
90-MOTS	90kV Motor operated Oil Test Set	77000	84212900	103950	https://metravi.com/wp-content/uploads/2020/09/Metravi-90-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
100-MOTS	100kV Motor operated Oil Test Set	84000	84212900	113400	https://metravi.com/wp-content/uploads/2020/09/Metravi-100-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
120-MOTS	120kV Motor operated Oil Test Set	130000	84212900	175500	https://metravi.com/wp-content/uploads/2020/09/Metravi-120-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
	Digital Meter for above, extra to be paid	6000	84212900	8100	
Manual Oil Test Set					
50-OTS	50kV Manually operated Oil Test Set	37000	84212900	49950	https://metravi.com/wp-content/uploads/2020/08/Metravi-50-OTS-Motorised-Oil-Test-Set-Catalogue.pdf
60-OTS	60kV Manually operated Oil Test Set	40000	84212900	54000	https://metravi.com/wp-content/uploads/2020/09/Metravi-60-OTS-Manual-Oil-Test-Set-Catalogue.pdf
70-OTS	70kV Manually operated Oil Test Set	45000	84212900	60750	https://metravi.com/wp-content/uploads/2020/09/Metravi-70-OTS-Manual-Oil-Test-Set-Catalogue.pdf
75-OTS	75kV Manually operated Oil Test Set	49000	84212900	66150	https://metravi.com/wp-content/uploads/2020/09/Metravi-75-OTS-Manual-Oil-Test-Set-Catalogue.pdf
80-OTS	80kV Manually operated Oil Test Set	59000	84212900	79650	https://metravi.com/wp-content/uploads/2020/09/Metravi-80-OTS-Manual-Oil-Test-Set-Catalogue.pdf
90-OTS	90kV Manually operated Oil Test Set	64000	84212900	86400	https://metravi.com/wp-content/uploads/2020/09/Metravi-90-OTS-Manual-Oil-Test-Set-Catalogue.pdf
100-OTS	100kV Manually operated Oil Test Set	70000	84212900	94500	https://metravi.com/wp-content/uploads/2020/09/Metravi-100-OTS-Manual-Oil-Test-Set-Catalogue-1.pdf
120-OTS	120kV Manually operated Oil Test Set	92000	84212900	124200	https://metravi.com/wp-content/uploads/2020/09/Metravi-120-OTS-Manual-Oil-Test-Set-Catalogue.pdf
	Digital Meter for above, extra to be paid	6000	84212900	8100	
Primary Current Injection Test Set					
PCIT	Please refer to Annexure 3		90303390		https://www.metravi.com/wp-content/uploads/2020/11/Metravi-PCIT-Primary-Current-Testing-Set-Catalogue.pdf
Relay Test Set					
RNT-5	Relay Test Set, with current output upto 200A in various ranges	56000	90308200	75600	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-5-Relay-Test-Set-Catalogue.pdf
RNT-5A	Relay Test Set with 200A in various ranges, Burden 1KVA, with AC/DC Voltage output	84000	90308200	113400	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-5A-Relay-Test-Set-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
RNT-33	Relay Test Set suitable for testing distance relay, 3 phase current / voltage output and Fixed DC Voltage output	280000	90308200	378000	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-33-Relay-Test-Set-Catalogue.pdf
ZNT-34	Relay Test Set suitable for testing distance, over voltage relays etc., Variable three phase Voltage / Current and variable DC Voltage outputs	300000	90308200	405000	https://metravi.com/wp-content/uploads/2020/08/Metravi-ZNT-34-Relay-Test-Set-Catalogue.pdf
RNT-PC-3 NEW!!	High performance Industrial Relay Test Set for single phase or 3 Phase Current output 40A/120A, voltage output, and Fixed DC Voltage output. Max output power 400VA/1000VA. Frequency Range 0-1000Hz.	On Request	90308200	On Request	https://drive.google.com/file/d/18qXAkaago3yvd1veyNYfom3YTI_HPA8w/view?usp=drive_link
Transformer Turns Ratio Set					
TTRS-100	Transformer Turns Ratio Set to measure ratio in the range of 0.800 to 2021 & for Phase Deviation Measurement	150000	90303390	202500	https://metravi.com/wp-content/uploads/2020/08/Metravi-TTRS-100-Transformer-Turns-Ratio-Set-Catalogue.pdf
PRO TTRS-1 NEW!!	Transformer Turns Ratio Set with Software & App for Data Transfer. Measure actual transformer ratio 0.9~10000 & group test. Comes with monitoring software, test line, communication line, with Rechargeable Battery, full colour large LCD Touchscreen display, port anti-overload function, Data Logging for 500 sets. Reading, consulting, saving historical data functions. CAT III 600V.	130000	90303390	175500	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TTRS-1-Transformer-Turns-Ratio-Tester-Catalogue-Web.pdf
Transformer Tangent Delta Tester					
PRO CTNDT-12 NEW!!	12kV Automatic Tangent Delta tester, high-precision, to measure the dielectric loss and capacitor value of insulation materials in high voltage power equipment. Can also test the full sealed CVT (capacitor voltage transformer) C1, C2 dielectric loss and capacitance, to achieve the C1, C2 simultaneous test.	On Request	90303390	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-CTNDT-12-12kV-Tangent-Delta-Tester-Catalogue.pdf
IC TESTER					
IC Tester					
DICT-2040	40 pin Digital IC Tester to test 54 / 74 series TTL and 4000 & 4500 series CMOS ICs, tests more than 2000 kinds of devices	38000	90308200	51300	https://metravi.com/wp-content/uploads/2020/08/Metravi-DICT-2040-Digital-IC-Tester-Catalogue.pdf
LCR METERS					
Digital LCR Meter					
460	11,000 Counts Backlit LCD, Data Hold, MAX/MIN Record, RELATIVE, Inductance, Capacitance, Resistance, Diode & Continuity Test	6400	90303100	8640	https://www.metravi.com/wp-content/uploads/Metravi-460-Digital-LCR-Meter-Catalogue.pdf
4070D	5 Digits, LCD, Dual Display, Inductance, Capacitance, Resistance, Impedance, D, ESR and Q Test Facility, Test Frequency of 100Hz, 120Hz, 1kHz, 10kHz and 100kHz	14000	90303100	18900	https://metravi.com/wp-content/uploads/2020/08/Metravi-4070D-Digital-LCR-Meter-Catalogue.pdf
4090 NEW!!	Benchtop, high accuracy LCR Meter, Measuring Frequency 100Hz, 1kHz, 10kHz± 0.02%. Inductance 1µH-99.99H. Capacitance 1pF-99.99µF. Impedance 0.1Ω~99.99MΩ. Dissipation Factor & Quality Factor. With Zero function and impact protection.	35000	90303100	47250	https://www.metravi.com/wp-content/uploads/Metravi-4090-Benchtop-LCR-Meter-Catalogue.pdf
Digital LCR Multimeter					
451	3-1/2 Digits, Backlit LCD, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Inductance, Frequency, Temperature, Diode, Transistor and Continuity Test	4500	90303100	6075	https://www.metravi.com/wp-content/uploads/Metravi-451-Digital-LCR-Meter-with-Multimeter-Catalogue.pdf
506 DISCONTINUED	3-3/4 Digits, Backlit, LCD Dual Display, T-RMS, RS-232 PC Interface, Internal Memory, Min, Max, Avg, Relative Modes, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Inductance, Duty Cycle, Temperature, dBm, Logic, Diode, Signal Output & Continuity Test	22040	90303100	29754	https://www.metravi.com/wp-content/uploads/Metravi-506-Digital-LCR-Meter-with-Multimeter-Catalogue.pdf
MANOMETERS					
Digital Differential Pressure Meter (Manometer)					
PM-01	Backlit LCD Display, measures up to 5 psi and in various other units of Pressure	12500	90262000	16875	https://metravi.com/wp-content/uploads/2020/09/Metravi-PM-01-Differential-Pressure-Manometer-Catalogue.pdf
ET-99P	Differential Pressure Manometer for -5000Pa to +5000Pa, with backlit LCD display and Data Hold.	5100	90308990	6885	https://www.metravi.com/wp-content/uploads/Metravi-ET-99P-Digital-Manometer-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PM-05	Differential Pressure Manometer measures negative, positive and differential pressure. Option for 11 measurement units: bar, ozin ² , psi, mbar, mmHg, cmH ₂ O, ftH ₂ O, kgcm ² and kPa.	4900	90268090	6615	https://www.metravi.com/wp-content/uploads/Metravi-PM-05-Multifunction-Manometer-Catalogue-Web.pdf
METAL DETECTORS					
Metal Detector					
MD-300	Highly sensitive Metal Detector with a circular sensor, the detector vibrates and provides audible alarm on detecting metal	2100	85438910	2835	https://metravi.com/wp-content/uploads/2020/08/Metravi-MD-300-Metal-Detector-Catalogue.pdf
SUPER-V	Hightly sensitive Metal Detector with a straight sensor, the detector vibrates, provides visual and audible warning on detecting metal	3500	85438910	4725	https://metravi.com/wp-content/uploads/2020/08/Metravi-Super-V-Metal-Detector-Catalogue.pdf
MOISTURE METERS					
Digital Moisture Meter					
ET-99M	Digital Moisture Meter for wood, sawn timber, cardboard, paper, as well as hardened materials like plastic, concrete and mortar, using pin probe sensors	2100	90268090	2835	https://www.metravi.com/wp-content/uploads/Metravi-ET-99M-Digital-Moisture-Meter-Catalogue.pdf
CEM DT-120	Compact, pin-type Digital Moisture Meter for wood and building materials.	2200	90268090	2970	https://www.metravi.com/wp-content/uploads/CEM-DT-120-Digital-Moisture-Meter-Catalogue.pdf
MM-1 DISCONTINUED	Digital Moisture Meter for paper, wood and hardned material like plaster, concrete and mortar	3600	90268090	4860	https://metravi.com/wp-content/uploads/2020/08/Metravi-MM-1-Pin-type-Moisture-Meter-Catalogue.pdf
MM-2	Digital Moisture Meter for wood, bamboo, cotton, tobacco, paper, foodstuffs	2100	90268090	2835	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MM-2-Pin-Type-Wood-Moisture-Meter-Catalogue-3.pdf
MM-5	Digital Wood Moisture Meter that can measure moisture in up to 150 different kinds of wood	7200	90308990	9720	https://metravi.com/wp-content/uploads/2020/08/Metravi-MM-5-Pin-type-Wood-Moisture-Meter-Catalogue-1.pdf
MM-10	Digital Pinless Moisture Meter, Range 0 - 100%, auto power off, backlit display, Min/Max function, Measure and Hold, works on most of the products	9400	90268090	12690	https://www.metravi.com/wp-content/uploads/Metravi-MM-10-Pinless-Moisture-Meter-Catalogue.pdf
MOTOR CHECKERS					
Analogue Motor Checker					
MC-22	Electric Motor Checker with analogue display	30000	90303900	40500	https://metravi.com/wp-content/uploads/2020/08/Metravi-MC-22-Analogue-Motor-Checker-Catalogue-1.pdf
Digital Motor Checker					
MC-22D	Digital Motor Checker with insulation resistance test of 1000V	35000	90303900	47250	https://metravi.com/wp-content/uploads/2020/08/Metravi-MC-22D-Digital-Motor-Checker-Catalogue.pdf
MC-38D	Digital Motor Checker with insulation resistance test of 500 and 1000V	19500	90303900	26325	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MC-38D-Digital-Motor-Checker-Catalogue-1.pdf
Rotating Machine Tester					
RMT-10	One Single Meter that can test rotating machines, from insulation resistance to low resistance milli ohms combined with a built-in T-RMS Multimeter, Data logger, with Low pass Filter, Bluetooth, can measure AC/DC Voltage 1000V, DC/AC Current 10A, Resistance, Capacitance 5mF, Frequency 50Mhz, Temperature up to 1200°C, Insulation Resistance 5000MΩ at test voltage of 50V / 100V / 250V / 500V / 1000V, with polarisation index and DAR, Low resistance from 1 mΩ to 2000Ω	36000	90303900	48600	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RMT-10-Rotating-Machine-Tester-Catalogue-Dec21.pdf
RMTI-1	One Single Meter that can test rotating machines, from insulation resistance to low resistance milli ohms combined with a built-in Thermal Imager, T-RMS Multimeter, Data logger, with Low pass Filter, Bluetooth, can measure AC/DC Voltage 1000V, DC/AC Current 10A, Resistance, Capacitance 5mF, Frequency 50Mhz, Temperature up to 1200°C, Insulation Resistance 5000MΩ at test voltage of 50V / 100V / 250V / 500V / 1000V, with polarisation index and DAR, Low resistance from 1 mΩ to 2000Ω	89500	90303900	120825	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RMTI-1-Rotating-Machine-Tester-with-Thermal-Imager-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
MULTIMETERS					
Analogue Multimeter					
250TR	Measures AC/DC Voltage, DC Current, Resistance, Battery Test and dB.	1200	90303100	1620	https://www.metravi.com/wp-content/uploads/Metravi-250TR-Analogue-Multimeter-Catalogue-2024.pdf
260TR	Measures AC/DC Voltage, DC Current, Resistance, Transistor Polarity Test, Audible Continuity	1720	90303100	2322	https://www.metravi.com/wp-content/uploads/Metravi-260TR-Analogue-Multimeter-Catalogue-2024.pdf
2010BA	Measures AC/DC Voltage, up to 10A AC/DC, Resistance, Transistor and Audible Continuity	2700	90303100	3645	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-2010BA-Analogue-Multimeter-Catalogue.pdf
5050E	Measures AC/DC Voltage up to 1000V, AC/DC Current up to 10A, Resistance up to 2000M.Ohms, Frequency up to 25kHz, Transistor Testing, Diode Testing and audible continuity testing	4000	90303100	5400	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-5050E-Analogue-Multimeter-Catalogue.pdf
6060	Measures AC / DC Voltage up to 2500V, AC/DC Current up to 10A, Resistance up to 10M.Ohms, Diode and continuity test facility	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-6060-Analogue-Multimeter-Catalogue.pdf
Digital Multimeter					
XB-30	3-1/2 Digits, LCD, Data Hold, AC Voltage, DC Voltage, DC Current, Resistance, Diode & Transistor Test.	1650	90303100	2228	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-XB-30-Digital-Multimeter-Catalogue.pdf
XB-33A	6000 Counts, Auto-ranging, T-RMS Digital multimeter with backlit LCD display. Can measure AC T-RMS Voltage and Current, DC Current / Voltage, Frequency, Resistance, Capacitance, Temperature, Diode and Continuity Test and Non-contact Voltage Detection, along with overload protection.	1850	90303100	2498	https://www.metravi.com/wp-content/uploads/Metravi-XB-33A-TRMS-Autoranging-Digital-Multimeter-Catalogue.pdf
XB-33CF	6000 Counts Backlit LCD, Flash Light, NCV, MAX/MIN Record, T-RMS, Measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Frequency, Diode and Continuity Test	1775	90303100	2396	https://www.metravi.com/wp-content/uploads/Metravi-XB-33CF-Digital-TRMS-Multimeter-Catalogue-2025.pdf
603 DISCONTINUED	3-1/2 Digits, Backlit LCD, Data Hold, AC Voltage, DC Voltage, AC Current, DC Current, Resistance, Capacitance, Frequency, Temperature, Hot Wire, Diode, Transistor and Continuity Test.	2100	90303100	2835	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-603-Digital-Multimeter-Catalogue.pdf
6030A+	6000 Counts Backlit LCD, T-RMS Multimeter, Auto Power Off, Data Hold, MAX/MIN, AC / DC Voltage, AC/DC Current 20A, Resistance, Capacitance, Frequency, Temperature, Transistor Test, Diode and Continuity Test	2500	90303100	3375	https://www.metravi.com/wp-content/uploads/Metravi-6030A-Digital-TRMS-Multimeter-Catalogue.pdf
19-TRMS	3-3/4 Digits, LCD, Auto-ranging, Relative, Data Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, 30MHz Frequency, Duty Cycle, Temperature, Diode, Transistor and Continuity Test.	2600	90303100	3510	https://www.metravi.com/wp-content/uploads/Metravi-19-TRMS-Auto-Ranging-Digital-Multimeter-Catalogue-2023-Model.pdf
19-SUPER	6000 Counts LCD Display, NCV, T-RMS Multimeter, Measures AC/DC Voltage, AC/DC Current up to 20A, Resistance, Temperature, Frequency, Capacitance, Diode, Transistor Test and Continuity Test Facility	2700	90303100	3645	https://www.metravi.com/wp-content/uploads/Metravi-19-Super-Digital-TRMS-Multimeter-Catalogue-1.pdf
Metrasafe-10	6000 Counts Backlit LCD, T-RMS, Flashlight, Live-Neutral detection, Non contact voltage detector, Audio and visual alarm for continuity, Transistor Test, AC/DC Voltage, AC/DC Current up to 20A, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode and Continuity Test.	3000	90303100	4050	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-10-TRMS-Digital-Multimeter-Catalogue.pdf
SOLAR-1B NEW!!	6000 Counts Backlit LCD, TRMS, Live/Neutral Detection, NCV, Double integral A/D conversion, AC Voltage, DC Voltage, AC/DC High Voltage 2000V, AC Current, DC Current, Capacitance, Frequency, Diode Test, intelligent voice alarm values, 2000V AC/DC Voltage and high voltage diode output measurement. Overload protection.	3000	90303100	4050	https://www.metravi.com/wp-content/uploads/Metravi-Solar-1B-Digital-TRMS-Multimeter-Catalogue-Web.pdf
DT-19TB	3-3/4 Digits, Backlit LCD, Auto-ranging, Terminal Blocking Facility, Relative & Data Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Battery Test, Diode & Continuity Test. 500V AC/DC Protection in all ranges	3900	90303100	5265	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-19TB-Digital-Multimeter-Catalogue.pdf
PRO 7	4000 counts, TRMS, auto-ranging with backlit display, backlit switch as well as backlit ranges. Measure AC/DC Voltage, VFD Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode & Continuity Test, NCV detection, Live Line test & Square Wave Output. Heavy-duty, rugged design, double-injection	3700	90303100	4995	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7-Auto-ranging-TRMS-Digital-Multimeter-Catalogue-Web-1.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
540	4-1/2 Digits, LCD, Data Hold, T-RMS, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Diode & Continuity Test.	3825	90303100	5164	https://metravi.com/wp-content/uploads/2020/08/Metravi-540-T-RMS-4-1-2-Digit-Digital-Multimeter-Catalogue.pdf
23S-TRMS	4-1/2 Digits 19,999 Counts, T-RMS, Backlit LCD, NCV, Data Hold, Peak Hold, Relative, Auto Power Off, Dual Display to show Voltage & Current with Frequency on the same screen, AC/DC Voltage, AC/ DC Current 10A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test both Audio and Visual.	4100	90303100	5535	https://metravi.com/wp-content/uploads/2020/08/Metravi-23S-TRMS-Digital-Multimeter-Catalogue.pdf
PRO-11	4000 Count Backlight LCD Display, Auto-Ranging, IP67 Dust and Waterproof, 600V AC/DC Voltage, 10A AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, UL 61010-1, CAT-III 600V, Class 2 Double Insulation, Built-in flashlight, Over range indication, Auto Power Off, Min/Max Data Hold. Hand-Held Waterproof and Dust proof, Double moulded injection body.	4700	90303100	6345	https://metravi.com/wp-content/uploads/2020/08/Metravi-PRO-11-Digital-Multimeter-Catalogue.pdf
Metrasafe-13	3-3/4 Digits, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Relative, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Continuity and Battery Test. Confirms to CAT IV 600V	5000	90303100	6750	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-13-Fully-Protected-Digital-Multimeter-Catalogue.pdf
901-IV	3-5/6 Digits, 6000 Counts Backlit LCD, Autor-ranging, T-RMS, 600V AC/DC Protection, AC/DC Voltage, AC/DC Current, Resistance, 4mF capacitance, 20MHz Frequency, temperature diode and continuity	5355	90303100	7229	https://metravi.com/wp-content/uploads/2020/08/Metravi-901-IV-TRMS-Digital-Multimeter-Catalogue.pdf
Metrasafe-14	3-3/4 Digits, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Relative, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Continuity and Battery Test. Confirms to CAT IV 600V	5700	90303100	7695	https://metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-14-Fully-Protected-Digital-Multimeter-Catalogue.pdf
PRO-12B	4000 Counts, Backlight LCD Display, TRMS, IP 67, 600V AC (TRMS)/DC Voltage, 10A AC(TRMS)/DC Current, LoZ, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity test, 50 to 400Hz AC Bandwidth, Bluetooth, Free Smartphone App, Data Hold, MAX/MIN Record, built-in Flashlight, double-moulded injection body, Auto Power Off, Low battery indication, CAT-III 600V.	5500	90303100	7425	https://metravi.com/wp-content/uploads/2020/08/Metravi-PRO-12B-Digital-Multimeter-Catalogue.pdf
PRO 21	6000 counts backlit LCD display, TRMS, Auto-ranging, Heavy Duty, Industrial-grade Digital Multimeter with VFD Measurement. IP67 dust and water proof as well as 2 metres drop/shock-proof!	6100	90303100	8235	https://www.metravi.com/wp-content/uploads/Metravi-PRO-21-Digital-TRMS-Multimeter-with-VFD-Catalogue.pdf
Metrasafe-15	3-3/4 Digits, Analogue Bargraph, Backlit LCD, Autoranging, Fully Protected, Data Hold, Max/Min, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test. Confirms to CAT IV 600V.	7000	90303100	9450	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-15-Metrasafe-16-Fully-protected-TRMS-Digital-Multimeter-Catalogue.pdf
PRO 27	6000 counts backlit LCD display, Auto-Ranging T-RMS Multimeter with VFD, LoZ, 61 Segment Analogue Bargraph and IP67- best fit for all applications regarding electrical motors.	6900	90303100	9315	https://www.metravi.com/wp-content/uploads/Metravi-PRO-27-Digital-TRMS-Auto-ranging-Multimeter-with-VFD-Catalogue.pdf
PRO Solar-1A	1500VDC, 1000VAC, 6000 counts backlit LCD display, TRMS, Auto-ranging, Heavy Duty, Industrial-grade Digital Multimeter with VFD Measurement. IP67 & 2 metres drop/shock-proof. Perfect for Solar & PV Applications.	6990	90303100	9437	https://www.metravi.com/wp-content/uploads/Metravi-PRO-Solar-1A-TRMS-Auto-ranging-Multimeter-Catalogue-.pdf
Metrasafe-16	3-3/4 Digits, Analogue Bargraph, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Max/Min, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test. Confirms to CAT IV 600V.	8000	90303100	10800	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-15-Metrasafe-16-Fully-protected-TRMS-Digital-Multimeter-Catalogue.pdf
DM-454	22,000 Counts LCD Display, Peak Hold, Data Hold, Relative Measurement, T-RMS Multimeter, Confirms to CAT III 1000V, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Diode & Continuity Test, USB PC Interface.	13500	90303100	18225	https://www.metravi.com/wp-content/uploads/Metravi-DM-454-TRMS-Digital-Multimeter-Catalogue.pdf
PRO 587	6,000 /60,000 Counts user selectable, Backlit LCD Display, Bargraph, T-RMS Multimeter, 1000V AC/DC Current, 10A AC/DC Current, 100kHz AC Response, Resistance, Capacitance, Electrical and Electronic Frequency, Temperature, Duty Cycle, Low Pass Filter, 4-20mA measurement, Continuity and Diode testing.	14500	90303100	19575	https://www.metravi.com/wp-content/uploads/Metravi-PRO-587-Digital-T-RMS-Industrial-Professional-Multimeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Metrasafe-18 DISCONTINUED	4-3/4 Digits, Analogue Bargraph, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data & Peak Hold, Max/Min Record, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Non Contact type Infrared Thermometer, Duty Cycle, Diode & Continuity Test. Confirms to CAT IV 600V.	15265	90303100	20608	https://metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-18-TRMS-Industrial-Multimeter-Catalogue.pdf
Metrasafe-19	4-3/4 Digits, Analogue Bargraph, Wireless PC Interface, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data & Peak Hold, Max/Min Record, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Non Contact type Infrared Thermometer, Duty Cycle, Diode & Continuity Test. Confirms to CAT IV 600V.	18500	90303100	24975	https://metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-19-Digital-Multimeter-Catalogue.pdf
PRO Solar-1 DISCONTINUED	6000 Counts, Auto-backlit LCD, EN 61010-1, EN 61010-2-033 for CAT III 1000V, CAT IV 600V, EN 61326-1, designed for Solar PV application, to measure 2000V DC and 1500V AC T-RMS & DC/AC mV, AC/DC Current up to 10A, Resistance 40MΩ, Capacitance 10mF, Frequency 100kHz, Temperature 400°C, NCV, Diode & Continuity Test.	17600	90303100	23760	https://metravi.com/wp-content/uploads/2020/08/Metravi-SOLAR-1-Pro-Series-Digital-Multimeter-Catalogue.pdf
PRO 589	50,000 Counts TFT LCD Colour Display, 100kHz Bandwidth, Bluetooth, Trend Capture, Low Pass Filter, Surge Protection up to 8kV Peak, Full Overload Protection, UL Certified, CATIII 1000V, CATIV 600V, 0.05% Accuracy, T-RMS, MAX/MIN/AVG, PEAK MAX/MIN, Peak values of transients up to 250uS, AC+DC Measurement, Relative Function, Data Hold, Data Logging, Histogram Data with time stamp, Voltage 1000V AC/DC, Current 10A AC/DC, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode & Continuity	24500	90303100	33075	https://www.metravi.com/wp-content/uploads/Metravi-Pro-589-Digital-TRMS-Multimeter-Catalogue-Aug-2025.pdf
Metrasafe-20	4-5/6 Digits, 60,000 Counts, T-RMS Multimeter, OLED Display, 100kHz Bandwidth, Accuracy 0.025%, Lo-Z, AC/DC Voltage, AC/DC Current, Resistance, Process Measurement, Conductance, Capacitance, Frequency, Duty Cycle, Temperature, Diode & Continuity, Rechargeable battery, Mis-operation Alarm, Data Logger. Optional Bluetooth.	32000	90303100	43200	https://www.metravi.com/wp-content/uploads/Metravi-MetraSafe-20-Digital-TRMS-Industrial-Multimeter-Catalogue.pdf
Digital Multimeter with Thermal Imager					
PRO TIM-900 NEW!!	4000 Counts, 2.4" TFT Colour Display, A/D Conversion with high sampling rate, High Accuracy, with built-in 80x80px Thermal Imager with Max, Min and Center crosshair targeting, 50Hz fast thermal image frame rate, Bluetooth interface, free Smartphone App, DC Voltage, AC & AC+DC TRMS Voltage, DC Current, AC & AC+DC TRMS Current, Resistance and Continuity test, Diode Test, Capacitance, Frequency, Duty Cycle, Auto Ranging, Auto Power-off, Built-in flashlight to access dark areas, Rechargeable battery, Surge Protection: 6kV peak per IEC 61010, CAT III 600V, CAT IV 300V	53550	90303100	72293	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TIM-900-Digital-TRMS-Multimeter-with-Thermal-Imager-Catalogue.pdf
CEM DT-9889	Professional True RMS Industrial Digital Multimeter with Oscilloscope functions, 50,000 Counts TFT colour LCD display. Fast A/D converting sampling time, high accuracy, built-in Datalogging, Trend Capture. IP67. Measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency (electrical & electronic), Duty Cycle, Diode Test, Continuity, Thermocouple Temperature. Oscilloscope Sampling Rate 50 Msa/s, 10MHz bandwidth.	73800	90303100	99630	https://www.cem-instruments.in/pdf/DT-9989.pdf
Solar MPPT Meter					
PRO 20PV	Meter to test Solar Panels. Measures Maximum Power, Peak Power Voltage, Peak Power Current, Open Circuit Voltage and Short Circuit Current. Large, backlit, multi-display. Comes with MC4 test leads and magnetic holder.	5600	90303100	7560	https://www.metravi.com/wp-content/uploads/Metravi-PRO-20PV-Solar-MPPT-Meter-Catalogue.pdf
Bench Type Multimeter					
M-45 NEW MODEL!!	5 digits, 55000 Counts, bench-type, compact, T-RMS Multimeter with large TFT Colour Display, USB & RS232 Interfaces for Data Logging & Analysis. Supports Dual line display & SCPI. Measure Voltage, Current, Resistance, Capacitance, Frequency, RTD/K-type Temperature.	14500	90303100	19575	https://www.metravi.com/wp-content/uploads/Metravi-M-45-Bench-Type-Digital-Multimeter-Catalogue-Web.pdf
45-TRMS DISCONTINUED	4½ digits bench multimeter for measuring DC and AC Voltage, DC and AC Current, Resistance, Capacitance, eHz, hFE, Diodes and Continuity.	10530	90303100	14216	https://metravi.com/wp-content/uploads/2020/09/Metravi-45-TRMS-Bench-Type-Multimeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
55-TRMS	5-1/2 Digits Bench type Multimeter, 2,00,000 counts, high precision, multi-function and fully automatic functions of mathematical operations, capacitance, temperature and other basic measurements, 4.3-inch 480*272 TFT display, supports LAN, USB, RS-232C and GPIB (optional)	75000	90303100	101250	https://www.metravi.com/wp-content/uploads/Metravi-55-TRMS-Bench-Type-Multimeter-Catalogue.pdf
M-3511A	6-1/2 Digits Bench type Multimeter AC/DC V, AC/DC Current, Resistance, Cap and Frequency	85000	90303100	114750	https://www.metravi.com/wp-content/uploads/Metravi-M-3510A-M-3511A-6.5-digit-Bench-Type-Multimeter-Catalogue.pdf
M-3510A	6-1/2 Digits Bench type Multimeter AC/DC V, AC/DC Current, Resistance, Cap., Temp. and Frequency	100000	90303100	135000	https://www.metravi.com/wp-content/uploads/Metravi-M-3510A-Bench-type-Multimeter-Catalogue.pdf
M-3500A	6-1/2 Digits Bench type Multimeter with multiple options	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/Metravi-M-3500A-Bench-Type-Multimeter-Catalogue.pdf
Accessories for Digital Multimeter & Clamp Meters					
CA-01	Clamp On Current Adaptor to be used with any Multimeter with mV range, measures up to 200A AC	1425	90309090	1924	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CA-01-AC-Current-Clamp-On-Adapter-for-Digital-Multimeter-Catalogue-1.pdf
CA-1000D	Clamp On Current Adaptor to be used with any Multimeter with mV range, measures up to 600A/1000A AC/DC	6300	90309090	8505	https://www.metravi.com/wp-content/uploads/Metravi-CA-1000D-Clamp-on-Current-Adaptor-for-Multimeter-Catalogue-.pdf
TS-03	Infrared Temperature Adaptor to measure from -30 to 550 Degree C, can be used with any Multimeter with mV range	4000	90251920	5400	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-TS-03-Industrial-Pyrometer-Sensor-for-Digital-Multimeter-Catalogue.pdf
PD-28	High Voltage probe to measure 40kV DC and 28kV AC	9500	90303100	12825	https://www.metravi.com/wp-content/uploads/Metravi-PD-28-High-Voltage-Probe-for-Digital-Multimeters-Catalogue.pdf
ATL-PV DISCONTINUED	High Voltage Probe for P-V Multimeter SOLAR-1 and PV Clamp meter SOLAR-2	3225	90303100	4354	
TL-70	Test Leads with right angled shrouded termination to fit modern multimeters, fitted with a 4mm shrouded socket, CAT III 1000V / 20A Rating	215	90303100	390	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-TL-70-Test-Leads-for-Multimeter-Catalogue.pdf
TL-74	1m silicon single insulated test leads with right angle shrouded banana plugs, CAT IV 600V, CAT III 1000V with protective cap, banana plug termination, dia of test lead point 2mm	410	90303100	554	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-TL-74-Silicon-Test-Leads-for-Multimeter-Catalogue-1.pdf
TL-75	1m silicon double insulated test leads with right angle shrouded banana plugs, CAT IV 600V, CAT III 1000V with protective cap, banana plug termination, dia of test lead point 2mm	750	90303100	1013	https://www.metravi.com/wp-content/uploads/2020/11/Metravi-TL-75-Silicon-Test-Leads-Catalogue.pdf
Flexible Clamp PRO 476	For PRO 27 and PRO Solar-3	5500	90303100	7425	
Flexible Clamp PRO 476	For PRO 476	7000	90303100	9450	
ALCOHOL BREATH ANALYSER					
Alcohol Breath Analyser					
CEM DT-800A	Fuel cell type digital Alcohol Sensor with high accuracy, fast response/recovery time, convenient and fast detection. Two acousto-optic alarms for drink and drunkenness. Disposable blowing nozzle, Rechargeable Battery, Real time LCD display, Auto power-off.	16300	90308990	22005	https://www.metravi.com/wp-content/uploads/Metravi-CEM-DT-800A-Breath-Alcohol-Analyser-Catalogue.pdf
OHMS METERS / INSULATION TESTERS					
Analogue Insulation Tester					
IT-500	Test Voltage: 500V, Insulation Resistance Range: 0 - 1000MΩ, with AC Voltage Test Facility	2100	90303900	2835	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-IT-500-Analogue-Insulation-Tester-Catalogue.pdf
IT-1000	Test Voltage: 1000V, Insulation Resistance Range: 0 - 2000MΩ, with AC Voltage Test Facility	2200	90303900	2970	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-IT-1000-Analogue-Insulation-Tester-Catalogue.pdf
Digital Micro Ohms Meter					
53C	Digital Micro Ohms Meter to measure from 1uΩ to 2kΩ	7000	90303900	9450	https://www.metravi.com/wp-content/uploads/Metravi-53C-Micro-Ohms-Meter-Catalogue-0222.pdf
53C-II	Micro-Processor based, Digital Micro Ohms meter to measure from 1uΩ to 2kΩ, with digital selection of ranges	7750	90303900	10463	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-53C-II-1A-Micro-Ohms-Meter-Catalogue.pdf
PRO 7270 NEW!!	High-precision, 1A Micro Ohms Meter for 0.001mΩ ~ 300.0kΩ, Resolution up to 1μΩ, Accuracy ±0.1%FS, Measurement Current ≤ 1A, with Data Logging for 499 groups, PC Interface & software with reports, Backlit LCD and Rechargeable Battery.	23000	90303900	31050	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7270-1A-Micro-Ohms-Meter-with-Data-Logging-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
UOT-10A DISCONTINUED	Digital Micro Ohms Meter with Test Current of 10A	90000	90303900	121500	
7272A	10A Micro Ohms Meter with backlit LCD display, USB PC Interface, 500 Internal Memory, Four Wire measurement, Testing Current of 10A, Battery Operated, Measures from 10.0uΩ-50.00KΩ with accuracy of ±0.2%FS±10 dgt.	48000	90303900	64800	https://www.metravi.com/wp-content/uploads/Metravi-Digital-Micro-Ohms-Meter-7272A-Catalogue.pdf
PRO 7273 DISCONTINUED	1mA/10mA/100mA/1A/5A/10A, 200.0uΩ~50.00kΩ, Resolution 0.001Ω, Accuracy 0.2%±2uΩ, microprocessor technology, precise 4-wire method, with fast testing speed. Features Automatic & Manual Modes, Auto Test Current & 7 Manual Gears, Backlit Colour LCD Display, Bluetooth with Mobile App, USB Interface, Monitoring Software, Data Hold, Data Logging 600 Sets, Temperature Compensation, Automatic Discharge, user-settable Alarms, Rechargeable Battery & AC 220V Power options, IP65 dust & water proof.	50000	90303900	67500	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7273-10A-Microohms-Meter-Revised-Nov-2024-Catalogue.pdf
PRO 7274	1mA/10ma/100mA/1A/5A/10A, 200.0uΩ~50.00kΩ, Resolution 0.1uΩ, Accuracy 0.2%±2dgt, precise 4-wire method, 2-channel A/D simultaneous detection, Automatic & Manual Modes, Auto Test & 7 Current Gears, 5" true colour LCD Touchscreen display with backlight adjustment, Bluetooth with Mobile App, USB Interface, Monitoring Software, built-in Printer, Data Logging 600 sets, Data Hold, Temperature Compensation, Automatic Discharge, user-settable Alarms, Clock function, Rechargeable Battery & AC 220V Power options, IP65 dust & water proof.	85000	90303900	114750	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7274-10A-Microohms-Meter-Catalogue-Dec-2024.pdf
UONT-100A	Digital Micro Ohms Meter with Test Current of 100A	100000	90303900	135000	https://www.metravi.com/wp-content/uploads/Metravi-UONT100A-Digital-Microohms-Meter.pdf
UONT-200A	Digital Micro Ohms Meter with Test Current of 200A	195000	90303900	263250	https://www.metravi.com/wp-content/uploads/Metravi-UONT200A-Digital-Microohms-Meter.pdf
PRO 8100	≤ 5A/10A/30A/50A/80A/100A, Step Current: 2.5A, up to 87 current gears, 1μΩ~5mΩ, High Resolution:0.01μΩ, Accuracy ±(reading*0.1%+measurement range*0.2%+1μΩ). Features 4-wire measurement, high stability with open circuit and overheating protection, 5.6" industrial backlit LCD with high-brightness colour, Data Logging upto 999 sets, Data Query function, built-in Printer, Rechargeable Battery, IEC61010-1, CAT III 600V, Pollution Level 2, Regulation of DC Digital Ohmmeter, JJG166-1993 Verification Regulation of DC Resistors, DL/T967-2005 Verification regulation of loop resistance tester and DC resistance high-speed tester. Portable & hand-held.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-8100-PRO-8220-MicroOhms-Meter-Catalogue-Web.pdf
PRO 8220	≤ 5A/10A/30A/50A/80A/100A/200A/220A, Step Current: 2.5A, up to 87 current gears, 1μΩ~500uΩ, High Resolution:0.01μΩ, Accuracy ±(reading*0.1%+ measurement range*0.2%+1μΩ). Features 4-wire measurement, high stability with open circuit and overheating protection, 5.6" industrial backlit LCD with high-brightness colour, Data Logging upto 999 sets, Data Query function, built-in Printer, Rechargeable Battery, IEC61010-1, CAT III 600V, Pollution Level 3, Regulation of DC Digital Ohmmeter, JJG166-1993 Verification Regulation of DC Resistors, DL/T967-2005 Verification regulation of loop resistance tester and DC resistance high-speed tester. Portable & hand-held.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PRO-8100-PRO-8220-MicroOhms-Meter-Catalogue-Web.pdf
Spare Test Leads Set for PRO 8100/8220	5m long Test Leads for PRO 8100 / PRO 8220	32000	90303900	43200	
Spare Test Leads Set for 7272A	5m long Test Leads for 7272A	9000	90303900	12150	
PRO 7280 NEW!!	Micro Ohms Meter for 3 Phase Transformers. Current 02A/0.5/2/5/10/20A, Resistance 0.1uΩ - 5000Ω, 4 wire test method, Short Circuit Current, 7" colour touchscreen, U Disk & USB Interface, Built-in Thermal Printer, 500 sets Data Logging, IEC61010-4-3, CATIII 300V, IP54	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-7280-Digital-Micro-Ohms-Meter-for-3-Phase-Transformers-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO 8100A NEW!!	Test current of 100A. Allows wetting continuous high current testing time (10s, 20s, 30s, 40s, 50s, 60s), achieves fast test time of less than one second in rapid testing mode, ensuring high precision, stability, and intelligence even under strong interference conditions. Features 5-inch colour LCD display, With USB PC interface cable and software and rechargeable battery.	On Request	90303900	On Request	
PRO 8220A NEW!!	Test current of 220A. Allows wetting continuous high current testing time (10s, 20s, 30s, 40s, 50s, 60s), achieves fast test time of less than one second in rapid testing mode, ensuring high precision, stability, and intelligence even under strong interference conditions. Features 5-inch colour LCD display, With USB PC interface cable and software and rechargeable battery.	On Request	90303900	On Request	
Digital Milli Ohms Meter					
52C	Handheld, 0.1mΩ to 40Ω, 4 wire Kelvin type connection, also measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance and continuity	11100	90303900	14985	https://metravi.com/wp-content/uploads/2020/08/Metravi-52C-Milli-Ohms-Meter-Catalogue.pdf
52C-II NEW!!	To measure from 0.01m.Ohms (10 Micro Ohms) to 2000 Ohms with high accuracy & resolution, Test Current 100mA / 50mA. 1999 counts backlit LCD. Function of test lead resistance compensation & self-correcting Zero. MIN/MAX readings. Data storage for 50 readings.	8000	90303900	10800	https://www.metravi.com/wp-content/uploads/Metravi-52C-II-Digital-DC-Milliohm-Meter-Catalogue.pdf
Digital Insulation Tester					
DIT-909	9999 Counts Backlit LCD, Low Battery Indication, Dat Hold, Timer Function up to 10mins, Comparator, 99 Data Records, USB PC Interface (optional) Test Voltage: 50V / 100V / 250V / 500V / 1000V, 200GΩ, AC Voltage T-RMS, DC Voltage, Freuqncy, Capacitance, Continuity Test, With Remote Probe	31000	90303900	41850	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-909-Digital-Insulation-Tester-Catalogue.pdf
DIT-910	4 Digits, with GO-NO-GO functions, 250V/500MΩ, 500V/1GΩ, 1000V/2GΩ. With in-built DC voltage converter – can change 12V voltage into 250V / 500V / 1000V DC voltage. Accuracy: ±10%, Short Circuit Current: <1.6mA.	4800	90303900	6480	https://www.metravi.com/wp-content/uploads/Metravi-DIT-910-Digital-Insulation-Tester-New-Catalogue.pdf
DIT-911	3 1/2 Digits 1999 Counts, 0.00MΩ~11.0GΩ at 250V / 500V / 1000V, Accuracy ±3%+5dgt, with DC Open Circuit Voltage, Short Circuit Current, Rated Test Current, AC Voltage Test, PI, DAR and Automatic Discharge	4500	90303900	6075	https://www.metravi.com/wp-content/uploads/Metravi-DIT-911-DIT-913A-Digital-Insulation-Testers-Catalogue.pdf
DIT-912	4 Digits with Analogue Bargraph, measures upto 2000M. Ohms at 250V / 500V / 1000V, measures 600V AC/DC, Low Resistance up to 4000 Ohms and Continuity test. Fully Protected on all ranges	12000	90303900	16200	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-912-Digital-Insulation-Tester-Catalogue.pdf
DIT-913	3 1/2 Digits 1999 Counts, 2000MΩ @250V / 20GΩ @500V / 20GΩ @1000V / 20GΩ @2500V, Accuracy: ±3%, Data Hold	6300	90303900	8505	https://www.metravi.com/wp-content/uploads/Metravi-DIT-913-Digital-Insulation-Tester-Catalogue-Web.pdf
DIT-913A	3 1/2 Digits 1999 Counts, 0.00MΩ~22.0GΩ at 500V / 1000V / 2500V, Accuracy ±2%+3dgt, with DC Open Circuit Voltage, Short Circuit Current, Rated Test Current, AC Voltage Test, PI, DAR and Automatic Discharge	5300	90303900	7155	https://www.metravi.com/wp-content/uploads/Metravi-DIT-911-DIT-913A-Digital-Insulation-Testers-Catalogue.pdf
DIT-321	Digital Insulation Resistance Tester with Buil-in Multimeter, 3-3/4 Digits 3999 Counts, Backlit LCD, Data Hold, Test Voltage: 250V / 500V / 1000V, upto 40G.Ohms, Measures AC/DC Voltage, AC/DC Current up to 400mA, Resistance, Capacitance, Frequency, Diode & Continuity Test Facility.	5300	90303900	7155	https://www.metravi.com/wp-content/uploads/Metravi-DIT-321-DIT-322-Digital-Insulation-Tester-Catalogue-J-une-2022.pdf
DIT-322	Digital Insulation Resistance Tester with Built-in Multimeter, 3-3/4 Digits 3999 Counts, Backlit LCD, Data Hold, Test Voltage: 500V / 1000V / 2500V, upto 40G.Ohms, Measures AC/DC Voltage, AC/DC Current up to 400mA, Resistance, Capacitance, Frequency, Diode & Continuity Test Facility.	6900	90303900	9315	https://www.metravi.com/wp-content/uploads/Metravi-DIT-321-DIT-322-Digital-Insulation-Tester-Catalogue-J-une-2022.pdf
DIT-914	Battery cum Mains Operated, with facility to measure AC Voltage, Low Resistance, Continuity, 500V/2000MΩ, 1000V/2000MΩ, 2500V/20GΩ, 5000V/200GΩ	18500	90303900	24975	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-914-Digital-Insulation-Tester-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DIT-916	Selectable testing voltages - one testing instrument for low and high voltage systems from 500/1000/2500 and 5000V, Insulation resistance measurement up to 1T Ω, User selectable programmable timer (10s to 30 min), Automatic discharge of test object after completion of measurement, Diagnostic tools, Polarization index (PI), Dielectric absorption ratio (DAR), USB PC Interface	35000	90303900	47250	https://www.metravi.com/wp-content/uploads/Metravi-DIT-916-Digital-Insulation-Tester-with-USB-PC-Interface-2024-Catalogue.pdf
DIT-921	Battery cum Mains Operated, with facility to measure, PI, DAR, AC Voltage, Low Resistance, Continuity, 500V/6GΩ, 1000V/6GΩ, 2500V/60GΩ, 5000V/60GΩ	33000	90303900	44550	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DIT-921-Digital-Insulation-Tester-Catalogue.pdf
PRO DIT-960PV NEW!!	For measuring Photovoltaic (PV) live insulation resistance 0.50MΩ~4000MΩ, ordinary insulation resistance function (non-live) 0.125MΩ ~ 4000MΩ, AC/DC voltage automatic recognition upto 1000V. With Automatic Discharge, high Voltage warning, comparative & time-set measurement, Data Logging 1000 sets, USB & Bluetooth Interface for PC data transfer & analysis. IP54 protection, CAT III 600V, CE, EN 61010-1; EN IEC 61010-2-034; EN 61557-1, -2.	32000	90303900	43200	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-960PV-Solar-Insulation-Tester-Catalogue-Web.pdf
High Voltage Digital Insulation Tester					
PRO DIT-925	0.50MΩ ~ 5.00TΩ, 250V/500V/1000V/2500V/5000V/5kV, Accuracy ±5%, with Polarisation Index measurement (PI); Absorption Ratio (DAR); Ramp Test mode (RAMP) ; Dielectric discharge, Filtered Resistance test (FR), Voltage measurement (V); Current measurement (nA), Data Logging, Automatic Discharge, Full-colour Touchscreen, Rechargeable Battery, IP65 protection, USB PC Interface for data download and analysis.	60500	90303900	81675	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-925-PRO-DIT-927-High-Voltage-Insulation-Tester-Catalogue.pdf
PRO DIT-927	0.50MΩ ~ 10.00TΩ, 250V/500V/1000V/2500V/5000V/10kV, Accuracy ±5%, with Polarisation Index measurement (PI); Absorption Ratio (DAR); Ramp Test mode (RAMP) ; Dielectric discharge, Filtered Resistance test (FR), Voltage measurement (V); Current measurement (nA), Data Logging, Automatic Discharge, Full-colour Touchscreen, Rechargeable Battery, IP65 protection, USB PC Interface for data download and analysis.	67000	90303900	90450	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-925-PRO-DIT-927-High-Voltage-Insulation-Tester-Catalogue.pdf
DIT-930	0.01MΩ ~ 10TΩ, 100V/250V/500V/1000V/2500/5kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V	66000	90303900	89100	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930F-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf
DIT-930E	0.01MΩ ~ 35TΩ, 250V/500V/1000V/2500V/5000V/10kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V.	82000	90303900	110700	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930E-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf
DIT-930F	0.01MΩ ~ 50TΩ, 500V/1000V/2500V/5000V/10kV/15kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V.	120000	90303900	162000	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930E-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf
DIT-931 NEW!!	0.50MΩ ~ 10.0TΩ, 250V/500V/1kV/2.5kV/5kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	97800	90303900	132030	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DIT-931E NEW!!	0.50MΩ ~ 20.0TΩ, 250V/500V/1kV/2.5kV/5kV/10kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	117000	90303900	157950	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf
DIT-931F NEW!!	0.50MΩ ~ 30.0TΩ, 250V/500V/1kV/2.5kV/5kV/10kV/15kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	162000	90303900	218700	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf
DIT-950	High Precision IR Tester 10kΩ to 50TΩ, 500V, High measurement accuracy: ±2% (< 1TΩ), Dual Channel, 320×240 dot-matrix LCD Display, Contact detection function, 7 Current Ranges, Manual or Auto Range modes, 4-bin Comparison function, Programmable Sequence Test mode, R-T and I-T Curve test and display mode, Auto store setup parameters. Interfaces: GPIB, (optional); RS232C; HANDLER interface output; USB (USBTMC and USB CDC support); USB HOST; SCANNING.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-DIT-950-DIT-951-High-precision-Insulation-Resistance-Testers-Catalogue.pdf
DIT-951	High Precision IR Tester 10kΩ to 100TΩ, 1000V, High measurement accuracy: ±2% (< 1TΩ), Dual Channel, 320×240 dot-matrix LCD Display, Contact detection function, 7 Current Ranges, Manual or Auto Range modes, 4-bin Comparison function, Programmable Sequence Test mode, R-T and I-T Curve test and display mode, Auto store setup parameters. Interfaces: GPIB, (optional); RS232C; HANDLER interface output; USB (USBTMC and USB CDC support); USB HOST; SCANNING.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-DIT-950-DIT-951-High-precision-Insulation-Resistance-Testers-Catalogue.pdf
DIT-932 NEW!!	High Voltage Insulation Tester with medium-scale integrated circuits, high resolution & accuracy, 6 output voltage levels, 100V~5kV (output voltage), Step Regulating Voltage function. Measures 0.01 MΩ~10TΩ, 0~1000V DC, 0~750V AC, 0.01 nA~6 mA DC, 10nF~50μF, Absorption Ratio, Polarisation Index (PI), Di-electric Discharge. Features Filter Test, Ramp Voltage Test, Rechargeable Battery, super-large display, USB PC Interface, Bluetooth & Mobile App, Data Logging for 500 groups, Alarms, IP54 housing, CAT III 300V.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-Pro-DIT-932-Series-High-Voltage-Digital-Insulation-Testers-Catalogue.pdf
DIT-932E NEW!!	High Voltage Insulation Tester with medium-scale integrated circuits, high resolution & accuracy, 6 output voltage levels, 100V~10kV (output voltage), Step Regulating Voltage function. Measures 0.01 MΩ~35TΩ, 0~1000V DC, 0~750V AC, 0.01 nA~6 mA DC, 10nF~50μF, Absorption Ratio, Polarisation Index (PI), Di-electric Discharge. Features Filter Test, Ramp Voltage Test, Rechargeable Battery, super-large display, USB PC Interface, Bluetooth & Mobile App, Data Logging for 500 groups, Alarms, IP54 housing, CAT III 300V.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-Pro-DIT-932-Series-High-Voltage-Digital-Insulation-Testers-Catalogue.pdf
DIT-932F NEW!!	High Voltage Insulation Tester with medium-scale integrated circuits, high resolution & accuracy, 6 output voltage levels, 100V~15kV (output voltage), Step Regulating Voltage function. Measures 0.01 MΩ~50TΩ, 0~1000V DC, 0~750V AC, 0.01 nA~6 mA DC, 10nF~50μF, Absorption Ratio, Polarisation Index (PI), Di-electric Discharge. Features Filter Test, Ramp Voltage Test, Rechargeable Battery, super-large display, USB PC Interface, Bluetooth & Mobile App, Data Logging for 500 groups, Alarms, IP54 housing, CAT III 300V.	On Request	90303900	On Request	https://www.metravi.com/wp-content/uploads/Metravi-Pro-DIT-932-Series-High-Voltage-Digital-Insulation-Testers-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Million MegOhms Meter					
MMM-1	Analogue Million MegOhms Meter for test voltage of 100, 200, 300, 400 and 500V, measures up to 10 Million MegOhms	19000	90303900	25650	https://metravi.com/wp-content/uploads/2020/10/Metravi-MMM-01-Analogue-Million-MegOhms-Meter-Catalogue.pdf
OSCILLOSCOPES					
Cathode Ray Oscilloscopes					
OS-5010A	10MHz Single Channel, Cathode Ray Oscilloscope	On Request	90302000	On Request	https://metravi.com/wp-content/uploads/2020/08/OS-5010A.pdf
OS-5020	20MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with 1:1 and 10:1 probes	30000	90302000	40500	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5020-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5020C	20MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with component test facility, comes complete with 1:1 and 10:1 probes	35000	90302000	47250	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5020C-OS-5020C-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5030	30MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with 1:1 and 10:1 probes	35000	90302000	47250	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5030-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5030C	30MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with component test facility, comes complete with 1:1 and 10:1 probes	40000	90302000	54000	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5030C-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5060	60MHz Dual Channel Four Trace Cathode Ray Oscilloscope with 1:1 and 10:1 Probes	79175	90302000	106886	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5060-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5100	100MHz Dual Channel Four Trace Cathode Ray Oscilloscope with 1:1 and 10:1 Probes	100000	90302000	135000	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5100-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-6010 NEW!!	10MHz Single Channel Oscilloscope	On Request	90302000	On Request	
Digital Storage Oscilloscope					
DSO-5050E	50MHz DSO with colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	29000	90302000	39150	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5050E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5100E	100MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	34000	90302000	45900	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5100E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5150E	150MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	38000	90302000	51300	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5150E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5200E	200MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	45000	90302000	60750	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5200E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6050 NEW!!	50MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software, with USB device & host	22400	90302000	30240	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6100 NEW!!	100MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	26500	90302000	35775	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6200 NEW!!	200MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	39700	90302000	53595	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5074E DISCONTINUED	70MHz DSO with 4 channels, colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	67000	90302000	90450	https://www.metravi.com/wp-content/uploads/Metravi-Four-Channel-Phosphor-Digital-Storage-Oscilloscope-DSO-5074E-DSO-5104E-Catalogue.pdf
DSO-5104E	100MHz DSO with 4 channels, colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	71250	90302000	96188	https://www.metravi.com/wp-content/uploads/Metravi-Four-Channel-Phosphor-Digital-Storage-Oscilloscope-DSO-5074E-DSO-5104E-Catalogue.pdf
DSO-6104 NEW!!	100MHz DSO with 4 channels, colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	41000	90302000	55350	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6104-4-Channel-Digital-Storage-Oscilloscope-Catalogue-Web.pdf
DSO-6204 NEW!!	200MHz DSO with 4 channels, colour display, 1GSa/Sec sampling rate, 40M record length max, 70,000 wfms/s waveform refresh rate. Touchscreen, USB PC Interface cable and software	On Request	90302000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6204-Four-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5010 NEW!!	10MHz DSO with 1 channel, 4.3-inch TFT (True colour) LCD Display, 100 MS/s sampling rate.	15750	90302000	21263	
DSO-6100 2025 MODEL!!	100MHz dual channel DSO with 7" TFT colour display, 1GSa/Sec sampling rate, USB PC Interface and software. Supports 30 Automatic Waveform measurements, has a 6-digit high precision Frequency Counter and FFT Spectrum	26500	90302000	35775	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6100-2025-Model-DSO-6100AWG-Digital-Storage-Oscilloscope-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
DSO-6100AWG NEW!!	100MHz dual channel DSO with built-in 25MHz Arbitrary Function Generator. Features 7" TFT colour display, 1GSa/Sec sampling rate, USB PC Interface and software. Supports 30 Automatic Waveform measurements, has a 6-digit high-precision Frequency Counter and FFT Spectrum Analysis. Supports SCPI and LabVIEW functions.	29000	90302000	39150	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6100-2025-Model-DSO-6100AWG-Digital-Storage-Oscilloscope-Catalogue-Web.pdf
DSO-6224 NEW!!	200Mhz, 4 channels DSO, Sampling Rate 2Gsa/s.	On Request	90302000	On Request	
Mixed Signal Oscilloscope					
MSO-6102E NEW!!	100MHz Mixed Signal Oscilloscope, Dual Channel DSO and 16 Channel Logic Analyzer, 1GSA/s sampling rate	95000	90302000	128250	https://www.metravi.com/wp-content/uploads/Metravi-MSO-6102E-Mixed-Signal-Oscilloscope-with-Logic-Analyser-Catalogue-Web.pdf
Multifunction Oscilloscope					
MFO-1002 NEW!!	DSO + Function Generator + Power Supply + Multimeter. Android based. 100MHz DSO, 2 channels, 500 MS/s. 50MHz Function Generator, 300M Sa/s. High precision Multimeter built-in for AC/DC Voltage, AC/DC Current, Frequency, Capacitance, resistance. Power Supply 15V/3A. Supports external HDMI display, mouse & keyboard. Supports configuring multi-media equipment, such as camera, microphone, speaker, headphone jack. USB host x4, USB device, LAN, HDMI. 10.4" Touchscreen HD Display. Data Hold, REL measurements, Input Protection, Fan-cooling.	On Request	90302000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-MFO-1002-Multifunction-Oscilloscope-Catalogue-New.pdf
Oscillometers					
OM-40 NEW!!	Handheld Oscillometer, 40 Mhz bandwidth, 250MSa/s Sampling Rate, offers simultaneous monitoring and comparison of two signals, clear & vibrant display, built-in Multimeter, Data Logging, 1X, 10X, 100X, 1000X, 10000X Probe Attenuation, USB Interface	19500	90302000	26325	https://www.metravi.com/wp-content/uploads/Metravi-OM-40-OM-100-Handheld-Oscilloscope-Catalogue-Dec-2025.pdf
OM-100 NEW!!	Handheld Oscillometer, 100 Mhz bandwidth, 500MSa/s Sampling Rate, offers simultaneous monitoring and comparison of two signals, clear & vibrant display, built-in Multimeter, Data Logging, 1X, 10X, 100X, 1000X, 10000X Probe Attenuation, USB Interface	28000	90302000	37800	https://www.metravi.com/wp-content/uploads/Metravi-OM-40-OM-100-Handheld-Oscilloscope-Catalogue-Dec-2025.pdf
Accessories to Digital Storage Oscilloscope					
PD-20S	High Voltage Probe to be used with any oscilloscope (Analogue or Digital Storage) to measure High Voltage Waveform of 30kV DC and 20kV AC	10500	90308990	14175	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PD-20S-Oscilloscope-High-Voltage-Probe-Catalogue.pdf
OP-60	OP-60 is a x 1 / x 10 attenuation modular probe designed to be used with 60MHz oscilloscopes with an input impedance of 1MΩ.	900	90308990	1215	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-60-OP-100-Catalogue.pdf
OP-100	OP-100 is a x 1 / x 10 attenuation modular probe designed to be used with 100MHz oscilloscopes with an input impedance of 1MΩ.	1300	90308990	1755	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-60-OP-100-Catalogue.pdf
OP-250	OP-250 is a x 100 attenuation modular probe designed to be used with 250MHz oscilloscopes with an input impedance of 100MΩ.	6500	90308990	8775	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-250-Catalogue.pdf
CT-9 NEW!!	Handheld, portable, dual channel VI Curve Tracer for Oscilloscopes. Works with Analogue & Digital Oscilloscopes. It adds the Component Testing function to any Analogue or Digital Oscilloscope.	7300	90308990	9855	https://www.metravi.com/wp-content/uploads/Metravi-CT-9-Handheld-Dual-Channel-VI-Curve-Tracer-for-Oscilloscopes-Catalogue.pdf
PANEL METERS					
Digital Ammeter					
CE-0102A 96x48	3-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 48 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	1500	90303100	2025	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102A-Digital-Ammeter-Catalogue.pdf
CE-0102A 96x96	3-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 96 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	1500	90303100	2025	https://www.metravi.com/wp-content/uploads/2020/11/Metravi-CE-0102A-96-Digital-Ammeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CE-0102A 96x48	3-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 48 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	1500	90303100	2025	
CE-0102A 96x96	3-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 96 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	1500	90303100	2025	https://metravi.com/wp-content/uploads/2020/11/Metravi-CE-0102A-96-Digital-Ammeter-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size					
CE-0102A 96x48	4-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 48 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	2700	90303100	3645	
CE-0102A 96x96	4-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 96 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	2700	90303100	3645	
CE-0102A 96x48	4-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 48 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	2700	90303100	3645	
CE-0102A 96x96	4-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 96 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	2700	90303100	3645	
Digital Ammeter Controller					
CE-0102AC 2SP	Digital Ammeter with Two Set Point to control the current below a given pair of set points. Size - 96 x 96 mm sq. With 2NO + 2NC Contact. Auxiliary Power Supply 230V AC / 110V AC 50Hz. (Any One)	5000	90303100	6750	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102AC-2SP-3-Phase-Ammeter-Controller-Catalogue.pdf
Digital Frequency Meter					
CE-500F 99.99Hz	4 Digits, Panel Flush Mounting, 96 X 48 mm sq, Input 10 - 500V, Measuring range 20 - 99.99 Hz.	1450	90303100	1958	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-500F-99.99-Hz-Frequency-Meter-Catalogue.pdf
CE-500F 96 x 96	4 Digits, Panel Flush Mounting, 96 X 96 mm sq, Input 10 - 500V, Measuring range 20 - 99.99 Hz.	1450	90303100	1958	
CE-500F 999.9Hz	4 Digits, Panel Flush Mounting, 96 X 48 mm sq, Input 50 - 500V, Measuring range 0 - 999.9 Hz.	1550	90303100	2093	
CE-500F 96 x 96	4 Digits, Panel Flush Mounting, 96 X 96 mm sq, Input 50 - 500V, Measuring range 0 - 999.9 Hz.	1550	90303100	2093	
Digital VA Meter					
CE-0303VA	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4800	90303100	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0303VA-Three-Phase-VA-Meter-Catalogue.pdf
CE-0304VA	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4800	90303100	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304VA-Three-Phase-VA-Meter-Catalogue.pdf
Digital VAR Meter					
CE-0303VAR	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4800	90303100	6480	
CE-0304VAR	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4800	90303100	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304VAR-Three-Phase-VAR-Meter-Catalogue.pdf
Digital KWh Meter					
CE-0102EML NEW!!	Digital KWh Meter with LCD Display for Single phase Two wire loads	4300	90303100	5805	
CE-0303EML	Digital KWh Meter with LCD Display for Three phase Three wire Two element loads	4900	90303100	6615	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0303EML-Digital-Three-Phase-kWh-Meter-Catalogue.pdf
CE-0304EML	Digital KWh Meter with LCD Display for Three Phase Four wire Three Element loads	4900	90303100	6615	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304EML-Three-Phase-KWH-Meter-Catalogue.pdf
Digital Phase Angle Meter					
CE-0102D	Digital Phase Angle Meter, 96 x 96 mm sq, can measure Phase Angle between Voltage and Current	4200	90303100	5670	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102D-Phase-Angle-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Digital Power Factor Meter					
CE-0102PF 96x48	Microprocessor Based, 96 x 48 mm sq, For Single Phase, Red LED Display	3800	90303100	5130	
CE-0102PF 96x96	Microprocessor Based, 96 x 96 mm sq, For Single Phase, Red LED Display	3800	90303100	5130	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102PF-96-x-96-mm-sq-Single-Phase-Power-Factor-Meter-Catalogue.pdf
CE-0303PF	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element , Red LED Display	4800	90303100	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0303PF-Three-Phase-Three-Wire-Two-Element-Power-Factor-Meter-Catalogue.pdf
CE-0304PF	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4800	90303100	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304PF-Three-Phase-Four-Wire-Three-Element-Power-Factor-Meter-Catalogue.pdf
Digital Power Analyser					
CE-0102PA	Digital Ampere, Volt,PF and Watt meter combined in 96 x 96 mm sq for single phase loads	5200	90303100	7020	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102PA-Portable-Power-Quality-Analyzer-Catalogue.pdf
Digital Three Phase Ammeter					
CE-03A	Microprocessor Based, 96 x 96 mm sq, with in built three phase selector switch, displays Current in three phases, CT Ratio programmable. Programmable up to 3000A AC	1900	90303100	2565	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-03A-Three-Phase-Ammeter-Catalogue.pdf
Digital Three Phase Voltmeter					
CE-03V	Microprocessor Based, 96 x 96 mm sq, with in built three phase selector switch, displays Line to Line and Line to Neutral Voltage. Direct Operated and PT Ratio programmable	1900	90303100	2565	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-03V-Three-Phase-Voltmeter-Catalogue.pdf
Digital Voltage Controller					
CE-0102VC 2SP	Digital Voltmeter with Two Set Point to control the Voltage between a given set points.Size - 96 x 96 mm sq. With 2NO + 2NC Contact. Auxiliary Power Supply 230V AC / 110V AC 50Hz. (Any One)	4300	90303100	5805	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102VC-2SP-Two-Set-Point-Voltage-Controller-Catalogue.pdf
Digital Voltmeter					
CE-0102V	3-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1600	90303100	2160	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-Single-Phase-AC-Voltmeter-Catalogue.pdf
CE-0102V 96	3-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1600	90303100	2160	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-96-Single-Phase-DC-Voltmeter-Catalogue.pdf
CE-0102V	3-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1600	90303100	2160	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-Single-Phase-DC-Voltmeter-Catalogue-1.pdf
CE-0102V 96	3-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1600	90303100	2160	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-96-Single-Phase-DC-Voltmeter-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size					
CE-0102V 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2800	90303100	3780	
CE-0102V 96 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2800	90303100	3780	
CE-0102V 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2800	90303100	3780	

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CE-0102V 96 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2800	90303100	3780	
Digital Wattmeter					
CE-0102W	Microprocessor Based, 96 x 48 mm sq, For Single Phase, Red LED Display	3800	90303100	5130	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102W-Single-Phase-Wattmeter-Catalogue.pdf
CE-0102W 96 x 96	Microprocessor Based, 96 x 96 mm sq, For Single Phase, Red LED Display	3800	90303100	5130	
CE-0303W	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4800	90303100	6480	
CE-0304W	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4800	90303100	6480	
Event Counter					
CTR-49	6 Digits Red LED Display, Event Counter, 1 to 999999 Counts, 96 x 48 mm sq	3500	90292090	4725	
N.B. - Please ask for the prices in case if you require this in 96 x 96 mm sq size					
Hour Meter					
NE 045/7S DC	7 Digits, measures up to 99999.99 hours, 10 - 48V DC operated, 46 x 46 mm sq size panel cutout	1300	90292090	1755	https://metravi.com/wp-content/uploads/2020/08/Metravi-NE-045-7S-DC-Digital-Hour-Meter-Catalogue.pdf
NE 045/7	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (Any One) operated, 46 x 46 mm sq size panel cutout	800	90292090	1080	https://metravi.com/wp-content/uploads/2020/08/Metravi-NE-045-7-Counter-type-Hour-Meter-Catalogue.pdf
HM-01 AC	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (any One) operated, 46 x 46 mm sq size panel cutout	650	90292090	878	https://www.metravi.com/wp-content/uploads/Metravi-HM-01-AC-Hour-Meter-Catalogue.pdf
HM-01 DC	7 Digits, measures up to 99999.99 hours, 10V DC / 48V DC (any One) operated, 46 x 46 mm sq size panel cutout	650	90292090	878	https://www.metravi.com/wp-content/uploads/Metravi-HM-01-DC-HourMeter-Catalogue.pdf
Integrated Meter					
CE-0303IM	Three Phase Three Wire Two Element loads for energy and power measurement, measure each phase I, V, Hz, PF, KW, KVA, KVAR, KWh, KVAh, KVAh and MDI	8800	90303100	11880	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0303IM-Three-Phase-Integrated-Meter-Catalogue.pdf
CE-0304IM	Three Phase Four Wire Three Element loads for energy and power measurement, measure each phase I, V, Hz, PF, KW, KVA, KVAR, KWh, KVAh, KVAh and MDI	8800	90303100	11880	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0304IM-Three-Phase-Integrated-Meter-Catalogue.pdf
RPM Meter					
CTR-49	6 Digits Red LED Display, Event Counter, 1 to 999999 Counts, 96 x 48 mm sq	3500	90292090	4725	https://metravi.com/wp-content/uploads/2020/08/Metravi-CTR-49-Counter-type-Event-Impulse-Counter-Catalogue.pdf
Tap Position Indicator					
CE-0102V	Digital type, Panel Mounting, Tap Position indicator, 96mm sq or 96x48 mm sq	2800	85049010	3780	
Time Totaliser					
TT-300	6 Digits LED Display, 96 x 48 mm sq, Auto range from 9999.99 to 999999Hrs.	3500	90292090	4725	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-300-Time-Totalizer-Catalogue.pdf
TT-302	6 Digits LED Display, 96 x 96 mm sq, Auto range from 9999.99 to 999999Hrs.	3500	90292090	4725	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-302-Time-Totalizer-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	/ WEBSITE PRICE (Rs.)	CATALOGUE LINKS
POWER METERS & ANALYSERS					
Power Quality Analyser					
PRO 531	5.6" LCD colour display, shock-proof shell structure. Simultaneously measures 4-channel Current (ABC three phase and neutral wire current), 4-channel Voltage (ABC three-phase voltage & neutral line voltage to ground), Peak Value of Current Voltage, Max/Min, Three Phase Imbalance Factor, Short-time Voltage Flicker, Transformer K Factor, Active Power, Reactive Power, Apparent Power, Power Factor, Displacement Power Factor, Total Harmonic Distortion & Harmonic, etc., display Real-time Waveform, Harmonic Ratio Bar Charts of Current Voltage; dynamically capture instantaneous change of Voltage Current, monitoring Starting Current & Power Parameters, Alarm List, Trend Charts, Data Logging. Adopts DSP + ARM double processor architecture.	210000	90308990	283500	https://www.metravi.com/wp-content/uploads/Metravi-PRO-531-Power-Quality-Analyser-Catalogue.pdf
Set of 4 Clamps 10A for PRO 531	Optional set of 10A Clamps for the PRO 531	24000	90308990	32400	
Set of 4 Clamps 100A for PRO 531	Optional set of 4 100A Clamps for the PRO 531	27000	90308990	36450	
Set of 4 Clamps 1000A for PRO 531	Optional set of 4 1000A Clamps for the PRO 531	49000	90308990	66150	
Set of 4 Clamps 6000A for PRO 531	Optional set of 4 Clamps for the 6000A PRO 531	85000	90308990	114750	
PRO PA-800 NEW!!	Compatible with flexible Rogowski coils CT & clamp-on CTs. Measures Currents, Voltages & reports real-time RMS values for all 3-phases & neutral. Measure/Calculate Current, Voltage, Frequency, Active Power, Reactive Power, Apparent Power, Power Factor, Voltage Angle, Current angle, Current Unbalance, Voltage Unbalance. With Data Logging, 3.5 inch colour TFT Display, 52nd Harmonic, external Rogowski Coil & BNC inputs. IEC/EN 61010-1, CAT III 300V, IP20. Comes in a hard carrying case with all accessories. AA Battery Operated.	63000	90308990	85050	https://www.metravi.com/wp-content/uploads/Metravi-PRO-PA-800-Portable-Power-Quality-Analyser-Catalogue.pdf
PRO PA-810 NEW!!	Compatible with flexible Rogowski coils CT and clamp On CTs. Measures currents and voltages and reports real-time RMS values for all 3-phases and neutral. Measure/Calculate Current, Voltage, Frequency, Active Power, Reactive Power, Apparent Power, Power Factor, Voltage angle, Current angle, Current Unbalance, Voltage Unbalance, measures PE-N Voltage, Neutral Current. Data Logging, 3.5 inch Colour TFT Display, 51st Harmonic, Rechargeable Battery, External Rogowski Coil and BNC inputs. IEC/EN 61010-1, CAT III 300V, IP20. Comes in a hard carrying case with all accessories.	88000	90308990	118800	https://www.metravi.com/wp-content/uploads/Metravi-PRO-PA-810-Portable-Power-Quality-Analyser-Catalogue.pdf
PRO PA-900 NEW!!	Compatible with flexible Rogowski coils CT and clamp On CTs. Measures currents and voltages and reports real-time RMS values for all 3-phases and neutral. Measure/Calculate Current, Voltage, Frequency, Active Power, Reactive Power, Apparent Power, Power Factor, Voltage angle, Current angle, Current Unbalance, Voltage Unbalance, measures PE-N Voltage, Neutral Current, Sag-Swell measurement, Waveform Display . Data Logging, 3.97 inch Colour TFT Display, 51st Harmonic, Rechargeable Battery, External Rogowski Coil and BNC inputs. IEC/EN 61010-1, CAT III 600V, IP30. RJ45 Ethernet Interface. Comes in a hard carrying case with all accessories.	150000	90308990	202500	https://www.metravi.com/wp-content/uploads/Metravi-Pro-PA-900-Portable-Three-Phase-Power-Quality-and-Harmonics-Analyser-Catalogue.pdf
PRO ST08 10A NEW!!	Optional set of four 10A Clamp Adaptors for the Pro PA-800/PA-810/PA-900	29000	90308990	39150	
PRO RC-100A NEW!!	Optional set of four 100A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-810/PA-900	13500	90308990	18225	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-100A-RC-250A-RC-600A-Ragowski-Flexible-Coils-Catalogue.pdf
PRO RC-250A NEW!!	Optional set of four 250A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-900	13500	90308990	18225	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-100A-RC-250A-RC-600A-Ragowski-Flexible-Coils-Catalogue.pdf
PRO RC-600A NEW!!	Optional set of four 600A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-810/PA-900	13500	90308990	18225	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-100A-RC-250A-RC-600A-Ragowski-Flexible-Coils-Catalogue.pdf
PRO RC-1000A NEW!!	Optional set of four 1000A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-900	19500	90308990	26325	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-1000A-RC-3000A-RC-6000A-Ragowski-Flexible-Coils-Catalogue.pdf
PRO RC-3000A NEW!!	Optional set of four 3000A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-810/PA-900	26500	90308990	35775	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-1000A-RC-3000A-RC-6000A-Ragowski-Flexible-Coils-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO RC-6000A NEW!!	Optional set of four 6000A Rogowski Coil Clamp Adaptors for the Pro PA-800/PA-810/PA-900	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RC-1000A-RC-3000A-RC-6000A-Ragowski-Flexible-Coils-Catalogue.pdf
Metal Carrying Case for PA Series	Metal carrying case for Pro PA-800/PA-810/PA-900 product sets	16875	90308990	22781	
PRO PA-900A NEW!!	Class A, three-Phase Power Quality Analyser to measure & analyse Voltage, Current, Frequency, Power Factor, Power, Energy, Flicker, Transient, Harmonic, Oscilloscope Waveform and Phasor, Voltage Sag and Surge, Three-phase Imbalance, etc, in three-phase and single-phase distribution systems. Data Logging, high-definition 8-inch IPS TFT Touchscreen Display, built-in GPS+BD module, WiFi & Bluetooth, USB interface, Rechargeable Battery. Complies with EN 61326 (2005-12), CAT IV 600V, CAT III 1000V. Comes in a Trolley Case with 3000A flexible clamp set.	On Request	90308990		https://www.metravi.com/wp-content/uploads/Metravi-PRO-PA-900A-Class-A-Power-Harmonics-Logger-with-3000A-Clamp-Catalogue.pdf
Power Meter					
PM-10	Bench-top high-precision Power Meter up to 900W, measure true-value Voltage, true-value Current, Peak Current, Power, Power Factor and Frequency simultaneously with automatic switching and high accuracy of $\pm 0.4\%$ reading+0.1% range.	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PM-10-PM-10B-High-precision-Power-Meter-Catalogue.pdf
PM-10B	Bench-top high-precision Power Meter up to 3000W, measure true-value Voltage, true-value Current, Peak Current, Power, Power Factor and Frequency simultaneously with automatic switching and high accuracy of $\pm 0.4\%$ reading+0.1% range.	On Request	90303100	On Request	https://www.metravi.com/wp-content/uploads/Metravi-PM-10-PM-10B-High-precision-Power-Meter-Catalogue.pdf
PM-10A NEW!!		On Request	90303100	On Request	https://drive.google.com/file/d/1GdtAMcWQ7Df7_7WvYy7BBA4k1XxhIU4/view?usp=drive_link
POWER SUPPLIES					
AC Power Supply					
APS-4002 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 2A AC.	57825	90308990	78064	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-4003 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 3A AC.	73575	90308990	99326	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-4005 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 5A AC.	83925	90308990	113299	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-6003 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 60V / 0 - 3A AC.	34200	90308990	46170	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf
APS-6006 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 60V / 0 - 6A AC.	44550	90308990	60143	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf
APS-60031 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 600V / 0 - 30A AC.	39375	90308990	53156	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf
APS-7100 NEW!!	Advanced direct digital frequency synthesizer (DDS) waveform generator used to achieve high frequency stability, good continuity & accurate measurements. 1KVA capacity, 0-150VAC/310VAC output, 8.4A/4.2A Current outputs (120V/240V), Frequency Stability 0.01%, Load Regulation. With RS-232 interface and overload protection.	On Request	90308990	On Request	https://drive.google.com/file/d/17NPYGrZj79DbV6dNZ8RM2a1NoWo47OSP/view?usp=drive_link
APS-7105 NEW!!		On Request	90308990	On Request	https://drive.google.com/file/d/17NPYGrZj79DbV6dNZ8RM2a1NoWo47OSP/view?usp=drive_link
APS-7200 NEW!!		On Request	90308990	On Request	https://drive.google.com/file/d/17NPYGrZj79DbV6dNZ8RM2a1NoWo47OSP/view?usp=drive_link
APS-7300 NEW!!		On Request	90308990	On Request	https://drive.google.com/file/d/17NPYGrZj79DbV6dNZ8RM2a1NoWo47OSP/view?usp=drive_link
APS-51005 NEW!!	5KVA Single phase input and Single Phase Output with RS-232 interface	244950	90308990	330683	https://drive.google.com/file/d/18g7TG1VbUb2oIfy4z_7ksIqG5aGoC5KW/view?usp=sharing
APS-51008 NEW!!	8KVA Single phase input and Single Phase Output with RS-232 interface	330240	90308990	445824	https://drive.google.com/file/d/18g7TG1VbUb2oIfy4z_7ksIqG5aGoC5KW/view?usp=sharing

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
APS-51010 NEW!!	10KVA Single phase input and Single Phase Output with RS-232 interface	381510	90308990	515039	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51015 NEW!!	15KVA Three Phase Input and Single phase output with RS-232 interface	501300	90308990	676755	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51020 NEW!!	20KVA Three Phase Input and Single phase output with RS-232 interface	623300	90308990	841455	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51030 NEW!!	30KVA Three Phase Input and Single phase output with RS-232 interface	854400	90308990	1153440	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51045 NEW!!	45KVA Three Phase Input and Single phase output with RS-232 interface	1082080	90308990	1460808	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51050 NEW!!	50KVA Three Phase Input and Single phase output with RS-232 interface	1196050	90308990	1614668	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51060 NEW!!	60KVA Three Phase Input and Single phase output with RS-232 interface	1310000	90308990	1768500	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51075 NEW!!	75KVA Three Phase Input and Single phase output with RS-232 interface	1658250	90308990	2238638	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51100 NEW!!	100KVA Three Phase Input and Single phase output with RS-232 interface	1972700	90308990	2663145	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
APS-51150 NEW!!	150KVA Three Phase Input and Single phase output with RS-232 interface	2562900	90308990	3459915	https://drive.google.com/file/d/18g7TG1VbUb2ofy4z_7kslqG5aGoC5KW/view?usp=sharing
DC Regulated Power Supply					
RPS-3002	Single Output with Backlit LCD Display of Variable 0 - 30V / 0 - 2A DC	9500	90308990	12825	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3005	Single Output with Backlit LCD Display of Variable 0 - 30V / 0 - 5A DC	9500	90308990	12825	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3010	Single Output with LED Display of Variable 0 - 30V / 0 - 10A DC	23500	90308990	31725	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-3020	Single Output with LED Display of Variable 0 - 30V / 0 - 20A DC	36400	90308990	49140	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-3030	Single Output with LED Display of Variable 0 - 30V / 0 - 30A DC	61600	90308990	83160	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RPS-3030-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-3060 NEW!!	Single Output with LED Display of Variable 0 - 30V / 0 - 60A DC	190400	90308990	257040	https://drive.google.com/file/d/1VOI_6NWmTuismVju0OfnUqx3ghNqYgA/view?usp=drive_link
RPS-6005	Single Output with LED Display of Variable 0 - 60V / 0 - 05A DC	24100	90308990	32535	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-6010	Single Output with LED Display of Variable 0 - 60V / 0 - 10A DC	44000	90308990	59400	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-6030	Single Output with LED Display of Variable 0 - 60V / 0 - 30A DC	86800	90308990	117180	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RPS-6030-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-10003	Single Output with LED Display of Variable 0 - 100V / 0 - 03A DC	33000	90308990	44550	https://www.metravi.com/wp-content/uploads/Metravi-RPS-10003-RPS-20002-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-20002	Single Output with LED Display of Variable 0 - 200V / 0 - 02A DC	65500	90308990	88425	https://www.metravi.com/wp-content/uploads/Metravi-RPS-10003-RPS-20002-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-20005	Single Output with LED Display of Variable 0 - 200V / 0 - 05A DC	75000	90308990	101250	https://www.metravi.com/wp-content/uploads/Metravi-RPS-20005-DC-Regulated-Power-Supply-Catalogue-Web.pdf
RPS-3002-2	Dual Output with Backlit LCD Display of Variable 0 - 30V / 0 - 3A DC	18700	90308990	25245	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3005-2	Dual Output with Backlit LCD Display of Variable 0 - 30V / 0 - 5A DC	23400	90308990	31590	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3003-3	Triple Output with Backlit LCD Display, Dual 0 - 30V / 0 - 3A DC and Fixed 5V/3A	18700	90308990	25245	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3005-3	Triple Output with Backlit LCD Display, Dual 0 - 30V / 0 - 5A DC and Fixed 5V/3A	23400	90308990	31590	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
Programmable DC Power Supply					
PRPS-3005	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–5A DC. Remote control from computer via USB.	13365	90308990	18043	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3010	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–10A DC. Remote control from computer via USB.	38400	90308990	51840	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3020	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–20A DC. Remote control from computer via USB.	53220	90308990	71847	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3030	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–30A DC. Remote control from computer via USB.	84925	90308990	114649	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3005A	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–30V/0–5A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	12650	90308990	17078	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3010A	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–30V/0–10A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	14580	90308990	19683	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6005A	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–60V/0–5A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	14100	90308990	19035	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6010A	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–60V/0–10A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	18225	90308990	24604	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-10003	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 100V / 0–3A DC	49850	90308990	67298	
PRPS-100100	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 100V / 0–100A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-20002	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 200V / 0–2A DC	72500	90308990	97875	
PRPS-20050	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 200V / 0–50A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-30001	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 300V / 0–1A DC	77500	90308990	104625	
PRPS-30030	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 300V / 0–30A DC	345000	90308990	465750	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-40025	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 400V / 0–25A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-50020	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 500V / 0–20A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-60015	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 600V / 0–15A DC	347000	90308990	468450	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-75013	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 750V / 0–13A DC	360000	90308990	486000	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-100010	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 1000V / 0–10A DC	365000	90308990	492750	https://drive.google.com/file/d/13NxRzgRa2AvEFO_nqgBjwVIK7m-worMx/view?usp=drive_link
PRPS-3003-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0– 3A DC	28025	90308990	37834	https://drive.google.com/file/d/1tzX83y7AzdhWXyy8IFFTCSvg3Nwvqpxp/view?usp=drive_link
PRPS-3005-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0– 5A DC	32525	90308990	43909	https://drive.google.com/file/d/1tzX83y7AzdhWXyy8IFFTCSvg3Nwvqpxp/view?usp=drive_link
PRPS-3010-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0–	53200	90308990	71820	https://drive.google.com/file/d/1tzX83y7AzdhWXyy8IFFTCSvg3Nwvqpxp/view?usp=drive_link

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRPS-6003-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 60V / 0– 3A DC	49625	90308990	66994	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-6003-3-PRPS-6005-3-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6005-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 60V / 0– 5A DC	54125	90308990	73069	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-6003-3-PRPS-6005-3-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3005-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 30V / 0– 5A DC	223075	90308990	301151	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3010-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 30V / 0– 10A DC	291600	90308990	393660	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-6003-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 60V / 0– 3A DC	248100	90308990	334935	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-6005-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 60V / 0– 5A DC	308300	90308990	416205	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
RESISTANCE BRIDGES (KELVIN & WHEATSTONE)					
Kelvin Double Bridge					
KDBR	Kelvin Double bridge, with spot reflecting galvanometer, High Current DC power supply and wooden stand for specimen	80000	90230090	108000	https://metravi.com/wp-content/uploads/2020/08/Metravi-KDBR-Kelvin-Double-Bridge-Catalogue.pdf
Wheatstone Bridge					
WSB	OXFORD Brand Wheatstone Bridge	18000	90230090	24300	https://metravi.com/wp-content/uploads/2020/08/Metravi-WSB-Wheatstone-Bridge-Catalogue.pdf
RPM METERS					
Stroboscope					
DT-2350A DISCONTINUED	Digital Stroboscope, 50 to 12,000 FPM, 230V Single Phase AC Operated	13275	90292090	17921	https://www.metravi.com/wp-content/uploads/Metravi-DT-2350A-DT-2350B-Stroboscope-Catalogue.pdf
DT-2350B DISCONTINUED	Digital Stroboscope, 50 to 40,000 FPM, 230V Single Phase AC Operated	23625	90292090	31894	https://www.metravi.com/wp-content/uploads/Metravi-DT-2350A-DT-2350B-Stroboscope-Catalogue.pdf
DT-720	LED Stroboscope to measure high-speed rotating objects without direct contact. No reflective tape required. 60-49999 RPM. Accuracy 0.001%. Luminance 750 LUX. Rechargeable battery with USB charging.	10200	90302000	13770	https://www.metravi.com/wp-content/uploads/Metravi-DT-720-LED-Stroboscope-Catalogue-2024.pdf
DT-720-2	LED Stroboscope to measure high-speed rotating objects without direct contact. No reflective tape required. 60-99999 RPM. Accuracy: 0.001%. Luminance: 1500 LUX. Rechargeable battery with USB charging.	12500	90302000	16875	https://www.metravi.com/wp-content/uploads/Metravi-DT-720-2-LED-Stroboscope-Catalogue-2024.pdf
Tachometer					
DT-2235	Contact type Digital Tachometer, measures up to 50,000 RPM	3200	90292090	4320	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-2235-Contact-Type-Tachometer-Catalogue.pdf
NCTM-500	Non-contact type Digital Tachometer With Counter, Data Hold, Measures from 50mm to 200mm, RPM Up to 99999RPM, and Counts up to 99999 Counts	2450	90292090	3308	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-500-Non-contact-Type-Tachometer-Catalogue.pdf
NCTM-1000	Non-contact type Digital Tachometer Cum Counter. Max / Min . Last Data Record, 2 to 99,999 RPM, 1 TO 99,999 Counts	3900	90292090	5265	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-1000-Non-Contact-type-Tachometer-Catalogue.pdf
NCTM-2000	Contact cum Non-contact type Digital Combined Tachometer, Max/Min, Last Record, 20,000RPM in contact mode and 99,999 RPM in non contact mode, measures Rotation speed, total revolution, frequency, surface speed and length	7000	90292090	9450	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-2000-Contact-and-Non-contact-Combined-Tachometer-Catalogue.pdf
SHORT TURN INDICATOR					
Short Turn Indicator					
Little Giant	9V Battery operated, to be used in single coils, simple insertion of coil on mandrill.	On Request	90308990	On Request	https://metravi.com/wp-content/uploads/2020/08/Metravi-Little-Giant-Short-Turn-Indicator-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
SPECTRUM ANALYSER					
Spectrum Analyser					
AT-5010	1050MHz Spectrum Analyzer	150000	90302000	202500	https://metravi.com/wp-content/uploads/2020/08/Metravi-AT-5010-Spectrum-Analyzer-Catalogue.pdf
AT-5011	1050MHz Spectrum Analyzer With Marker Generator	190000	90302000	256500	https://metravi.com/wp-content/uploads/2020/08/Metravi-AT-5011-Spectrum-Analyzer-Catalogue.pdf
STATIC CHARGE METER					
Static Charge Meter					
SC-291	0~±20.000kV, Measuring distance: 2.54cms (1 inch), Warning alarm setting, DATA / PEAK hold. Backlight function, Auto power off with disable function, Zero function and low battery indicate, Manual data memory storing 99 data sets.	33000	90303100	44550	https://www.metravi.com/wp-content/uploads/Metravi-SC-291-Static-Charge-Meter-Catalogue-2025.pdf
TEMPERATURE CONTROLLERS & INDICATORS					
Digital Temperature Controller					
DTC-200	Digital Temperature Controller 96 x 96 mm sq, with 1NO + 1NC, Single Set Point, for K, J, R, S, PT-100 (Any One)	2750	90251920	3713	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTC-200-Single-Channel-Temperature-Controller-Catalogue-1.pdf
DTC-202	Digital Temperature Controller 96 x 96 mm sq, with 2NO + 2NC, Two Set Point, for K, J, R, S, PT-100 (Any One)	3200	90251920	4320	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTC-202-Multi-Channel-Temperature-Controller-Catalogue-1.pdf
METCAT 96	Digital Temperature Controller, 4 Digits Display, up to 1200 Degree C, 96 x 96 mm sq, with 1NO + 1NC, Single Set Point, for K, J, PT-100 (User Programmable)	2000	90251920	2700	https://www.metravi.com/wp-content/uploads/Metravi-METCAT-Single-Channel-Temperature-Controllers-Catalogue.pdf
Digital Temperature Indicator					
DTI-101 48	Digital Temperature Indicator 96 x 48 mm sq, for K, J, R, S, PT-100 (Any One)	1700	90251920	2295	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101-Single-Channel-Temperature-Indicator-Catalogue-1.pdf
DTI-101 96	Digital Temperature Indicator 96 x 96 mm sq, for K, J, R, S, PT-100 (Any One)	1700	90251920	2295	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101M-Single-Channel-Temperature-Indicator-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size or 96 x 48 mm sq size					
Multi-point Temperature Indicator					
DTI-101M 6 CH	6 Channel Digital Multi-Point Temperature Indicate for K, J, R, S, PT-100 (Any One) type of sensor	4800	90251920	6480	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101M-6-CH-Multi-Point-Temperature-Indicator-Catalogue.pdf
DTI-101M 12 CH	12 Channel Digital Multi-Point Temperature Indicate for K, J, R, S, PT-100 (Any One) type of sensor	5600	90251920	7560	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101-Single-Channel-Temperature-Indicator-Catalogue.pdf
THERMAL IMAGERS					
Thermal Imagers					
PRO TI-8 NEW!!	Handheld Thermal Imager for upto 380°C with 120x120 px resolution, USB & Bluetooth interfaces, temperature tracking functions, 4 colour palettes, full colour TFT display, LED Flashlight. Comes with a Rechargeable battery.	48000	90251920	64800	https://www.metravi.com/wp-content/uploads/Metravi-TI-8-Handheld-Thermal-Imager-Catalogue-Web.pdf
PRO TI-9 NEW!!	Thermal Imager module for Android Smartphones, measures -15°C~600°C, Accuracy: ±2°C or ±2% of reading (whichever is greater), IR Resolution: 256x192 px, Spectral Range: 8~14 μm, Refresh Rate: 25Hz. Photos & Videos supported, user-settable Emissivity, Smartphone App with built-in Analysis, IP54 splash & dust proof.	29000	90251920	39150	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-9-Thermal-Imager-Module-for-Smartphones-Catalogue.pdf
PRO TI-10P	Handheld, pocket-sized Thermal Imager for upto 500°C with storage for images and videos, Wi-Fi and USB interfaces, 8 Colour Palettes and Digital Zoom. Rechargeable battery.	45000	90251920	60750	https://www.metravi.com/wp-content/uploads/Metravi-Pro-TI-10P-Pocket-Thermal-Imager-Catalogue-2026.pdf
PRO TI-25	Handheld Thermal Imager for upto 550°C with 256x192 pixels resolution. Images & video recording along with touchscreen TFT LCD display, Wi-Fi, USB and free App. Rechargeable battery.	90000	90251920	121500	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-25-Handheld-Thermal-Imager-Catalogue-Mar23.pdf
PRO TI-40 NEW!!		On Request	90251920	On Request	
PRO TI-50	Handheld Thermal Imager for upto 650°C with 384x288 pixels resolution. Images & video recording along with touchscreen TFT LCD display, Auto-Fusion, Wi-Fi, USB and free App. Rechargeable battery.	215000	90251920	290250	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-50-Thermal-Imager-Catalogue-Mar-23.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO TI-75 NEW!!	Handheld Thermal Imager 640x512 pixels resolution	On Request	90251920	On Request	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Ti-75-Thermal-Imager-Catalogue-1.pdf
PRO TI-55H NEW!!	384x288 px, 25Hz, 40mK, 17.46 X 13.14 FoV, -20 to 1200°C, 4.3in touchscreen display, 8MP, 9 palettes, 5 image modes, digital zoom, WiFi, Bluetooth, 40m laser distance measurement, Laser Pointer, 32GB memory	On Request	90251920	On Request	
PRO TI-70H NEW!!	640x512 px, 25Hz, 40mK, 17.46 X 13.14 FoV, -20 to 1200°C, 4.3in touchscreen display, 8MP, 9 palettes, 5 image modes, digital zoom, WiFi, Bluetooth, 40m laser distance measurement, Laser Pointer, 32GB memory	On Request	90251920	On Request	
THERMOMETERS					
Digital Thermometer					
ST-9283B	Hand-held, High Temperature Alarm Facility, Auto Power Off, Data Hold, -50 to 300°C / -58 to 572°F	890	90251920	1202	https://www.metravi.com/wp-content/uploads/Metravi-ST-9283B-General-Digital-Thermometer.pdf
DTM-902	Pen Type, Waterproof, Auto Power Off, -40 to 250°C / -40 to 482°F. Ideal for food grade usage	950	90251920	1283	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-902-Food-Safety-Thermometer-Catalogue-1.pdf
DTM-903	-50 to 1300°C using K-type Sensor and -50 to 1200°C using J-type Sensor Accuracy: ±0.5%. Wide Temperature Range, High Accuracy, Battery Operated, Selectable Thermocouple between K / J type, MAX / MIN / AVG Recording, Data Hold to Freeze Displayed Data, Backlit Display.	1800	90251920	2430	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-903-General-Purpose-Thermometer-Catalogue-1.pdf
DTM-100 -100 to 200°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 200°C (customised sensor at extra cost).	2800	90251920	3780	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 400°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 400°C (customised sensor at extra cost).	2800	90251920	3780	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 600°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 600°C (customised sensor at extra cost).	2800	90251920	3780	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 1200°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 1200°C (customised sensor at extra cost).	2800	90251920	3780	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-900	3-1/2 Digits, -50 to 1300°C / -50 to 1999°F, Contact type, to be used with K type thermocouple, with backlit display and kelvin scale	4000	90251920	5400	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-900-General-Purpose-Thermometer-Catalogue.pdf
DTM-901	3-1/2 Digits, Dual Channel Input, -50 to 1300°C / -50 to 1999°F, Contact type, to be used with K type thermocouple. with backlit display and kelvin scale	4900	90251920	6615	https://www.metravi.com/wp-content/uploads/Metravi-DTM-901-Dual-Input-Thermometer-Catalogue.pdf
Portable Non-contact Infrared Thermometers (Pyrometers)					
ET-99IR DISCONTINUED	Measures upto 250°C with backlit LCD display, D:S Ratio 8:1, adjustable Emissivity, 2m drop tested, compact & pocket-sized.	1980	90251920	2673	https://www.metravi.com/wp-content/uploads/Metravi-ET-99IR-Digital-Non-contact-Infrared-Thermometer-Product-Catalogue-1.pdf
MT-1 ECO NEW!!	Measures -50°C to 550°C, D:S Ratio 8:1, Fixed Emissivity 0.95, Backlit LCD with laser sighting.	1250	90251920	1688	https://www.metravi.com/wp-content/uploads/Metravi-MT-1-ECO-Infrared-Thermometer-Catalogue-Web.pdf
MT-2	Measures -50°C to 550°C, D:S Ratio 12:1, Fixed Emissivity 0.95, Backlit LCD with laser sighting.	2300	90251920	3105	https://www.metravi.com/wp-content/uploads/Metravi-MT-2-Industrial-Pyrometer-with-Single-Laser-Catalogue-Web.pdf
PRO 65 MAX	With Circular Laser, IR Temperature -50 to 800°C, D:S Ratio 16:1, Resolution: 0.1°C < 1000; 1°C > 1000, Accuracy ±0.5% ±1.5°C, Response Time 150ms, Spectral Response 8 – 14um, Tk Contact Temperature -50 to 1370°C, IP54 Rated for Dust / Water Proof, 2m Drop Tested, Automatic Data Hold, Non-contact and Contact Thermometer combined, Adjustable Emissivity 0.10 to 1.00, MAX / MIN / AVG / DIF Temperature display, Backlit LCD Display, Set High and Low Alarms, Battery Operated, CE Compliant with EMC.	4730	90251920	6386	https://www.metravi.com/wp-content/uploads/Metravi-PRO-65-Max-and-PRO-65-Max-Plus-Industrial-Pyrometers-with-Circular-Laser-Catalogue-Web.pdf
PRO 65 MAX+	With Circular Laser, IR Temperature -50 to 1000°C, D:S Ratio 20:1, Accuracy: ±0.5% ±1.5°C, Resolution 0.1°C < 1000; 1°C > 1000, Response Time 150ms, Spectral Response 8 – 14um, Tk Contact Temperature -50 to 1370°C, IP54 Rated for Dust / Water Proof, 2m Drop Tested, Automatic Data Hold, Non-contact and Contact Thermometer combined, Adjustable Emissivity 0.10 to 1.00, MAX / MIN / AVG / DIF Temperature display, Backlit LCD Display, Set High and Low Alarms, Battery Operated, CE Compliant with EMC.	5915	90251920	7985	https://www.metravi.com/wp-content/uploads/Metravi-PRO-65-Max-and-PRO-65-Max-Plus-Industrial-Pyrometers-with-Circular-Laser-Catalogue-Web.pdf
MT-10 DISCONTINUED	3-1/2 Digits Backlit LCD, fixed emissivity of 0.95, D:S Ratio of 50:1, measures from -50 to 1000°C / -58 to 1832°F, with laser pointer	15700	90251920	21195	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MT-10-Non-contact-cum-Contact-Single-Laser-Infrared-Thermometer-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
MT-13 DISCONTINUED	Measures -18 to 1050°C, with Backlit LCD, Contact cum Non-contact type Pyrometer, -50 to 1370°C in Contact Mode, Emissivity adjustable from 0.10 to 1.0, D:S Ratio 30:1, with wireless USB PC Interface and facility to calculate the emissivity of the surface.	20250	90251920	27338	https://metravi.com/wp-content/uploads/2020/08/Metravi-MT-13-Non-contact-Cum-Contact-Infrared-Thermometer-with-Wireless-PC-Interface-Catalogue.pdf
MT-14	4 Digits Backlit LCD, Contact cum Non Contact type, measures -50 to 1300°C in non contact mode and contact mode. D:S Ratio 30:1, Emissivity Adjustable 0.10 to 1.00, mV output /°C, Trigger Lock, battery cum mains operated, Records 20 Data, Max./Min./Dif/Avg recording	14500	90251920	19575	https://www.metravi.com/wp-content/uploads/Metravi-MT-14-Industrial-Pyrometer-with-Analogue-Output-Catalogue-Web.pdf
MT-15	Measures -50°C to 1200°C with dual laser pointer, D:S Ratio 50:1, Adjustable Emissivity from 0.10 ~ 1.0., contact cum non-contact type, with USB PC Interface ,Max./Min./Dif/AVG., 4 Digits Backlit LCD.	21500	90251920	29025	https://www.metravi.com/wp-content/uploads/Metravi-MT-15-Non-contact-and-contact-Infrared-Thermometer-Catalogue.pdf
MT-16	Measures -50°C to 1800°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, 4 Digits Backlit LCD, Contact cum Non-contact type with USB PC Interface, in non contact mode measures from -50°C to 1370°C, Max./Min./Dif/Avg. readings.	26000	90251920	35100	https://www.metravi.com/wp-content/uploads/Metravi-MT-16-Industrial-Infrared-Thermometer-Catalogue-Web.pdf
MT-18 DISCONTINUED	Measures -50°C to 2200°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Contact cum Non-contact type, with USB PC Interface, Max./Min./Dif/Avg. readings, 4 Digits Backlit LCD.	30100	90251920	40635	https://www.metravi.com/wp-content/uploads/Metravi-MT-18-Non-contact-cum-contact-Dual-Laser-Infrared-Industrial-Thermometer-Catalogue-1220.pdf
MT-19	Measures -50° to 2200°C with D:S Ratio 75:1. Features Dot Matrix Backlit LCD, Bluetooth, up to 32000 data points, adjustable emissivity with dual laser pointer and Max./Min./Dif/AVG. readings	32000	90251920	43200	https://www.metravi.com/wp-content/uploads/Metravi-MT-19-Non-contact-Dual-Laser-Infrared-Thermometer-Industrial-Pyrometer-with-Data-Logger-Catalogue.pdf
MT-20	Telescopic sighting, 500°C to 3000°C, 4 digits LCD, Adjustable Emissivity 0.10 to 1.00, Distance to Sighting Ratio 120:1, Accuracy ±1%, with Max/Min/Avg/DT and High/Low Alarms.	On Request	90251920	On Request	https://www.metravi.com/wp-content/uploads/Metravi-MT-20-Telescopic-View-Non-contact-Industrial-Infrared-Thermometer-Catalogue.pdf
MT-8 NEW MODEL!!	Measures -50°C to 800°C with Circular Laser pointer, Adjustable Emissivity from 0.10 ~ 1.00, D:S Ratio 12:1, Contact K-type temperature upto 500°C, Colour LCD display, Data Hold, measures & display ambient Temperature, Humidity & Dew Point Temperature.	3510	90251920	4739	https://www.metravi.com/wp-content/uploads/Metravi-MT-8-2025-Model-Industrial-Infrared-Thermometer-Catalogue.pdf
MT-12 ECO NEW!!	Measures -40°C to 1200°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	6000	90251920	8100	https://www.metravi.com/wp-content/uploads/Metravi-MT-12-ECO-MT-17-ECO-MT-18-ECO-Industrial-Non-Contact-Infrared-Thermometer-Catalogue.pdf
MT-17 ECO NEW!!	Measures -40°C to 1600°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	7100	90251920	9585	https://www.metravi.com/wp-content/uploads/Metravi-MT-12-ECO-MT-17-ECO-MT-18-ECO-Industrial-Non-Contact-Infrared-Thermometer-Catalogue.pdf
MT-18 ECO NEW!!	Measures -40°C to 2000°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	8400	90251920	11340	https://www.metravi.com/wp-content/uploads/Metravi-MT-12-ECO-MT-17-ECO-MT-18-ECO-Industrial-Non-Contact-Infrared-Thermometer-Catalogue.pdf
Video Infrared Thermometer with Data Logger					
VIT-20	Measures -50°C to 1850°C, Adjustable Emissivity, D:S 50:1. With Dual Laser Pointer, Colour LCD Display, Data Logging, Image & Video Capture facility, In-built Contact Thermometer. Features microSD Card & PC interface.	62000	90251920	83700	https://www.metravi.com/wp-content/uploads/Metravi-VIT-20-Industrial-Pyrometer-with-Visual-Camera-Data-Logging-and-USB-Interface-Catalogue-Web.pdf
Fixed Online Non-contact Infrared Thermometer					
ST-201A	Fixed Online Infrared Thermometer 300°C~1300°C. Spectral Response 2.6 μm	180000	90251920	243000	https://drive.google.com/file/d/1tnlFD6d2nF8vIvTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-201AK	Fixed Online Infrared Thermometer 500°C~1400°C. Spectral Response 2.6 μm	195000	90251920	263250	https://drive.google.com/file/d/1tnlFD6d2nF8vIvTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-201B	Fixed Online Infrared Thermometer 600°C~1600°C. Spectral Response 1.7 μm	182000	90251920	245700	https://drive.google.com/file/d/1tnlFD6d2nF8vIvTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-202A	Fixed Online Infrared Thermometer 600°C~1800°C. Spectral Response 1μm	175000	90251920	236250	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing
ST-202B	Fixed Online Infrared Thermometer 800°C~2500°C. Spectral Response 1μm	185000	90251920	249750	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
ST-202C	Fixed Online Infrared Thermometer 1000°C~3000°C. Spectral Response 1µm	200000	90251920	270000	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing
OIR-200 NEW!!	Fixed Online Infrared Temperature Sensor -50°C~200°C., D: S=20:1, Spectral Response 8-14µm, Accuracy ≥ 100°C ±2%, ≤ 100°C ±2°C, Response Time 500ms, Fixed Emissivity 0.95, Analogue Output RT-A: 4-20mA, Stainless Steel housing, IP65, 4m wire (customisable).	4900	90251910	6615	https://www.metravi.com/wp-content/uploads/Metravi-OIR-Series-Online-Temperature-Sensor-Catalogue.pdf
OIR-600 NEW!!	Fixed Online Infrared Temperature Sensor -50°C~600°C., D: S=20:1, Spectral Response 8-14µm, Accuracy ≥ 100°C ±2%, ≤ 100°C ±2°C, Response Time 500ms, Fixed Emissivity 0.95, Analogue Output RT-A: 4-20mA, Stainless Steel housing, IP65, 4m wire (customisable).	5900	90251910	7965	https://www.metravi.com/wp-content/uploads/Metravi-OIR-Series-Online-Temperature-Sensor-Catalogue.pdf
OIR-600L NEW!!	Fixed Online Infrared Temperature Sensor -50°C~600°C., D: S=50:1, Spectral Response 8-14µm, Accuracy ≥ 100°C ±2%, ≤ 100°C ±2°C, Response Time 500ms, Fixed Emissivity 0.95, Analogue Output RT-A: 4-20mA, Aluminium Alloy housing, IP65, 4m wire (customisable).	7000	90251910	9450	https://www.metravi.com/wp-content/uploads/Metravi-OIR-Series-Online-Temperature-Sensor-Catalogue.pdf
OIR-1200L NEW!!	Fixed Online Infrared Temperature Sensor -50°C~1200°C., D:S=50:1, Spectral Response 8-14µm, Accuracy ≥ 100°C ±2%, ≤ 100°C ±2°C, Response Time 500ms, Fixed Emissivity 0.95, Analogue Output RT-A: 4-20mA, Aluminium Alloy housing, IP65, 4m wire (customisable).	12000	90251910	16200	https://www.metravi.com/wp-content/uploads/Metravi-OIR-Series-Online-Temperature-Sensor-Catalogue.pdf
OIR-1800L NEW!!	Fixed Online Infrared Temperature Sensor -50°C~1800°C., D:S=50:1, Spectral Response 8-14µm, Accuracy ≥ 100°C ±2%, ≤ 100°C ±2°C, Response Time 500ms, Fixed Emissivity 0.95, Analogue Output RT-A: 4-20mA, Aluminium Alloy housing, IP65, 4m wire (customisable).	18000	90251910	24300	https://www.metravi.com/wp-content/uploads/Metravi-OIR-Series-Online-Temperature-Sensor-Catalogue.pdf
Digital Temperature Indicators for OIR Series					
UI-992 -50 to 200°C NEW!!	Digital Temperature Indicator 96sq.mm, APS-230V AC for use with OIR-200	4000	90251910	5400	
UI-992 -50 to 600°C NEW!!	Digital Temperature Indicator 96sq.mm, APS-230V AC for use with OIR-600 and OIR-600L	4000	90251910	5400	
UI-992 -50 to 1200°C NEW!!	Digital Temperature Indicator 96sq.mm, APS-230V AC for use with OIR-1200L	4000	90251910	5400	
UI-992 -50 to 1800°C NEW!!	Digital Temperature Indicator 96sq.mm, APS-230V AC for use with OIR-1800L	4000	90251910	5400	
Two Colour Non-contact Infrared Thermometer					
ST-300A	Temperature range 600°C~1400°C, D:S 150:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	400000	90251920	540000	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-ST-300A-Two-Colour-Infrared-Thermometers-Catalogue.pdf
ST-300B	Temperature range 700°C~1800°C, D:S 300:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	400000	90251920	540000	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-ST-300B-Two-Colour-Infrared-Thermometers-Catalogue.pdf
ST-300C	Temperature range 1000°C~3000°C, D:S 300:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	460000	90251920	621000	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-ST-300C-Two-Colour-Infrared-Thermometers-Catalogue.pdf
Non-contact Infrared Thermometer for Human Fever					
CEM DT-8806H	Clinical Forehead Infrared Thermometer, measuring distance upto 15cm, LCD screen, store upto 32 readings. Safety Conformance ASTM E1965-1998, EN 980, EN 1041, EN 60601-1, IEC: 60601-1:1998), EN 60601-1-2, (IEC 60601-1-2:2001). FDA approved.	4000	90251920	5400	https://www.cem-instruments.in/pdf/CEMDT_8806H_Non-contact_Infrared_Forehead_Thermometer.pdf
FIR-2	Non-contact Infrared Thermometer for body temperature	3010	90251920	4064	https://www.metravi.com/wp-content/uploads/Metravi-FIR-2-Non-contact-Infrared-Body-Thermometer-Catalogue.pdf
PIR-I	Non-contact Infrared Thermometer to measure human body temperature via the hand, wrist, palm or forehead. For Entry/Exits, to avoid crowding or queuing. Mountable on almost any surface. Multi-angle adjustable mounting.	37625	90251920	50794	
THICKNESS GAUGES					
Coating Thickness Gauge					
CTG-01	Coating Thickness Gauge with single probe for both ferrous and non-ferrous metal substrates. Self calibratable. USB Interface for PC analysis software. Measures upto 1250µm.	11795	90303900	15923	https://www.metravi.com/wp-content/uploads/Metravi-CTG-01-Coating-Thickness-Gauge-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CTG-02	Coating Thickness Gauge with single extendable probe for both ferrous and non-ferrous metal substrates. Self calibratable, Data Logging upto 2000 data. USB Interface for PC analysis software. Measures upto 2000µm.	23000	90173029	31050	https://metravi.com/wp-content/uploads/2020/08/Metravi-CTG-02-Coating-Thickness-Gauge-Catalogue.pdf
PRO CTG-03	Coating Thickness Gauge with USB Interface. Single probe for both ferrous and non-ferrous metal substrates. Full colour, auto-rotation TFT screen. Self calibratable. Measures upto 2000µm. Measures Temperature, Humidity & Dew Point temperature. Data logging 50 sets. USB interface for PC analysis software.	14500	90173029	19575	https://www.metravi.com/wp-content/uploads/Metravi-PRO-CTG-03-Coating-Thickness-Gauge-with-USB-Interface-Catalogue.pdf
CTG-10 NEW!!	Coating Thickness Gauge with single probe for both ferrous and non-ferrous metal substrates. Colour light alarms and rotatable screen. Data Logging for 199 groups of data. Self calibratable. Measures upto 1750µm.	9000	90318000	12150	https://www.metravi.com/wp-content/uploads/Metravi-CTG-10-Coating-Thickness-Gauge-Catalogue.pdf
CTG-11 ECO NEW!!	Coating Thickness Gauge with single composite probe for both ferrous and non-ferrous metal substrates. Features backlit LCD display, MAX/MIN, Data Reset, High/Low Alarms, Unit Conversion. Self-calibratable. Measures upto 1500µm.	6100	90318000	8235	https://www.metravi.com/wp-content/uploads/Metravi-CTG-11-ECO-CTG-11R-ECO-Coating-Thickness-Gauge-Catalogue.pdf
Ultrasonic Thickness Gauge					
UTG-01 NEW MODEL!	Measures thickness 1.0~350mm, high Resolution (0.01 mm), high Accuracy for high density materials like Steel & Aluminium. Sound Velocity measurement 1000~9999 m/s, Data Logging 10 units, Auto Calibration, Auto Linear Compensation, Auto Power-off.	13300	90318000	17955	https://www.metravi.com/wp-content/uploads/Metravi-UTG-01-Ultrasonic-Thickness-Gauge-2024-Model-Catalogue.pdf
UTG-02 NEW!!	Versatile Ultrasonic Thickness Gauge to measure thickness of high density material up to 300mm, with Data Logging and Rechargeable Battery	10500	90318000	14175	https://www.metravi.com/wp-content/uploads/Metravi-UTG-02-Ultrasonic-Thickness-Gauge-Catalogue-July-2024.pdf
Extra Probe for UTG-01	5MHz Frequency, 10mm dia - for UTG-01	3400	90302000	4590	
Extra Probe for UTG-02	5MHz Frequency, 10mm dia - for UTG-02	2350	90302000	3173	
TIME INTERVAL METER					
Digital Time Interval Meter					
NTT-4D	4 Digits Digital Time Interval Meter for measuring in the range of 999.9mS, 9.999S, 99.99S	19000	90303390	25650	https://metravi.com/wp-content/uploads/2020/08/Metravi-NTT-4D-Single-Channel-Time-Interval-Meter-Catalogue.pdf
3CH-NTT-4D	4 Digits 3 Channel Digital Time Interval Meter for measuring in the range of 99.99mS, 999.9mS, 9.999S	88000	90303390	118800	https://metravi.com/wp-content/uploads/2020/08/Metravi-3CH-NTT-4D-Three-Channel-Time-Interval-Meter-Catalogue.pdf
TRANSISTOR TESTER					
Transistor Tester					
TT-01 DISCONTINUED	Transistor Tester for Testing and Checking Bias Current and other parameters of Transistors	5175	90303100	6986	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-01-Transistor-Tester-Catalogue.pdf
TRANSDUCERS					
Transducers NEW!!					
CE-0102A AC	CURRENT TRANSDUCER: INPUT 1A AC or 5A AC I/P DUAL OUTPUT (DC AUX SUPPLY)	3985	90318000	5380	
CE-0102A DC	CURRENT TRANSDUCER: DC CURRENT INPUT, DUAL OUTPUT(DC AUX SUPPLY)	3985	90318000	5380	
CE-0102V AC	VOLTAGE TRANSDUCER: AC VOLT I/P, DUAL OUTPUT(DC AUX SUPPLY)	4370	90318000	5900	
CE-0102V DC	VOLTAGE TRANSDUCER: DC VOLT I/P,DUAL OUTPUT(DC AUX SUPPLY)	3985	90318000	5380	
CE-0102 IS	DC ISOLATION TRANSDUCER: ISOLATOR , DUAL OUTPUT (DC AUX SUPPLY)	3985	90318000	5380	
CE-0102 RTD	TEMPERATURE TRANSDUCER: RTD (PT-100) TRANSDUCER (DC AUX SUPPLY) SINGLE O/P	3985	90318000	5380	
CE-0102 RTD-2	TEMPERATURE TRANSDUCER: RTD (PT-100) TRANSDUCER (DC AUX SUPPLY) DUAL O/P	4370	90318000	5900	
CE-0102 RTK	TEMPERATURE TRANSDUCER (K-TYPE) DC AUX SUPPLY SINGLE O/P	3985	90318000	5380	

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
CE-0102 RTK-2	TEMPERATURE TRANSDUCER (K-TYPE) DC AUX SUPPLY DUAL O/P	4370	90318000	5900	
CE-50 FT	FREQUENCY TRANSDUCER -I/P:45-55Hz, O/P:4-20mA, DC AUX SUPPLY	5640	90318000	7614	
CE-0102 WT	WATT TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5920	90318000	7992	
CE-0303 WT	WATT TRANSDUCER: 3 PH 3 WIRE WATT TRANSDUCER, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
CE-0304 WT	WATT TRANSDUCER: 3 PH 4 WIRE WATT TRANSDUCER, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
CE-0102 VAT	VA TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5920	90318000	7992	
CE-0303 VAT	VA TRANSDUCER: 3 PH 3 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
CE-0304 VAT	VA TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
CE-0102 QT	KVAR TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5920	90318000	7992	
CE-0303 QT	KVAR TRANSDUCER: 3 PH 3 WIRE , 4-20mA Dual O/P, Aux: 90-270VAC/DC	8085	90318000	10915	
CE-0304 QT	KVAR TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux: 90-270VAC/DC	8085	90318000	10915	
CE-0102 PFT	POWER FACTOR TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5920	90318000	7992	
CE-0303 PFT	POWER FACTOR TRANSDUCER: 3 PH 3 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
CE-0304 PFT	POWER FACTOR TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	8085	90318000	10915	
	EXTRA FOR DC POWER SUPPLY FOR ANY OF THE ABOVE	650	90318000	878	
VIBRATION METERS					
Vibration Meter					
VIB-30+	Digital Vibration Meter, measures RMS velocity in the range of 0.1 to 199.9 mm/sec T-RMS & Peak	37000	90318000	49950	https://metravi.com/wp-content/uploads/2020/08/Metravi-VIB-30-PLUS-Portable-Vibration-Meter-Catalogue.pdf
AVD-80	Digital Vibration Meter to measure Velocity, Acceleration and Displacement. Micro controller based with Auto Power-off. True RMS measurement & Peak-Peak. Sealed membrane key pad.	43000	90318000	58050	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVD-80-Portable-Vibration-Meter-Catalogue.pdf
BCA-111	Bearing Condition Analyser, measures bearing test, vibration and has in-built tachometer.	150000	90318000	202500	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-BCA-111-Bearing-Condition-Analyser-Vibration-Meter-Catalogue.pdf
908	Portable Vibration Meter to measure Velocity, Acceleration, Displacement and Temperature, comes complete with Long, Short & Magnetic Probe Tips. 3-1/2 Digits Backlit LCD, Data Hold, MAX function. With hard carrying case.	18815	90318000	25400	https://www.metravi.com/wp-content/uploads/Metravi-908-Portable-Vibration-Meter-2024-Model-Catalogue.pdf
PVB-820	Pen Type Vibration Meter, it can measure acceleration, velocity and displacement	18275	90318000	24671	https://www.metravi.com/wp-content/uploads/Metravi-PVB-820-Pen-type-Vibration-Meter-Catalogue.pdf
VT-141D	Dual Channel Vibration meter, Acceleration, Velocity and Displacement, Vibration sensor with magnetic adapter on 1.2M (47.2) cable, Frequency Lo range :10Hz~1KHz meets ISO 2954 measurement, Hi range : 10Hz~5KHz, MIN/MAX record and recall, Data logger with 15000 records capacity, USB interface, Auto power off with disable function. Comes with long and shot probes and accelerometers with low noise cables.	105000	90318000	141750	https://metravi.com/wp-content/uploads/2020/11/Metravi-VT-141D-Dual-Channel-Vibration-Meter-with-Data-Logger-Catalogue.pdf
VT-145 NEW!!	Condition Monitor and Vibration Tester with built-in Infrared Thermometer. Measures Velocity, Displacement, Acceleration and non-contact Infrared Temperature. Features colour Alarm indication.	85000	90318000	114750	https://www.metravi.com/wp-content/uploads/Metravi-VT-145-Machine-Condition-Monitor-with-Vibration-Tester-Catalogue.pdf
VT-150 NEW!!	3-in-1 Vibration Tester with Bearing Condition analyser. Measures Velocity, Acceleration, Displacement, Bearing Condition and non-contact infrared temperature and features Alarm indication. IP65. Electromagnetic capability.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-VT-150-Vibration-Tester-with-Bearing-Condition-Analyser-Catalogue.pdf
VT-151W NEW!!	Rechargeable, Portable, Single Axis Piezo-electric Wireless Accelerometer which operates on Android Mobile / Tab. Built-in analysis for all leading models of bearings and IP67 protection. Vibration Meter with magnetic suction base, Vibration Analysis and Fault Diagnosis.	On Request	90318000	On Request	https://www.metravi.com/wp-content/uploads/Metravi-VT-151W-Wireless-Vibration-Tester-with-Bearing-Analyser-Catalogue.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
PRO Balancer NEW!!	Professional Vibration Analyser & Data Logger. Detects Vibration, Shock, and Sound. 6 Channels for Accelerometers, 4 Channels AC sensors, 2 Channels CC sensors, earphones input, Optical sensor input. 8GB internal memory. More than 8 hours of battery life. Spectral resolution up to 25600 lines. Analyser module, Data Collector module, Phase Analyser module, Balancing Machines module. All integrated into powerful Machinery Control software.	On Request	90318000	On Request	https://drive.google.com/file/d/1eBDp-8odfLmaVoa_MmCqcaud_b3z8Rs/view?usp=drive_link
PRO PHM NEW!!	Integrated online machine monitoring management platform. The sensor adopts wireless + wired combination, platform software adopts micro-service architecture to achieve flexible & convenient deployment operation and maintenance. Web application + mobile application + customised large touchscreen.	On Request	90318000	On Request	
906 NEW!!	Handy & ergonomic Vibration Meter to measure Acceleration, Velocity & Displacement. Directly measures vibration frequency with 1Hz resolution. Selectable high/low frequency. Manual and Automatic Continuous modes. Comes with short & long probes.	14500	90318000	19575	
VOLTAGE DETECTORS					
Low Voltage Detector					
AC-1	Audio and Visual output on detecting voltage from 90V - 1000A AC with built in flash light	600	90303390	810	https://metravi.com/wp-content/uploads/2020/08/Metravi-AC-1-Non-contact-type-Voltage-Tester-Catalogue.pdf
PRO AC-2 NEW!!	Non-contact Voltage Detector for 12V~1000V AC in 2 ranges, with LED and buzzer alarms and built in flashlight. Also has a non-contact Magnetic Field detector. CAT IV 1000V. IP65. Made in Germany.	1800	90303390	2430	https://www.metravi.com/wp-content/uploads/Metravi-Pro-AC-2-Non-contact-Voltage-Detector-Catalogue-Web.pdf
AC-4 NEW MODEL!!	Non-contact AC Voltage Detector by flashing, high intensity, Red light alarm & beeping for 50V~1000V, with built-in flash light. CAT III 1000V, CAT IV 600V.	1000	90303390	1350	https://www.metravi.com/wp-content/uploads/Metravi-AC-4-2024-Model-Non-contact-AC-Voltage-Detector-Catalogue-Web.pdf
AC-5	Non-contact Voltage Detector by flashing light and buzzer sound for 100V - 1000V, with built-in flash light	950	90303390	1283	https://www.metravi.com/wp-content/uploads/Metravi-AC-5-Non-Contact-Voltage-Detector-Catalogue.pdf
PRO AC-15EX NEW!!	Non-contact AC Voltage Detector 12 to 1000V / 100V to 1000V. High intensity, bright red LED & audible buzzer Alarms, along with Silent Mode. Bright rear flashlight. CATIV 1000V. Ex ATEX (Ex ib IIB T4) Explosion-proof. IP67 Waterproof, 2m drop protection.	3400	90303390	4590	
WT500C NEW!!	A handy, wearable (wrist-type), close-range, non-contact, low voltage detector, featuring sound & light alarms. When an operator wearing it gets close to a voltage charged body 40V~1kV.	3800	90303390	5130	https://www.metravi.com/wp-content/uploads/Metravi-WT500C-Wearable-Non-contact-Voltage-Detector-Catalogue-2024.pdf
HT500C NEW!!	A handy, wearable (helmet-type), close-range, non-contact, low voltage detector, featuring sound & light alarms. When an operator wearing it gets close to a voltage charged body 40V~1kV.	3800	90303390	5130	https://www.metravi.com/wp-content/uploads/Metravi-HT500C-Non-Contact-Helmet-type-Non-contact-Voltage-Detector-Catalogue.pdf
PRO R18 NEW!!	Contactless AC Voltage Detection on Insulating Sheaths – Dual sensitivity level 12V–1000V or 48–1000V AC, Contactless Phase sequence with OK (R) or No OK (L), Sound & LED indications, IP67, 3-meter Fall Arrest Test Drop, Ultra-high speed detection, Display with signal level indications, Integrated LED light, Made in Europe	1700	90308990	2295	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Uniks-R18-Voltage-and-Phase-Sequence-Detector-Catalogue.pdf
High Voltage Detector (Contact Type)					
276HD	Contact type, light and buzzer indication, detects presence of High Voltage in AC Lines, 354 to 1005mm length, detects 3kV to 24kV AC and 80 to 600V AC	19000	90303390	25650	https://www.metravi.com/wp-content/uploads/Metravi-276HD-276SHD-Contact-Type-High-Voltage-Detector-Catalogue.pdf
290HD	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (Any One) operated, 46 x 46 mm sq size panel cutout	22575	90303390	30476	https://metravi.com/wp-content/uploads/2020/08/Metravi-290-HD-Contact-Type-High-Voltage-Detector-Catalogue.pdf
High Voltage Detector (Non-contact Type)					
277HP	Non Contact Type High Voltage Detector for presence of Voltage from 50V to 132kV with Buzzer and Light Indication	14000	90308990	18900	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-277HP-Non-contact-High-Voltage-Detector-Catalogue.pdf
275HP	Non Contact type, Light and Buzzer Indication, Detects Presence of High Voltage in AC Lines, 240V, 2KV, 6KV, 11KV, 22KV, 33KV, 132KV and 175KV Lines AC.	17500	90308990	23625	https://www.metravi.com/wp-content/uploads/Metravi-275HP-High-Voltage-Proximity-Detector-Catalogue-240222.pdf

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
275HP1	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 275kV, with audible buzzer and visual light alarms.	11000	90308990	14850	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
275HP1 with FRP Rod Kit	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 275kV, with audible buzzer and visual light alarms. Comes complete with a 4.5m FRP Rod, together is a portable, easy to carry case.	21500	90308990	29025	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
275HP2 with FRP Rod Kit	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 500kV, with audible buzzer and visual light alarms. Comes complete with a 4.5m FRP Rod, together is a portable, easy to carry case.	21200	90308990	28620	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
HT500	A handy, hard hat/helmet accessory, close-range non-contact high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV. IP54 protection.	3800	90303390	5130	https://www.metravi.com/wp-content/uploads/Metravi-HT500-Non-contact-Helmet-type-High-Voltage-Detector-Catalogue.pdf
WT500	A handy, wearable (wrist-type), close-range, non-contact, high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV. IP54 protection.	3800	90303390	5130	https://www.metravi.com/wp-content/uploads/Metravi-WT500-Non-contact-High-Voltage-Detector-Alarm-Catalogue.pdf
AT500	A handy, wearable (arm-type), close-range non-contact high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV. IP54 protection.	4100	90303390	5535	https://www.metravi.com/wp-content/uploads/Metravi-AT500-Non-contact-Armband-type-High-Voltage-Detector-Catalogue-090322.pdf
FRP Rods	4.5m FRP Rod to be used with above non-contact high voltage detectors	5000	85441920	6750	
277HP (2026 Model) NEW!!	Non-Contact High Voltage Detector for 50V ~ 132kV AC at 50/60 Hz. Dual-range detection, visual and audible Progressive Alarms, Built-in Self Test. 3m Telescopic FRP Rod included.	14500	85441920	19575	https://www.metravi.com/wp-content/uploads/Metravi-277HP-2026-Model-Non-contact-Voltage-Detector-with-3M-FRP-Rod-Catalogue.pdf
High Voltage Insulated Rescue Hooks					
HVIRH-1.5/35 NEW!!	High Voltage Rescue Hook for up to 33kV with 1.5m long FRP Rod in 1 section, rod dia 35mm, hook opening 450mm, hook load 120kgs	6500	82055990	8775	https://www.metravi.com/wp-content/uploads/Metravi-HVIRH-High-Voltage-Insulated-Rescue-Hook-Catalogue.pdf
HVIRH-2/66 NEW!!	High Voltage Rescue Hook for up to 66kV with 2m long FRP Rod in 2 section telescopic rod with dia of 35mm, hook opening 450mm, hook load 120kgs	8500	82055990	11475	https://www.metravi.com/wp-content/uploads/Metravi-HVIRH-High-Voltage-Insulated-Rescue-Hook-Catalogue.pdf
WATER QUALITY TESTING METERS					
pH Meter					
PH-600	Quality, portable pH Meter with glass bulb electrode for measuring 0.00-14.00pH. Easily calibratable. Comes with 2 free buffer powder sachets.	590	90278990	797	https://www.metravi.com/wp-content/uploads/Metravi-PH-600-Ph-Meter-Catalogue.pdf
PH-700	Compact & portable. Measures pH level upto 14.00pH and temperature upto 60°C with replaceable glass electrode. High definition, negative display. Easily calibratable, comes with 3 free buffer powder sachets.	1500	90278990	2025	https://www.metravi.com/wp-content/uploads/Metravi-PH-700-Ph-Meter-Catalogue.pdf
PH-700P NEW!!	Bench-type pH meter	10500	90278990	14175	
TDS Meter					
TDS-3	Handy Digital TDS Meter for measuring 0-9990 PPM TDS and 0° to 50°C temperature, using a titanium alloy electrode.	500	90303100	675	https://www.metravi.com/wp-content/uploads/Metravi-TDS-3-Digital-Portable-TDS-Meter-Catalogue.pdf
WEATHER STATION					
Wireless Weather Station					
WS-1479 NEW!!	Professional, multifunction, intelligent Weather Station, high accuracy, measurements of Wind Speed & Direction, Rainfall, Temperature & Humidity, Air Pressure. Features WiFi transmission to remote monitor and solar panel to enhance battery life.	15750	90158020	21263	https://www.metravi.com/wp-content/uploads/Metravi-WS-1479-Wireless-Multifunction-Weather-Station-Catalogue.pdf
EV CHARGING STATIONS					
EV Charging Stations					

MODEL	DETAILS	LIST PRICE FROM 010226 (Rs.)	HSN	MRP / AMAZON / WEBSITE PRICE (Rs.)	CATALOGUE LINKS
M3W332EN	Suitable for residential & commercial use, Max output 22kW, Fast Charge, Compact design, Floor-mountable, applicable for outdoor installation. With Eifi & Ethernet. IP54, RoHS, CE, REACH	82350	85044030	111173	
TERMS & CONDITIONS:					
VALIDITY:	PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE				
PRICES:	NETT, EX GODOWN KOLKATA				
PACKING:	PRICES INCLUSIVE OF PACKING CHARGES				
FREIGHT:	PRICES EXCLUSIVE OF FREIGHT CHARGES. IN CASE IF GOODS ARE REQUIRED BY ANY OTHER COURIER, OTHER THAN OUR NOMINATED COURIER ANY BY AIR, THEN THE FREIGHT SHALL BE CHARGED EXTRA AT ACTUALS				
DELIVERY:	READY STOCK SUBJECT TO PRIOR SALES, FOR HIGH VOLTAGE EQUIPMENTS 8-12 WEEKS DELIVERIES WILL BE MADE ONLY AFTER THE PAYMENT IS CREDITED TO OUR ACCOUNT				
INSURANCE:	TO BE COVERED BY THE BUYER THE GOODS WOULD BE PACKED SECURELY WITH OUR BEST INTENT TO PROTECT IT AGAINST ANY KIND OF TRANSIT DAMAGE. HOWEVER, IN CASE IF THE GOODS GET DAMAGED IN TRANSIT, THE BUYER WILL HAVE TO COVER ITS RISK.				
PAYMENT:	100% AGAINST PROFORMA INVOICE / DOD / THROUGH BANK. 'ALTERNATIVELY' IF IT'S A TAILOR-MADE PRODUCT, 25% ADVANCE WITH THE ORDER BALANCE AGAINST PROFORMA INVOICE / DOD / THROUGH BANK				
SHIPMENT:	SHALL TAKE PLACE WITHIN 48 HOURS OF RECEIPT OF PAYMENT				
GOODS & SERVICE TAXES:	GST SHALL BE CHARGED EXTRA @18%. GST IS ALSO APPLICABLE ON FREIGHT CHARGES				
ORDERING VALUE:	FOR ORDER VALUE LESS THAN RS.3000/- (RUPEES THREE THOUSAND) A CHARGE RS. TWO HUNDRED AS HANDLING CHARGES WILL BE LEVIED				
DISCLAIMER:	WE TRY OUR BEST TO USE THE BEST OF COURIERS POSSIBLE FOR EARLIEST DELIVERY TIME BUT HAVE NO CONTROL OVER THE DELIVERIES BY THE COURIER. YOU MAY SUGGEST THE COURIER OF YOUR CHOICE AND WE SHALL SHIP THE GOODS THROUGH THEM, IF POSSIBLE. HOWEVER IN EITHER CASE, WE WILL NOT BE HELD RESPONSIBLE, UNDER ANY CIRCUMSTANCES, IF THE COURIER DELAYS THE DELIVERY FOR ANY REASON WHATSOEVER.				
JURISDICTION:	SUBJECT TO KOLKATA JURISDICTION ONLY				
THIS PRICE LIST SUPERCEDES ALL PREVIOUS PRICE LISTS.					