

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
ACIDITY TESTING KIT					
Acidity Testing Kit					
ATK	Testing Kit used to measure the Acidic content of Transformer Oil	2100	90314900	2835	https://metravi.com/wp-content/uploads/2020/09/Metravi-ATK-Acidity-Testing-Kit-Catalogue.pdf
ACOUSTIC IMAGERS					
Acoustic Imager					
AI-09	Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection, IP56 and free software with reports as per ISO-50001 and data analysis.	On Request	90275090		https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-09-AI-09EX-Acoustic-Imager-Catalogue.pdf
AI-09EX	Explosion-proof Industrial Acoustic Imager for gas leakage, partial discharge and other accidents with 128 MEMS microphones, multi-gas detection and free software with reports as per ISO-50001 and data analysis. With ATEX Certification. For use in hazardous environments.	On Request	90275090		https://www.metravi.com/wp-content/uploads/Metravi-PRO-AI-09-AI-09EX-Acoustic-Imager-Catalogue.pdf
BATTERY TESTER					
Battery Impedance Tester					
TM-6002	Battery Impedance Tester to check Battery internal resistance, Voltage, Current and temperature, with 9999 memory, with PC Interface cable and software	87075	90303900	117551	https://www.metravi.com/wp-content/uploads/Metravi-TM-6002-Battery-Impedance-Tester-Catalogue.pdf
BT-200 NEW!!	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With backlit LCD display. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	2250	90309090	3038	https://www.metravi.com/wp-content/uploads/Metravi-BT-200-BT-220-Battery-Analysers-Catalogue.pdf
BT-220 NEW!!	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With high definition colour LCD display. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	3350	90309090	4523	https://www.metravi.com/wp-content/uploads/Metravi-BT-200-BT-220-Battery-Analysers-Catalogue.pdf
BT-900 NEW!!	Battery Analyser for testing Battery Voltage, Battery Capacity, Cold Start Current, Internal Resistance, State of Health & State of Charge. With high definition colour LCD display and built-in Thermal Printer. Supports AGM/EFB battery start stop test and variety of battery standards (CCA, IEC, SAE, EN, DIN,JIS, unknown)	9400	90303900	12690	https://www.metravi.com/wp-content/uploads/Metravi-BT-900-Battery-Analyser-With-Built-In-Printer-Catalogue.pdf
CABLE FAULT LOCATOR					
Cable Fault Locator					
CFL-01	Digital Cable and Cable Fault Locator featuring a Transmitter and Receiver used to detect or trace conductors and find short faults in them.	19888	90303390	26848	https://www.metravi.com/wp-content/uploads/Metravi-CFL-01-Cable-Fault-Locator-Catalogue-Web.pdf
CFL-02	Digital Cable Fault Locator for Power, Control and Telecom Cables buried underground, to pinpoint Open Circuit, Short Circuit and Medium/High Resistance Faults.	69875	90303390	94331	https://metravi.com/wp-content/uploads/2020/08/Metravi-CFL-02-Cable-Fault-Locator-with-Pipe-and-Cable-Catalogue.pdf
TDRL-912 NEW!!	Cable Fault Locator for Telecom Cables, measures exact fault location such as the broken line, cross faults, earthing, poor insulation and poor contact of the lead covered cables as well as plastic cables. With colour LCD display, Digital Gain Adjustment Control, Digital Waveform and rechargeable battery.	145000	90303390	195750	https://www.metravi.com/wp-content/uploads/Metravi-TDRL-912-Handheld-Telecom-Cable-Fault-Locator-Catalogue.pdf
CABLE LOCATOR					
Cable Locator					
CL-2160A	Multi-frequency Cable Route Tracer & Locator serves as a Pipe and Cable Tracer for underground pipelines & cables without the need for excavations. For detecting position, direction and depth of underground water pipelines, metal pipelines and cables, the position and size of any damage points of the anticorrosion layer of steel pipelines, underground water pipelines, metal pipelines and cables.	On Request	90318000		https://www.metravi.com/wp-content/uploads/Metravi-CL-2160A-Multi-Frequency-Cable-Route-Tracer-Catalogue-Web.pdf
CL-2150 NEW!!		On Request	90318000		https://drive.google.com/file/d/1sOiovNNe5uTwz5Hp645XPvgz8tQvdAnK/view?usp=drive_link

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DC EARTH & GROUND FAULT LOCATOR					
DC Ground Fault Locator					
DCGFL-999 999kΩ NEW!!	Earth and Ground Fault Locator for fast location of earth faults on the DC system, to avoid the damage in the event of a second fault. Directly locates earth faults, with no need to cut any cables. Current Waveform mode operation.	540000	90303390	729000	https://www.metravi.com/wp-content/uploads/Metravi-DCGFL-999-DC-Earth-and-Ground-Fault-Locator-Catalogue-Web.pdf
DCGFL-999 500kΩ NEW!!	Earth and Ground Fault Locator for fast location of earth faults on the DC system, to avoid the damage in the event of a second fault. Directly locates earth faults, with no need to cut any cables. Current Waveform mode operation.	495000	90303390	668250	https://www.metravi.com/wp-content/uploads/Metravi-DCGFL-999-DC-Earth-and-Ground-Fault-Locator-Catalogue-Web.pdf
CALIBRATORS					
Calibrator					
CAL-400-3	Hand Held, 3-1/2 Digits, Battery Operated, 0 - 19.99 /24mA, -199.9mV to 199.9mV source and current & power measurement	5913	90318000	7982	https://metravi.com/wp-content/uploads/2020/08/Metravi-CAL-400-3-mV-mA-Calibrator-Catalogue.pdf
CAL-400-4	Hand Held, 4-1/2 Digits, Battery Operated, 0 - 199.9mV / 0 - 19.999mA sourcing and measuring range	8600	90318000	11610	https://metravi.com/wp-content/uploads/2020/08/Metravi-CAL-400-4-mV-mA-Calibrator-Catalogue.pdf
CAL-402-4	Bench type, 230V AC 50Hz Operated, 0 - 199.99m / 1.9999 / 19.999V & 0 - 199.99u / 1.999m / 19.999mA Sourcing & Measuring	9675	90318000	13061	https://www.metravi.com/wp-content/uploads/Metravi-CAL-402-4-mV-mA-Calibrator-Catalogue-New.pdf
CAL-408	Bench type RTD Calibrator, Outputs available at -200, -100, -50, -25, 0, 25, 50, 100, 150, 200, 300, 400, 500, 600 °C	8063	90318000	10885	https://metravi.com/wp-content/uploads/2020/08/Metravi-CAL-408-Bench-type-RTD-Calibrator-Catalogue.pdf
CAL-500 DISCONTINUED	Hand Held, 4 Digits Large LCD Display, Measures and Provides output for 20mV / 100mV / 15V DC, Current output up to 24mA, 24V Loop Power, and outputs for K, E, J, T, R, S, B and N types of thermocouples	15500	90318000	20925	https://www.metravi.com/wp-content/uploads/Metravi-CAL-500-CAL-600-Universal-Calibrator-Catalogue-1.pdf
CAL-600 NEW!!	Hand Held, 4 Digits Large LCD Display, Measures and Provides output for 20mV / 100mV / 15V DC, Current output up to 24mA, 24V Loop Power, Resistance output and measurement and outputs for K, E, J, T, R, S, B, N & PT-100 types of thermocouples	17000	90318000	22950	https://www.metravi.com/wp-content/uploads/Metravi-CAL-500-CAL-600-Universal-Calibrator-Catalogue-1.pdf
M-01S NEW!!	5 Digits LCD Display, 0.05% accuracy, provides output only for DC Voltage, Resistance, Thermocouples - R, S, K, E, J, T, N, B, A, C, D and Thermal Resistance RTD - PT-100, PT-200, PT-500, PT-1000, Cu-50. The output temperature value and the corresponding temperature signal are displayed on the same screen. With Auto power-off, backlight, flashlight.	29000	90318000	39150	https://www.metravi.com/wp-content/uploads/Metravi-M-01S-mV-Thermocouple-RTD-Source-Calibrator-Catalogue.pdf
M-02S NEW!!	5 Digits LCD Display, 0.05% accuracy, The measured / output temperature value and the corresponding temperature signal are displayed on the same screen. measures - DC voltage, resistance, thermocouple, thermal resistance RTD, on/off. 2W / 3W / 4W measurements are available for OHM and RTD. output - DC voltage, resistance, thermocouple, thermal resistance RTD, H/L settings are available for OHM excitation current. Thermocouples - R, S, K, E, J, T, N, B, A, C, D and Thermal Resistance - PT-100, PT-200, PT-500, PT-1000, Cu-50	29000	90318000	39150	
03+	5 Digits 0.5% Accuracy, Sources and Measures Resistance, PT-100 Sensor and Cu-50 Sensors	26338	90318000	35556	https://www.metravi.com/wp-content/uploads/Metravi-03-Plus-RTD-Calibrator-Catalogue.pdf
05+ DISCONTINUED	5 Digits, 0.5% Accuracy, Sources DC Current, Analogue Transducer & Loop Power and Measures DC Voltage, DC Current and Loop Current	30100	90318000	40635	https://metravi.com/wp-content/uploads/2020/08/Metravi-05-mV-mA-with-Loop-Calibrator-Catalogue.pdf
M-05S NEW!!	5 Digits, 0.05% Accuracy, Sources DC Current, Analogue Transducer & Loop Power and Measures DC Voltage, DC Current and Loop Power Supply. IP40 and 1m drop test.	30100	90303390	40635	https://www.metravi.com/wp-content/uploads/Metravi-M-05S-mV-mA-Loop-Calibrator-Catalogue.pdf
11+	6 Digits, 0.2% Accuracy, Sources R, S, B, E, K, J, T, N types of thermocouples, PT-100, Cu-50, DC Voltage, DC Current, Resistance, Analogue Transducer, Frequency, Pulse Output and LOOP Power.	77400	90318000	104490	https://metravi.com/wp-content/uploads/2020/08/Metravi-11-Thermocouple-Calibrator-Catalogue.pdf
14+	6 Digits, 0.2% Accuracy, Sources and Measures DC Voltage, PT-100, Cu-50 Sensors and R, S, B, E, K, J, T & N types of Thermocouples.	77400	90303390	104490	https://www.metravi.com/wp-content/uploads/Metravi-14-Plus-Universal-Source-Thermocouple-Calibrator-Catalogue.pdf
15+	6 Digits, 0.2% Accuracy, Sources and Measures DC Voltage, DC Current, Analogue Transducer and LOOP Power.	77400	90318000	104490	https://metravi.com/wp-content/uploads/2020/08/Metravi-15-mV-mA-with-Loop-Calibrator-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
25 NEW!!	50,000 Counts, 0.2% Universal Calibrator for DC Voltage, Current, Resistance, Frequency, all thermocouples and thermo-resistance and for pressure	268750	90318000	362813	https://metravi.com/wp-content/uploads/2020/08/Metravi-25-Universal-Calibrator-Catalogue.pdf
709H	mA Loop Calibrator with HART COMMUNICATOR, Accuracy 0.01%	102125	90318000	137869	https://metravi.com/wp-content/uploads/2020/09/Metravi-709H-mV-mA-Calibrator-with-HART-Communication-Catalogue.pdf
Vibration Calibrator					
VIB-CAL-01	Vibration Calibrator. Combines signal generator, power amplifier, standard transducer and a shaker in one housing and features a small size, high accuracy and easy operation.	219300	90318000	296055	https://www.metravi.com/wp-content/uploads/Metravi-VIB-CAL-01-Handheld-Vibration-Calibrator-Catalogue.pdf
Earth Resistance Tester Calibrator					
CAL-ER NEW!!	Earth Resistance Tester Calibrator. Used for calibrating grounding resistance testers, equipotential testers and other instruments which require a standard resistor.	34400	90318000	46440	https://www.metravi.com/wp-content/uploads/Metravi-CAL-ER-Earth-and-Ground-Tester-Calibrator-Catalogue.pdf
Sound Level Calibrator					
CEM SC-05	Sound Level Calibrator provides signals of 94dB and 114dB. Accurate and simple to use; Fits 1/2" diameter microphone.	10800	90309090	14580	https://www.metravi.com/wp-content/uploads/Metravi-CEM-SC-05-Sound-Level-Calibrator.pdf
Non-contact Tachometer Calibrator					
CE-0102TMC	Calibrator for Non Contact Tachometer for up to 199,999 RPM	14000	90292090	18900	
Infrared Thermometer Calibrator					
CEM BX-500	Black Body Source for Calibrating Infrared Thermometer from 50 to 500°C	78750	90318000	106313	https://www.cem-instruments.in/pdf/BX-500.pdf
Process Meter					
PM-29 NEW MODEL!!	4 & 5 digits Digital Multimeter with DC mV / Voltage / Frequency / Resistance / mA Calibrator and also provides output for all types of Thermocouples	45000	90303390	60750	https://www.metravi.com/wp-content/uploads/Metravi-PM-29-Process-Meter-with-Multimeter-Catalogue-Web.pdf
PM-39	5 Digits, Digital Multimeter combined with source for DC voltage, resistance, frequency, all kind of thermocouples, thermal resistance, and DC current. supply power to 24V circuits and meanwhile measure current; with built-in 250 Ω HART loop resistance	51750	90308990	69863	https://metravi.com/wp-content/uploads/2020/08/Metravi-PM-39-Process-Meter-Catalogue.pdf
Accessories for Calibrators					
709H-USB	USB communication interface cable and software for 709H	43000	90318000	58050	https://metravi.com/wp-content/uploads/2020/09/Metravi-709H-mV-mA-Calibrator-with-HART-Communication-Catalogue.pdf
PM-S Series NEW!!	Pressure Calibration Modules for 15+	On Request	90318000		https://www.metravi.com/wp-content/uploads/METRAVI-PM-S-PRESSURE-CALIBRATOR-MODULES-FOR-15-PLUS-CALIBRATOR-CATALOGUE-WEB.pdf
CAPACITANCE METER					
Digital Capacitance Meter					
DCM-1502	3-1/2 Digits, LCD, Zero Adjustment, up to 20mF Capacitance Measurement	2849	90303100	3846	https://metravi.com/wp-content/uploads/2020/08/Metravi-DCM-1502-Digital-Capacitance-Meter-Catalogue-2.pdf
CLAMP METER					
Analogue Clamp Meter					
M-300	Clamp Jaw Dia 34mm, AC/DC Voltage, AC Current up to 300A, Resistance & Temperature. Pointer Lock Facility, with temperature probe	2835	90303100	3827	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-M-300-Analogue-Clamp-Meter-Catalogue.pdf
M-600	Clamp Jaw Dia 34mm, AC/DC Voltage, AC Current up to 600A, Resistance & Temperature. Pointer Lock	3120	90303100	4212	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-M-600-Analogue-Clamp-Meter-Catalogue.pdf
M-1000	Clamp Jaw Dia 48mm, AC Voltage up to 600V, DC Voltage up to 300V, AC Current in the range of 0-50/250/500/1000A AC, Resistance up to 2000K. Ohms, Temperature, Audible continuity Test	4840	90303100	6534	https://metravi.com/wp-content/uploads/2020/08/Metravi-M-1000-Analogue-Clamp-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Digital AC Clamp Meter					
DT-225 PHASED OUT	3-3/4 Digits, Backlit LCD, Data Hold, Max Hold, 30mm Jaw Size, AC/DC Voltage, AC Current up to 400A, Resistance, Temperature, Frequency, Diode and Continuity Test. 500V DC/AC Protection in all ranges.	3010	90303100	4064	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-225-Non-contact-Voltage-Detector-Clamp-Meter-Catalogue.pdf
DT-225 NEW MODEL!!	2000 counts, Backlit LCD, T-RMS, 600V AC/DC, 400A AC, Capacitance upto 2mF, Resistance upto 20MΩ, Frequency, Continuity & Diode Test. Max / Min, Non-contact Voltage Detector (NCV), Live Wire detection, Jaw dia 26mm, CAT-III 600V, Auto Power-off, Input Polarity Indication, built-in Flashlight	1425	90303100	1924	https://www.metravi.com/wp-content/uploads/Metravi-DT-225-Digital-TRMS-AC-Clamp-Meter-2024-Model-Catalogue.pdf
DT-115	6000 Counts, Backlit LCD, With Flashlight, Autoranging, Auto Power Off, T-RMS, Non-contact voltage detection, Flashlight, Data Hold, 40 mm Jaw Size, AC/DC Voltage, AC Current up to 600A T-RMS, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test.	1950	90303100	2633	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-115-Digital-T-RMS-Clamp-Meter-Catalogue.pdf
DT-115A	6000 Counts Backlit LCD Display, Built-in Flashlight to access dark Areas, Non Contact Voltage Detection, Simple to use, Just provide the input and the instrument, detects the signal and displays the parameter, No Selection required, Just provide Input, Automatic Selection of AC/DC Voltage, Resistance, Capacitance, Diode Test, T-RMS, 600A T-RMS Measurements	2400	90303100	3240	https://www.metravi.com/wp-content/uploads/Metravi-DT-115A-Intelligent-Digital-TRMS-Clamp-Meter-Catalogue.pdf
DT-369	3-4/5 Digits 6000 Counts, LCD, Data Hold, T-RMS, 30mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Frequency and Temperature & Continuity Test	2475	90303100	3341	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-369-AC-T-RMS-Clamp-Meter-Catalogue.pdf
DT-1150	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A Clamp Meter with AC/DC Voltage	2025	90303100	2734	https://www.metravi.com/wp-content/uploads/Metravi-DT-1150-Digital-AC-Clamp-Meter-Catalogue-New.pdf
DT-1150A	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A Clamp Meter with AC/DC Voltage, Resistance, Capacitance, Temperature and Frequency	2450	90303100	3308	https://www.metravi.com/wp-content/uploads/Metravi-DT-1150A-Digital-AC-Clamp-Meter-Catalogue-1.pdf
DT-1250	3-1/2 Digits, Backlit LCD, Data Hold, Max Hold, 30mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Diode and Continuity Test. 500V DC/AC Protection in all ranges.	3100	90303100	4185	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-1250-Digital-Clamp-Meter-Catalogue.pdf
DT-2250	3-3/4 Digits, Backlit LCD, Data Hold, 30mm Jaw size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Duty Cycle, Diode and Continuity Test Facility.	3655	90303100	4934	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-2250-Digital-Clamp-Meter-Catalogue.pdf
DT-2255	3-1/2 Digits, LCD, Data Hold, Auto-ranging, 57mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Frequency, Duty Cycle, Diode & Continuity Test.	3700	90303100	4995	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-2255-Digital-Clamp-Meter-Catalogue.pdf
DT-3150	3-3/4 Digits, Backlit LCD, Data Hold, 57mm Jaw Size, AC/DC Voltage, AC Current up to 1000A, Resistance, Capacitance, Frequency, Duty Cycle, Diode and Continuity Test Facility. 1000V DC/AC Protection in all ranges.	3850	90303100	5198	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3150-Digital-Clamp-Meter-Catalogue.pdf
DT-7250	3-1/2 Digits, LCD, Data Hold, Auto-ranging, 57mm Jaw Size, AC/DC Voltage, AC Current up to 2000A, Resistance, Frequency, Duty Cycle, Diode & Continuity Test.	5900	90303100	7965	https://www.metravi.com/wp-content/uploads/Metravi-DT-7250-Digital-AC-Clamp-Meter-Catalogue.pdf
PRO IRC-600 NEW!!	6000 counts, Data Hold, NCV, 34mm Jaw Size, AC/DC Voltage 1000V, T-RMS AC Current up to 1000A, VFD Voltage, Resistance, Capacitance, Frequency, Duty Cycle, Diode & Continuity Test, with Backlit LCD, Flashlight, built-in Infrared Thermometer for up to 350°C.	8280	90303100	11178	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IRC-600-PRO-IRC700-TRMS-Clamp-Meter-with-IR-Thermometer-Catalogue.pdf
UNIKS C-126 NEW!!	6000 Counts, Backlit 2" LCD, LED Flashlight, Autoranging & Manual, Auto Power Off, T-RMS, Non-contact Voltage detection, Data Hold, AC/DC Voltage, AC Current up to 1000A, InRush Current, VFD Filter, LoZ, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test. CATIV 600V, CATIII 1000V. Made in Europe.	8200	90303100	11070	https://www.metravi.com/wp-content/uploads/Metravi-UNIKS-C-126-C-128-Digital-TRMS-Clamp-Meters-Catalogue-Web.pdf
UNIKS SKILL NEW!!	6000 Counts, Fully Automatic, Backlit Dual Display for 2 readings together, 600V AC/DC Voltage, 1000A AC/DC Current, Low Pass Filter, Frequency, Resistance, Continuity. CATIV 600V, CAT III 1000V. Made in Europe. LED Flashlight, T-RMS, Non-contact Voltage detection, Data Hold.	10300	90303100	13905	https://www.metravi.com/wp-content/uploads/Metravi-Uniks-SKILL-TRMS-AC-DC-Fully-Automatic-Digital-Clamp-Meter-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Digital AC/DC Clamp Meter					
DT-230 PHASED OUT!	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 400A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test.	5105	90303100	6892	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-230-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-230 NEW MODEL!!	3999 Counts, Backlit LCD Display, TRMS, 600V AC/DC, 400A AC/DC, Resistance 40MΩ, Capacitance 100mF, Frequency, Continuity & Diode Test, Temperature. MAX/MIN, Flashlight, Auto-Ranging, Auto Power Off, Data Hold, Non-contact Voltage Detector (NCV), Live Wire indication, Low Pass Filter (LPF), Low Z Voltage measurement, CAT- III 600V	2800	90303100	3780	https://www.metravi.com/wp-content/uploads/Meytravi-DT-230-Digital-TRMS-AC-DC-Clamp-Meter-2024-Model-Catalogue.pdf
DT-325	3-3/4 Digits 3999 Counts, Digital AC/DC Clamp Meter, Confirming to CAT-III 300V, Jaw Size 28 mm, Auto Power Off, Data Hold, AC/DC Voltage up to 600V, AC/DC Current up to 400A, Resistance, Frequency, Duty Cycle, Diode & Continuity Test Facility	3720	90303100	5021	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-325-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-725	3-5/6-digit 5999 Count, Backlight LCD, T-RMS, Auto-Ranging, NCV, Flashlight, Relative Measurement, AC(750V)/DC(1000V) Voltage, 600A AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity. Square Wave Output, CAT-IV 600V	2990	90303100	4037	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-725-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-425T	3-3/4 Digits 3999 Counts Backlit LCD, T-RMS AC/DC Clamp meter, Confirms to CAT-III 600V, Data Hold, MAX/MIN, Relative, In-Built Flash Light, Overload Protection, 30mm Clamp Jaw Dia, Auto Power Off, AC T-RMS / DC Current 600A, AC T-RMS / DC Voltage 600V, Resistance, Capacitance, Temperature, Frequency, Non Contact Voltage Detector, Diode and Continuity Test	5915	90303100	7985	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-425T-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-1350	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A AC/DC Clamp Meter with AC/DC Voltage, Resistance, Diode and Continuity Check	2950	90303100	3983	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350-Digital-AC-DC-Clamp-Meter-Catalogue-New.pdf
DT-1350A	3-1/2 Digits LCD, Peak Hold, Hard Carrying Case, 1000A AC/DC Clamp Meter with AC/DC Voltage, Resistance, Capacitance, Temperature and Frequency	3300	90303100	4455	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350A-Digital-AC-DC-Clamp-Meter-Catalogue-New.pdf
DT-1350AT	3-5/6 digit, 6000 Counts, backlit LCD, Measure TRMS AC/DC Current & Voltage, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity. Protected in all ranges.	3440	90303100	4644	https://www.metravi.com/wp-content/uploads/Metravi-DT-1350AT-Digital-TRMS-AC-DC-6000-Counts-Clamp-Meter-Catalogue.pdf
DT-3690	3-4/5 Digits 6000 Counts, LCD, Data Hold, T-RMS, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Frequency and Temperature & Continuity Test	3980	90303100	5373	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3690-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-3250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC Voltage, 1000A DC/AC Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency measurement from input terminals and also through clamp, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	7380	90303100	9963	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-3250A NEW!!	6000 Counts, Backlit LCD, Dual impedance, TRMS, 1000V DC, 750V, VFD Voltage, 1000A AC/DC, VFD Current, Frequency, Duty Ratio, Resistance 60MΩ, Capacitance 100mF, Temperature, Diode & Continuity Test, NCV, Inrush Current, 40mm Jaw, Auto Range mode, Live Line detection, High Input Impedance Voltage, Low Input Impedance Voltage (LoZ), Zero/REL, CAT III 1000V, CAT IV 600V, Auto power-off	5200	90303100	7020	https://www.metravi.com/wp-content/uploads/Metravi-DT-3250A-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
DT-4250	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Duty Cycle, Diode & Continuity Test.	7420	90303100	10017	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-4250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
DT-3600	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 1200A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	7600	90303100	10260	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-3600-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DT-5250	3-3/4 Digits, LCD, Data Hold, 30mm Jaw Size, T-RMS, AC/DC Voltage, AC/DC Current up to 1000A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test.	7740	90303100	10449	https://www.metravi.com/wp-content/uploads/Metravi-DT-5250-Digital-T-RMS-AC-DC-Clamp-Meter-Catalogue.pdf
Pro 419	3-3/4 Digit Professional T-RMS AC/DC Clamp Meter, 4000 Count, 1000V AC T-RMS/DC, 1000A AC T-RMS/DC, Auto Power Off, Non Contact Voltage Detector, Flashlight, Data Hold, MAX-MIN Record, Relative Measurement, 100mF Capacitance, 100kHz Frequency, 40MOhms Resistance, 1000°C Temperature measurement using K type sensor, Continuity.	7205	90303100	9727	https://metravi.com/wp-content/uploads/2020/09/Metravi-PRO-419-AC-DC-Clamp-Meter-Catalogue.pdf
Pro Solar-2A	3-3/4 digits (4000 counts) backlit LCD, TRMS, PV Voltage upto 1500V DC, AC Voltage, AC/DC Current. Peak Current, Resistance, Capacitance, Frequency, Diode & Continuity, Temperature, Auto-range, 52mm Jaw, Data Hold, Auto Power-off, over-range protection, CAT III 1000V, CAT IV 600V	7850	90303100	10598	https://www.metravi.com/wp-content/uploads/Metravi-PRO-SOLAR-2A-Digital-TRMS-AC-DC-Clamp-Meter-Web.pdf
Pro 421	3 5/6 Digits TRMS Clamp Meter, 6000 Counts, 1000V AC/DC, 1000A AC/DC with LoZ, Inrush, Peak, VFD, Capacitance, Frequency, Resistance, Temperature, Continuity Test, NCV	7955	90303100	10739	https://www.metravi.com/wp-content/uploads/Metravi-PRO-421-TRMS-AC-DC-Digital-Clamp-Meter-Catalogue.pdf
DT-8250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC Voltage, 2000A DC/AC Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	8055	90303100	10874	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-8250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
METRACLAMP-15	3999 Counts, Backlit LCD, 52mm jaw Dia, Non Contact Voltage Detector, Auto Power Off, T-RMS, AC/DC Voltage, AC T-RMS/DC 1000A, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test, double Injection mould, CAT-IV 600V	8600	90303100	11610	https://metravi.com/wp-content/uploads/2020/08/Metravi-METRACLAMP-15-Digital-AC-DC-T-RMS-Clamp-Meter-Catalogue.pdf
Pro IRC-700 NEW!!	6000 counts, Data Hold, NCV, 34mm Jaw Size, AC/DC Voltage 1000V, T-RMS AC Current up to 1000A, DC Current 1000A, VFD Voltage, Resistance, Capacitance, Frequency, Duty Cycle, Diode & Continuity Test, with Backlit LCD, Flashlight, REL function and built-in Infrared Thermometer for up to 350°C.	9180	90303100	12393	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IRC-600-PRO-IRC700-TRMS-Clamp-Meter-with-IR-Thermometer-Catalogue.pdf
DT-9250	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 2000A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	9400	90303100	12690	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-9250-Digital-AC-DC-Clamp-Meter-Catalogue.pdf
2003A	3-3/4 Digits 41 segment Backlit LCD, Data & Peak Hold, Auto-ranging, 52mm Jaw Size, DC/AC T-RMS Voltage, 2000A DC/AC T-RMS Current, Frequency, Temperature, Capacitance, Resistance, Duty Cycle, Diode and Continuity Test Facility, 600V AC/DC Protection on all ranges, Frequency through voltage and Current measurement possible, Auto Power Off, Confirms CAT-III 600V & CAT-IV 1000V	9400	90303100	12690	https://www.metravi.com/wp-content/uploads/Metravi-2003A-TRMS-ACDC-Digital-Clamp-Meter-Catalogue.pdf
METRACLAMP-20	4-3/4 Digits, 40,000 Counts, Backlit, T-RMS, Autoranging, 52mm Jaw Dia, Non Contact Voltage Detector, Fully Protected, AC/DC Voltage, AC/DC Current up to 1500A, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Diode and Continuity Test	12900	90303100	17415	https://metravi.com/wp-content/uploads/2020/08/Metravi-METRACLAMP-20-Digital-AC-T-RMS-DC-Clamp-Meter-Catalogue.pdf
DT-5250W	3-3/4 Digits, Backlit LCD, 30mm jaw size, T-RMS AC Current 1000A, DC Current 1000A, T-RMS AC Voltage 600V, DC Voltage 600V, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test, Peak & Data Hold, Wireless PC Interface, IEC 61010 CAT III 600V / CAT II 1000V	10200	90303100	13770	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-5250W-AC-DC-T-RMS-Clamp-Meter-with-Wireless-PC-Interface-Catalogue.pdf
Pro EV-C1 NEW!!	3-3/4 digits, backlit LCD, T-RMS, wide AC/DC Ampere range (4.000 to 1000A), bar graph, high resolution, best accuracy, one-touch zero, Inrush current, Low Pass filter, non-contact Frequency and Voltage detection, data hold, auto power-off.	15750	90303100	21263	https://www.metravi.com/wp-content/uploads/Metravi-PRO-EV-C1-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue-1.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Pro 474	6000 counts, digital AC/DC T-RMS clamp meter, TFT LCD display, Bluetooth, 1000V AC T-RMS /DC, 1000A AC T-RMS/DC, 34mm Jaw, 10" Flexible Clamp adaptor for upto 3000A AC, AC+DC Voltage, Inrush Current, VFD AC T-RMS Voltage, Lo-Z Voltage, NCV, Capacitance, Resistance, Frequency, Temperature, Continuity and Duty Cycle, Free APP, Datalogging, Trend Capture on device and APP simultaneously	24190	90303100	32657	https://www.metravi.com/wp-content/uploads/Metravi-PRO-474-TRMS-AC-DC-Clamp-Meter-Catalogue.pdf
Pro Solar-3	Professional T-RMS Industrial AC/DC Clamp Meter with TFT Colour Display with Bluetooth and IP65. High accuracy & 1500V DC for Solar & Photovoltaic Applications. In-rush current and VFD measurement for all Motor Applications.	21000	90303100	28350	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-3-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue-250222-1.pdf
Pro Solar-3 with Flexible Clamp	Professional T-RMS Industrial AC/DC Clamp Meter with 3000A Flexible Clamp, TFT Colour Display with Bluetooth and IP65. High accuracy & 1500V DC for Solar & Photovoltaic Applications. In-rush current and VFD measurement for all Motor Applications.	23500	90303100	31725	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Solar-3-Digital-TRMS-AC-DC-Clamp-Meter-Catalogue-250222-1.pdf
UNIKS C-128 NEW!!	6000 Counts, Backlit 2" LCD, LED Flashlight, Autoranging & Manual, Auto Power Off, T-RMS, Non-contact Voltage detection, Data Hold, AC/DC Voltage, AC/DC Current up to 1000A, InRush Current, VFD Filter, LoZ, Capacitance, Frequency, Temperature, Resistance, Continuity & Diode test. CATIV 600V, CATIII 1000V. Made in Europe.	11000	90303100	14850	https://www.metravi.com/wp-content/uploads/Metravi-UNIKS-C-126-C-128-Digital-TRMS-Clamp-Meters-Catalogue-Web.pdf
Pro Solar-4 NEW!!	4000 Counts, 3 3/4 digits, Backlit LCD. Jaw Opening 35mm. TRMS 400A AC, DC 400A, TRMS 1000V AC, 1500V DC, Frequency, Resistance, Capacitance, NCV, LPF, Diode, Continuity Test. Automatic Polarity, Data Hold, Min/Max, Zero, Inrush Current, Flashlight. Overload Protection. CAT IV 1000V.	6750	90303100	9113	
Pro Solar-5 NEW!!	4000 Counts, 3 3/4 digits, Backlit LCD. Jaw Opening 35mm. TRMS 1000A AC, DC 1000A, TRMS 1000V AC, 1500V DC, Frequency, Resistance, Capacitance, NCV, LPF, Diode, Continuity Test. Automatic Polarity, Data Hold, Min/Max, Zero, Flashlight. Overload Protection. CAT IV 1000V.	9000	90303100	12150	
Pro 476 NEW!!	9999 digits, 35mm Ultra-thin Jaws, 2500V DC, 1500V AC, 1000A AC, 1000A DC, Low-pass Filtered Voltage/Current, AC Inrush Current & Peak Value, Resistance, Circuit Continuity, Diodes, Capacitance, and Temperature. Data Logging, Solar Panel Polarity indication, Audible & Visual Alarms, Bluetooth App for Android & iOS. CAT III 1500V/ CAT IV 600V, IP65.	27000	90303100	36450	https://www.metravi.com/wp-content/uploads/Metravi-Pro-476-TRMS-AC-DC-Clamp-Meter-Catalogue-1.pdf
Pro 476 with Flexible Clamp NEW!!	9999 digits, 35mm Ultra-thin Jaws, 2500V DC, 1500V AC, 1000A AC, 1000A DC & DC Power 2000kW (using external flexible clamp head), 3000A AC with flex clamp, Low-pass Filtered Voltage/Current, AC Inrush Current & Peak Value, Resistance, Circuit Continuity, Diodes, Capacitance, and Temperature. Data Logging, Solar Panel Polarity indication, Audible & Visual Alarms, Bluetooth App for Android & iOS. CAT III 1500V/ CAT IV 600V, IP65.	34000	90303100	45900	https://www.metravi.com/wp-content/uploads/Metravi-Pro-476-TRMS-AC-DC-Clamp-Meter-Catalogue-Web.pdf
High Current U-type Clamp Meter					
9310B NEW!!	On-line AC Current measurements upto 9999A. Unique U-type jaw, wireless transmission upto 100m, Data Hold, Data Logging. Complete kit with Clamp, Remote Receiver and telescopic Insulated Rod.		90303100	0	https://www.metravi.com/wp-content/uploads/Metravi-9310B-U-type-High-Current-Clamp-Meter-Catalogue-Web.pdf
Flexible High Current Clamp Meter					
PRO FCM-900A NEW!!	Flexible/Rogowski Φ300mm Coil Clamp for AC Current 0mA~10000A, AC Voltage 0.0V~750V AC, DC Voltage 0.0V~1000V, Resistance 0Ω~2kΩ and Continuity	16500	90303100	22275	https://www.metravi.com/wp-content/uploads/Metravi-Pro-FCM-900A-Flexible-High-Current-AC-Clamp-Meter-Catalogue.pdf
PRO FCM-900P NEW!!	Flexible Coil Clamp Power Meter for the field measurement of Three Phase AC Voltage, Current, Leakage Current, Phase between Voltage, Phase between Voltage and Current, Frequency, Phase Sequence, Electric Energy, Active Power, Reactive Power, Apparent Power, Power Factor and Total Power. Φ200mm flexible Clamp (80mmX80mm: can clamp & test ø80mm cable, or 96mmX4mm flat steel grounding leads). With Data Logging, Backlit LCD Display, Data Hold.	22000	90303100	29700	https://www.metravi.com/wp-content/uploads/Metravi-Pro-FCM-900P-Flexible-Coil-Clamp-on-Power-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Digital Clamp-on Power Meter					
307N	4 Digits, Dual LCD, Single Phase and Three Phase, Max /Min / Peak Hold, 55mm Jaw Dia, T-RMS, AC Voltage, AC Current up to 1000A, KW, KVA, KVAR, Power Factor, Phase Angle, KWh, Frequency and Temperature. With Data Logging and PC Interface	10150	90303100	13703	https://www.metravi.com/wp-content/uploads/Metravi-307N-Digital-Clamp-On-Power-Meter-Catalogue-220222.pdf
307	6000 Counts, Backlit LCD, Single Phase and Three Phase, Non Contact Voltage Detector, Data Hold, Peak Hold, Relative, Max/Min Record, Single Phase KW, KVA, KVAR, PF, KWh and KW & PF for Three Phase. Clamp Jaw Size 56mm. AC Current up to 1500A AC.	16448	90303100	22204	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-307-Digital-Clamp-On-Power-Meter-Catalogue.pdf
107F	10000 Counts Digital Clamp On Power Meter, AC/DC Voltage and AC/DC Current Auto Detection, NCV, Jaw Dia 42mm, KW, PF, THD up to 25th Harmonics	27000	90303100	36450	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-107F-Digital-Clamp-On-Power-Meter-New-Catalogue.pdf
607	4 Digits, Dual LCD, Harmonic Analysis up to 50th Harmonic, PC Interface, Single Phase & Three Phase, Maximum Demand, KW, KVA, KVAR, KWh, KVAh, KVAh, Power Factor, Real time output of waveform, Power Parameters and Harmonics. Clamp Jaw Size - 55mm.	78750	90303100	106313	https://www.metravi.com/product/607-digital-clamp-on-power-meter/
Digital AC Leakage Current Clamp Meter					
4671	3-3/4 Digits, Analogue Bargraph, LCD, Data Hold, MAX/MIN Record, 30mm Jaw Size, AC Voltage, AC Current, Resistance. Has Low Pass Filter to filter out noise.	6700	90303100	9045	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-4671-Leakage-Current-Clamp-Meter-Catalogue.pdf
6054	3-1/2 Digits LCD, Data Hold, Max Hold, 30mm Jaw Dia, 0 - 200mA / 2A / 200A AC.	5590	90303100	7547	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-M-6054-Digital-Leakage-Current-Clamp-Meter-Catalogue.pdf
4675 NEW!!	AC Current 10mA-300A, AC Voltage 10mV-600V, Frequency 35Hz-65Hz, Phase Angle 1° to 360°, 42mm Jaw, 99 Data Sets	20475	90303100	27641	
MULTI-140	3-1/2 Digits, 3200 Counts LCD, Data Hold, 40mm jaw Dia, 0 - 30m/300m/30/300A AC	33750	90303100	45563	https://www.metravi.com/wp-content/uploads/Metravi-Multi-140-Digital-AC-Leakage-Current-Clamp-Meter-Catalogue.pdf
PRO 468AC	6000 Counts, Auto-Backlit LCD Display, Auto Power Off, as per IEC 61557-13: Class 2, 40mm Jaw Dia, IEC / EN 61010-1, IEC / EN 61010-2-032, CAT. III 600V, Pollution Degree 2, EN 61326-1 EN 61326-2-2, bandwidth up to 1kHz, 1% accuracy, 0 - 6mA / 60mA / 600mA / 6A / 60A, With resolution of 1uA, Bluetooth connection to connect it to freely available APP for recording data	33540	90303100	45279	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-PRO-468AC-Leakage-Current-Clamp-Meter-Catalogue.pdf
Digital AC/DC Leakage Current Clamp Meter					
4672	3-3/4 Digits, LCD, Data Hold, 23mm Jaw Size, AC/DC Voltage, AC/DC Leakage Current measurement, Capacitance, Resistance, Frequency, Duty Cycle, Diode & Continuity Test	6975	90303100	9416	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-4672-Digital-Leakage-Current-Clamp-Meter-Catalogue.pdf
4673	3-1/2 Digits, LCD, T-RMS, AC/DC Leakage Current Meter, Non contact voltage detector, Data Hold, Can be used for Variable Frequency Control Drives, Measures from 1mA, AC/DC Current up to 100A, AC/DC Voltage, Resistance, Capacitance, Diode and Continuity Test	5800	90303100	7830	https://www.metravi.com/wp-content/uploads/Metravi-4673-ACDC-Leakage-Current-Clamp-Meter-Catalogue.pdf
PRO 2010 NEW!!	AC/DC Auto-ranging Leakage Current Clamp Meter, 0.1mA resolution, 5000 counts, Backlit LCD, Data Hold, 23mm Jaw Size, AC/DC Voltage, AC/DC Leakage Current, Resistance, Continuity Test	23000	90303100	31050	https://www.metravi.com/wp-content/uploads/Metravi-Pro-2010-T-RMS-AC-DC-Leakage-Current-Clamp-Meter-Catalogue-March-2022.pdf
Digital AC Leakage Current Clamp Meter with Harmonics					
PRO HCM-60 NEW!!	AC 0.00mA ~ 300A. Jaw Size Φ40mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	15000	90303100	20250	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Current-Clamp-Meter-with-Harmonics-Catalogue.pdf
PRO HCM-65 NEW!!	AC 0.00mA ~ 1200A. Jaw Size Φ70mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	25000	90303100	33750	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Current-Clamp-Meter-with-Harmonics-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PRO HCM 69 NEW!!	AC 0.00mA ~ 2000A. Jaw Size 80mm. True virtual value measurement, filtering function, maximum/minimum /average value, harmonics, distortion rate, etc., which can test the current in the frequency range of 40Hz to 1kHz. Backlight, flashlight, data hold, and Bluetooth communication. IEC1010-1, IEC1010-2-032, Pollution2, CAT III (600V)	38500	90303100	51975	https://www.metravi.com/wp-content/uploads/Metravi-PRO-HCM-60-HCM-6-HCM-69-Leakage-Current-Clamp-Meter-with-Harmonics-Catalogue.pdf
Digital Process Clamp Meter					
771+	Milliamp Process Clamp Meter, measures 4-20 mA DC without breaking the electrical circuit. DC mA measurement (4-20mA) using a remotely connected clamp via extension cable, Electronic zero, Percentage span (0-100%), Data Hold, Backlit Display, Measurement spotlight LED, Auto Power Off, 0mA... ±20.99mA, Resolution 0.01 mA, Accuracy: 0.3% reading ±8 digits, Also measures ±21.0mA, ±99.9mA with Resolution of 0.1mA, Clamp Jaw 4.5 mm, IP40, IEC 61010-1, 61010-2-032, CAT II 300V	22575	90303100	30476	https://www.metravi.com/wp-content/uploads/Metravi-771-plus-Digital-Milliamp-Process-Clamp-Meter-Catalogue.pdf
COMPONENT TESTERS					
Digital SMT Component Tester					
SMT-01	SMT Component tester that can measure Capacitance and Resistance values of SMT components, it can also measure AC/DC Voltage, continuity and Diode test	4300	90303100	5805	https://metravi.com/wp-content/uploads/2020/08/Metravi-SMT-01-SMT-Component-Tester-Catalogue.pdf
DATA LOGGERS					
Data Logger for Sound Level					
DL-SL-01	Sound Level Data logger to record sound, from 30 to 130 dB, with 129920 data Points	12911	90278090	17430	https://www.metravi.com/wp-content/uploads/Metravi-DL-SL-01-Sound-Level-Data-Logger-Catalogue.pdf
Data Logger for Temperature & Humidity					
DL-TH-01	Temperature and Humidity Data Logger with digital display and data logging up to 32700 points	5053	90308990	6821	https://metravi.com/wp-content/uploads/2020/08/Metravi-DL-TH-01-Temperature-and-Humidity-Data-Logger-Catalogue.pdf
DL-TH-02 NEW!!	Dry Ice Data Logger for to -80~70°C(-112~158°F), 17280 records, USB interface and IP67 protection	7525	90258090	10159	
Data Logger for Voltage and Current					
DL-VL-01	Data Logger for Voltage and Current with digital display and 100096 data points	16200	90303100	21870	https://metravi.com/wp-content/uploads/2020/09/Metravi-DL-VI01-Voltage-and-Current-Data-Logger-Catalogue.pdf
Multi-channel Data Logger					
TP-700 NEW!!	Multi-channel Data Logger with IoT. 8 groups of different modules can be inserted for various data acquisitions and functions, like relay output, power supply and wireless transmission, etc. Features high-definition display graphs, digital graphs, bar graphs, data overview, etc. Strong anti-interference ability, highest accuracy, 7" Touchscreen colour display. RS485 connects external acquisition modules and increase numbers of channels upto 200*. Displays: Comprehensive, Number, Alarm, Real time curves, Historical curves, Bar-graph. Input Signals: Thermocouples, Thermal Resistance, Current, Voltage.	135000	90251920	182250	https://www.metravi.com/wp-content/uploads/Metravi-TP-700-Multi-Channel-Data-Logger-with-IoT-Catalogue.pdf
	Extra module for 8 programmable input	59500	90251920	80325	
	Extra Module for WiFi	27000	90251920	36450	
	Extra Module for 4G	27000	90251920	36450	
DL-T-2000 NEW!!	32 channels displayed simultaneously, 1 second Interval, can record for 97 days. List, Curve, Histogram display. Customise channel names & export EXCEL files, Multistage Alarms, Double Relay Output, supports Multiple Sensor Inputs: K, J, E, T, N, S, R, B. 5" true colour touchscreen, Standard model with 8 channels.	63450	90251920	85658	https://www.metravi.com/wp-content/uploads/Metravi-DL-T-2000-Multichannel-Temperature-Data-Logger-Catalogue.pdf
	Extra Module for 8 Channels	19350	90251920	26123	https://www.metravi.com/wp-content/uploads/Metravi-DL-T-2000-Multichannel-Temperature-Data-Logger-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DISCHARGE RODS					
Single Phase Discharge Rod					
DR 11-33kV	Insulated 11-33kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	4300	85441920	5805	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 33-66kV	Insulated 33-66kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	6450	85441920	8708	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 66-132kV	Insulated 55-132kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	10428	85441920	14077	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 132-220kV	Insulated 132-220kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	12900	85441920	17415	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
DR 400kV	Insulated 400kV Single Phase FRP Telescopic Earth/Discharge Rod manufactured in fully-automatic Pultrusion Plant having strong electrical & mechanical strength	16125	85441920	21769	https://www.metravi.com/wp-content/uploads/Metravi-Single-Phase-Discharge-Rods-Catalogue.pdf
Three Phase Discharge Rod					
Upto 3kV NEW!!	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 66kV having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods		85441920	0	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 66kV NEW!!	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 66kV having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	18300	85441920	24705	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 132kV NEW!!	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 132kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	24000	85441920	32400	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 220kV NEW!!	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 220kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	30000	85441920	40500	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Upto 400kV NEW!!	Three Phase FRP Telescopic Earth/Discharge Rod manufactured in fully automatic Pultrusion Plant for up to 400kV, having strong electrical & mechanical strength. Set of three, telescopic 15 feet rods	36000	85441920	48600	https://www.metravi.com/wp-content/uploads/Metravi-Three-Phase-Discharge-Rod-Catalogue.pdf
Accessories for Three Phase Discharge Rods					
10 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 10 sq.mm as per IS-694	210	85441920	284	
25 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 25 sq.mm as per IS-695	480	85441920	648	
35 sq. mm. Cable (1m)	ISI Marked PVC insulated multi-stranded 440/1100V grade transparent copper cable 35 sq.mm as per IS-696	620	85441920	837	
Grounding C Clamp	Die Cast Aluminium Grounding C Clamp	700	85441920	945	
Note: CABLE NEEDS TO BE ADDED WHILE PLACING THE ORDER FOR 3 PHASE DISCHARGE ROD. DIE CASE ALUMINIUM GROUNDING C CLAMP IS PROVIDED WITH THE EQUIPMENT, EXTRA UNITS ARE AVAILABLE AT EXTRA COST AS ABOVE.					
DISTANCE METERS					
Digital Distance Meter					
DM-09	Digital Ultrasonic Distance Meter to measure up to 16m	1881	90303100	2540	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DM-09-Digital-Distance-Meter-Catalogue.pdf
LDM-40H	Laser Distance Meter to measure up to 40m, with Area / Volume Calculations	4000	90303100	5400	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-LDM-40H-Laser-Distance-Meter-Catalogue-1.pdf
LDM-100H	Laser Distance Meter to measure up to 100m, with Area / Volume Calculations	7600	90303100	10260	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-LDM-100H-Laser-Distance-Meter-Catalogue.pdf

This is an Interim Updated Price List which includes a lot of new models and some minor price revisions in the Oscilloscope Category. This list supcedes all earlier Price Lists.

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
ELECTRICAL TESTERS					
ELCB Tester					
1810D	Digital ELCB Tester with Current Rating up to 500mA, Trip Test, Fault Trip Time, Self Powered. With two pin plug.	6800	90308990	9180	https://metravi.com/wp-content/uploads/2020/08/Metravi-1810D-ELCB-Tester-Catalogue.pdf
1810DE	Digital ELCB Tester with Current Rating up to 500mA, Trip Test, Fault Trip Time, Self Powered. With 3 pin plug.	6950	90308990	9383	https://metravi.com/wp-content/uploads/2020/08/Metravi-1810D-ELCB-Tester-Catalogue.pdf
1811	Digital ELCB Tester with Current rating up to 500mA, Auto Ramp, Phase Switch, Reads Disconnection Time, Self-Powered	12900	90308990	17415	https://metravi.com/wp-content/uploads/2020/08/Metravi-1811-ELCB-Tester-Catalogue.pdf
1813	Digital ELCB Tester with Current rating up to 1A, Trip Test, Fault Trip Time, 230V AC Operated	12200	90308990	16470	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1813-ELCB-RCD-Tester-Catalogue-Web.pdf
1812EL NEW!!	Digital ELCB Tester with Current Rating up to 500mA, Trip Test, Fault Trip Time, DC Test, Auto Ramp Test, Self Powered, verifies wiring connection, 1000mS readout for testing latest ELCB	10500	90308990	14175	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1812EL-New-ELCB-RCD-Tester-Catalogue.pdf
Two Pole Voltage Tester					
PRO ELEC+	Two-pole Voltage Tester with LCD display and LED signalling. Features Audible Continuity and RCD tripping test. Built-in LED flashlight, IP67 dust and splash proof, over-voltage protection with CAT III 1000V / CAT IV 600V.	6500	90303100	8775	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PRO-ELEC-Plus-Voltage-Detector-and-Electrical-Tester-Catalogue.pdf
PRO ETS NEW!!	The Swiss army knife for electricians. 4 digit backlit display. Fork Opening 14mm. Detection up to 1500V with LED light alarm & readings. 0-200A AC Current measurement. Single Pole Phase Test. Phase Rotation Test. Resistance, Frequency, Continuity & Diode test, Cable Break test using NCV, Duty Cycle, Self Test. Flashlight, Auto Power-off, Test Leads with storage clips. CAT IV 600 V, CAT III 1000 V, IP 64 protection.	8000	90303100	10800	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PRO-ETS-Plus-Electrical-Tester-Catalogue-Web.pdf
PRO ETS+ NEW!!	The Swiss army knife for electricians. 4 digit backlit display. Fork Opening 14mm. Detection up to 1500V with LED light alarm & readings. 0-200A AC/DC Current measurement. Single Pole Phase Test. Phase Rotation Test. Resistance, Frequency, Continuity & Diode test, Cable Break test using NCV, Duty Cycle, Self Test. Flashlight, Auto Power-off, Test Leads with storage clips. CAT IV 600 V, CAT III 1000 V, IP 64 protection.	9000	90303100	12150	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PRO-ETS-Plus-Electrical-Tester-Catalogue-Web.pdf
Phase Sequence Indicator for upto 700V					
AC-7	Phase Rotation Indicator, no battery required, Nominal Voltage 40 - 690V, 15 to 400Hz.	4300	90309090	5805	https://metravi.com/wp-content/uploads/2020/08/Metravi-AC-7-Phase-Sequence-Indicator-Catalogue-1.pdf
AC-8	Self-operated, Phase Rotation Indicator along with voltage and frequency display. Detects 50 – 500V and 20 – 400Hz.	2700	90309090	3645	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AC-8-Phase-Sequence-Indicator-Electrical-Tester-New-Catalogue.pdf
Phase Sequence Indicator for High Voltage					
PSI-HV NEW!!	Automatic Phase Detection from 10V to 500kV, test Phase, Frequency, Phase Frequency, along with Electricity Testing & Line Circuit Voltage display. 3.5 inch colour LCD screen displays all on the same screen, simultaneously. Wireless interface with Voice prompts, monitoring software with online real-time monitoring, historical data reading, viewing, saving, printing and query, vector graph indication and phase indication	75000	90309090	101250	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PSI-HV-Wireless-High-Voltage-Phase-Sequence-Indicator-Set-Catalogue.pdf
Socket Polarity Tester					
AC-6	Socket Polarity & Earth Leakage Tester. Checks for No Earth / Line Neutral Reversal / No Neutral / Line Earth Reversal / No Line states.	1590	90319000	2147	https://metravi.com/wp-content/uploads/2020/08/Metravi-AC-6-Socket-Polarity-and-Earth-Leakage-Tester-Catalogue.pdf
ST-09	Socket Polarity Tester to be used for currents up to 6A and input voltage up to 250V AC, when inserted in the plug, it indicates whether the connections of LINE, NEUTRAL & EARTH is correct, indicates errors for missing earth, Live earth reversal, Live Neutral Reversal, Missing Neutral, Live Earth Reversal & Missing Neutral.	790	90319000	1067	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-ST-09-ST-09A-Socket-Polarity-Tester-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
ST-09A	Socket Polarity Tester to be used for currents up to 16A and input voltage up to 250V AC, when insterted in the plug, it indicates whether the connections of LINE, NEUTRAL & EARTH is correct, indicates errors for missing earth, Live earth reversal, Live Neutral Reversal, Missing Neutral, Live Earth Reversal & Missing Neutral.	850	90319000	1148	https://www.metravi.com/wp-content/uploads/Metravi-ST-09-ST-09A-Socket-Polarity-Tester-Catalogue.pdf
ST-09B	Socket Polarity Tester to be used for currents up to 6A and input voltage up to 250V AC, when insterted in the plug, it indicates whether the connections of LINE, NEUTRAL & EARTH is correct, indicates errors for missing earth, Live earth reversal, Live Neutral Reversal, Missing Neutral, Live Earth Reversal & Missing Neutral. This can also be used for leakage test of up to 30mA	950	90319000	1283	https://www.metravi.com/wp-content/uploads/Metravi-ST-09-ST-09A-Socket-Polarity-Tester-Catalogue.pdf
ST-09B NEW MODEL!!	Electrical Socket Tester with RCD/GFCI Test Button & large, backlit LCD display. Socket sequence test. Three hole socket Line Neutral Earth (L-N-E) detection.Phase Voltage (L_N) measurement. Leakage Voltage (N_E) measurement. RCD Test. Change in the display back-lit colour indicates problems.Automatic shutdown. Data Hold.	780	90303900	1053	https://www.metravi.com/wp-content/uploads/Metravi-ST-09B-Smart-Socket-Polarity-Tester-2024-Model-Catalogue-1.pdf
Power Guard					
PG-01	Multifunction Power Meter, works on 6A, 230V, indicates, voltage, current, power factor, Power, KWh, Calculates CO2 emission, Calculates total time the equipment is under test and calculates the cost of electricity consumed accordingly. During load shedding the instrument memorizes the readings, ideal for analyzing power consumed for different kinds of loads	2140	90303100	2889	https://www.metravi.com/wp-content/uploads/Metravi-PG-01-Power-Guard-Power-Meter-Catalogue.pdf
Multifunction Tester					
UNIKS RAPID PRO NEW!!	Smart, Multifunction, Installation Tester, Socket size. Test/measure/record Socket Polarity, ELCB/RCD, PSC, Earth Loop, Voltage and Harmonics. Auto Data Logging for 64 sets. Built-in Reporting which can be shared via QR Code. TFT Colour display, CATIII 300V. Made in Europe.	19950	90303100	26933	https://www.metravi.com/wp-content/uploads/Metravi-UNIKS-Rapid-Pro-Multifunction-Tester-Catalogue-Web.pdf
MFT-9101 NEW!!		87500	90303100	118125	
EMF/GAUSS METERS					
EMF Tester					
EMF-823	Measures from 0.1 to 200mG / 1 to 2000mG & 0.01 to 20uT / 0.1 to 200uT, Frequency Response 30Hz to 400Hz, Max Hold and Data Hold	8280	90318000	11178	https://metravi.com/wp-content/uploads/2020/08/Metravi-EMF-823-Magnetic-Field-EMF-ELF-Meter-Catalogue.pdf
Gauss Meter					
GM-197	For both static and electromagnets, DC and AC (40-500Hz), N/S polarity of Static Magnets, measures intensity of magnetic Field in Gauss and Tesla both, measures up to 0~3000mT(milli Tesla) / 0~30000G (Gauss), Relative / Peak Hold / Real time Zero function, Auto Range, DATA HOLD, MAX/MIN hold, GO and NO-GO alarm and alarm value set up the function, Production testing, Manual 200 capacity records, Auto 6000 capacity data logging, interval is set up by PC, USB interface to send data + PC connection application software, real time function.	28000	90309090	37800	https://metravi.com/wp-content/uploads/2020/09/Metravi-GM-197-Static-cum-Electromagnet-Gauss-Meter-Catalogue.pdf
Extra Probe for GM-197	Spare Transverse Probe for GM-197 Gauss Meter	12000	90309090	16200	https://metravi.com/wp-content/uploads/2020/09/Metravi-GM-197-Static-cum-Electromagnet-Gauss-Meter-Catalogue.pdf
ENVIRONMENTAL METERS					
Air Particle Counters					
APC-80 NEW!!	Air Particle Counter with unique 2.8"colour TFT LCD display, built-in camera for capturing videos/photos, internal memory or microSD card, for viewing on PC, providing fast, easy and accurate readings for particle counter, Air Temperature, Relative Humidity, Dew Point & Wet Bulb Temperature. Up to 6 channels of particle sizes . Free software to generate reports with videos, photos, and data points.	78000	90318000	105300	https://www.metravi.com/wp-content/uploads/Metravi-APC-80-APC-81-Air-Particle-Counters-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
APC-81 NEW!!	Air Particle Counter with unique 2.8" colour TFT LCD display, built-in camera for capturing videos/photos, internal memory or a microSD card, for viewing on PC, providing fast, easy and accurate readings for particle counter, Air Temperature, Relative Humidity, Dew Point & Wet Bulb Temperature and , Gas Detection. Up to 6 channels of particle sizes. Free software to generate reports with videos, photos, and data points. Measure HCHO (Methanal) Gas and CO (Carbon Mono-Oxide) Gas.	94000	90318000	126900	https://www.metravi.com/wp-content/uploads/Metravi-APC-80-APC-81-Air-Particle-Counters-Catalogue-Web.pdf
APC-83 NEW!!	Particle count upto.3, 2.5 and 10µm, PM 2.5 and PM 10 Mass Concentration. Detect, measure and record Formaldehyde Gas (HCHO), Carbon Dioxide (CO2), TVOC, Air Temperature, Relative Humidity and Dew Point temperature. Data logging. Inbuilt camera for photos & videos. Rechargeable battery. Tripod-mountable. USB PC Interface with analysis software.	123000	90318000	166050	https://www.metravi.com/wp-content/uploads/Metravi-APC-83-6-in-1-Air-Particle-Counter-Catalogue.pdf
Thermo-Anemometer					
ET-99A	Thermo-anemometer with backlit LCD display, Data Hold, Max/Avg Records. Measures Air Velocity up to 30m/sec, measures in km/hr, ft/min, knots, mph as well. Measures Air Temperature -20° to 50°C.	1980	90268090	2673	https://www.metravi.com/wp-content/uploads/Metravi-ET-99A-Digital-Anemometer-Catalogue.pdf
AVM-03 NEW MODEL!!	Smart Thermo-anemometer measures Wind Speed, Temperature, Humidity, Dew Point, Wet Bulb Temperature, Wind Chill, Air Volume. Data Logging 8000 sets. WiFi and USB Interface. Smartphone App. Trend Graph, Statistical functions. Rechargeable Battery.	6750	90268090	9113	https://www.metravi.com/wp-content/uploads/Metravi-AVM-03-Multifunction-Anemometer-with-Data-Logger-and-WiFi-USB-Interface-2023-Catalogue.pdf
AVM-04	Digital Thermo-Anemometer with extendable vane and facility to measure up to 45m/Sec and in ft/min also	6300	90268090	8505	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVM-04-Digital-Thermo-Anemometer-Catalogue.pdf
AVM-05	Digital Thermo-Anemometer with extendable vane and facility to measure wind flow (CFM / CMM)	7875	90268090	10631	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVM-05-CMM-CFM-Thermo-Anemometer-Catalogue-1.pdf
AVM-07	Digital Thermo-Anemometer to measure up to 30m/Sec with metal blade vane, Temp. -10 to 60°C / 14 to 140°F	5625	90268090	7594	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVM-07-Metal-Fan-Thermo-Anemometer-Catalogue.pdf
AVM-08	Digital Thermo-Anemometer with facility to measure wind flow (CFM / CMM) and built in infrared thermometer to measure from -50 to 260°C, 8:1 D:S Ratio and Emissivity Fixed at 0.95	13230	90268090	17861	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVM-08-Thermo-Anemometer-with-CFM-CMM-and-built-in-Infrared-Thermometer-Catalogue-1.pdf
AVM-09	Digital Thermo-Anemometer with facility to measure wind flow (CFM/CMM) with built in Pressure Meter	19800	90268090	26730	https://www.metravi.com/wp-content/uploads/Metravi-AVM-09-Digital-Thermo-Anemometer-with-Manometer-and-CFM-CMM-Catalogue.pdf
AVM-10	Digital Hot Wire Anemometer with telescopic probe, Dual Display backlit LCD, 0.1 to 20m/Sec and Temperature from -20 to 80°C / -5 to 175°F	15300	90268090	20655	https://www.metravi.com/wp-content/uploads/Metravi-AVM-10-Hot-Wire-Anemometer-with-USB-Interface-Catalogue-Web.pdf
Lux Meter					
ET-99L	Digital Lux Meter measuring upto 200000 Lux with backlit display, high accuracy, selectable range, MAX/MIN/REL, Data Hold, User-selectable unit and range.	1935	90268090	2612	https://www.metravi.com/wp-content/uploads/Metravi-ET-99L-Digital-Lux-Light-Meter-Catalogue.pdf
1310	4 Digits Backlit LCD Display, Data Hold, Hi/Lo Indication, Split Probe, Lux and Foot Candle Measurement, Auto Power Off, Lo-Battery Indication, Measures up to 199,900 Lux / Fc	3290	90278090	4442	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1310-Lux-Meter-Catalogue.pdf
1330	Measures up to 50,000 Lux with extendable sensor	2780	90278090	3753	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1330-Lux-Meter-Catalogue.pdf
1331	Measures up to 50,000 Lux / Ft Candle with Max Hold, Data Hold, with extendable sensor	3330	90278090	4496	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1331-Lux-Meter-Catalogue.pdf
1332	Measures up to 200,000 Lux / Ft Candle with Peak Hold and Data Hold	6075	90278090	8201	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1332-Lux-Meter-Catalogue.pdf
1332A	Measures up to 200,000 Lux / Ft Candle with Max Hold and Data Hold	8000	90278090	10800	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1332A-Lux-Meter-Catalogue.pdf
1333	Measures up to 0 - 20 / 200 / 2000 / 200000 / 200,000 Lux / Ft Candle with Max Hold and Data Hold	5350	90278090	7223	https://www.metravi.com/wp-content/uploads/Metravi-1333-Digital-Lux-Meter-Catalogue.pdf
1334	Measures up to 400,000 Lux/40,000 Ft Candle, Data & Peak Hold, Max Min Record, USB PC Interface, Backlit LCD with Analogue Bargraph	6705	90278090	9052	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-1334-Digital-Lux-Meter-with-USB-PC-Interface-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
1335	Measures visible light up to 400000 Lux from luminaries equipped with white light LED, fluorescent, metal halide, high-pressure sodium and incandescent sources.	8730	90303100	11786	https://www.metravi.com/wp-content/uploads/Metravi1-1335-LED-Lux-Meter-Catalogue-160422.pdf
PLX-1400 NEW!!	Pocket Lux Meter to measure luminosity from 0 to 100,000 Lux along with ambient temperature. Accuracy $\pm(3\% + 5\text{Lux})$. Backlit LCD with Max/Min readings, Data Hold, Auto Power-off and low battery indication.	1300	90303100	1755	https://www.metravi.com/wp-content/uploads/Metravi-PLX-1400-Pocket-Lux-Meter-Catalogue.pdf
Solar Power & Irradiance Meter					
207	Solar Power Meter / Sunlight Meter, to measure the sunlight intensity falling on solar panels or on any surface exposed to sunlight, using a sensitive silicon sensor. It measures up to 1999W/m ² or 634BTU/(Ft ² *hr) irradiance. With high accuracy and fast Response, it also features Data Hold function.	6480	90318000	8748	https://metravi.com/wp-content/uploads/2020/08/Metravi-207-Solar-Power-Meter-Catalogue.pdf
PRO IM-09 NEW!!	Multifunction, high accuracy instrument to measure Irradiance up to 1400 W/m ² , Temperature, Inclination Angle with a built in compass, backlit large LCD, selectable °C/°F units, Data Hold, Auto Off and a self-calibratable compass.	11200	90318000	15120	https://www.metravi.com/wp-content/uploads/Metravi-PRO-IM-09-Solar-Irradiance-Meter-Catalogue-Web.pdf
Sound Level Meter					
ET-99SL	Class II, 30dB to 130dB with backlit 3 1/2 digits display, data hold, Min/Max, Slow/Fast response and ± 1.5 dB accuracy.	1980	90268090	2673	https://www.metravi.com/wp-content/uploads/Metravi-ET-99SL-Digital-Sound-Level-Meter-Catalogue.pdf
SL-3010	4 Digital Backlit LCD, Sound Level Meter, Fast & Slow Response, Data Hold, MAX/MIN Record, A Weighting, Measures sound in the range of 30dB to 130dB with resolution of 0.1dB and accuracy of 1.5dB. With Over-range and Low Battery Indication	1880	90268090	2538	https://metravi.com/wp-content/uploads/2020/08/Metravi-SL-3010-Sound-Level-Meter-Catalogue.pdf
SL-4010	3-1/2 Digits Backlit LCD, has A & C Weighting, measures in the range of 30 to 130 dB, with maximum hold. Class II.	6300	90303900	8505	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-SL-4010-Sound-Level-Meter-Catalogue-1.pdf
SL-4005	3-1/2 Digits, has A & C Weighting, measures in the range of 35 to 130 dB, with data hold and maximum hold, with built in calibration check. Class II.	7200	90303900	9720	https://metravi.com/wp-content/uploads/2020/08/Metravi-SL-4005-Sound-Level-Meter-Catalogue.pdf
SL-4015	4 Digits, has A & C Weighting, measures in the range of 30 to 130 dB, USB PC Interface, with Max/Min Data Hold and Data Logging facility. Class II	12500	90303390	16875	https://metravi.com/wp-content/uploads/2020/08/Metravi-SL-4015-Sound-Level-Meter-Catalogue.pdf
PSL-3005 NEW!!	Pocket Sound Level Meter with Electric Condenser Microphone & built-in high performance sensor. 30~130dB. Accuracy ± 1.5 dB (94dB@1KHz), ± 5 dB (94dB@8KHz). A-weighting, FAST/SLOW Time Weighting.	1300	90278990	1755	https://www.metravi.com/wp-content/uploads/Metravi-PSL-3005-Pocket-Sound-Level-Meter-Catalogue.pdf
Temperature & Humidity Meter					
HTC-1	Jumbo LCD display, wall hanging, with time and alarm facility, -50 to 70°C, 20% to 99%RH	695	90258090	938	https://metravi.com/wp-content/uploads/2020/08/Metravi-HTC-01-Temperature-and-Humidity-Meter-Catalogue.pdf
TH-04	LCD Display, wall hanging, with time and alarm facility, calander, climatic condition display, 0 to 50°C, 10% to 90% RH	1290	90258090	1742	https://metravi.com/wp-content/uploads/2020/08/Metravi-TH-04-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-13	Digital Thermo-Hygro Meter with jumbo display, to measure Temperature measurement, with Humidity. Selectable scales, Alarm Clock and Comfort Level Indicator, Temperature range -10 to 50°C and humidity from 20 to 95%.	1290	90258090	1742	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-HT-13-Temperature-Humidity-Meter.pdf
HT-12	Digital Thermo-Hygro Meter with jumbo display, to measure Indoor and Outdoor Temperature measurement simultaneously, with Humidity. Selectable scales, Alarm Clock and Comfort Level Indicator, Temperature range -10 to 50°C and humidity from 20 to 95%	1395	90258090	1883	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-12-Temperature-and-Humidity-Meter-Catalogue.pdf
ET-99TH	Thermo-hygro Meter with dual backlit display, measures Temperature -20° to 60°C and Humidity 0% to 100%RH with high accuracy.	2150	90268090	2903	https://www.metravi.com/wp-content/uploads/Metravi-ET-99TH-Digital-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-305A	Backlit LCD dual display, with split type Sensor for temperature and Humidity, Data Hold, MAX / MIN Record, Auto Power Off, Measure Temperature from -10 to 60 Degree C, and Humidity Up to 100% RH	2850	90258090	3848	https://www.metravi.com/wp-content/uploads/Metravi-HT-305A-Thermohygro-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
HT-3005	Digital Thermo-Hygro Meter with K-type thermometer and backlit LCD display	4600	90258090	6210	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-3005-Temperature-and-Humidity-Meter-Catalogue.pdf
HT-3006	Digital Thermo-Hygro Meter with facility to measure wet bulb and dew point temperature	6700	90258090	9045	https://metravi.com/wp-content/uploads/2020/08/Metravi-HT-3006-Temperature-and-Humidity-Meter-with-Dew-Point-and-Wet-Bulb-Catalogue.pdf
HT-3004CT	Digital Thermo-Hygro Meter with in-built infrared thermometer and backlit LCD display	9590	90258090	12947	https://metravi.com/wp-content/uploads/2020/09/Metravi-HT-3004CT-Non-contact-Temperature-and-Humidity-Meter-Catalogue.pdf
Wet Bulb Globe Temperature Meter					
WBGT-188	Quick-response capacitance sensor, accurate measurement for wet bulb globe temperature(WBGT), black globe temperature(TG), humidity(%RH), air temperature(TA), wet bulb(WET) and dew point(DEW). Max/Min and data hold, Low battery indication, LCD display with LED backlight, Viewing data records, Switch the temperature unit to °C or °F, Brass black ball in 50mm diameter, WBGT alarm setting, Auto power off with disable function	18500	90258090	24975	https://www.metravi.com/wp-content/uploads/Metravi-WBGT-188-Wet-Bulb-Globe-Temperature-Meter-Catalogue.pdf
WBGT-188D	Quick-response capacitance sensor, accurate measurement for wet bulb globe temperature(WBGT), black globe temperature(TG), humidity(%RH), air temperature(TA), wet bulb(WET) and dew point(DEW). Max/Min and data hold, Low battery indication, LCD display with LED backlight, Viewing data records, Switch the temperature unit to °C or °F, Brass black ball in 50mm diameter, WBGT alarm setting, Auto power off with disable function, Data logging capacity: 12000 records, USB PC serial interface, Sampling interval: Max 24 hours; Min 1 Second	25000	90258090	33750	https://www.metravi.com/wp-content/uploads/Metravi-WBGT-188-Wet-Bulb-Globe-Temperature-Meter-Catalogue.pdf
FREQUENCY COUNTER					
Digital Frequency Counter					
FC-2700	8 Digits Green LED Frequency Counter up to 2.7GHz	12600	90303100	17010	https://metravi.com/wp-content/uploads/2020/08/Metravi-FC-2700-Frequency-Counter-Catalogue.pdf
FUNCTION GENERATOR					
Function Generator					
FG-1000 NEW!!	1MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	10350	85432000	13973	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-2000 NEW!!	2MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	11250	90303900	15188	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-3000 NEW!!	3MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	12000	85432000	16200	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
FG-5000 NEW!!	5MHz Function Generator with Sine, Square, Triangle waves output, Six LED digits display, Signal Amplitude of 20Vp-p output.	13975	85432000	18866	https://www.metravi.com/wp-content/uploads/Metravi-FG-1000-FG-2000-FG-3000-FG-5000-Function-Generator-Catalogue.pdf
DDS Function Generator					
DDS-30	30MHz DDS Function Generator with full-band resolution of 1µHz, 200MSa/s sampling rate and USB interface.	22040	85432000	29754	https://www.metravi.com/wp-content/uploads/Metravi-DDS-30-30MHz-DDS-Function-Generator-Catalogue-Web.pdf
DDS-35 NEW!!	35MHz Dual-Channel Arbitrary Waveform Generator, 125MSa/s Sample Rate, 14-Bit Resolution, 150 Built-in Waveforms, 3.6" TFT LCD Function Generator, Portable with USB PC Remote Control	20570	85432000	27770	https://www.metravi.com/wp-content/uploads/Metravi-DDS-35-DDS-70-Compact-DDS-Function-Generator-Catalogue.pdf
DDS-60	60MHz Dual-Channel Arbitrary Waveform Generator, 125MSa/s Sample Rate, 14-Bit Resolution, 150 Built-in Waveforms, 3.6" TFT LCD Function Generator, Portable with USB PC Remote Control	27410	85432000	37004	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DDS-70 NEW!!	70MHz Dual-Channel Arbitrary Waveform Generator, 125MSa/s Sample Rate, 14-Bit Resolution, 150 Built-in Waveforms, 3.6" TFT LCD Function Generator, Portable with USB PC Remote Control	26000	85432000	35100	https://www.metravi.com/wp-content/uploads/Metravi-DDS-35-DDS-70-Compact-DDS-Function-Generator-Catalogue.pdf
DDS-1005 NEW MODEL!!	5 MHz DDS Function generator, 125MSa/s Sampling Rate, 1 µHz Frequency resolution, 14 bits Vertical resolution, 45 built-in waveforms and user defined arbitrary waveform, USB connector	29250	90303900	39488	https://www.metravi.com/wp-content/uploads/Metravi-DDS-1005-DDS-1010-DDS-Function-Generator-Catalogue.pdf
DDS-1010 NEW MODEL!!	10 MHz DDS Function generator, 125MSa/s Sampling Rate, 1 µHz Frequency resolution, 14 bits Vertical resolution, 45 built-in waveforms and user defined arbitrary waveform, USB connector	33750	90303900	45563	https://www.metravi.com/wp-content/uploads/Metravi-DDS-1005-DDS-1010-DDS-Function-Generator-Catalogue.pdf
DDS-1025	25 MHz DDS Function generator, 125MSa/s sampling rate	43320	90303900	58482	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DDS-1025-DDS-Function-Generator-Catalogue.pdf
DDS-1060	60 MHz DDS Function generator, 125MSa/s sampling rate	64500	85432000	87075	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DDS-1060-DDS-Function-Generator-Catalogue.pdf
DDS-1080 NEW!!	80MHz DDS Function generator, 320MSa/s sampling rate	113950	85432000	153833	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-DDS-1080-DDS-Function-Generator-Catalogue.pdf
DDS-1120 NEW!!	120MHz DDS Function generator, 320MSa/s sampling rate	146200	85432000	197370	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-DDS-1120-DDS-Function-Generator-Catalogue.pdf
GAS DETECTORS & ANALYSERS					
Carbon Monoxide Meter					
CO-09	Detects Presence of Carbon Mono-Oxide. Range 0 to 1000PPM, Backlit LCD	15300	90271000	20655	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CO-09-Carbon-Mono-Oxide-Meter-Catalogue.pdf
CO-10	Detects Presence of Carbon Mono-Oxide. Range 0 to 1000PPM, Backlit LCD, With Audio and Buzzer Alarm	16600	90271000	22410	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CO-10-Carbon-Mono-Oxide-Meter-Catalogue.pdf
CO-110	Compact device to detect Carbon Monoxide (CO) and measures concentrations between 1-1000 parts per million (PPM), with visual and audible alarms	15300	90271000	20655	https://www.metravi.com/wp-content/uploads/Metravi-CO-110-Carbon-Monoxide-Meter-Catalogue.pdf
GD-09-CO	Portable Carbon Monoxide detector for 100ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	15120	90308990	20412	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-01-Combustible-Gas-Detector-Catalogue.pdf
GD-09-CO-A	Portable Carbon Monoxide detector for 1000ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	11500	90308990	15525	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-01-Combustible-Gas-Detector-Catalogue.pdf
GD-09-CO-B	Portable Carbon Monoxide detector for 2000ppm, with sound, light & vibration alarms. Rechargeable battery, IP65, explosion-proof.	22220	90308990	29997	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-01-Combustible-Gas-Detector-Catalogue.pdf
Combustible Gas Leakage Detector					
GLD-01	16" Gooseneck detector for detecting Combustible Gas Leakage. With Audio and Visual Alarm	6000	90271000	8100	https://www.metravi.com/wp-content/uploads/Metravi-GLD-01-Combustible-Gas-Leakage-Detector-Tester-Catalogue.pdf
GD-09-1M	Plug type, Combustible Gas Detector and Alarm with high sensitivity, compact design and reliable performance for detecting combustible gas (like LPG) leaks. Features audible alarm with red flashing light, when gas concentrations reach or exceed the alarm set point.	1950	90308990	2633	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-01-Combustible-Gas-Detector-Catalogue.pdf
Multi Gas Detector					
GD-09-4M	4-in-1 Multi Gas Detector for O2, CO, H2S and Explosive/Combustible Gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	19350	90308990	26123	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-4M-Four-in-One-Multi-Gas-Detector-Catalogue-1.pdf
GD-09-6M	Six-in-one Pumping Multi Gas detector for 6 gases: Oxygen (O2), Carbon Di Oxide (CO2), Carbon Monoxide (CO), Hydrogen Sulfide (H2S), Nitrogen Di Oxide (NO2) and Explosive Gases (EX). Also features PM2.5/PM10 detection module, 4G module and GPS. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	158000	90308990	213300	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-6M-6-in-1-MultiGas-Detector-with-Pump-Catalogue.pdf
CEM GD-3803	Multiple gas analyser to measure Oxygen, Carbon Monoxide and Carbon Dioxide. Can also measure the Air Temperature and Humidity. With data logging for 500 data sets.	37320	90271000	50382	https://www.metravi.com/wp-content/uploads/CEM-GD-3803-Multiple-Gas-Analyser-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Single Gas Detector					
GD-09-O2	Portable and world's smallest, clip-on Oxygen Gas Detector with audio & visual alarms. Detects Oxygen concentration in the air.	15750	90308990	21263	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-O2-Portable-Oxygen-Gas-Detector-Catalogue.pdf
ET-99HT	High-precision HCHO (Formaldehyde) and TVOC (Total Volatile Organic Compounds) meter with backlit LCD display, dual readings, Data Hold and Max/Min.	6750	90271000	9113	https://www.metravi.com/wp-content/uploads/Metravi-ET-99HT-Digital-HCHO-and-TVOC-Meter-Catalogue.pdf
GD-09-X	Portable single gas detector, which can be customised for more than 30 types of gases, as per the requirement of range and alarms. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	On Request	90308990		https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-EX	Portable single gas detector, for Explosive and combustible gases. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	8100	90308990	10935	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CH4	Portable single gas detector, for Explosive and combustible gases. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	8100	90308990	10935	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-H2S	Portable single gas detector, for Explosive Hydrogen Sulfide. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	11250	90308990	15188	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-O2-A	Portable single gas detector, for Oxygen 0-30%vol. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	12500	90308990	16875	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NH3	Portable single gas detector, for Ammonia gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-H2-A	Portable single gas detector, for Hydrogen gas. 0-100%LEL. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	9000	90308990	12150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-H2-B	Portable single gas detector, for Hydrogen gas. 0-1000ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CL2-A	Portable single gas detector, for Chlorine 0-20ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CL2-B	Portable single gas detector, for Chlorine 0-50ppm. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-O3	Portable single gas detector, for Ozone gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28500	90308990	38475	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CO2	Portable single gas detector, for Carbon di Oxide. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	52000	90308990	70200	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-SO2	Portable single gas detector, for Sulfur Dioxide gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NO	Portable single gas detector, for Nitric Oxide gas.. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-N2O	Portable single gas detector, for Nitrous Oxide gas.. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery		90308990	0	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-NO2	Portable single gas detector, for Nitrogen di Oxide gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Batter	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-N2	Portable single gas detector, for Nitrogen gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4-A	Portable single gas detector, for Ethylene gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	28800	90308990	38880	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-C2H4O	Portable single gas detector, for Ethylene Oxide gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-PH3	Portable single gas detector, for Phosphane gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
GD-09-HCL	Portable single gas detector, for Hydrogen Chloride gas. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-CH2O	Portable single gas detector, for Formaldehyde. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-HCN	Portable single gas detector, for Hydrogen Cyanide. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-09-VOC	Portable single gas detector for Volatile Organic Compounds. Explosion-proof, IP65 protection and audio/visual alarms and Rechargeable Battery	29000	90308990	39150	https://www.metravi.com/wp-content/uploads/Metravi-GD-09-X-Portable-Single-Gas-Detector-Catalogue-Web.pdf
GD-3805	Intelligent, portable Ammonia Detector 0-100ppm & 0.1 ppm resolution. With built-in pump detection mode. Integrated water vapour and dust filter for use in high humidity and dust environments. Measures in both ppm and mg/m3. Rechargeable Battery, Data Logging, 2.8" colour LCD display.	33300	90271000	44955	https://www.metravi.com/wp-content/uploads/GD-3805-Ammonia-Detector-with-built-in-Pump-Catalogue-Web.pdf
Refrigerant Gas Leakage Detector					
RLD-01	16" Gooseneck sensor, detects all CFC Refrigerants such as R-22, R-124, R-11 and R-12, R-134a, R-404A, and new R-22 replacements, R-410A and R-407C.	9675	90271000	13061	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RLD-01-Refrigerant-Gas-Leakage-Detector-Catalogue.pdf
Accessories for Gas Detectors & Analysers					
GD-GSP	Portable Gas Sampling Pump compatible with GD-09-4M and GD-09-X series	7100	90271000	9585	https://www.metravi.com/product/gd-gsp-gas-sampling-pump/
GROUND AND EARTH RESISTANCE TESTER					
Digital Earth Resistance Tester					
ERT-1501	0 - 10 / 100 / 1000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case	7900	90303900	10665	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1501R	0 - 10 / 100 / 1000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case as above with Rechargeable Battery and Battery Charger	11900	90303900	16065	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1502	0 - 10 / 100 / 2000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case	8900	90303900	12015	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1502-ERT-1502R-Digital-Resistance-Earth-Resistance-Tester-Catalogue-Mar23.pdf
ERT-1502R	0 - 10 / 100 / 2000Ω, 4 Terminal with Testing Kit and Cables in hard carrying case as above with Rechargeable Battery and Battery Charger	12900	90303900	17415	https://www.metravi.com/wp-content/uploads/Metravi-ERT-1501-ERT-1501R-Digital-Earth-Resistance-Tester-Catalogue-Mar23.pdf
PRO ERT-1602	Earth Resistance 0-30.00kΩ, Earth Voltage 0.0~600V AC, Soil Resistivity 9000kΩm. Precision 4-wire, 3-wire and simple 2-wire measurements. Complete kit in hard carrying case.	36000	90303900	48600	https://www.metravi.com/wp-content/uploads/Metravi-Pro-ERT-1602-Earth-Resistance-and-Soil-Resistivity-Tester-Catalogue.pdf
PRO ERT-1635	Earth Resistance 0.00Ω ~ 30KΩ, Earth Voltage 0.0 ~ 100.0V AC, Earth Current 0.0mA ~ 600.0A, Soil Resistivity 0.00Ωm ~ 9000KΩm. Double Clamp, multi-function, Earth and Grounding Resistance Tester for on-site measurement of grounding resistance, soil resistivity, grounding voltage, grounding line leakage current, AC current and DC resistance. Offers precision 4-wire method, 3-wire method and simple 2-wire method, selection method, double-clamp methods.	85000	90303900	114750	https://www.metravi.com/wp-content/uploads/Metravi-PRO-ERT-1635-Double-Clamp-Earth-Resistance-Tester-Catalogue.pdf
Clamp-on Ground Resistance Tester					
CET-01	4 Digits LCD, 32mm Clamp Jaw Dia, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	21825	90303900	29464	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-02	4 Digits LCD, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	21825	90303900	29464	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-03	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	26000	90303900	35100	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
CET-04	4 Digits LCD, 32mm Clamp Jaw Dia, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms. With Leakage Current Measurement up to 35A.	26000	90303900	35100	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-05	4 Digits LCD, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	20000	90303900	27000	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-06	4 Digits LCD, 32 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	20000	90303900	27000	https://www.metravi.com/wp-content/uploads/Metravi-CET-01-CET-02-CET-03-CET-04-CET-05-CET-06-Clamp-on-Ground-and-Earth-Resistance-Testers-Catalogue-June-2022-low.pdf
CET-02EX	Explosion Proof Clamp On Ground Resistance Tester, 32 X 65 mm Clamp Jaw, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	39600	90303900	53460	https://www.metravi.com/wp-content/uploads/Metravi-CET-02EX-Clamp-On-Ground-and-Earth-Resistance-Tester-Catalogue-low.pdf
CET-09	4 Digits LCD, 35 mm Elliptical Clamp Jaw, Range 0.01Ω to 1500Ω, Max Resolution 0.001Ω, Data Hold, Open Clamp Jaw Indication. With USB Interface & Rechargeable Battery – features Ground Resistance, Loop Resistance, Leakage Current measurements as well as judges Ground Faults.	60000	90303900	81000	https://www.metravi.com/wp-content/uploads/Metravi-CET-09-Clamp-on-Ground-Resistance-Tester-with-USB-Interface-and-Rechargeable-Battery-Catalogue.pdf
CET-01B NEW!!	4 Digits LCD, 32mm Clamp Jaw Dia, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	21825	90303900	29464	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-02B NEW!!	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms	21825	90303900	29464	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-03B NEW!!	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms, With Leakage Current Measurement up to 35A.	29000	90303900	39150	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-04B NEW!!	4 Digits LCD, 32mm Clamp Jaw Dia, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 1500 Ohms. Maximum Resolution 0.001 Ohms. With Leakage Current Measurement up to 35A.	26000	90303900	35100	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-05B NEW!!	4 Digits LCD, 32 X 65 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	20000	90303900	27000	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
CET-06B NEW!!	4 Digits LCD, 32 mm Clamp Jaw, with Bluetooth, Data Hold, Open Clamp Jaw Indication, Range 0.010 to 200 Ohms. Maximum Resolution 0.001 Ohms	20000	90303900	27000	https://www.metravi.com/wp-content/uploads/Metravi-CET-01B-CET-02B-CET-03B-CET-04B-CET-05B-CET-06B-Clamp-on-Ground-Resistance-Tester-with-Bluetooth-Catalogue.pdf
HIGH VOLTAGE TESTING EQUIPMENT					
AC High Voltage Test Set					
ACHV	Please refer to Annexure 1		90303390		https://metravi.com/wp-content/uploads/2020/11/Metravi-ACHV-AC-High-Voltage-Test-Set-Catalogue.pdf
DC High Voltage Test Set					
DCHV	Please refer to Annexure 2		90303390		https://www.metravi.com/wp-content/uploads/2020/12/Metravi-DCHV-DC-High-Voltage-Test-Set-Catalogue.pdf
Motor Operated Oil Test Set					
50-MOTS	50kV Motor operated Oil Test Set	45000	84212900	60750	https://metravi.com/wp-content/uploads/2020/08/Metravi-50-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
60-MOTS	60kV Motor operated Oil Test Set	46225	84212900	62404	https://metravi.com/wp-content/uploads/2020/09/Metravi-60-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
70-MOTS	70kV Motor operated Oil Test Set	52675	84212900	71111	https://metravi.com/wp-content/uploads/2020/09/Metravi-70-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
75-MOTS	75kV Motor operated Oil Test Set	56438	84212900	76191	https://metravi.com/wp-content/uploads/2020/09/Metravi-75-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
80-MOTS	80kV Motor operated Oil Test Set	62350	84212900	84173	https://metravi.com/wp-content/uploads/2020/09/Metravi-80-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
90-MOTS	90kV Motor operated Oil Test Set	66650	84212900	89978	https://metravi.com/wp-content/uploads/2020/09/Metravi-90-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
100-MOTS	100kV Motor operated Oil Test Set	77145	84212900	104146	https://metravi.com/wp-content/uploads/2020/09/Metravi-100-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
120-MOTS	120kV Motor operated Oil Test Set	120000	84212900	162000	https://metravi.com/wp-content/uploads/2020/09/Metravi-120-MOTS-Motorised-Oil-Test-Set-Catalogue.pdf
Digital Meter for above, extra to be paid		2140	84212900	2889	
Manual Oil Test Set					
50-OTS	50kV Manually operated Oil Test Set	34285	84212900	46285	https://metravi.com/wp-content/uploads/2020/08/Metravi-50-OTS-Motorised-Oil-Test-Set-Catalogue.pdf
60-OTS	60kV Manually operated Oil Test Set	37090	84212900	50072	https://metravi.com/wp-content/uploads/2020/09/Metravi-60-OTS-Manual-Oil-Test-Set-Catalogue.pdf
70-OTS	70kV Manually operated Oil Test Set	44075	84212900	59501	https://metravi.com/wp-content/uploads/2020/09/Metravi-70-OTS-Manual-Oil-Test-Set-Catalogue.pdf
75-OTS	75kV Manually operated Oil Test Set	47300	84212900	63855	https://metravi.com/wp-content/uploads/2020/09/Metravi-75-OTS-Manual-Oil-Test-Set-Catalogue.pdf
80-OTS	80kV Manually operated Oil Test Set	52998	84212900	71547	https://metravi.com/wp-content/uploads/2020/09/Metravi-80-OTS-Manual-Oil-Test-Set-Catalogue.pdf
90-OTS	90kV Manually operated Oil Test Set	58050	84212900	78368	https://metravi.com/wp-content/uploads/2020/09/Metravi-90-OTS-Manual-Oil-Test-Set-Catalogue.pdf
100-OTS	100kV Manually operated Oil Test Set	62350	84212900	84173	https://metravi.com/wp-content/uploads/2020/09/Metravi-100-OTS-Manual-Oil-Test-Set-Catalogue-1.pdf
120-OTS	120kV Manually operated Oil Test Set	85700	84212900	115695	https://metravi.com/wp-content/uploads/2020/09/Metravi-120-OTS-Manual-Oil-Test-Set-Catalogue.pdf
Digital Meter for above, extra to be paid		2140	84212900	2889	
Primary Current Injection Test Set					
PCIT	Please refer to Annexure 3		90303390		https://www.metravi.com/wp-content/uploads/2020/11/Metravi-PCIT-Primary-Current-Testing-Set-Catalogue.pdf
Relay Test Set					
RNT-5	Relay Test Set, with current output upto 200A in various ranges	47000	90308200	63450	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-5-Relay-Test-Set-Catalogue.pdf
RNT-5A	Relay Test Set with 200A in various ranges, Burden 1KVA, with AC/DC Voltage output	68500	90308200	92475	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-5A-Relay-Test-Set-Catalogue.pdf
RNT-33	Relay Test Set suitable for testing distance relay, 3 phase current / voltage output and Fixed DC Voltage output	268750	90308200	362813	https://metravi.com/wp-content/uploads/2020/08/Metravi-RNT-33-Relay-Test-Set-Catalogue.pdf
ZNT-34	Relay Test Set suitable for testing distance, over voltage relays etc., Variable three phase Voltage / Current and variable DC Voltage outputs	290250	90308200	391838	https://metravi.com/wp-content/uploads/2020/08/Metravi-ZNT-34-Relay-Test-Set-Catalogue.pdf
Transformer Turns Ratio Set					
TTRS-100	Transformer Turns Ratio Set to measure ratio in the range of 0.800 to 2021 & for Phase Deviation Measurement	133000	90303390	179550	https://metravi.com/wp-content/uploads/2020/08/Metravi-TTRS-100-Transformer-Turns-Ratio-Set-Catalogue.pdf
TTRS-10 NEW!!	Transformer Turns Ratio Set with Software and App for Data Transfer	115000	90303390	155250	
IC TESTER					
IC Tester					
DICT-2040	40 pin Digital IC Tester to test 54 / 74 series TTL and 4000 & 4500 series CMOS ICs, tests more than 2000 kinds of devices	34650	90308200	46778	https://metravi.com/wp-content/uploads/2020/08/Metravi-DICT-2040-Digital-IC-Tester-Catalogue.pdf
LCR METERS					
Digital LCR Meter					
460	11,000 Counts Backlit LCD, Data Hold, MAX/MIN Record, RELATIVE, Inductance, Capacitance, Resistance, Diode & Continuity Test	5850	90303100	7898	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-460-Digital-LCR-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
4070D	5 Digits, LCD, Dual Display, Inductance, Capacitance, Resistance, Impedance, D, ESR and Q Test Facility, Test Frequency of 100Hz, 120Hz, 1kHz, 10kHz and 100kHz	13050	90303100	17618	https://metravi.com/wp-content/uploads/2020/08/Metravi-4070D-Digital-LCR-Meter-Catalogue.pdf
4090D NEW!!	LCR Meter	33750	90303100	45563	
Digital LCR Multimeter					
451	3-1/2 Digits, Backlit LCD, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Inductance, Frequency, Temperature, Diode, Transistor and Continuity Test	4150	90303100	5603	https://www.metravi.com/wp-content/uploads/Metravi-451-Digital-LCR-Meter-with-Multimeter-Catalogue.pdf
506	3-3/4 Digits, Backlit, LCD Dual Display, T-RMS, RS-232 PC Interface, Internal Memory, Min, Max, Avg, Relative Modes, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Inductance, Duty Cycle, Temperature, dBm, Logic, Diode, Signal Output & Continuity Test	22040	90303100	29754	https://www.metravi.com/wp-content/uploads/Metravi-506-Digital-LCR-Meter-with-Multimeter-Catalogue.pdf
MANOMETERS					
Digital Differential Pressure Meter (Manometer)					
PM-01	Backlit LCD Display, measures up to 5 psi and in various other units of Pressure	11655	90262000	15734	https://metravi.com/wp-content/uploads/2020/09/Metravi-PM-01-Differential-Pressure-Manometer-Catalogue.pdf
ET-99P	Differential Pressure Manometer for -5000Pa to +5000Pa, with backlit LCD display and Data Hold.	4650	90308990	6278	https://www.metravi.com/wp-content/uploads/Metravi-ET-99P-Digital-Manometer-Catalogue.pdf
PM-05	Differential Pressure Manometer measures negative, positive and differential pressure. Option for 11 measurement units: bar, ozin ² , psi, mbar, mmHg, cmH ₂ O, ftH ₂ O, kgcm ² and kPa.	4750	90268090	6413	https://www.metravi.com/wp-content/uploads/Metravi-PM-05-Multifunction-Manometer-Catalogue-Web.pdf
METAL DETECTORS					
Metal Detector					
MD-300	Highly sensitive Metal Detector with a circular sensor, the detector vibrates and provides audible alarm on detecting metal	1950	85438910	2633	https://metravi.com/wp-content/uploads/2020/08/Metravi-MD-300-Metal-Detector-Catalogue.pdf
SUPER-V	Highly sensitive Metal Detector with a straight sensor, the detector vibrates, provides visual and audible warning on detecting metal	3225	85438910	4354	https://metravi.com/wp-content/uploads/2020/08/Metravi-Super-V-Metal-Detector-Catalogue.pdf
MOISTURE METERS					
Digital Moisture Meter					
ET-99M	Digital Moisture Meter for wood, sawn timber, cardboard, paper, as well as hardened materials like plastic, concrete and mortar, using pin probe sensors	1980	90268090	2673	https://www.metravi.com/wp-content/uploads/Metravi-ET-99M-Digital-Moisture-Meter-Catalogue.pdf
CEM DT-120	Compact, pin-type Digital Moisture Meter for wood and building materials.	2160	90268090	2916	https://www.metravi.com/wp-content/uploads/CEM-DT-120-Digital-Moisture-Meter-Catalogue.pdf
MM-1	Digital Moisture Meter for paper, wood and hardened material like plaster, concrete and mortar	3600	90268090	4860	https://metravi.com/wp-content/uploads/2020/08/Metravi-MM-1-Pin-type-Moisture-Meter-Catalogue.pdf
MM-2	Digital Moisture Meter for wood, bamboo, cotton, tobacco, paper, foodstuffs	1800	90268090	2430	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MM-2-Pin-Type-Wood-Moisture-Meter-Catalogue-3.pdf
MM-5	Digital Wood Moisture Meter that can measure moisture in up to 150 different kinds of wood	6700	90308990	9045	https://metravi.com/wp-content/uploads/2020/08/Metravi-MM-5-Pin-type-Wood-Moisture-Meter-Catalogue-1.pdf
MM-10	Digital Pinless Moisture Meter, Range 0 - 100%, auto power off, backlit display, Min/Max function, Measure and Hold, works on most of the products	8730	90268090	11786	https://www.metravi.com/wp-content/uploads/Metravi-MM-10-Pinless-Moisture-Meter-Catalogue.pdf
MOTOR CHECKERS					
Analogue Motor Checker					
MC-22	Electric Motor Checker with analogue display	27950	90303900	37733	https://metravi.com/wp-content/uploads/2020/08/Metravi-MC-22-Analogue-Motor-Checker-Catalogue-1.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Digital Motor Checker					
MC-22D	Digital Motor Checker with insulation resistance test of 1000V	34400	90303900	46440	https://metravi.com/wp-content/uploads/2020/08/Metravi-MC-22D-Digital-Motor-Checker-Catalogue.pdf
MC-38D	Digital Motor Checker with insulation resistance test of 500 and 1000V	18800	90303900	25380	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MC-38D-Digital-Motor-Checker-Catalogue-1.pdf
Rotating Machine Tester					
RMT-10	One Single Meter that can test rotating machines, from insulation resistance to low resistance milli ohms combined with a built-in T-RMS Multimeter, Data logger, with Low pass Filter, Bluetooth, can measure AC/DC Voltage 1000V, DC/AC Current 10A, Resistance, Capacitance 5mF, Frequency 50Mhz, Temperature up to 1200°C, Insulation Resistance 5000MΩ at test voltage of 50V / 100V / 250V / 500V / 1000V, with polarisation index and DAR, Low resistance from 1 mΩ to 2000Ω	33300	90303900	44955	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RMT-10-Rotating-Machine-Tester-Catalogue-Dec21.pdf
RMTi-1	One Single Meter that can test rotating machines, from insulation resistance to low resistance milli ohms combined with a built-in Thermal Imager, T-RMS Multimeter, Data logger, with Low pass Filter, Bluetooth, can measure AC/DC Voltage 1000V, DC/AC Current 10A, Resistance, Capacitance 5mF, Frequency 50Mhz, Temperature up to 1200°C, Insulation Resistance 5000MΩ at test voltage of 50V / 100V / 250V / 500V / 1000V, with polarisation index and DAR, Low resistance from 1 mΩ to 2000Ω	82800	90303900	111780	https://www.metravi.com/wp-content/uploads/Metravi-Pro-RMTi-1-Rotating-Machine-Tester-with-Thermal-Imager-Catalogue.pdf
MULTIMETERS					
Analogue Multimeter					
250TR	Measures AC/DC Voltage, DC Current, Resistance, Battery Test and dB.	1065	90303100	1438	https://metravi.com/wp-content/uploads/2020/08/Metravi-250TR-Analogue-Multimeter-Catalogue.pdf
260TR	Measurs AC/DC Voltage, DC Current, Resistance, Transistor Polarity Test, Audible Continuity	1720	90303100	2322	https://metravi.com/wp-content/uploads/2020/08/Metravi-260TR-Analogue-Multimeter-Catalogue.pdf
2010BA	Measures AC/DC Voltage, up to 10A AC/DC, Resistance, Transistor and Audible Continuity	2560	90303100	3456	https://metravi.com/wp-content/uploads/2020/08/Metravi-2010BA-Analogue-Multimeter-Catalogue.pdf
5050E	Measures AC/DC Voltage up to 1000V, AC/DC Current up to 10A, Resistance up to 2000M.Ohms, Frequency up to 25kHz, Transistor Testing, Diode Testing and audible continuity testing	3750	90303100	5063	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-5050E-Analogue-Multimeter-Catalogue.pdf
6060	Measures AC / DC Voltage up to 2500V, AC/DC Current up to 10A, Resistance up to 10M.Ohms, Diode and continuity test facility	14500	90303100	19575	https://www.metravi.com/wp-content/uploads/2020/12/Metravi-6060-Analogue-Multimeter-Catalogue.pdf
Digital Multimeter					
XB-30	3-1/2 Digits, LCD, Data Hold, AC Voltage, DC Voltage, DC Current, Resistance, Diode & Transistor Test.	1500	90303100	2025	https://metravi.com/wp-content/uploads/2020/08/Metravi-XB-30-Digital-Multimeter-Catalogue.pdf
XB-33A	6000 Counts, Auto-ranging, T-RMS Digital multimeter with backlit LCD display. Can measure AC T-RMS Voltage and Current, DC Current / Voltage, Frequency, Resistance, Capacitance, Temperature, Diode and Continuity Test and Non-contact Voltage Detection, along with overload protection.	1650	90303100	2228	https://www.metravi.com/wp-content/uploads/Metravi-XB-33A-TRMS-Autoranging-Digital-Multimeter-Catalogue.pdf
XB-33CF	6000 Counts Backlit LCD, Flash Light, NCV, MAX/MIN Record, T-RMS, Measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Frequency, Diode and Continuity Test	1750	90303100	2363	https://www.metravi.com/wp-content/uploads/Metravi-XB-33CF-Digital-TRMS-Multimeter-Catalogue.pdf
603	3-1/2 Digits, Backlit LCD, Data Hold, AC Voltage, DC Voltage, AC Current, DC Current, Resistance, Capacitance, Frequency, Temperature, Hot Wire, Diode, Transistor and Continuity Test.	2100	90303100	2835	https://metravi.com/wp-content/uploads/2020/08/Metravi-603-Digital-Multimeter-Catalogue.pdf
6030A+	6000 Counts Backlit LCD, T-RMS Multimeter, Auto Power Off, Data Hold, MAX/MIN, AC / DC Voltage, AC/DC Current 20A, Resistance, Capacitance, Frequency, Temperature, Transistor Test, Diode and Continuity Test	2200	90303100	2970	https://www.metravi.com/wp-content/uploads/Metravi-6030A-Digital-TRMS-Multimeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
19-TRMS NEW MODEL!!	3-3/4 Digits, LCD, Auto-ranging, Relative, Data Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, 30MHz Frequency, Duty Cycle, Temperature, Diode, Transistor and Continuity Test.	2350	90303100	3173	https://www.metravi.com/wp-content/uploads/Metravi-19-TRMS-Auto-Ranging-Digital-Multimeter-Catalogue-2023-Model.pdf
19-SUPER	6000 Counts LCD Display, NCV, T-RMS Multimeter, Measures AC/DC Voltage, AC/DC Current up to 20A, Resistance, Temperature, Frequency, Capacitance, Diode, Transistor Test and Continuity Test Facility	2500	90303100	3375	https://www.metravi.com/wp-content/uploads/Metravi-19-Super-Digital-TRMS-Multimeter-Catalogue-1.pdf
Metrasafe-10	6000 Counts Backlit LCD, T-RMS, Flashlight, Live-Neutral detection, Non contact voltage detector, Audio and visual alarm for continuity, Transistor Test, AC/DC Voltage, AC/DC Current up to 20A, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode and Continuity Test.	2700	90303100	3645	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-10-TRMS-Digital-Multimeter-Catalogue.pdf
SOLAR-1B NEW!!	6000 Counts Backlit LCD, TRMS, Live/Neutral Detection, NCV, Double integral A/D conversion, AC Voltage, DC Voltage, AC/DC High Voltage 2000V, AC Current, DC Current, Capacitance, Frequency, Diode Test, intelligent voice alarm values, 2000V AC/DC Voltage and high voltage diode output measurement. Overload protection.	2800	90303100	3780	https://www.metravi.com/wp-content/uploads/Metravi-Solar-1B-Digital-TRMS-Multimeter-Catalogue-Web.pdf
DT-19TB	3-3/4 Digits, Backlit LCD, Auto-ranging, Terminal Blocking Facility, Relative & Data Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Battery Test, Diode & Continuity Test. 500V AC/DC Protection in all ranges	3600	90303100	4860	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DT-19TB-Digital-Multimeter-Catalogue.pdf
PRO 7	4000 counts, TRMS, auto-ranging with backlit display, backlit switch as well as backlit ranges. Measure AC/DC Voltage, VFD Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode & Continuity Test, NCV detection, Live Line test & Square Wave Output. Heavy-duty, rugged design, double-injection moulding, built-in Flashlight, CATIII 600V. Data Hold, MAX/MIN, Auto Power Off.	3700	90303100	4995	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7-Auto-ranging-TRMS-Digital-Multimeter-Catalogue-Web-1.pdf
540	4-1/2 Digits, LCD, Data Hold, T-RMS, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Diode & Continuity Test.	3825	90303100	5164	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-540-T-RMS-4-1-2-Digit-Digital-Multimeter-Catalogue.pdf
23S-TRMS	4-1/2 Digits 19,999 Counts, T-RMS, Backlit LCD, NCV, Data Hold, Peak Hold, Relative, Auto Power Off, Dual Display to show Voltage & Current with Frequency on the same screen, AC/DC Voltage, AC/ DC Current 10A, Resistance, Capacitance, Temperature, Frequency, Diode & Continuity Test both Audio and Visual.	4050	90303100	5468	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-23S-TRMS-Digital-Multimeter-Catalogue.pdf
901-III	3-5/6 Digits, 6000 Counts Backlit LCD, Autor-ranging, 600V AC/DC Protection, AC/DC Voltage, AC/DC Current, Resistance, 4mF capacitance, 20MHz Frequency, temperature diode and continuity	4455	90303100	6014	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-901-III-Digital-Multimeter-Catalogue.pdf
PRO-11	4000 Count Backlight LCD Display, Auto-Ranging, IP67 Dust and Waterproof, 600V AC/DC Voltage, 10A AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, UL 61010-1, CAT-III 600V, Class 2 Double Insulation, Built-in flashlight, Over range indication, Auto Power Off, Min/Max Data Hold. Hand-Held Waterproof and Dust proof, Double moulded injection body.	4700	90303100	6345	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PRO-11-Digital-Multimeter-Catalogue.pdf
Metrasafe-13	3-3/4 Digits, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Relative, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Continuity and Battery Test. Confirms to CAT IV 600V	4750	90303100	6413	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-13-Fully-Protected-Digital-Multimeter-Catalogue.pdf
901-IV	3-5/6 Digits, 6000 Counts Backlit LCD, Autor-ranging, T-RMS, 600V AC/DC Protection, AC/DC Voltage, AC/DC Current, Resistance, 4mF capacitance, 20MHz Frequency, temperature diode and continuity	5355	90303100	7229	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-901-IV-TRMS-Digital-Multimeter-Catalogue.pdf
Metrasafe-14	3-3/4 Digits, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Relative, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Duty Cycle, Temperature, Continuity and Battery Test. Confirms to CAT IV 600V	5360	90303100	7236	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-14-Fully-Protected-Digital-Multimeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PRO-12B	4000 Counts, Backlight LCD Display, TRMS, IP 67, 600V AC (TRMS)/DC Voltage, 10A AC(TRMS)/DC Current, LoZ, Resistance, Capacitance, Frequency, Temperature, Diode & Continuity test, 50 to 400Hz AC Bandwidth, Bluetooth, Free Smartphone App, Data Hold, MAX/MIN Record, built-in Flashlight, double-moulded injection body, Auto Power Off, Low battery indication, CAT-III 600V.	5500	90303100	7425	https://metravi.com/wp-content/uploads/2020/08/Metravi-PRO-12B-Digital-Multimeter-Catalogue.pdf
PRO 21	6000 counts backlit LCD display, TRMS, Auto-ranging, Heavy Duty, Industrial-grade Digital Multimeter with VFD Measurement. IP67 dust and water proof as well as 2 metres drop/shock-proof!	5920	90303100	7992	https://www.metravi.com/wp-content/uploads/Metravi-PRO-21-Digital-TRMS-Multimeter-Catalogue.pdf
Metrasafe-15	3-3/4 Digits, Analogue Bargraph, Backlit LCD, Autoranging, Fully Protected, Data Hold, Max/Min, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test. Confirms to CAT IV 600V.	6530	90303100	8816	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-15-Metrasafe-16-Fully-protected-TRMS-Digital-Multimeter-Catalogue.pdf
PRO 27	6000 counts backlit LCD display, Auto-Ranging T-RMS Multimeter with VFD, LoZ, 61 Segment Analogue Bargraph and IP67- best fit for all applications regarding electrical motors.	6665	90303100	8998	https://www.metravi.com/wp-content/uploads/Metravi-PRO-27-Digital-TRMS-Auto-ranging-Multimeter-with-VFD-Catalogue.pdf
PRO SOLAR-1A	1500VDC, 1000VAC, 6000 counts backlit LCD display, TRMS, Auto-ranging, Heavy Duty, Industrial-grade Digital Multimeter with VFD Measurement. IP67 & 2 metres drop/shock-proof. Perfect for Solar & PV Applications.	6988	90303100	9433	https://www.metravi.com/wp-content/uploads/Metravi-PRO-Solar-1A-TRMS-Auto-ranging-Multimeter-Catalogue-.pdf
Metrasafe-16	3-3/4 Digits, Analogue Bargraph, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data Hold, Max/Min, Peak Hold, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Temperature, Diode and Continuity Test. Confirms to CAT IV 600V.	7500	90303100	10125	https://www.metravi.com/wp-content/uploads/Metravi-Metrasafe-15-Metrasafe-16-Fully-protected-TRMS-Digital-Multimeter-Catalogue.pdf
DM-454	22,000 Counts LCD Display, Peak Hold, Data Hold, Relative Measurement, T-RMS Multimeter, Confirms to CAT III 1000V, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency, Diode & Continuity Test, USB PC Interface.	11000	90303100	14850	https://www.metravi.com/wp-content/uploads/Metravi-DM-454-TRMS-Digital-Multimeter-Catalogue.pdf
PRO 587	6,000 /60,000 Counts user selectable, Backlit LCD Display, Bargraph, T-RMS Multimeter, 1000V AC/DC Current, 10A AC/DC Current, 100kHz AC Response, Resistance, Capacitance, Electrical and Electronic Frequency, Temperature, Duty Cycle, Low Pass Filter, 4-20mA measurement, Continuity and Diode testing.	13438	90303100	18141	https://www.metravi.com/wp-content/uploads/Metravi-PRO-587-Digital-T-RMS-Industrial-Professional-Multimeter-Catalogue.pdf
Metrasafe-18	4-3/4 Digits, Analogue Bargraph, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data & Peak Hold, Max/Min Record, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Non Contact type Infrared Thermometer, Duty Cycle, Diode & Continuity Test. Confirms to CAT IV 600V.	15265	90303100	20608	https://metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-18-TRMS-Industrial-Multimeter-Catalogue.pdf
Metrasafe-19	4-3/4 Digits, Analogue Bargraph, Wireless PC Interface, T-RMS, Backlit LCD, Autoranging, FULLY PROTECTED, Data & Peak Hold, Max/Min Record, AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Temperature, Non Contact type Infrared Thermometer, Duty Cycle, Diode & Continuity Test. Confirms to CAT IV 600V.	17550	90303100	23693	https://metravi.com/wp-content/uploads/2020/08/Metravi-Metrasafe-19-Digital-Multimeter-Catalogue.pdf
PRO SOLAR-1	6000 Counts, Auto-backlit LCD, EN 61010-1, EN 61010-2-033 for CAT III 1000V, CAT IV 600V, EN 61326-1, designed for Solar PV application, to measure 2000V DC and 1500V AC T-RMS & DC/AC mV, AC/DC Current up to 10A, Resistance 40MΩ, Capacitance 10mF, Frequency 100kHz, Temperature 400°C, NCV, Diode & Continuity Test.	17600	90303100	23760	https://metravi.com/wp-content/uploads/2020/08/Metravi-SOLAR-1-Pro-Series-Digital-Multimeter-Catalogue.pdf
PRO 589	50,000 Counts TFT LCD Colour Display, 100kHz Bandwidth, Bluetooth, Trend Capture, Low Pass Filter, Surge Protection up to 8kV Peak, Full Overload Protection, UL Certified, CATIII 1000V, CATIV 600V, 0.05% Accuracy, T-RMS, MAX/MIN/AVG, PEAK MAX/MIN, Peak values of transients up to 250uS, AC+DC Measurement, Relative Function, Data Hold, Data Logging, Histogram Data with time stamp, Voltage 1000V AC/DC, Current 10A AC/DC, Resistance, Capacitance, Frequency, Temperature, Duty Cycle, Diode & Continuity	22725	90303100	30679	https://www.metravi.com/wp-content/uploads/Metravi-PRO-589-Professional-Digital-TRMS-Multimeter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Metrasafe-20	4-5/6 Digits, 60,000 Counts, T-RMS Multimeter, OLED Display, 100kHz Bandwidth, Accuracy 0.025%, Lo-Z, AC/DC Voltage, AC/DC Current, Resistance, Process Measurement, Conductance, Capacitance, Frequency, Duty Cycle, Temperature, Diode & Continuity, Rechargeable battery, Mis-operation Alarm, Data Logger. Optional Bluetooth.	29250	90303100	39488	https://www.metravi.com/wp-content/uploads/Metravi-MetraSafe-20-Digital-TRMS-Industrial-Multimeter-Catalogue.pdf
Digital Multimeter with Thermal Imager					
PRO TIM-900 NEW!!	4000 Counts, 2.4" TFT Colour Display, A/D Conversion with high sampling rate, High Accuracy, with built-in 80x80px Thermal Imager with Max, Min and Center crosshair targeting, 50Hz fast thermal image frame rate, Bluetooth interface, free Smartphone App, DC Voltage, AC & AC+DC TRMS Voltage, DC Current, AC & AC+DC TRMS Current, Resistance and Continuity test, Diode Test, Capacitance, Frequency, Duty Cycle, Auto Ranging, Auto Power-off, Built-in flashlight to access dark areas, Rechargeable battery, Surge Protection: 6kV peak per IEC 61010, CAT III 600V, CAT IV 300V	53550	90303100	72293	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TIM-900-Digital-TRMS-Multimeter-with-Thermal-Imager-Catalogue.pdf
CEM DT-9889	Professional True RMS Industrial Digital Multimeter with Oscilloscope functions, 50,000 Counts TFT colour LCD display. Fast A/D converting sampling time, high accuracy, built-in Datalogging, Trend Capture. IP67. Measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance, Frequency (electrical & electronic), Duty Cycle, Diode Test, Continuity, Thermocouple Temperature. Oscilloscope Sampling Rate 50 Msa/s, 10MHz bandwidth.	73800	90303100	99630	https://www.cem-instruments.in/pdf/DT-9989.pdf
Solar MPPT Meter					
PRO 20PV NEW!!	Meter to test Solar Panels. Measures Maximum Power, Peak Power Voltage, Peak Power Current, Open Circuit Voltage and Short Circuit Current. Large, backlit, multi-display. Comes with MC4 test leads and magnetic holder.	5200	90303100	7020	https://www.metravi.com/wp-content/uploads/Metravi-PRO-20PV-Solar-MPPT-Meter-Catalogue.pdf
Bench Type Multimeter					
M-45 NEW MODEL!!	5 digits, 55000 Counts, bench-type, compact, T-RMS Multimeter with large TFT Colour Display, USB & RS232 Interfaces for Data Logging & Analysis. Supports Dual line display and SCPI.	12375	90303100	16706	https://www.metravi.com/wp-content/uploads/Metravi-M-45-Bench-Type-Digital-Multimeter-Catalogue-Web.pdf
45-TRMS	4½ digits bench multimeter for measuring DC and AC Voltage, DC and AC Current, Resistance, Capacitance, eHz, hFE, Diodes and Continuity.	10530	90303100	14216	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-45-TRMS-Bench-Type-Multimeter-Catalogue.pdf
55-TRMS	5-1/2 Digits Bench type Multimeter, 2,00,000 counts, high precision, multi-function and fully automatic functions of mathematical operations, capacitance, temperature and other basic measurements, 4.3-inch 480*272 TFT display, supports LAN, USB, RS-232C and GPIB (optional)	55625	90303100	75094	https://www.metravi.com/wp-content/uploads/Metravi-55-TRMS-Bench-Type-Multimeter-Catalogue.pdf
M-3511A	6-1/2 Digits Bench type Multimeter AC/DC V, AC/DC Current, Resistance, Cap and Frequency	61000	90303100	82350	https://www.metravi.com/wp-content/uploads/Metravi-M-3510A-M-3511A-6.5-digit-Bench-Type-Multimeter-Catalogue.pdf
M-3510A	6-1/2 Digits Bench type Multimeter AC/DC V, AC/DC Current, Resistance, Cap., Temp. and Frequency	76000	90303100	102600	https://www.metravi.com/wp-content/uploads/Metravi-M-3510A-Bench-type-Multimeter-Catalogue.pdf
M-3500A	6-1/2 Digits Bench type Multimeter with multiple options	112000	90303100	151200	https://www.metravi.com/wp-content/uploads/Metravi-M-3510A-M-3511A-6.5-digit-Bench-Type-Multimeter-Catalogue.pdf
Accessories for Digital Multimeter & Clamp Meters					
CA-01	Clamp On Current Adaptor to be used with any Multimeter with mV range, measures up to 200A AC	1350	90309090	1823	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CA-01-AC-Current-Clamp-On-Adapter-for-Digital-Multimeter-Catalogue-1.pdf
CA-1000D	Clamp On Current Adaptor to be used with any Multimeter with mV range, measures up to 600A/1000A AC/DC	5850	90309090	7898	https://www.metravi.com/wp-content/uploads/Metravi-CA-1000D-Clamp-on-Current-Adaptor-for-Multimeter-Catalogue-.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
TS-03	Infrared Temperature Adaptor to measure from -30 to 550 Degree C, can be used with any Multimeter with mV range	3750	90251920	5063	https://metravi.com/wp-content/uploads/2020/08/Mwtravi-TS-03-Industrial-Pyrometer-Sensor-for-Digital-Multimeter-Catalogue.pdf
PD-28	High Voltage probe to measure 40kV DC and 28kV AC	8870	90303100	11975	https://www.metravi.com/wp-content/uploads/Metravi-PD-28-High-Voltage-Probe-for-Digital-Multimeters-Catalogue.pdf
ATL-PV	High Voltage Probe for P-V Multimeter SOLAR-1 and PV Clamp meter SOLAR-2	3225	90303100	4354	
TL-70	Test Leads with right angled shrouded termination to fit modern multimeters, fitted with a 4mm shrouded socket, CAT III 1000V / 20A Rating	215	90303100	390	https://metravi.com/wp-content/uploads/2020/09/Metravi-TL-70-Test-Leads-for-Multimeter-Catalogue.pdf
TL-74	1m silicon single insulated test leads with right angle shrouded banana plugs, CAT IV 600V, CAT III 1000V with protective cap, banana plug termination, dia of test lead point 2mm	390	90303100	527	https://www.metravi.com/wp-content/uploads/2020/09/Metravi-TL-74-Silicon-Test-Leads-for-Multimeter-Catalogue-1.pdf
TL-75	1m silicon double insulated test leads with right angle shrouded banana plugs, CAT IV 600V, CAT III 1000V with protective cap, banana plug termination, dia of test lead point 2mm	540	90303100	729	https://metravi.com/wp-content/uploads/2020/11/Metravi-TL-75-Silicon-Test-Leads-Catalogue.pdf
Flex Clamp	For PRO 27 and PRO Solar-3	4500	90303100	6075	
ALCOHOL BREATH ANALYSER					
Alcohol Breath Analyser					
CEM DT-800A	Fuel cell type digital Alcohol Sensor with high accuracy, fast response/recovery time, convenient and fast detection. Two acousto-optic alarms for drink and drunkenness. Disposable blowing nozzle, Rechargeable Battery, Real time LCD display, Auto power-off.	16227	90308990	21906	https://www.metravi.com/wp-content/uploads/Metravi-CEM-DT-800A-Breath-Alcohol-Analyser-Catalogue.pdf
OHMS METERS / INSULATION TESTERS					
Analogue Insulation Tester					
IT-500	Test Voltage: 500V, Insulation Resistance Range: 0 - 1000MΩ, with AC Voltage Test Facility	2100	90303900	2835	https://metravi.com/wp-content/uploads/2020/08/Metravi-IT-500-Analogue-Insulation-Tester-Catalogue.pdf
IT-1000	Test Voltage: 1000V, Insulation Resistance Range: 0 - 2000MΩ, with AC Voltage Test Facility	2200	90303900	2970	https://metravi.com/wp-content/uploads/2020/08/Metravi-IT-1000-Analogue-Insulation-Tester-Catalogue.pdf
Digital Micro Ohms Meter					
53C	Digital Micro Ohms Meter to measure from 1uΩ to 2kΩ	6345	90303900	8566	https://www.metravi.com/wp-content/uploads/Metravi-53C-Micro-Ohms-Meter-Catalogue-0222.pdf
53C-II	Micro-Processor based, Digital Micro Ohms meter to measure from 1uΩ to 2kΩ, with digital selection of ranges	6860	90303900	9261	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-53C-II-1A-Micro-Ohms-Meter-Catalogue.pdf
UOT-10A	Digital Micro Ohms Meter with Test Current of 10A	90000	90303900	121500	
7272A	10A Micro Ohms Meter with backlit LCD display, USB PC Interface, 500 Internal Memory, Four Wire measurement, Testing Current of 10A, Battery Operated, Measures from 10.0uΩ-50.00KΩ with accuracy of ±0.2%FS±10 dgt.	46000	90303900	62100	https://www.metravi.com/wp-content/uploads/Metravi-Digital-Micro-Ohms-Meter-7272A-Catalogue.pdf
PRO 7273 NEW!!	1mA/10mA/100mA/1A/5A/10A, 1.0uΩ~50.00kΩ, Resolution 0.001Ω, Accuracy 0.2%±2uΩ, microprocessor technology, precise 4-wire method, with fast testing speed. Features Automatic & Manual Modes, Auto Test Current & 7 Manual Gears, Backlit Colour LCD Display, Bluetooth with Mobile App, USB Interface, Monitoring Software, Data Hold, Data Logging 600 Sets, Temperature Compensation, Automatic Discharge, user-settable Alarms, Rechargeable Battery & AC 220V Power options, IP65 dust & water proof.	50000	90303900	67500	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7273-10A-Microohms-Meter-Catalogue-Web.pdf
PRO 7274 NEW!!	1mA/10ma/100mA/1A/5A/10A, 200.0uΩ~50.00kΩ, Resolution 0.1uΩ, Accuracy 0.2%±2dgt, precise 4-wire method, 2-channel A/D simultaneous detection, Automatic & Manual Modes, Auto Test & 7 Current Gears, 5" true colour LCD Touchscreen display with backlight adjustment, Bluetooth with Mobile App, USB Interface, Monitoring Software, built-in Printer, Data Logging 600 sets, Data Hold, Temperature Compensation, Automatic Discharge, user-settable Alarms, Clock function, Rechargeable Battery & AC 220V Power options, IP65 dust & water proof.	82000	90303900	110700	https://www.metravi.com/wp-content/uploads/Metravi-PRO-7274-10A-Microohms-Meter-Catalogue-Web.pdf
UONT-100A	Digital Micro Ohms Meter with Test Current of 100A	98500	90303900	132975	https://www.metravi.com/wp-content/uploads/Metravi-Pro-7275-Pro-7275A-Micro-Ohms-Meter-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
UONT-200A	Digital Micro Ohms Meter with Test Current of 200A	188125	90303900	253969	https://www.metravi.com/wp-content/uploads/Metravi-UONT200A-Digital-Microohms-Meter.pdf
PRO 8100 NEW!!	≤ 5A/10A/30A/50A/80A/100A, Step Current: 2.5A, up to 87 current gears, 1μΩ~5mΩ, High Resolution:0.01μΩ, Accuracy ±(reading*0.1%+measurement range*0.2%+1μΩ). Features 4-wire measurement, high stability with open circuit and overheating protection, 5.6" industrial backlit LCD with high-brightness colour, Data Logging upto 999 sets, Data Query function, built-in Printer, Rechargeable Battery, IEC61010-1, CAT III 600V, Pollution Level 2, Regulation of DC Digital Ohmmeter, JJG166-1993 Verification Regulation of DC Resistors, DL/T967-2005 Verification regulation of loop resistance tester and DC resistance high-speed tester. Portable & hand-held.	200000	90303900	270000	https://www.metravi.com/wp-content/uploads/Metravi-PRO-8100-PRO-8220-MicroOhms-Meter-Catalogue-Web.pdf
PRO 8220 NEW!!	≤ 5A/10A/30A/50A/80A/100A/200A/220A, Step Current: 2.5A, up to 87 current gears, 1μΩ~500uΩ, High Resolution:0.01μΩ, Accuracy ±(reading*0.1%+measurement range*0.2%+1μΩ). Features 4-wire measurement, high stability with open circuit and overheating protection, 5.6" industrial backlit LCD with high-brightness colour, Data Logging upto 999 sets, Data Query function, built-in Printer, Rechargeable Battery, IEC61010-1, CAT III 600V, Pollution Level 3, Regulation of DC Digital Ohmmeter, JJG166-1993 Verification Regulation of DC Resistors, DL/T967-2005 Verification regulation of loop resistance tester and DC resistance high-speed tester. Portable & hand-held.	300000	90303900	405000	https://www.metravi.com/wp-content/uploads/Metravi-PRO-8100-PRO-8220-MicroOhms-Meter-Catalogue-Web.pdf
Test Leads for PRO 8100 / PRO 8220	5M long Test Leads for PRO 8100 / PRO 8220	32000	90303900	43200	
PRO 7280 NEW!!	Micro Ohms Meter for 3 Phase Transformers. Current 0.2A/0.5/2/5/10/20A, Resistance 0.1uΩ - 5000Ω, 4 wire test method, Short Circuit Current, 7" colour touchscreen, U Disk & USB Interface, Built-in Thermal Printer, 500 sets Data Logging, IEC61010-4-3, CATIII 300V, IP54	235000	90303900	317250	https://www.metravi.com/wp-content/uploads/Metravi-7280-Digital-Micro-Ohms-Meter-for-3-Phase-Transformers-Catalogue.pdf
Digital Milli Ohms Meter					
52C	Hand Held, 0.1mΩ to 40Ω, 4 wire Kelvin type connection, also measures AC/DC Voltage, AC/DC Current, Resistance, Capacitance and continuity	10300	90303900	13905	https://metravi.com/wp-content/uploads/2020/08/Metravi-52C-Milli-Ohms-Meter-Catalogue.pdf
Digital Insulation Tester					
DIT-99A	Digital Battery Cum Mains Operated Insulation Tester for 100V / 200MΩ	3065	90303900	4138	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-99A-Digital-Insulation-Tester-Catalogue.pdf
DIT-99B	Digital Battery Cum Mains Operated Insulation Tester for 250V / 200MΩ	3065	90303900	4138	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-99B-Digital-Insulation-Tester-Catalogue.pdf
DIT-99C	Digital Battery Cum Mains Operated Insulation Tester for 500V / 1GΩ	3065	90303900	4138	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-99C-Digital-Insulation-Tester-Catalogue.pdf
DIT-99D	Digital Battery Cum Mains Operated Insulation Tester for 1000V / 2GΩ	3065	90303900	4138	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-99D-Digital-Insulation-Tester-Catalogue.pdf
DIT-909	9999 Counts Backlit LCD, Low Battery Indication, Dat Hold, Timer Function up to 10mins, Comparator, 99 Data Records, USB PC Interface (optional) Test Voltage: 50V / 100V / 250V / 500V / 1000V, 200GΩ, AC Voltage T-RMS, DC Voltage, Freuqnecy, Capacitance, Continuity Test, With Remote Probe	29850	90303900	40298	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-909-Digital-Insulation-Tester-Catalogue.pdf
DIT-910	4 Digits, with GO-NO-GO functions, 250V/500MΩ, 500V/1GΩ, 1000V/2GΩ. With in-built DC voltage converter – can change 12V voltage into 250V / 500V / 1000V DC voltage. Accuracy: ±10%, Short Circuit Current: <1.6mA.	4730	90303900	6386	https://www.metravi.com/wp-content/uploads/Metravi-DIT-910-Digital-Insulation-Tester-New-Catalogue.pdf
DIT-911 NEW!!	3 1/2 Digits 1999 Counts, 0.00MΩ~11.0GΩ at 250V / 500V / 1000V, Accuracy ±3%+5dgt, with DC Open Circuit Voltage, Short Circuit Current, Rated Test Current, AC Voltage Test, PI, DAR and Automatic Discharge	4400	90303900	5940	https://www.metravi.com/wp-content/uploads/Metravi-DIT-911-DIT-913A-Digital-Insulation-Testers-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DIT-912	4 Digits with Analogue Bargraph, measures upto 2000M. Ohms at 250V / 500V / 1000V, measures 600V AC/DC, Low Resistance up to 4000 Ohms and Continuity test. Fully Protected on all ranges	10900	90303900	14715	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-912-Digital-Insulation-Tester-Catalogue.pdf
DIT-913	3 1/2 Digits 1999 Counts, 2000MΩ @250V / 20GΩ @500V / 20GΩ @1000V / 20GΩ @2500V, Accuracy: ±3%, Data Hold	6300	90303900	8505	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-913-Digital-Insulation-Tester-Catalogue.pdf
DIT-913A NEW!!	3 1/2 Digits 1999 Counts, 0.00MΩ~22.0GΩ at 500V / 1000V / 2500V, Accuracy ±2%+3dgt, with DC Open Circuit Voltage, Short Circuit Current, Rated Test Current, AC Voltage Test, PI, DAR and Automatic Discharge	5175	90303900	6986	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DIT-911-DIT-913A-Digital-Insulation-Testers-Catalogue.pdf
DIT-321	Digital Insulation Resistance Tester with Built-in Multimeter, 3-3/4 Digits 3999 Counts, Backlit LCD, Data Hold, Test Voltage: 250V / 500V / 1000V, upto 40G.Ohms, Measures AC/DC Voltage, AC/DC Current up to 400mA, Resistance, Capacitance, Frequency, Diode & Continuity Test Facility.	4950	90303900	6683	https://www.metravi.com/wp-content/uploads/Metravi-DIT-321-DIT-322-Digital-Insulation-Tester-Catalogue-June-2022.pdf
DIT-322	Digital Insulation Resistance Tester with Built-in Multimeter, 3-3/4 Digits 3999 Counts, Backlit LCD, Data Hold, Test Voltage: 500V / 1000V / 2500V, upto 40G.Ohms, Measures AC/DC Voltage, AC/DC Current up to 400mA, Resistance, Capacitance, Frequency, Diode & Continuity Test Facility.	6450	90303900	8708	https://www.metravi.com/wp-content/uploads/Metravi-DIT-321-DIT-322-Digital-Insulation-Tester-Catalogue-June-2022.pdf
DIT-914	Battery cum Mains Operated, with facility to measure AC Voltage, Low Resistance, Continuity, 500V/2000MΩ, 1000V/2000MΩ, 2500V/20GΩ, 5000V/200GΩ	16650	90303900	22478	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-914-Digital-Insulation-Tester-Catalogue.pdf
DIT-916	Selectable testing voltages - one testing instrument for low and high voltage systems from 500/1000/2500 and 5000V, Insulation resistance measurement up to 1T Ω, User selectable programmable timer (10s to 30 min), Automatic discharge of test object after completion of measurement, Diagnostic tools, Polarization index (PI), Dielectric absorption ratio (DAR), USB PC Interface	32110	90303900	43349	https://www.metravi.com/wp-content/uploads/Metravi-DIT-916-Digital-Insulation-Tester-with-USB-PC-Interface-Catalogue.pdf
DIT-921	Battery cum Mains Operated, with facility to measure, PI, DAR, AC Voltage, Low Resistance, Continuity, 500V/6GΩ, 1000V/6GΩ, 2500V/60GΩ, 5000V/60GΩ	29500	90303900	39825	https://metravi.com/wp-content/uploads/2020/08/Metravi-DIT-921-Digital-Insulation-Tester-Catalogue.pdf
High Voltage Digital Insulation Tester					
PRO DIT-925	0.50MΩ ~ 5.00TΩ, 250V/500V/1000V/2500V/5000V/5kV, Accuracy ±5%, with Polarisation Index measurement (PI); Absorption Ratio (DAR); Ramp Test mode (RAMP) ; Dielectric discharge, Filtered Resistance test (FR), Voltage measurement (V); Current measurement (nA), Data Logging, Automatic Discharge, Full-colour Touchscreen, Rechargeable Battery, IP65 protection, USB PC Interface for data download and analysis.	60500	90303900	81675	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-925-PRO-DIT-927-High-Voltage-Insulation-Tester-Catalogue.pdf
PRO DIT-927	0.50MΩ ~ 10.00TΩ, 250V/500V/1000V/2500V/5000V/10kV, Accuracy ±5%, with Polarisation Index measurement (PI); Absorption Ratio (DAR); Ramp Test mode (RAMP) ; Dielectric discharge, Filtered Resistance test (FR), Voltage measurement (V); Current measurement (nA), Data Logging, Automatic Discharge, Full-colour Touchscreen, Rechargeable Battery, IP65 protection, USB PC Interface for data download and analysis.	67000	90303900	90450	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-925-PRO-DIT-927-High-Voltage-Insulation-Tester-Catalogue.pdf
DIT-930	0.01MΩ ~ 10TΩ, 100V/250V/500V/1000V/2500/5kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V	63000	90303900	85050	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930E-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DIT-930E	0.01MΩ ~ 35TΩ, 250V/500V/1000V/2500V/5000V/10kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V.	69350	90303900	93623	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930E-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf
DIT-930F	0.01MΩ ~ 50TΩ, 500V/1000V/2500V/5000V/10kV/15kV, Resolution 0.01MΩ, Accuracy ±3%rdg ±5dgt, Absorption Ratio and Polarization Index Measurement, Test Insulation resistance, Voltage, Current, Capacitance. With Rechargeable Battery, 4-bit large LCD backlit display, USB interface, Monitoring Software, Data Storage. Certified IEC61010-1, IEC1010-2-31, IEC61557-1,5, IEC60529(IP54) pollution grade 2, CAT III 1000V.	106000	90303900	143100	https://www.metravi.com/wp-content/uploads/Metravi-DIT-930-DIT-930E-DIT-930F-High-Voltage-Digital-Insulation-Resistance-Meter-Catalogue-Web.pdf
DIT-931 NEW!!	0.50MΩ ~ 10.0TΩ, 250V/500V/1kV/2.5kV/5kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	97800	90303900	132030	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf
DIT-931E NEW!!	0.50MΩ ~ 20.0TΩ, 250V/500V/1kV/2.5kV/5kV/10kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	117000	90303900	157950	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf
DIT-931F NEW!!	0.50MΩ ~ 30.0TΩ, 250V/500V/1kV/2.5kV/5kV/10kV/15kV, Accuracy ±5%rdg±3dgt, Large Touchscreen with Multifunction Colour Display. Test Voltage, Capacitance, Current. Insulation Resistance test (IR), Polarisation Index test (PI), Dielectric Absorption Ratio Test (DAR), Ramp Test mode (RAMP), Dielectric Discharge (DD). With Voltage monitor function, Test Timer function, Automatic Discharge, Data Logging for 1000 sets, Rechargeable Battery, USB PC Interface for data download & analysis, IP65 protection, Certification IEC61010-1, IEC61326-1	162000	90303900	218700	https://www.metravi.com/wp-content/uploads/Metravi-PRO-DIT-931-PRO-DIT-931E-PRO-DIT-931F-High-Voltage-Digital-Insulation-Testers-Catalogue-1.pdf
DIT-950	High Precision IR Tester 10kΩ to 50TΩ, 500V, High measurement accuracy: ±2% (< 1TΩ), Dual Channel, 320×240 dot-matrix LCD Display, Contact detection function, 7 Current Ranges, Manual or Auto Range modes, 4-bin Comparison function, Programmable Sequence Test mode, R-T and I-T Curve test and display mode, Auto store setup parameters. Interfaces: GPIB, (optional); RS232C; HANDLER interface output; USB (USBTMC and USB CDC support); USB HOST; SCANNING.	423000	90303900	571050	https://www.metravi.com/wp-content/uploads/Metravi-DIT-950-DIT-951-High-precision-Insulation-Resistance-Testers-Catalogue.pdf
DIT-951	High Precision IR Tester 10kΩ to 100TΩ, 1000V, High measurement accuracy: ±2% (< 1TΩ), Dual Channel, 320×240 dot-matrix LCD Display, Contact detection function, 7 Current Ranges, Manual or Auto Range modes, 4-bin Comparison function, Programmable Sequence Test mode, R-T and I-T Curve test and display mode, Auto store setup parameters. Interfaces: GPIB, (optional); RS232C; HANDLER interface output; USB (USBTMC and USB CDC support); USB HOST; SCANNING.	400000	90303900	540000	https://www.metravi.com/wp-content/uploads/Metravi-DIT-950-DIT-951-High-precision-Insulation-Resistance-Testers-Catalogue.pdf
Million MegOhms Meter					
MMM-1	Analogue Million MegOhms Meter for test voltage of 100, 200, 300, 400 and 500V, measures up to 10 Million MegOhms	18275	90303900	24671	https://www.metravi.com/wp-content/uploads/2020/10/Metravi-MMM-01-Analogue-Million-MegOhms-Meter-Catalogue.pdf
OSCILLOSCOPES					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
Cathode Ray Oscilloscopes					
OS-5010A	10MHz Single Channel, Cathode Ray Oscilloscope	24675	90302000	33311	https://metravi.com/wp-content/uploads/2020/08/OS-5010A.pdf
OS-5020	20MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with 1:1 and 10:1 probes	27900	90302000	37665	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5020-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5020C	20MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with component test facility, comes complete with 1:1 and 10:1 probes	30000	90302000	40500	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5020C-OS-5020C-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5030	30MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with 1:1 and 10:1 probes	28600	90302000	38610	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5030-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5030C	30MHz Dual Channel Dual Trace Cathode Ray Oscilloscope with component test facility, comes complete with 1:1 and 10:1 probes	32000	90302000	43200	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5030C-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5060	60MHz Dual Channel Four Trace Cathode Ray Oscilloscope with 1:1 and 10:1 Probes	79175	90302000	106886	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5060-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-5100	100MHz Dual Channel Four Trace Cathode Ray Oscilloscope with 1:1 and 10:1 Probes	93690	90302000	126482	https://metravi.com/wp-content/uploads/2020/08/Metravi-OS-5100-Digital-Storage-Dual-Channel-Oscilloscope-Catalogue.pdf
OS-6010 NEW!!	10MHz Single Channel Oscilloscope	19250	90302000	25988	
Digital Storage Oscilloscope					
DSO-5050E	50MHz DSO with colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	23000	90302000	31050	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5050E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5100E	100MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	25000	90302000	33750	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5100E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5150E	150MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	32000	90302000	43200	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5150E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5200E	200MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	40000	90302000	54000	https://metravi.com/wp-content/uploads/2020/08/Metravi-DSO-5200E-Dual-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6050 NEW!!	50MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software, with USB device & host	22400	90302000	30240	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6100 NEW!!	100MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	26500	90302000	35775	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-6200 NEW!!	200MHz DSO with colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	39700	90302000	53595	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6050-DSO-6100-DSO-6200-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5074E	70MHz DSO with 4 channels, colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	67000	90302000	90450	https://www.metravi.com/wp-content/uploads/Metravi-Four-Channel-Phosphor-Digital-Storage-Oscilloscope-DSO-5074E-DSO-5104E-Catalogue.pdf
DSO-5104E	100MHz DSO with 4 channels, colour display, 500MSa/Sec sampling rate, with USB PC Interface cable and software	71250	90302000	96188	https://www.metravi.com/wp-content/uploads/Metravi-Four-Channel-Phosphor-Digital-Storage-Oscilloscope-DSO-5074E-DSO-5104E-Catalogue.pdf
DSO-6104 NEW!!	100MHz DSO with 4 channels, colour display, 1GSa/Sec sampling rate, with USB PC Interface cable and software	39700	90302000	53595	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6104-4-Channel-Digital-Storage-Oscilloscope-Catalogue-Web.pdf
DSO-6204 NEW!!	200MHz DSO with 4 channels, colour display, 1GSa/Sec sampling rate, 40M record length max, 70,000 wfms/s waveform refresh rate. Touchscreen, USB PC Interface cable and software	66000	90302000	89100	https://www.metravi.com/wp-content/uploads/Metravi-DSO-6204-Four-Channel-Digital-Storage-Oscilloscope-Catalogue.pdf
DSO-5010 NEW!!		15750	90302000	21263	
DSO-5010A NEW!!			90302000	0	
Mixed Signal Oscilloscope					
MSO-6102E NEW!!	100MHz Mixed Signal Oscilloscope, Dual Channel DSO and 16 Channel Logic Analyzer, 1GSA/s sampling rate	85000	90302000	114750	https://www.metravi.com/wp-content/uploads/Metravi-MSO-6102E-Mixed-Signal-Oscilloscope-with-Logic-Analyser-Catalogue-Web.pdf
PC Based Digital Storage Oscilloscope					
PDSO-6074 NEW!!	70MHz, PC based, 4 Channel Digital Storage Oscilloscope, 8 bits	49500	90302000	66825	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PDSO-6074A NEW!!	70MHz, PC based, 4 Channel Digital Storage Oscilloscope, 8/12/14 bits	67000	90302000	90450	
PDSO-6104 NEW!!	100MHz, PC based, 4 Channel Digital Storage Oscilloscope, 8 bits	54500	90302000	73575	
PDSO-6104A NEW!!	100MHz, PC based, 4 Channel Digital Storage Oscilloscope, 8/12/14 bits	79200	90302000	106920	
Oscillometers					
OM-40 NEW!!	Handheld Oscillometer, 40 Mhz bandwidth, 250MSa/s Sampling Rate, offers simultaneous monitoring and comparison of two signals, clear & vibrant display, built-in Multimeter, Data Logging, 1X, 10X, 100X, 1000X, 10000X Probe Attenuation, USB Interface	18000	90302000	24300	https://www.metravi.com/wp-content/uploads/Metravi-OM-40-OM-100-Handheld-Oscilloscope-Catalogue-Web.pdf
OM-100 NEW!!	Handheld Oscillometer, 100 Mhz bandwidth, 500MSa/s Sampling Rate, offers simultaneous monitoring and comparison of two signals, clear & vibrant display, built-in Multimeter, Data Logging, 1X, 10X, 100X, 1000X, 10000X Probe Attenuation, USB Interface	25875	90302000	34931	https://www.metravi.com/wp-content/uploads/Metravi-OM-40-OM-100-Handheld-Oscilloscope-Catalogue-Web.pdf
Accessories to Digital Storage Oscilloscope					
PD-20S	High Voltage Probe to be used with any oscilloscope (Analogue or Digital Storage) to measure High Voltage Waveform of 30kV DC and 20kV AC	9900	90308990	13365	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-PD-20S-Oscilloscope-High-Voltage-Probe-Catalogue.pdf
OP-60	OP-60 is a x 1 / x 10 attenuation modular probe designed to be used with 60MHz oscilloscopes with an input impedance of 1MΩ.	800	90308990	1080	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-60-OP-100-Catalogue.pdf
OP-100	OP-100 is a x 1 / x 10 attenuation modular probe designed to be used with 100MHz oscilloscopes with an input impedance of 1MΩ.	1200	90308990	1620	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-60-OP-100-Catalogue.pdf
OP-250	OP-250 is a x 100 attenuation modular probe designed to be used with 250MHz oscilloscopes with an input impedance of 100MΩ.	6235	90308990	8417	https://www.metravi.com/wp-content/uploads/Metravi-Oscilloscope-Probes-OP-250-Catalogue.pdf
PANEL METERS					
Digital Ammeter					
CE-0102A 96x48	3-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 48 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	1400	90303100	1890	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102A-Digital-Ammeter-Catalogue.pdf
CE-0102A 96x96	3-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 96 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	1400	90303100	1890	https://www.metravi.com/wp-content/uploads/2020/11/Metravi-CE-0102A-96-Digital-Ammeter-Catalogue.pdf
CE-0102A 96x48	3-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 48 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	1400	90303100	1890	
CE-0102A 96x96	3-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 96 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	1400	90303100	1890	https://www.metravi.com/wp-content/uploads/2020/11/Metravi-CE-0102A-96-Digital-Ammeter-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size					
CE-0102A 96x48	4-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 48 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	2520	90303100	3402	
CE-0102A 96x96	4-1/2 Digits Panel Flush Mounting AC Ammeter, Size - 96 x 96 mm For CT Operated -/5A or -/1A or for Direct Operated up to 20A AC. For CT Operated the maximum current shall be 1999 A	2520	90303100	3402	
CE-0102A 96x48	4-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 48 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	2520	90303100	3402	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
CE-0102A 96x96	4-1/2 Digits Panel Flush Mounting DC Ammeter, Size - 96 x 96 mm , For Shunt Operated 75mV or for Direct Operated up to 20A DC. For Shunt Operated the maximum current shall be 1999 A	2520	90303100	3402	
Digital Ammeter Controller					
CE-0102AC 2SP	Digital Ammeter with Two Set Point to control the current below a given pair of set points. Size - 96 x 96 mm sq. With 2NO + 2NC Contact. Auxiliary Power Supply 230V AC / 110V AC 50Hz. (Any One)	4500	90303100	6075	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102AC-2SP-3-Phase-Ammeter-Controller-Catalogue.pdf
Digital Frequency Meter					
CE-500F 99.99Hz	4 Digits, Panel Flush Mounting, 96 X 48 mm sq, Input 10 - 500V, Measuring range 20 - 99.99 Hz.	1320	90303100	1782	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-500F-99.99-Hz-Frequency-Meter-Catalogue.pdf
CE-500F 96 x 96	4 Digits, Panel Flush Mounting, 96 X 96 mm sq, Input 10 - 500V, Measuring range 20 - 99.99 Hz.	1320	90303100	1782	
CE-500F 999.9Hz	4 Digits, Panel Flush Mounting, 96 X 48 mm sq, Input 50 - 500V, Measuring range 0 - 999.9 Hz.	1450	90303100	1958	
CE-500F 96 x 96	4 Digits, Panel Flush Mounting, 96 X 96 mm sq, Input 50 - 500V, Measuring range 0 - 999.9 Hz.	1450	90303100	1958	
Digital VA Meter					
CE-0303VA	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4380	90303100	5913	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0303VA-Three-Phase-VA-Meter-Catalogue.pdf
CE-0304VA	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4380	90303100	5913	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304VA-Three-Phase-VA-Meter-Catalogue.pdf
Digital VAR Meter					
CE-0303VAR	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4380	90303100	5913	
CE-0304VAR	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4380	90303100	5913	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304VAR-Three-Phase-VAR-Meter-Catalogue.pdf
Digital KWh Meter					
CE-0102EML NEW!!	Digital KWh Meter with LCD Display for Single phase Two wire loads	3975	90303100	5366	
CE-0303EML	Digital KWh Meter with LCD Display for Three phase Three wire Two element loads	4630	90303100	6251	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0303EML-Digital-Three-Phase-kWh-Meter-Catalogue.pdf
CE-0304EML	Digital KWh Meter with LCD Display for Three Phase Four wire Three Element loads	4630	90303100	6251	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304EML-Three-Phase-KWH-Meter-Catalogue.pdf
Digital Phase Angle Meter					
CE-0102D	Digital Phase Angle Meter, 96 x 96 mm sq, can measure Phase Angle between Voltage and Current	3900	90303100	5265	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102D-Phase-Angle-Meter-Catalogue.pdf
Digital Power Factor Meter					
CE-0102PF 96x48	Microprocessor Based, 96 x 48 mm sq, For Single Phase, Red LED Display	3550	90303100	4793	
CE-0102PF 96x96	Microprocessor Based, 96 x 96 mm sq, For Single Phase, Red LED Display	3550	90303100	4793	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102PF-96-x-96-mm-sq-Single-Phase-Power-Factor-Meter-Catalogue.pdf
CE-0303PF	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element , Red LED Display	4515	90303100	6095	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0303PF-Three-Phase-Three-Wire-Two-Element-Power-Factor-Meter-Catalogue.pdf
CE-0304PF	Microprocessor Based, 96 x 96 mm sq, For Three Phase Four Wire Three Element, Red LED Display	4515	90303100	6095	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0304PF-Three-Phase-Four-Wire-Three-Element-Power-Factor-Meter-Catalogue.pdf
Digital Power Analyser					
CE-0102PA	Digital Ampere, Volt, PF and Watt meter combined in 96 x 96 mm sq for single phase loads	4900	90303100	6615	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102PA-Portable-Power-Quality-Analyzer-Catalogue.pdf
Digital Three Phase Ammeter					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
CE-03A	Microprocessor Based, 96 x 96 mm sq, with in built three phase selector switch, displays Current in three phases, CT Ratio programmable. Programmable up to 3000A AC	2100	90303100	2835	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-03A-Three-Phase-Ammeter-Catalogue.pdf
Digital Three Phase Voltmeter					
CE-03V	Microprocessor Based, 96 x 96 mm sq, with in built three phase selector switch, displays Line to Line and Line to Neutral Voltage. Direct Operated and PT Ratio programmable	2100	90303100	2835	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-03V-Three-Phase-Voltmeter-Catalogue.pdf
Digital Voltage Controller					
CE-0102VC 2SP	Digital Voltmeter with Two Set Point to control the Voltage between a given set points. Size - 96 x 96 mm sq. With 2NO + 2NC Contact. Auxiliary Power Supply 230V AC / 110V AC 50Hz. (Any One)	4300	90303100	5805	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102VC-2SP-Two-Set-Point-Voltage-Controller-Catalogue.pdf
Digital Voltmeter					
CE-0102V	3-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1400	90303100	1890	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-Single-Phase-AC-Voltmeter-Catalogue.pdf
CE-0102V 96	3-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1400	90303100	1890	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-96-Single-Phase-DC-Voltmeter-Catalogue.pdf
CE-0102V	3-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1400	90303100	1890	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-Single-Phase-DC-Voltmeter-Catalogue-1.pdf
CE-0102V 96	3-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	1400	90303100	1890	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0102V-96-Single-Phase-DC-Voltmeter-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size					
CE-0102V 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2690	90303100	3632	
CE-0102V 96 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting AC Voltmeter, for measuring AC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2690	90303100	3632	
CE-0102V 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 48 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2690	90303100	3632	
CE-0102V 96 4-1/2 Digits	4-1/2 Digits Red LED Display, panel flush mounting DC Voltmeter, for measuring DC Voltage, Size - 96 x 96 mm, range 0 - 20mV / 200mV / 2V / 200V / 1000V (Any One Range)	2690	90303100	3632	
Digital Wattmeter					
CE-0102W	Microprocessor Based, 96 x 48 mm sq, For Single Phase, Red LED Display	3655	90303100	4934	https://metravi.com/wp-content/uploads/2020/08/Metravi-CE-0102W-Single-Phase-Wattmeter-Catalogue.pdf
CE-0102W 96 x 96	Microprocessor Based, 96 x 96 mm sq, For Single Phase, Red LED Display	3655	90303100	4934	
CE-0303W	Microprocessor Based, 96 x 96 mm sq, For Three Phase Three Wire Two Element, Red LED Display	4515	90303100	6095	
CE-0304W	Microprocessor Based, 96 x 96 mm sq, For Thre Phase Four Wire Three Element, Red LED Display	4515	90303100	6095	
Event Counter					
CTR-49	6 Digits Red LED Display, Event Counter, 1 to 999999 Counts, 96 x 48 mm sq	2600	90292090	3510	
N.B. - Please ask for the prices in case if you require this in 96 x 96 mm sq size					
Hour Meter					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
NE 045/7S DC	7 Digits, measures up to 99999.99 hours, 10 - 48V DC operated, 46 x 46 mm sq size panel cutout	1185	90292090	1600	https://metravi.com/wp-content/uploads/2020/08/Metravi-NE-045-7S-DC-Digital-Hour-Meter-Catalogue.pdf
NE 045/7	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (Any One) operated, 46 x 46 mm sq size panel cutout	645	90292090	871	https://metravi.com/wp-content/uploads/2020/08/Metravi-NE-045-7-Counter-type-Hour-Meter-Catalogue.pdf
HM-01	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (Any One) operated, 46 x 46 mm sq size panel cutout	540	90292090	729	https://www.metravi.com/wp-content/uploads/Metravi-HM-01-DC-HourMeter-Catalogue.pdf
Integrated Meter					
CE-0303IM	Three Phase Three Wire Two Element loads for energy and power measurement, measure each phase I, V, Hz, PF, KW, KVA, KVAR, KWh, KVAh, KVAh and MDI	8065	90303100	10888	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0303IM-Three-Phase-Integrated-Meter-Catalogue.pdf
CE-0304IM	Three Phase Four Wire Three Element loads for energy and power measurement, measure each phase I, V, Hz, PF, KW, KVA, KVAR, KWh, KVAh, KVAh and MDI	8065	90303100	10888	https://metravi.com/wp-content/uploads/2020/09/Metravi-CE-0304IM-Three-Phase-Integrated-Meter-Catalogue.pdf
RPM Meter					
CTR-49	6 Digits Red LED Display, Event Counter, 1 to 999999 Counts, 96 x 48 mm sq	3000	90292090	4050	https://metravi.com/wp-content/uploads/2020/08/Metravi-CTR-49-Counter-type-Event-Impulse-Counter-Catalogue.pdf
Tap Position Indicator					
CE-0102V	Digital type, Panel Mounting, Tap Position indicator, 96mm sq or 96x48 mm sq	2580	85049010	3483	
Time Totaliser					
TT-300	6 Digits LED Display, 96 x 48 mm sq, Auto range from 9999.99 to 999999Hrs.	2700	90292090	3645	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-300-Time-Totalizer-Catalogue.pdf
TT-302	6 Digits LED Display, 96 x 96 mm sq, Auto range from 9999.99 to 999999Hrs.	2700	90292090	3645	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-302-Time-Totalizer-Catalogue.pdf
POWER METERS & ANALYSERS					
Power Quality Analyser					
PRO 531 NEW!!	5.6" LCD colour display, high resolution, shock-proof shell structure. Simultaneously measures 4-channel Current (ABC three phase and neutral wire current), 4-channel Voltage (ABC three-phase voltage & neutral line voltage to ground), Peak Value of Current Voltage, Max/Min, Three Phase Imbalance Factor, Short-time Voltage Flicker, Transformer K Factor, Active Power, Reactive Power, Apparent Power, Power Factor and Displacement Power Factor, Total Harmonic Distortion and Harmonic, etc., display Real-time Waveform, Harmonic Ratio Bar Charts of Current Voltage; dynamically capture instantaneous change of Voltage Current, monitoring Starting Current & Power Parameters, Alarm List, Trend Charts, Data Logging. Adopts DSP + ARM double processor architecture.	192000	90308990	259200	https://www.metravi.com/wp-content/uploads/Metravi-PRO-531-Power-Quality-Analyser-Catalogue.pdf
Set of 4 Clamps 10A for PRO 531 NEW!!	Optional set of 10A Clamps for the PRO 531	21900	90308990	29565	
Set of 4 Clamps 100A for PRO 531 NEW!!	Optional set of 4 100A Clamps for the PRO 531	24800	90308990	33480	
Set of 4 Clamps 1000A for PRO 531 NEW!!	Optional set of 4 1000A Clamps for the PRO 531	44800	90308990	60480	
Set of 4 Clamps 6000A for PRO 531 NEW!!	Optional set of 4 Clamps for the 6000A PRO 531	78500	90308990	105975	
PRO 540 NEW!!	Portable Power Quality Analyser	On Request	90308990	On Request	
PRO 541 NEW!!	Portable Power Quality Analyser with built-in Thermal Imager	On Request	90308990	On Request	
PA-800 NEW!!			90308990	0	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PA-810 NEW!!	Compatible with open type Rogowski coils or voltage type CTs. Measures currents and voltages and reports real-time RMS values for all 3-phases and neutral. Measure/Calculate Current, Voltage, Frequency, Active Power, Reactive Power, Apparent Power, Power Factor, Voltage angle, Current angle, Current Unbalance, Voltage Unbalance. Data Logging, 3.5 inch Colour TFT Display, 51st Harmonic, Rechargeable Battery, External Rogowski Coil and BNC inputs. IEC/EN 61010-1, CAT III 300V, IP20.	85000	90308990	114750	https://www.metravi.com/wp-content/uploads/Metravi-PA-810-Portable-Power-Quality-Analyser-Catalogue.pdf
PA-900 NEW!!	Three Phase Power Analyser compatible with open type Rogowski coils or voltage type CTs. Supports both single-phase and three-phase systems. Measures Current, Voltage, Power Factor, Power, Energy and Power Quality - Harmonic, Unbalance degree, Voltage Swell, Voltage Dip. Data Logging, 3.97in TFT Display, Rechargeable Battery, External Rogowski Coil and BNC inputs. CAT III 600V, IP30. RJ45 Ethernet Interface.	140625	90308990	189844	https://www.metravi.com/wp-content/uploads/Metravi-PA-900-Portable-Three-Phase-Power-Quality-and-Harmonics-Analyser-Catalogue.pdf
MRC-24 Rogowski Clamp NEW!!	Optional set of four 250A Clamps for the PA-810/PA-900	11700	90308990	15795	
MRC-36 Rogowski Clamp NEW!!	Optional set of four 600A Clamps for the PA-800/PA-810/PA-900	12600	90308990	17010	
NRC-100 Rogowski Clamp NEW!!	Optional set of four 1000A Clamps for the PA-900	18000	90308990	24300	
NRC-150 Rogowski Clamp NEW!!	Optional set of four 3000A Clamps for the PA-800/PA-810/PA-900	24300	90308990	32805	
NRC-200 Rogowski Clamp NEW!!	Optional set of four 6000A Clamps for the PA-800/PA-810/PA-900	27000	90308990	36450	
Metal Carrying Case for PA-800 PA-810 PA-900	Metal carrying case for PA-800/PA-810/PA-900 product sets	16875	90308990	22781	
Power Meter					
PM-10 NEW!!	Bench-top high-precision Power Meter up to 900W, measure true-value Voltage, true-value Current, Peak Current, Power, Power Factor and Frequency simultaneously with automatic switching and high accuracy of $\pm 0.4\%$ reading+0.1% range.	17700	90303100	23895	https://www.metravi.com/wp-content/uploads/Metravi-PM-10-PM-10B-High-precision-Power-Meter-Catalogue.pdf
PM-10B NEW!!	Bench-top high-precision Power Meter up to 3000W, measure true-value Voltage, true-value Current, Peak Current, Power, Power Factor and Frequency simultaneously with automatic switching and high accuracy of $\pm 0.4\%$ reading+0.1% range.	57600	90303100	77760	https://www.metravi.com/wp-content/uploads/Metravi-PM-10-PM-10B-High-precision-Power-Meter-Catalogue.pdf
New Model		9700	90303100	13095	
POWER SUPPLIES					
AC Power Supply					
APS-4002 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 2A AC.	57825	90308990	78064	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-4003 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 3A AC.	73575	90308990	99326	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-4005 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 40V / 0 - 5A AC.	83925	90308990	113299	https://www.metravi.com/wp-content/uploads/Metravi-APS-4002-APS-4003-APS-4005-Programmable-AC-Power-Supply-with-Adjustable-Frequency-Catalogue-Web.pdf
APS-6003 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 60V / 0 - 3A AC.	34200	90308990	46170	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf
APS-6006 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 60V / 0 - 6A AC.	44550	90308990	60143	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf
APS-60031 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 600V / 0 - 30A AC.	39375	90308990	53156	https://www.metravi.com/wp-content/uploads/Metravi-APS-6003-APS-6006-APS-60031-Adjustable-AC-Power-Supply-Catalogue-.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
APS-7002 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 70V / 0 - 2A AC.	73575	90308990	99326	
APS-7004 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 70V / 0 - 4A AC.	86175	90308990	116336	
APS-7008 NEW!!	Adjustable, multi-function AC power source that integrates voltage, current, power and power factors. Single Output with Backlit LCD Display of Variables. 0 - 70V / 0 - 8A AC.	146925	90308990	198349	
APS-51005 NEW!!	5KVA Single phase input and Single Phase Output with RS-232 interface	222000	90308990	299700	
APS-51008 NEW!!	8KVA Single phase input and Single Phase Output with RS-232 interface	298980	90308990	403623	
APS-51010 NEW!!	10KVA Single phase input and Single Phase Output with RS-232 interface	345400	90308990	466290	
APS-51015 NEW!!	15KVA Three Phase Input and Single phase output with RS-232 interface	453860	90308990	612711	
APS-51020 NEW!!	20KVA Three Phase Input and Single phase output with RS-232 interface	515680	90308990	696168	
APS-51030 NEW!!	30KVA Three Phase Input and Single phase output with RS-232 interface	773520	90308990	1044252	
APS-51045 NEW!!	45KVA Three Phase Input and Single phase output with RS-232 interface	979660	90308990	1322541	
APS-51050 NEW!!	50KVA Three Phase Input and Single phase output with RS-232 interface	1082840	90308990	1461834	
APS-51060 NEW!!	60KVA Three Phase Input and Single phase output with RS-232 interface	1186000	90308990	1601100	
APS-51075 NEW!!	75KVA Three Phase Input and Single phase output with RS-232 interface	1495340	90308990	2018709	
APS-51100 NEW!!	100KVA Three Phase Input and Single phase output with RS-232 interface	1701480	90308990	2296998	
APS-51150 NEW!!	150KVA Three Phase Input and Single phase output with RS-232 interface	2320340	90308990	3132459	
DC Regulated Power Supply					
RPS-3002	Single Output with Backlit LCD Display of Variable 0 - 30V / 0 - 2A DC	8545	90308990	11536	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3005	Single Output with Backlit LCD Display of Variable 0 - 30V / 0 - 5A DC	8545	90308990	11536	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3010	Single Output with LED Display of Variable 0 - 30V / 0 - 10A DC	20910	90308990	28229	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-3020	Single Output with LED Display of Variable 0 - 30V / 0 - 20A DC	32500	90308990	43875	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-3030	Single Output with LED Display of Variable 0 - 30V / 0 - 30A DC	55000	90308990	74250	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RPS-3030-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-6005	Single Output with LED Display of Variable 0 - 60V / 0 - 05A DC	21500	90308990	29025	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-6010	Single Output with LED Display of Variable 0 - 60V / 0 - 10A DC	39399	90308990	53188	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3010-RPS-3020-RPS-6010-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-6030	Single Output with LED Display of Variable 0 - 60V / 0 - 30A DC	77500	90308990	104625	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-RPS-6030-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-10003 NEW!!	Single Output with LED Display of Variable 0 - 100V / 0 - 03A DC	29565	90308990	39913	https://www.metravi.com/wp-content/uploads/Metravi-RPS-10003-RPS-20002-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-20002 NEW!!	Single Output with LED Display of Variable 0 - 200V / 0 - 02A DC	58500	90308990	78975	https://www.metravi.com/wp-content/uploads/Metravi-RPS-10003-RPS-20002-DC-Regulated-Power-Supply-Catalogue.pdf
RPS-20005 NEW!!	Single Output with LED Display of Variable 0 - 200V / 0 - 05A DC	67050	90308990	90518	https://www.metravi.com/wp-content/uploads/Metravi-RPS-20005-DC-Regulated-Power-Supply-Catalogue-Web.pdf
RPS-3002-2	Dual Output with Backlit LCD Display of Variable 0 - 30V / 0 - 3A DC	16665	90308990	22498	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
RPS-3005-2	Dual Output with Backlit LCD Display of Variable 0 - 30V / 0 - 5A DC	20855	90308990	28154	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3003-3	Triple Output with Backlit LCD Display, Dual 0 - 30V / 0 - 3A DC and Fixed 5V/3A	16665	90308990	22498	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
RPS-3005-3	Triple Output with Backlit LCD Display, Dual 0 - 30V / 0 - 5A DC and Fixed 5V/3A	20855	90308990	28154	https://www.metravi.com/wp-content/uploads/Metravi-RPS-3005-RPS-6005-RPS-3002-2-RPS-3002-3-RPS-3005-2-RPS-3005-3-DC-Regulated-Power-Supply-Combined-Catalogue.pdf
Programmable DC Power Supply					
PRPS-3005	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–5A DC. Remote control from computer via USB.	12040	90308990	16254	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3010	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–10A DC. Remote control from computer via USB.	38375	90308990	51806	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3020	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–20A DC. Remote control from computer via USB.	52550	90308990	70943	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3030	Programmable DC Regulated Power Supply with Single Output and Backlit LCD. Variable 0–30V/0–30A DC. Remote control from computer via USB.	84925	90308990	114649	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3010-PRPS-3020-PRPS-3030-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-6005	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 60V / 0–5A DC	36800	90308990	49680	
PRPS-6010 NEW!!	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 60V / 0–10A DC	52100	90308990	70335	
PRPS-3005A NEW!!	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–30V/0–5A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	11700	90308990	15795	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3010A NEW!!	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–30V/0–10A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	13500	90308990	18225	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6005A NEW!!	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–60V/0–5A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	13050	90308990	17618	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6010A NEW!!	Programmable DC Regulated Power Supply with Single Output and large TFT multi-display. Variable 0–60V/0–10A DC. Remote control from computer via USB, Over Voltage / Over Current protection, supports SCPI, low ripple & noise.	16875	90308990	22781	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005A-PRPS-3010A-PRPS-6005A-PRPS-6010A-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-10003	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 100V / 0–3A DC	49850	90308990	67298	
PRPS-100100	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 100V / 0–100A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-20002	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 200V / 0–2A DC	72125	90308990	97369	
PRPS-20050	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 200V / 0–50A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-30001	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 300V / 0–1A DC	74375	90308990	100406	
PRPS-30030	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 300V / 0–30A DC	345000	90308990	465750	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-40025	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 400V / 0–25A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-50020	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 500V / 0–20A DC	364000	90308990	491400	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PRPS-60015	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 600V / 0– 15A DC	347000	90308990	468450	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-75013	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 750V / 0– 13A DC	360000	90308990	486000	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-100010	Programmable DC Regulated Power Supply with Single Output and Backlit LCD Display of Variable 0 – 1000V / 0– 10A DC	365000	90308990	492750	https://drive.google.com/file/d/13NxRzgRa2AvEF0_ngqBjwVIK7m-worMx/view?usp=drive_link
PRPS-3003-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0– 3A DC	28025	90308990	37834	
PRPS-3005-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0– 5A DC	32525	90308990	43909	
PRPS-3010-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 30V / 0– 10A DC	51875	90308990	70031	
PRPS-6003-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 60V / 0– 3A DC	49625	90308990	66994	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-6003-3-PRPS-6005-3-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-6005-3	Programmable DC Regulated Power Supply with Triple Output and Backlit LCD Display of Variable 0 – 60V / 0– 5A DC	54125	90308990	73069	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-6003-3-PRPS-6005-3-Programmable-DC-Regulated-Power-Supply-Catalogue.pdf
PRPS-3005-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 30V / 0– 5A DC	147375	90308990	198956	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-3010-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 30V / 0– 10A DC	207675	90308990	280361	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-6003-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 60V / 0– 3A DC	174374	90308990	235405	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
PRPS-6005-4	Programmable DC Regulated Power Supply with Four Outputs and Backlit LCD Display of Variable 0 – 60V / 0– 5A DC	228375	90308990	308306	https://www.metravi.com/wp-content/uploads/Metravi-PRPS-3005-4-PRPS-3010-4-PRPS-6003-4-PRPS-6005-4-4-Output-Programmable-DC-Regulated-Power-Supply-Catalogue-Web.pdf
RESISTANCE BRIDGES (KELVIN & WHEATSTONE)					
Kelvin Double Bridge					
KDBR	Kelvin Double bridge, with spot reflecting galvanometer, High Current DC power supply and wooden stand for specimen	77400	90230090	104490	https://metravi.com/wp-content/uploads/2020/08/Metravi-KDBR-Kelvin-Double-Bridge-Catalogue.pdf
Wheatstone Bridge					
WSB	OXFORD Brand Wheatstone Bridge	16600	90230090	22410	https://metravi.com/wp-content/uploads/2020/08/Metravi-WSB-Wheatstone-Bridge-Catalogue.pdf
RPM METERS					
Stroboscope					
DT-2350A	Digital Stroboscope, 50 to 12,000FPM, 230V Single Phase AC Operated	13275	90292090	17921	https://www.metravi.com/wp-content/uploads/Metravi-DT-2350A-DT-2350B-Stroboscope-Catalogue.pdf
DT-2350B	Digital Stroboscope, 50 to 40,000FPM, 230V Single Phase AC Operated	23625	90292090	31894	https://www.metravi.com/wp-content/uploads/Metravi-DT-2350A-DT-2350B-Stroboscope-Catalogue.pdf
DT-720	LED Stroboscope to measure high-speed rotating objects without direct contact. No reflective tape required. 60-49999 RPM. Accuracy 0.001%. Luminance 750 LUX. Rechargeable battery with USB charging.	9675	90302000	13061	https://www.metravi.com/wp-content/uploads/Metravi-DT-720-LED-Stroboscope-Catalogue.pdf
DT-720-2	LED Stroboscope to measure high-speed rotating objects without direct contact. No reflective tape required. 60-99999 RPM. Accuracy: 0.001%. Luminance: 1500 LUX. Rechargeable battery with USB charging.	11825	90302000	15964	https://www.metravi.com/wp-content/uploads/Metravi-DT-720-2-LED-Stroboscope-Catalogue.pdf
Tachometer					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
DT-2235	Contact type Digital Tachometer, measures up to 50,000 RPM	2995	90292090	4043	https://metravi.com/wp-content/uploads/2020/08/Metravi-DT-2235-Contact-Type-Tachometer-Catalogue.pdf
NCTM-500	Non-contact type Digital Tachometer With Counter, Data Hold, Measures from 50mm to 200mm, RPM Up to 99999RPM, and Counts up to 99999 Counts	2275	90292090	3071	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-500-Non-contact-Type-Tachometer-Catalogue.pdf
NCTM-1000	Non-contact type Digital Tachometer Cum Counter. Max / Min . Last Data Record, 2 to 99,999 RPM, 1 TO 99,999 Counts	3750	90292090	5063	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-1000-Non-Contact-type-Tachometer-Catalogue.pdf
NCTM-2000	Contact cum Non-contact type Digital Combined Tachometer, Max/Min, Last Record, 20,000RPM in contact mode and 99,999 RPM in non contact mode, measures Rotation speed, total revolution, frequency, surface speed and length	6750	90292090	9113	https://metravi.com/wp-content/uploads/2020/08/Metravi-NCTM-2000-Contact-and-Non-contact-Combined-Tachometer-Catalogue.pdf
NCTM-3000	Contact and Non-contact type Digital Combined Tachometer with non-contact laser sighting for measuring from up to 12 feet distance. 20,000 RPM in contact mode and 200,000 RPM in non-contact mode.	7500	90292090	10125	https://www.metravi.com/wp-content/uploads/Metravi-NCTM-3000-Non-contact-and-Contact-Combined-Tachometer-Catalogue.pdf
SHORT TURN INDICATOR					
Short Turn Indicator					
Little Giant	9V Battery operated, to be used in single coils, simple insertion of coil on mandrill.	17740	90308990	23949	https://metravi.com/wp-content/uploads/2020/08/Metravi-Little-Giant-Short-Turn-Indicator-Catalogue.pdf
SPECTRUM ANALYSER					
Spectrum Analyzer					
AT-5010	1050MHz Spectrum Analyzer	125245	90302000	169081	https://metravi.com/wp-content/uploads/2020/08/Metravi-AT-5010-Spectrum-Analyzer-Catalogue.pdf
AT-5011	1050MHz Spectrum Analyzer With Marker Generator	174000	90302000	234900	https://metravi.com/wp-content/uploads/2020/08/Metravi-AT-5011-Spectrum-Analyzer-Catalogue.pdf
STATIC CHARGE METER					
Static Charge Meter					
SC-291	0~±20.000kV, Measuring distance: 2.54cms (1 inch), Warning alarm setting, DATA / PEAK hold. Backlight function, Auto power off with disable function, Zero function and low battery indicate, Manual data memory storing 99 data sets.	30375	90303100	41006	https://metravi.com/wp-content/uploads/2020/09/Metravi-SC-291-Static-Charge-Meter-Catalogue.pdf
TEMPERATURE CONTROLLERS & INDICATORS					
Digital Temperature Controller					
DTC-200	Digital Temperature Controller 96 x 96 mm sq, with 1NO + 1NC, Single Set Point, for K, J, R, S, PT-100 (Any One)	2550	90251920	3443	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTC-200-Single-Channel-Temperature-Controller-Catalogue-1.pdf
DTC-202	Digital Temperature Controller 96 x 96 mm sq, with 2NO + 2NC, Two Set Point, for K, J, R, S, PT-100 (Any One)	2900	90251920	3915	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTC-202-Multi-Channel-Temperature-Controller-Catalogue-1.pdf
METCAT 96	Digital Temperature Controller, 4 Digits Display, up to 1200 Degree C, 96 x 96 mm sq, with 1NO + 1NC, Single Set Point, for K, J, PT-100 (User Programmable)	1950	90251920	2633	https://www.metravi.com/wp-content/uploads/Metravi-METCAT-Single-Channel-Temperature-Controllers-Catalogue.pdf
METCAT 72	Digital Temperature Controller, 4 Digits Display, up to 1200 Degree C, 72 x 72 mm sq, with 1NO + 1NC, Single Set Point, for K, J, PT-100 (User Programmable)	1950	90251920	2633	https://www.metravi.com/wp-content/uploads/Metravi-METCAT-Single-Channel-Temperature-Controllers-Catalogue.pdf
Digital Temperature Indicator					
DTI-101 48	Digital Temperature Indicator 96 x 48 mm sq, for K, J, R, S, PT-100 (Any One)	1460	90251920	1971	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101-Single-Channel-Temperature-Indicator-Catalogue-1.pdf
DTI-101 96	Digital Temperature Indicator 96 x 96 mm sq, for K, J, R, S, PT-100 (Any One)	1460	90251920	1971	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101M-Single-Channel-Temperature-Indicator-Catalogue.pdf
N.B. - Please ask for the prices in case if you require this in 72 x 72 mm sq size or 96 x 48 mm sq size					
Multi-point Temperature Indicator					
DTI-101M 6 CH	6 Channel Digital Multi-Point Temperature Indicate for K, J, R, S, PT-100 (Any One) type of sensor	4200	90251920	5670	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101M-6-CH-Multi-Point-Temperature-Indicator-Catalogue.pdf
DTI-101M 12 CH	12 Channel Digital Multi-Point Temperature Indicate for K, J, R, S, PT-100 (Any One) type of sensor	4900	90251920	6615	https://metravi.com/wp-content/uploads/2020/08/Metravi-DTI-101-Single-Channel-Temperature-Indicator-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
THERMAL IMAGERS					
Thermal Imagers					
PRO TI-10P	Handheld, pocket-sized Thermal Imager for upto 500°C with storage for images and videos, Wi-Fi and USB interfaces, 8 Colour Palettes and Digital Zoom. Rechargeable battery.	55500	90251920	74925	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-10P-Pocket-Thermal-Imager-Catalogue-Mar23.pdf
PRO TI-25	Handheld Thermal Imager for upto 550°C with 256x192 pixels resolution. Images & video recording along with touchscreen TFT LCD display, Wi-Fi, USB and free App. Rechargeable battery.	85000	90251920	114750	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-25-Handheld-Thermal-Imager-Catalogue-Mar23.pdf
PRO TI-50	Handheld Thermal Imager for upto 650°C with 384x288 pixels resolution. Images & video recording along with touchscreen TFT LCD display, Auto-Fusion, Wi-Fi, USB and free App. Rechargeable battery.	198750	90251920	268313	https://www.metravi.com/wp-content/uploads/Metravi-PRO-TI-50-Thermal-Imager-Catalogue-Mar-23.pdf
PRO TI-75 NEW!!		520000	90251920	702000	https://www.metravi.com/wp-content/uploads/Metravi-Pro-Ti-75-Thermal-Imager-Catalogue-1.pdf
THERMOMETERS					
Digital Thermometer					
ST-9283B	Hand-held, High Temperature Alarm Facility, Auto Power Off, Data Hold, -50 to 300°C / -58 to 572°F	805	90251920	1087	https://www.metravi.com/wp-content/uploads/Metravi-ST-9283B-General-Digital-Thermometer.pdf
DTM-902	Pen Type, Waterproof, Auto Power Off, -40 to 250°C / -40 to 482°F. Ideal for food grade usage	830	90251920	1121	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-902-Food-Safety-Thermometer-Catalogue-1.pdf
DTM-903	-50 to 1300°C using K-type Sensor and -50 to 1200°C using J-type Sensor Accuracy: ±0.5%. Wide Temperature Range, High Accuracy, Battery Operated, Selectable Thermocouple between K / J type, MAX / MIN / AVG Recording, Data Hold to Freeze Displayed Data, Backlit Display.	1720	90251920	2322	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-903-General-Purpose-Thermometer-Catalogue-1.pdf
DTM-100 -100 to 200°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 200°C (customised sensor at extra cost).	2050	90251920	2768	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 400°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 400°C (customised sensor at extra cost).	2050	90251920	2768	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 600°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 600°C (customised sensor at extra cost).	2250	90251920	3038	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-100 -100 to 1200°C	3-1/2 Digits, Hand Held 9V battery operated, for PT-100 Sensor up to 1200°C (customised sensor at extra cost).	2250	90251920	3038	https://www.metravi.com/wp-content/uploads/Metravi-DTM-100-General-Purpose-Industrial-Thermometer-Catalogue.pdf
DTM-900	3-1/2 Digits, -50 to 1300°C / -50 to 1999°F, Contact type, to be used with K type thermocouple, with backlit display and kelvin scale	3720	90251920	5022	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-DTM-900-General-Purpose-Thermometer-Catalogue.pdf
DTM-901	3-1/2 Digits, Dual Channel Input, -50 to 1300°C / -50 to 1999°F, Contact type, to be used with K type thermocouple. with backlit display and kelvin scale	4230	90251920	5711	https://www.metravi.com/wp-content/uploads/Metravi-DTM-901-Dual-Input-Thermometer-Catalogue.pdf
DTM-925 DISCONTINUED	Thermometer with eight types of thermocouples and PT-100 (385). Input is selectable through software, no need to change any component or add on card. The instrument is capable of measuring from -200°C to 1800°C depending on the sensor.	3765	90251920	5083	
Portable Non-contact Infrared Thermometers (Pyrometers)					
ET-99IR	Measures upto 250°C with backlit LCD display, D:S Ratio 8:1, adjustable Emissivity, 2m drop tested, compact & pocket-sized.	1980	90251920	2673	https://www.metravi.com/wp-content/uploads/Metravi-ET-99IR-Digital-Non-contact-Infrared-Thermometer-Product-Catalogue-1.pdf
MT-1 ECO NEW!!	Measures -50°C to 550°C, D:S Ratio 8:1, Fixed Emissivity 0.95, Backlit LCD with laser sighting.	1190	90251920	1607	https://www.metravi.com/wp-content/uploads/Metravi-MT-1-ECO-Infrared-Thermometer-Catalogue-Web.pdf
MT-2	Measures -50°C to 550°C, D:S Ratio 12:1, Fixed Emissivity 0.95, Backlit LCD with laser sighting.	2300	90251920	3105	https://www.metravi.com/wp-content/uploads/Metravi-MT-2-Industrial-Pyrometer-with-Single-Laser-Catalogue-Web.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
PRO 65 MAX	With Circular Laser, IR Temperature -50 to 800°C, D:S Ratio 16:1, Resolution: 0.1°C < 1000; 1°C > 1000, Accuracy ±0.5% ±1.5°C, Response Time 150ms, Spectral Response 8 – 14um, Tk Contact Temperature -50 to 1370°C, IP54 Rated for Dust / Water Proof, 2m Drop Tested, Automatic Data Hold, Non-contact and Contact Thermometer combined, Adjustable Emissivity 0.10 to 1.00, MAX / MIN / AVG / DIF Temperature display, Backlit LCD Display, Set High and Low Alarms, Battery Operated, CE Compliant with EMC.	4730	90251920	6386	https://www.metravi.com/wp-content/uploads/Metravi-PRO-65-Max-and-PRO-65-Max-Plus-Industrial-Pyrometers-with-Circular-Laser-Catalogue-Web.pdf
PRO 65 MAX+	With Circular Laser, IR Temperature -50 to 1000°C, D:S Ratio 20:1, Accuracy: ±0.5% ±1.5°C, Resolution 0.1°C < 1000; 1°C > 1000, Response Time 150ms, Spectral Response 8 – 14um, Tk Contact Temperature -50 to 1370°C, IP54 Rated for Dust / Water Proof, 2m Drop Tested, Automatic Data Hold, Non-contact and Contact Thermometer combined, Adjustable Emissivity 0.10 to 1.00, MAX / MIN / AVG / DIF Temperature display, Backlit LCD Display, Set High and Low Alarms, Battery Operated, CE Compliant with EMC.	5915	90251920	7985	https://www.metravi.com/wp-content/uploads/Metravi-PRO-65-Max-and-PRO-65-Max-Plus-Industrial-Pyrometers-with-Circular-Laser-Catalogue-Web.pdf
MT-10	3-1/2 Digits Backlit LCD, fixed emissivity of 0.95, D:S Ratio of 50:1, measures from -50 to 1000°C / -58 to 1832°F, with laser pointer	15700	90251920	21195	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MT-10-Non-contact-cum-Contact-Single-Laser-Infrared-Thermometer-Catalogue.pdf
MT-13	Measures -18 to 1050°C, with Backlit LCD, Contact cum Non-contact type Pyrometer, -50 to 1370°C in Contact Mode, Emissivity adjustable from 0.10 to 1.0, D:S Ratio 30:1, with wireless USB PC Interface and facility to calculate the emissivity of the surface.	20250	90251920	27338	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-MT-13-Non-contact-Cum-Contact-Infrared-Thermometer-with-Wireless-PC-Interface-Catalogue.pdf
MT-14	4 Digits Backlit LCD, Contact cum Non Contact type, measures -50 to 1300°C in non contact mode and contact mode. D:S Ratio 30:1, Emissivity Adjustable 0.10 to 1.00, mV output /°C, Trigger Lock, battery cum mains operated, Records 20 Data, Max/Min/Dif/Avg recording	13500	90251920	18225	https://www.metravi.com/wp-content/uploads/Metravi-MT-14-Industrial-Pyrometer-with-Analogue-Output-Catalogue-Web.pdf
MT-15	Measures -50°C to 1200°C with dual laser pointer, D:S Ratio 50:1, Adjustable Emissivity from 0.10 ~ 1.0., contact cum non-contact type, with USB PC Interface ,Max./Min./Dif/AVG., 4 Digits Backlit LCD.	19800	90251920	26730	https://www.metravi.com/wp-content/uploads/Metravi-MT-15-Non-contact-and-contact-Infrared-Thermometer-Catalogue.pdf
MT-16	Measures -50°C to 1800°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, 4 Digits Backlit LCD, Contact cum Non-contact type with USB PC Interface, in non contact mode measures from -50°C to 1370°C, Max./Min./Dif/Avg. readings.	24300	90251920	32805	https://www.metravi.com/wp-content/uploads/Metravi-MT-16-Industrial-Infrared-Thermometer-Catalogue-Web.pdf
MT-18	Measures -50°C to 2200°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Contact cum Non-contact type, with USB PC Interface, Max./Min./Dif/Avg. readings, 4 Digits Backlit LCD.	30100	90251920	40635	https://www.metravi.com/wp-content/uploads/Metravi-MT-18-Non-contact-cum-contact-Dual-Laser-Infrared-Industrial-Thermometer-Catalogue-1220.pdf
MT-19	Measures -50° to 2200°C with D:S Ratio 75:1. Features Dot Matrix Backlit LCD, Bluetooth, up to 32000 data points, adjustable emissivity with dual laser pointer and Max./Min./Dif/AVG. readings	31700	90251920	42795	https://www.metravi.com/wp-content/uploads/Metravi-MT-19-Non-contact-Dual-Laser-Infrared-Thermometer-Industrial-Pyrometer-with-Data-Logger-Catalogue.pdf
MT-20	Telescopic sighting, 500°C to 3000°C, 4 digits LCD, Adjustable Emissivity 0.10 to 1.00, Distance to Sighting Ratio 120:1, Accuracy ±1%, with Max/Min/Avg/DT and High/Low Alarms.	On Request	90251920		https://www.metravi.com/wp-content/uploads/Metravi-MT-20-Telescopic-View-Non-contact-Industrial-Infrared-Thermometer-Catalogue.pdf
IRT-12 NEW!!	Measures -40°C to 1200°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	5800	90251920	7830	https://drive.google.com/file/d/1p2EeHm9Q57AQrR5Esh1JAUpoQjYQeq7Q/view?usp=drive_link
IRT-17 NEW!!	Measures -40°C to 1600°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	6800	90251920	9180	https://drive.google.com/file/d/1p2EeHm9Q57AQrR5Esh1JAUpoQjYQeq7Q/view?usp=drive_link
IRT-18 NEW!!	Measures -40°C to 2000°C with dual laser pointer, Adjustable Emissivity from 0.10 ~ 1.0, D:S Ratio 50:1, Resolution 0.1°C, Contact K-type temperature upto 500°C, Max./Min./Dif/Avg. readings, High & Low Alarms, Reverse Display Colour LCD.	8000	90251920	10800	https://drive.google.com/file/d/1p2EeHm9Q57AQrR5Esh1JAUpoQjYQeq7Q/view?usp=drive_link
Video Infrared Thermometer with Data Logger					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
VIT-20	Measures -50°C to 1850°C, Adjustable Emissivity, D:S 50:1. With Dual Laser Pointer, Colour LCD Display, Data Logging, Image & Video Capture facility, In-built Contact Thermometer. Features microSD Card & PC interface.	59125	90251920	79819	https://www.metravi.com/wp-content/uploads/Metravi-VIT-20-Industrial-Pyrometer-with-Visual-Camera-Data-Logging-and-USB-Interface-Catalogue-Web.pdf
Fixed Online Non-contact Infrared Thermometer					
ST-201A NEW!!	Fixed Online Infrared Thermometer 300°C~1300°C. Spectral Response 2.6 µm	152000	90251920	205200	https://drive.google.com/file/d/1tnlFD6d2nF8vltTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-201AK NEW!!	Fixed Online Infrared Thermometer 500°C~1400°C. Spectral Response 2.6 µm	163000	90251920	220050	https://drive.google.com/file/d/1tnlFD6d2nF8vltTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-201B NEW!!	Fixed Online Infrared Thermometer 600°C~1600°C. Spectral Response 1.7 µm	152000	90251920	205200	https://drive.google.com/file/d/1tnlFD6d2nF8vltTaYCaGy3nJED1Mfgnw/view?usp=sharing
ST-202A NEW!!	Fixed Online Infrared Thermometer 600°C~1800°C. Spectral Response 1µm	148500	90251920	200475	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing
ST-202B NEW!!	Fixed Online Infrared Thermometer 800°C~2500°C. Spectral Response 1µm	156000	90251920	210600	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing
ST-202C NEW!!	Fixed Online Infrared Thermometer 1000°C~3000°C. Spectral Response 1µm	169500	90251920	228825	https://drive.google.com/file/d/1PXhot60NEfDM7F8Rfj_w0B8altt-cX25/view?usp=sharing
Two Colour Non-contact Infrared Thermometer					
ST-300A	Temperature range 600°C~1400°C, D:S 150:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	351000	90251920	473850	https://metravi.com/wp-content/uploads/2020/08/Metravi-ST-300A-Two-Colour-Infrared-Thermometers-Catalogue.pdf
ST-300B	Temperature range 700°C~1800°C, D:S 300:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	351000	90251920	473850	https://metravi.com/wp-content/uploads/2020/08/Metravi-ST-300B-Two-Colour-Infrared-Thermometers-Catalogue.pdf
ST-300C	Temperature range 1000°C~3000°C, D:S 300:1, Output 4~20mA, RS485, Relay – 1A30VDC / 0.5A125VAC, Impedance: ≤50mΩ, IP-65 casing	387000	90251920	522450	https://metravi.com/wp-content/uploads/2020/08/Metravi-ST-300C-Two-Colour-Infrared-Thermometers-Catalogue.pdf
Non-contact Infrared Thermometer for Human Fever					
CEM DT-8806H	Clinical Forehead Infrared Thermometer, measuring distance upto 15cm, LCD screen, store upto 32 readings. Safety Conformance ASTM E1965-1998, EN 980, EN 1041, EN 60601-1, IEC: 60601-1:1998), EN 60601-1-2, (IEC 60601-1-2:2001). FDA approved.	4000	90251920	5400	https://www.cem-instruments.in/pdf/CEMDT_8806H_Non-contact_Infrared_Forehead_Thermometer.pdf
FIR-2	Non-contact Infrared Thermometer for body temperature	3010	90251920	4064	https://www.metravi.com/wp-content/uploads/Metravi-FIR-2-Non-contact-Infrared-Body-Thermometer-Catalogue.pdf
PIR-I	Non-contact Infrared Thermometer to measure human body temperature via the hand, wrist, palm or forehead. For Entry/Exits, to avoid crowding or queuing. Mountable on almost any surface. Multi-angle adjustable mounting.	37625	90251920	50794	
THICKNESS GAUGES					
Coating Thickness Gauge					
CTG-01	Coating Thickness Gauge with single probe for both ferrous and non-ferrous metal substrates. Self calibratable. USB Interface for PC analysis software. Measures upto 1250µm.	11795	90303900	15923	https://www.metravi.com/wp-content/uploads/Metravi-CTG-01-Coating-Thickness-Gauge-Catalogue.pdf
CTG-02	Coating Thickness Gauge with single extendable probe for both ferrous and non-ferrous metal substrates. Self calibratable, Data Logging upto 2000 data. USB Interface for PC analysis software. Measures upto 2000µm.	22450	90173029	30308	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-CTG-02-Coating-Thickness-Gauge-Catalogue.pdf
PRO CTG-03 NEW!!	Coating Thickness Gauge with USB Interface. Single probe for both ferrous and non-ferrous metal substrates. Full colour, auto-rotation TFT screen. Self calibratable. Measures upto 2000µm. Measures Temperature, Humidity & Dew Point temperature. Data logging 50 sets. USB interface for PC analysis software.	13450	90173029	18158	https://www.metravi.com/wp-content/uploads/Metravi-PRO-CTG-03-Coating-Thickness-Gauge-with-USB-Interface-Catalogue.pdf
CTG-10 NEW!!	Coating Thickness Gauge with single probe for both ferrous and non-ferrous metal substrates. Colour light alarms and rotatable screen. Data Logging for 199 groups of data. Self calibratable. Measures upto 1750µm.	8500	90318000	11475	https://www.metravi.com/wp-content/uploads/Metravi-CTG-10-Coating-Thickness-Gauge-Catalogue.pdf

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
CTG-11 NEW!!	Coating Thickness Gauge with single composite probe for both ferrous and non-ferrous metal substrates. Features backlit LCD display, MAX/MIN, Data Reset, Unit Conversion. Self-calibratable. Measures upto 1500µm.	5100	90318000	6885	
Ultrasonic Thickness Gauge					
UTG-01 NEW MODEL!	Measures thickness 1.0~350mm with high Resolution (0.01 mm) and Accuracy for high density materials like Steel & Aluminium. Sound Velocity measurement 1000~9999 m/s, Data Logging 10 units, Auto Calibration, Auto Linear Compensation, Auto Power-off.	13300	90318000	17955	https://www.metravi.com/wp-content/uploads/Metravi-UTG-01-Ultrasonic-Thickness-Gauge-2024-Model-Catalogue.pdf
UTG-02 NEW!!	Versatile Ultrasonic Thickness Gauge to measure thickness of high density material up to 300mm, with Data Logging and Rechargeable Battery	10125	90318000	13669	https://www.metravi.com/wp-content/uploads/Metravi-UTG-02-Ultrasonic-Thickness-Gauge-Catalogue-July-2024.pdf
Extra Probe for UTG-01	5MHz Frequency, 10mm dia - for UTG-01	3500	90302000	4725	https://metravi.com/wp-content/uploads/2020/08/Metravi-UTG-01-Ultrasonic-Thickness-Gauge-Catalogue.pdf
TIME INTERVAL METER					
Digital Time Interval Meter					
NTT-4D	4 Digits Digital Time Interval Meter for measureing in the range of 999.9mS, 9.999S, 99.99S	17500	90303390	23625	https://metravi.com/wp-content/uploads/2020/08/Metravi-NTT-4D-Single-Channel-Time-Interval-Meter-Catalogue.pdf
3CH-NTT-4D	4 Digits 3 Channel Digital Time Interval Meter for measuring in the range of 99.99mS, 999.9mS, 9.999S	77000	90303390	103950	https://metravi.com/wp-content/uploads/2020/08/Metravi-3CH-NTT-4D-Three-Channel-Time-Interval-Meter-Catalogue.pdf
TRANSISTOR TESTER					
Transistor Tester					
TT-01	Transistor Tester for Testing and Checking Bias Current and other parameters of Transistors	5175	90303100	6986	https://metravi.com/wp-content/uploads/2020/08/Metravi-TT-01-Transistor-Tester-Catalogue.pdf
TRANSDUCERS					
Transducers NEW!!					
CE-0102A AC	CURRENT TRANSDUCER: INPUT 1A AC or 5A AC I/P DUAL OUTPUT (DC AUX SUPPLY)	3650	90318000	4928	
CE-0102A DC	CURRENT TRANSDUCER: DC CURRENT INPUT, DUAL OUTPUT(DC AUX SUPPLY)	3650	90318000	4928	
CE-0102V AC	VOLTAGE TRANSDUCER: AC VOLT I/P, DUAL OUTPUT(DC AUX SUPPLY)	3985	90318000	5380	
CE-0102V DC	VOLTAGE TRANSDUCER: DC VOLT I/P,DUAL OUTPUT(DC AUX SUPPLY)	3650	90318000	4928	
CE-0102 IS	DC ISOLATION TRANSDUCER: ISOLATOR , DUAL OUTPUT (DC AUX SUPPLY)	3650	90318000	4928	
CE-0102 RTD	TEMPERATURE TRANSDUCER: RTD (PT-100) TRANSDUCER (DC AUX SUPPLY) SINGLE O/P	3650	90318000	4928	
CE-0102 RTD-2	TEMPERATURE TRANSDUCER: RTD (PT-100) TRANSDUCER (DC AUX SUPPLY) DUAL O/P	3985	90318000	5380	
CE-0102 RTK	TEMPERATURE TRANSDUCER (K-TYPE) DC AUX SUPPLY SINGLE O/P	3650	90318000	4928	
CE-0102 RTK-2	TEMPERATURE TRANSDUCER (K-TYPE) DC AUX SUPPLY DUAL O/P	3985	90318000	5380	
CE-50 FT	FREQUENCY TRANSDUCER -I/P:45-55Hz, O/P:4-20mA, DC AUX SUPPLY	5200	90318000	7020	
CE-0102 WT	WATT TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5400	90318000	7290	
CE-0303 WT	WATT TRANSDUCER: 3 PH 3 WIRE WATT TRANSDUCER, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
CE-0304 WT	WATT TRANSDUCER: 3 PH 4 WIRE WATT TRANSDUCER, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
CE-0102 VAT	VA TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5400	90318000	7290	
CE-0303 VAT	VA TRANSDUCER: 3 PH 3 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
CE-0304 VAT	VA TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
CE-0102 QT	KVAR TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5400	90318000	7290	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
CE-0303 QT	KVAR TRANSDUCER: 3 PH 3 WIRE , 4-20mA Dual O/P, Aux: 90-270VAC/DC	7375	90318000	9956	
CE-0304 QT	KVAR TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux: 90-270VAC/DC	7375	90318000	9956	
CE-0102 PFT	POWER FACTOR TRANSDUCER: 1 PH, 4-20mA Dual O/P, Aux:90-270VAC/DC	5400	90318000	7290	
CE-0303 PFT	POWER FACTOR TRANSDUCER: 3 PH 3 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
CE-0304 PFT	POWER FACTOR TRANSDUCER: 3 PH 4 WIRE, 4-20mA Dual O/P, Aux:90-270VAC/DC	7375	90318000	9956	
	EXTRA FOR DC POWER SUPPLY FOR ANY OF THE ABOVE	550	90318000	743	
VIBRATION METERS					
Vibration Meter					
VIB-30+	Digital Vibraiton Meter, measures RMS velocity in the range of 0.1 to 199.9 mm/sec T-RMS & Peak	35000	90318000	47250	https://metravi.com/wp-content/uploads/2020/08/Metravi-VIB-30-PLUS-Portable-Vibration-Meter-Catalogue.pdf
AVD-80	Digital Vibration Meter to measure Velocity, Acceleration and Displacement. Micro controller based with Auto Power-off. True RMS measurement & Peak-Peak. Sealed membrane key pad.	41500	90318000	56025	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-AVD-80-Portable-Vibration-Meter-Catalogue.pdf
BCA-111	Bearing Condtion Analyzer, measures bearing test, vibration and has in-built tachometer.	145125	90318000	195919	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-BCA-111-Bearing-Condition-Analyzer-Vibration-Meter-Catalogue.pdf
908	Portable Vibration Meter to measure Velocity, Acceleration, Displacement and Temperature, comes complete with Long, Short & Magnetic Probe Tips. 3-1/2 Digits Backlit LCD, Data Hold, MAX function. With hard carrying case.	18815	90318000	25400	https://www.metravi.com/wp-content/uploads/Metravi-908-Portable-Vibration-Meter-2024-Model-Catalogue.pdf
PVB-820	Pen Type Vibration Meter, it can measure accelleration, velocity and displacement	18275	90318000	24671	https://www.metravi.com/wp-content/uploads/Metravi-PVB-820-Pen-type-Vibration-Meter-Catalogue.pdf
VT-141	Dual Channel Vibration meter, Wide frequency range of 10Hz to 5KHz, Acceleration, velocity and displacement, Vibration sensor with magnetic adapter on1.2M (47.2) cable, Frequency Lo range :10Hz~1KHz meets ISO 2954 measurement, Hi range : 10Hz~5KHz, MAX record, Auto power off with disable function	89000	90318000	120150	https://metravi.com/wp-content/uploads/2020/11/Metravi-VT-141-Dual-Channel-Vibration-Meter-Catalogue.pdf
VT-141D	Dual Channel Vibration meter, Wide frequency range of 10Hz to 5KHz, Acceleration, velocity and displacement, Vibration sensor with magnetic adapter on1.2M (47.2) cable, Frequency Lo range :10Hz~1KHz meets ISO 2954 measurement, Hi range : 10Hz~5KHz, MIN/MAX record and recall, Data logger with 9999 records capacity, USB interface, Auto power off with disable function	97000	90318000	130950	https://metravi.com/wp-content/uploads/2020/11/Metravi-VT-141D-Dual-Channel-Vibration-Meter-with-Data-Logger-Catalogue.pdf
VT-145 NEW!!	Condition Monitor and Vibration Tester with built-in Infrared Thermometer. Measures Velocity, Displacement, Acceleration and non-contact Infrared Temperature. Features colour Alarm indication.	79000	90318000	106650	https://www.metravi.com/wp-content/uploads/Metravi-VT-145-Machine-Condition-Monitor-with-Vibration-Tester-Catalogue.pdf
VT-150 NEW!!	3-in-1 Vibration Tester with Bearing Condition analyser. Measures Velocity, Acceleration, Displacement, Bearing Condition and non-contact infrared temperature and features Alarm indication. IP65. Electromagnetic capability.	225000	90318000	303750	https://www.metravi.com/wp-content/uploads/Metravi-VT-150-Vibration-Tester-with-Bearing-Condition-Analyser-Catalogue.pdf
VT-151W NEW!!	Rechargeable, Portable, Single Axis Piezo-electric Wireless Accelerometer which operates on Android Mobile / Tab. Built-in analysis for all leading models of bearings and IP67 protection. Vibration Meter with magnetic suction base, Vibration Analysis and Fault Diagnosis.	253000	90318000	341550	https://www.metravi.com/wp-content/uploads/Metravi-VT-151W-Wireless-Vibration-Tester-with-Bearing-Analyser-Catalogue.pdf
VOLTAGE TESTERS					
Low Voltage Tester					
AC-1	Audio and Visual output on detecting voltage from 90V - 1000A AC with built in flash light	405	90303390	547	https://metravi.com/wp-content/uploads/2020/08/Metravi-AC-4-Non-contact-Voltage-Detector-Catalogue-1.pdf
PRO AC-2 NEW!!	Non-contact Voltage Detector for 12V/50V/1000A AC with LED and buzzer alarms and built in flashlight. Also has a non-contact Magnetic Field detector. CAT IV 1000V. IP65.	1700	90303390	2295	https://www.metravi.com/wp-content/uploads/Metravi-Pro-AC-2-Non-contact-Voltage-Detector-Catalogue-Web.pdf
AC-4	Non-contact Voltage Detector by flashing light for 100 - 600V, with built-in flash light	755	90303900	1019	

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
AC-4 NEW MODEL!!	Non-contact AC Voltage Detector by flashing, high intensity, Red light alarm & beeping for 50V~1000V, with built-in flash light. CAT III 1000V, CAT IV 600V.	945	90303390	1276	https://www.metravi.com/wp-content/uploads/Metravi-AC-4-2024-Model-Non-contact-AC-Voltage-Detector-Catalogue-Web.pdf
AC-5	Non-contact Voltage Detector by flashing light and buzzer sound for 100 - 600V, with built-in flash light	860	90303390	1161	https://metravi.com/wp-content/uploads/2020/08/Metravi-AC-5-Non-contact-Type-Voltage-Tester-Catalogue.pdf
PRO AC-15EX NEW!!	Non-contact AC Voltage Detector 12 to 1000V / 100V to 1000V. High intensity, bright red LED & audible buzzer Alarms, along with Silent Mode. Bright rear flashlight. CATIV 1000V. Ex ATEX (Ex ib IIB T4) Explosion-proof. IP67 Waterproof, 2m drop protection.		90303390	0	
WT500C NEW!!	A handy, wearable (wrist-type), close-range, non-contact, low voltage detector, featuring sound & light alarms. When an operator wearing it gets close to a voltage charged body 40V~1kV.	3500	90308990	4725	https://www.metravi.com/wp-content/uploads/Metravi-WT500C-Wearable-Non-contact-Voltage-Detector-Catalogue-2024.pdf
High Voltage Tester (Contact Type)					
276HD	Contact type, light and buzzer indication, detects presence of High Voltage in AC Lines, 354 to 1005mm length, detects 3kV to 24kV AC and 80 to 600V AC	17955	90303390	24239	https://www.metravi.com/wp-content/uploads/Metravi-276HD-276SHD-Contact-Type-High-Voltage-Detector-Catalogue.pdf
290HD	7 Digits, measures up to 99999.99 hours, 230V AC / 110V AC (Any One) operated, 46 x 46 mm sq size panel cutout	22575	90303390	30476	https://metravi.com/wp-content/uploads/2020/08/Metravi-290-HD-Contact-Type-High-Voltage-Detector-Catalogue.pdf
High Voltage Tester (Non-contact Type)					
277HP	Non Contact Type High Voltage Detector for presence of Voltage from 50V to 132kV with Buzzer and Light Indication	13440	90308990	18144	https://www.metravi.com/wp-content/uploads/2020/08/Metravi-277HP-Non-contact-High-Voltage-Detector-Catalogue.pdf
275HP	Non Contact type, Light and Buzzer Indication, Detects Presence of High Voltage in AC Lines, 240V, 2KV, 6KV, 11KV, 22KV, 33KV, 132KV and 175KV Lines AC.	17200	90308990	23220	https://www.metravi.com/wp-content/uploads/Metravi-275HP-High-Voltage-Proximity-Detector-Catalogue-240222.pdf
275HP1	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 275kV, with audible buzzer and visual light alarms.	7955	90308990	10739	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
275HP1 with FRP Rod Kit	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 275kV, with audible buzzer and visual light alarms. Comes complete with a 4.5m FRP Rod, together is a portable, easy to carry case.	19250	90308990	25988	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
275HP2	High Voltage Detectors (Electroscope) for electrical testing on high voltage transmission lines upto 500kV, with audible buzzer and visual light alarms. Comes complete with a 4.5m FRP Rod, together is a portable, easy to carry case.	20250	90308990	27338	https://www.metravi.com/wp-content/uploads/Metravi-275HP1-275HP2-Non-contact-High-Voltage-Detector-Electroscope-Catalogue-low.pdf
HT500	A handy, hard hat/helmet accessory, close-range non-contact high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV..	3500	90308990	4725	https://www.metravi.com/wp-content/uploads/Metravi-HT500-Non-contact-Helmet-type-High-Voltage-Detector-Catalogue.pdf
WT500	A handy, wearable (wrist-type), close-range, non-contact, high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV.	3500	90318000	4725	https://www.metravi.com/wp-content/uploads/Metravi-WT500-Non-contact-Wrist-type-High-Voltage-Detector-Catalogue-090322.pdf
AT500	A handy, wearable (arm-type), close-range non-contact high voltage detector, featuring sound & light alarms when an operator wearing it gets close to a high voltage charged body 1kV~500kV..	3900	90308990	5265	https://www.metravi.com/wp-content/uploads/Metravi-AT500-Non-contact-Armband-type-High-Voltage-Detector-Catalogue-090322.pdf
FRP Rods	4.5m FRP Rod to be used with above non-contact high voltage detectors	4400	85441920	5940	
Hot Line Indicator					
6.6kV	Hot Line Indicator, Neon Glow type for 6.6kV	12800	90303390	17280	https://metravi.com/wp-content/uploads/2020/08/Metravi-6.6kV-Hot-Line-Indicator-Catalogue.pdf
11kV	Hot Line Indicator, Neon Glow type for 11kV	19200	90303390	25920	https://metravi.com/wp-content/uploads/2020/08/Metravi-11kV-Hot-Line-Indicator-Catalogue.pdf
33kV	Hot Line Indicator, Neon Glow type for 33kV	32000	90303390	43200	https://metravi.com/wp-content/uploads/2020/08/Metravi-33kV-Hot-Line-Indicator-Catalogue.pdf
# Hot Line Indicator with Neon glow and audible buzzer both are also available. Please refer back for their price.					

MODEL	DETAILS	LIST PRICE AS ON 070623 (Rs.)	HSN	MRP / AMAZON PRICE (Rs.)	CATALOGUE LINKS
WATER QUALITY TESTING METERS					
pH Meter					
PH-600	Quality, portable pH Meter with glass bulb electrode for measuring 0.00-14.00pH. Easily calibratable. Comes with 2 free buffer powder sachets.	590	90278990	797	https://www.metravi.com/wp-content/uploads/Metravi-PH-600-Ph-Meter-Catalogue.pdf
PH-700 NEW!!	Compact & portable. Measures pH level upto 14.00pH and temperature upto 60°C with replaceable glass electrode. High definition, negative display. Easily calibratable, comes with 3 free buffer powder sachets.	1125	90278990	1519	https://www.metravi.com/wp-content/uploads/Metravi-PH-700-Ph-Meter-Catalogue.pdf
TDS Meter					
TDS-3	Handy Digital TDS Meter for measuring 0-9990 PPM TDS and 0° to 50°C temperature, using a titanium alloy electrode.	500	90303100	675	https://www.metravi.com/wp-content/uploads/Metravi-TDS-3-Digital-Portable-TDS-Meter-Catalogue.pdf
WEATHER STATION					
Wireless Weather Station					
WS-1051	Professional, multifunction, intelligent Weather Station, high accuracy, measurements of Wind Speed & Direction, Rainfall, Temperature & Humidity, Air Pressure. Features WiFi interface.	15750	90158020	21263	https://www.metravi.com/wp-content/uploads/Metravi-WS-1051-Wireless-Multifunction-Weather-Station-Catalogue.pdf
EV CHARGING STATIONS					
EV Charging Stations					
M3W332EN	Suitable for residential & commercial use, Max output 22kW, Fast Charge, Compact design, Floor-mountable, applicable for outdoor installation. With EiFi & Ethernet. IP54, RoHS, CE, REACH	82350	85044030	111173	
TERMS & CONDITIONS:					
VALIDITY:	PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE				
PRICES:	NETT, EX GODOWN KOLKATA				
PACKING:	PRICES INCLUSIVE OF PACKING CHARGES				
FREIGHT:	PRICES EXCLUSIVE OF FREIGHT CHARGES.				
DELIVERY:	IN CASE IF GOODS ARE REQUIRED BY ANY OTHER COURIER, OTHER THAN OUR NOMINATED COURIER ANY BY AIR, THEN THE FREIGHT SHALL BE CHARGED EXTRA AT ACTUALS				
	READY STOCK SUBJECT TO PRIOR SALES, FOR HIGH VOLTAGE EQUIPMENTS 8-12 WEEKS				
INSURANCE:	DELIVERIES WILL BE MADE ONLY AFTER THE PAYMENT IS CREDITED TO OUR ACCOUNT				
	TO BE COVERED BY THE BUYER				
PAYMENT:	THE GOODS WOULD BE PACKED SECURELY WITH OUR BEST INTENT TO PROTECT IT AGIANST ANY KIND OF TRANSIT DAMAGE. HOWEVER, IN CASE IF THE GOODS GET DAMAGED IN TRANSIT, THE BUYER WILL HAVE TO COVER ITS RISK				
	100% AGAINST PROFORMA INVOICE / DOD / THROUGH BANK. 'ALTERNATIVELY' IF IT'S A TAILOR-MADE PRODUCT, 25% ADVANCE WITH THE ORDER BALANCE AGAINST PROFORMA INVOICE / DOD / THROUGH BANK				
SHIPMENT:	SHALL TAKE PLACE WITHIN 48 HOURS OF RECEIPT OF PAYMENT				
GOODS & SERVICE TAXES:	GST SHALL BE CHARGED EXTRA @18%. GST IS ALSO APPLICABLE ON FREIGHT CHARGES				
ORDERING VALUE:	FOR ORDER VALUE LESS THAN RS.3000/- (RUPEES THREE THOUSAND) A CHARGE RS. TWO HUNDRED AS HANDLING CHARGES WILL BE LEVIED				
DISCLAIMER:	WE TRY OUR BEST TO USE THE BEST OF COURIERS POSSIBLE FOR EARLIEST DELIVERY TIME BUT HAVE NO CONTROL OVER THE DELIVERIES BY THE COURIER.				
JURISDICTION:	YOU MAY SUGGEST THE COURIER OF YOUR CHOICE AND WE SHALL SHIP THE GOODS THROUGH THEM, IF POSSIBLE.				
	HOWEVER IN EITHER CASE, WE WILL NOT BE HELD RESPONSIBLE, UNDER ANY CIRCUMSTANCES, IF THE COURIER DELAYS THE DELIVERY FOR NAY REASON WHATSOEVER.				
THIS SUPERCEEDES ALL PREVIOUS PRICE LISTS					

ANNEXURE 1

	AC HIGH VOLTAGE TEST SET							
Output Voltage KV	10mA	20mA	50mA	100mA	150mA	200mA	250mA	300mA
0-2.5				34240	42800	53500		
0-3								64200
0-5			25680	38520	53500	60990		
0-10	35310	39590	41730	54570	65270	75970	82390	90950
0-15	43870	44940	50290	60990	74900	89880	98440	120910
0-20	46010	51360	57780	73830	90950	107000	120910	133750
0-25	51360	54570	69550	90950	101650	112350	129470	146590
0-30	57780	68480	81320	103790	120910	146590	161570	181900
0-35	65270	73830	90950	120910	144450	172270	180830	189390
0-40	69550	77040	99510	129470	150870	85500	193670	209720
0-50	85600	89880	52500	146590	182970	193670	204370	225770
0-60	99510	129470	145520	182970	110500	268570	292110	311370
0-70	116630	120910	149800	204370	253590	288900	313510	325280
0-75	118770	139100	163710	210790	279270	321000	353100	395900
0-80			204370	236470	300670	354170	396970	471870
0-100			247170	322070	375570	439770	482570	536070

ANNEXURE 2

	DC HIGH VOLTAGE TEST SET							
Output Voltage KV	3mA/5mA	10mA	20mA	30mA	50mA	100mA	130mA	200mA
0-3	23540	28890	35310	37450	48150	96300		
0-5	26750	33170	39590	42800	58850			
0-10	38520	42800	44940	55640	74900	139100		
0-15	47080	48150	58850	68480	89880			
0-20	59920	64200	77040	89880	111280			
0-25	68480	72760	78110	94160	125190			
0-30	72760	80250	95230	115560	160500	299600		481500
0-35	89880	97370	100580	124120	182970			
0-40	96300	109140	119840	147660	267500			
0-50	119840	132680	160500	181900	278200	481500		
0-60	132680	160500	186180	211860	295320			
0-70	160500	176550	196880	246100	344112			
0-75	181900	192600	203300	256800	376726	450684	553404	
0-80	184040	192600	224700		396970			
0-100	267500	278200	342400		642000			
0-130	417300	470800	695500					

ANNEXURE 3

PRIMARY CURRENT INJECTION SET				
OUTPUT CURRENT			INTERMITTENT	CONTINUOUS
			Duty Cycle	Duty Cycle
100A	3VA	2 RANGE	32100	48150
100A	5VA	3 RANGE	47080	70620
200A	1kVA	3 RANGE	53500	80250
200A	1.2kVA	3 RANGE	54570	81855
200A	4.0kVA	3 RANGE	166920	250380
250A	1.25kVA	3 RANGE	57780	86670
300A	1.2kVA	3 RANGE	64200	96300
300A	2.0kVA	1 RANGE	68480	102720
300A	2.0kVA	2 RANGE	77040	115560
300A	2.0KVA	3 RANGE	85600	128400
400A	1.2KVA	3 RANGE	74900	112350
400A	2.0KVA	2 RANGE	77040	115560
400A	2.0KVA	3 RANGE	90950	136425
500A	1.0KVA	3 RANGE	88810	133215
500A	2.0KVA	3 RANGE	102790	155685
500A	2.5KVA	3 RANGE	119840	179760
600A	3.0KVA	1 RANGE	139100	208650
600A	3.0KVA	2 RANGE	145520	218280
600A	3.0KVA	3 RANGE	154080	231120
600A	5VOLTS	3 RANGE	154080	231120
800A	3.2KVA	1 RANGE	145520	218280
800A	4.0KVA	3 RANGE	181900	272850
1000A	2.5KVA	3 RANGE	154080	231120
1000A	3.0KVA	3 RANGE	160500	240750
1000A	4.0KVA	3 RANGE	175480	263220
1000A	5.0KVA	1 RANGE	162640	243960
1000A	5.0KVA	2 RANGE	171200	256800
1000A	5.0KVA	3 RANGE	203300	304950
1000A	6.0KVA	3 RANGE	224700	337050
1000A	10.0KVA	3 RANGE	363800	545700
1200A	6.0KVA	3 RANGE	267500	401250
1500A	3.0KVA	3 RANGE	181900	272850

ANNEXURE 3 CONTINUED...

PRIMARY CURRENT INJECTION SET				
OUTPUT CURRENT			INTERMITTENT	CONTINUOUS
			Duty Cycle	Duty Cycle
1500A	5.0KVA	3 RANGE	224700	337050
1500A	6.0KVA	2 RANGE	192600	288900
1500A	7.5KVA	3 RANGE	188900	433350
1500A	7.5KVA	2 RANGE	224700	337050
1500A	7.5KVA	1 RANGE	192600	288900
1500A	30.0KVA	3 RANGE	907360	1361040
1600A	4.0KVA	3 RANGE	224700	337050
1600A	4.8KVA	3 RANGE	235400	353100
1600A	6.4KVA	3 RANGE	267500	401250
1600A	8.0KVA	3 RANGE	353100	529650
2000A	4.0KVA	3 RANGE	235400	353100
2000A	5.0KVA	3 RANGE	246100	369150
2000A	6.0KVA	3 RANGE	267500	401250
2000A	8.0KVA	3 RANGE	342400	513600
2000A	10.0KVA	1 RANGE	256800	385200
2000A	10.0KVA	2 RANGE	278200	417300
2000A	10.0KVA	3 RANGE	321000	481500
2000A	12.0KVA	3 RANGE	342400	513600
2000A	15.0KVA	3 RANGE	428000	642000
2000A	20.0KVA	3 RANGE	567100	850650
3000A	7.5KVA	3 RANGE	374500	561750
3000A	9.0KVA	3 RANGE	417300	625950
3000A	10.5KVA	3 RANGE	481500	722250
3000A	12.0KVA	3 RANGE	513600	770400
3000A	15.0KVA	3 RANGE	567100	850650
3000A	22KVA	3 RANGE	749000	1123500
4000A	8.0KVA	3 RANGE	449400	674100
4000A	10.0KVA	3 RANGE	481500	722250
4000A	12.0KVA	3 RANGE	567100	850650
4000A	16.0KVA	3 RANGE	663400	995100
4000A	40.0KVA	3 RANGE	1177000	1765500