



***Metrix*+**TM

PRICE LIST

JANUARY 2025

**ELECTRICAL & ELECTRONIC
TEST AND MEASUREMENT INSTRUMENTS**



Metrix + Electrical & Electronic Test & Measurement Instruments

Price List Effective January 2025

(This Price-List Supersedes all Previous Price-List)

Sl No	Model	Description	List Price	HSN
NDT(Non-Destructive Testing) INSTRUMENTS				
DIGITAL COATING THICKNESS GAUGES (DFT METERS)				
1	CG 3000	Wet film comb to measure wet film thickness 0 ~ 3000um	₹ 800	90173029
2	Coat Gauge FN xL	Integrated Probe 0 ~ 1500um Ferrous & Non Ferrous Combine Large Display, V-groove, Zero and multi point calibration, um/mil, single and continuous mode	₹ 9,200	90173029
3	Coat Gauge Pro xL	Integrated Probe 0 ~ 3000um Ferrous & Non Ferrous Combine , color display, on-screen calibration guide, data storage, statistics, Zn layer indication, non-metal indication	₹ 11,600	90173029
4	Coat Scope i	Integrated Probe 0 ~ 2000um Ferrous/non-ferrous combine , memory, statistics, large backlit LCD, optional PCINT	₹ 26,400	90173029
5	Coat Measurer F	External Probe , backlit LCD display 0 ~ 1250um Only Ferrous , single/ continuous mode, um/mil, optional PCINT	₹ 16,000	90173029
6	Coat Measurer F+N	External Probe , backlit LCD display 0~1250um Ferrous/non-Ferrous Combine , single/ continuous mode, um/mil, optional PCINT	₹ 20,400	90173029
7	Coat Scope 27	External Probe , Large backlit LCD Display 0~2000um ferrous/non-ferrous combine , data storage, statistics, optional PCINT	₹ 26,400	90173029
8	Coat Scope 27 4K	External Probe , Large backlit LCD Display 0~4000um ferrous/ 0~3000um non-ferrous combine , data storage, statistics, optional PCINT	₹ 30,000	90173029
9	Coat Scope 27 5K	External Probe , Large backlit LCD Display 0~5000um ferrous/ 0~3000um non-ferrous combine , data storage, statistics, optional PCINT	₹ 33,000	90173029
10	Microcoat F	External Probe, accurate measurement for thin coatings on smaller workpieces upto 200um ferrous only , optional PCINT	₹ 60,000	90173029
11	Microcoat N	External Probe, accurate measurement for thin coatings on smaller workpieces upto 200um non-ferrous only , optional PCINT	₹ 60,000	90173029
12	F Probe	Probe for Coat Measurer F	₹ 5,200	90179000
13	FN Probe	Probe for Coat Measurer F+N	₹ 6,400	90179000
14	FN27k Probe	Probe for Coat Scope 27, Coat Scope 27 4k, Coat Scope 27 5k	₹ 9,000	90179000
15	Foil Set	5 pc foil set for point calibration	₹ 2,000	90173029
ULTRASONIC THICKNESS GAUGES				
16	UTM 5A+	User friendly menu interface , backlit display, 1~300mm , Resolution 0.1mm/0.01mm/0.01inch selectable, velocity 1000~9999m/s, data storage , max/min/avg values, alarm measurement, Type-C charging	₹ 13,200	90173029
17	UTM 5	Large backlit LCD display 1~200mm Resolution 0.1mm velocity 500~9000m/s. optional PCINT	₹ 16,400	90173029
18	UTM 9	Large backlit LCD display 0.9~350mm high Resolution 0.01mm velocity 500~9000m/s. optional PCINT	₹ 20,000	90173029
19	UTG 27	Metal body Large backlit LCD display 0.75~400mm Resolution 0.1/0.01mm switchable velocity 500~9000m/s, optional PCINT	₹ 24,800	90173029
20	UTM 18CT	Through coating thickness measurement of 3 ~ 60mm , with normal measuring range 0.65~600mm (in steel), multi-point calibration , resolution 0.1/0.01 selectable , data storage and recall, optional PCINT	₹ 52,000	90173029
21	UTM 90CT	Through coating thickness measurement of 3 ~ 50mm, with normal measuring range 1.2~200mm(in steel), A-scan and B-scan to detect anomalies inside materials, resolution 0.1/0.01 selectable , data storage and recall	₹ 1,52,000	90173029
22	8MM Probe	Standard 8mm & 5MHz probe for UTM 5, UTM 9, UTG 27	₹ 6,000	90179000
23	6MM Probe	Small diameter 6mm & 5MHz probe for UTM 5, UTM 9, UTG 27	₹ 6,800	90179000
24	5A Probe	Standard 10mm & 5MHz probe for UTM 5A+	₹ 6,800	90179000

SI No	Model	Description	List Price	HSN
25	PP Probe	Plastic measurement probe 10mm & 2MHz for UTM 5, UTM 9, UTG 27	₹ 7,000	90179000
26	HT Probe	High temperature probe 12mm & 5MHz, with operating temperature of 60 ~ 250°C, measuring range 4 ~ 100mm(Steel) for UTM 5, UTM 9, UTG 27	₹ 16,000	90179000
27 (*)	4S Block	4 step block for UTG testing	₹ 6,000	84879000
28 (*)	10S Block	10 step block for UTG testing	₹ 10,000	84879000
ULTRASONIC FLAW DETECTOR				
29 (*)	UTFD 80	Locate flaws , like cracks, voids and porosity in surfaces by interpreting ultrasonic waveforms generated by this flaw detector, 10m measuring range, 1000 frames of A-scan and B-scan, 20MHz frequency, upto 120dB gain, 1000~15000 material velocity	₹ 2,96,000	90318000
GLOSS METERS				
30	GLS 09	Single angle 60°, upto 200GU , data storage, single and continuous mode, backlit display, used to test Glossiness of surfaces, optional PCINT	₹ 16,400	90318000
31	GLS 09M	Multi-angle 20°/60°/85°, upto 200GU , data storage, single and continuous mode, backlit display, used to test Glossiness of surfaces, optional PCINT	₹ 27,600	90318000
32	Microgloss	Multi-angle 20°/60°/85°, upto 1000GU, single-button operation , backlit display, used to test Glossiness of surfaces, PC interface, Type C charging	₹ 54,000	90318000
DIGITAL HARDNESS TESTERS				
33	RHT -A	Shore 'A' 0~100A/10~90H for soft Vulcanize rubber, natural rubber, nitriles, thermoplastic elastomers, flexible poly acrylics, thermosets, etc, with backlit LCD display, optional PCINT	₹ 21,600	90248091
34	RHT -D	Shore 'D' 0~100/10~90H for Hard Rubber, thermoplastic elastomers, harder plastics, and rigid thermoplastics etc, with backlit LCD display, optional PCINT	₹ 23,600	90248091
35	Hardmaster-P	Leeb/ Metal Hardness 170~960HLD , converts to all common hardness scales HV, HB, HRC, HRB, HRA, HS. Memory of 600 groups data, with backlit 128*64 matrix display, inbuilt software calibration, optional PC interface	₹ 29,000	90248091
36 (*)	HT WB 01	Webster hardness tester , suitable for aluminium and its alloys, copper, brass, 0~20HW , max display, backlit LCD, simple one hand operation	₹ 48,000	90248091
37 (*)	HT WB 01D	Webster hardness tester , suitable for aluminium and its alloys, copper, brass, 0~20HW , convertible to Hba/ HB/ HRF/ HV/ HRH/ HRB/ HRE , max and avg calculation, backlit LCD, simple one hand operation	₹ 66,000	90248091
38 (*)	BIT 01P	Barcol impressor , suitable for soft metals, aluminium and its alloys, copper, brass, rigid plastics, etc., 0~100HBa (25~135HW) , convertible to HW/ HB/ HRF/ HV/ HRH/ HRB/ HRE , max and avg calculation, backlit display, simple one hand operation, optional PCINT	₹ 74,000	90248091
39 (*)	HT TEX 2P5	Textile Hardness Tester/ yarn package hardness tester 2.5mm dia ball indenter , measure winding density of textile, bobbins, beams, spools, cones, etc. For closely wound bobbins of synthetic, finished fibers and filaments. optional PCINT	₹ 46,000	90248091
40 (*)	HT TEX 5	Textile Hardness Tester/ yarn package hardness tester 5mm dia ball indenter , measure winding density of textile, bobbins, beams, spools, cones, etc. For loosely wound bobbins of synthetic fibers, closely wound fibers, yarns and threads. optional PCINT	₹ 46,000	90248091
41 (*)	HT TEX 10	Textile Hardness Tester/ yarn package hardness tester 10mm dia ball indenter , measure winding density of textile, bobbins, beams, spools, cones, etc. For very loosely wound bobbins of thick yarns, such as carpet yarns, optional PCINT	₹ 46,000	90248091
42 (*)	HT SM A	Sand mould surface hardness tester , suitable for fine sand mold/core in manual or mechanical low and medium pressure molding., 0 ~ 100HA, optional PCINT	₹ 36,000	90248091
43 (*)	HT SM B	Sand mould surface hardness tester , suitable for fine and coarse sand mold/core in manual or mechanical low and medium pressure molding., 0 ~ 100HB, optional PCINT	₹ 36,000	90248091
44 (*)	HT SM C	Sand mould surface hardness tester , suitable for sand mold/core in high pressure molding., 0 ~ 100HC, optional PCINT	₹ 36,000	90248091

SI No	Model	Description	List Price	HSN
45 (*)	HT SOIL 01	Soil Hardness tester/ soil compaction tester , 0 ~ 100kgs/ 1000N, 0 ~ 30cm test depth, unit N/kg/lb/g, useful for backfill soil, clay, sand, etc.	₹ 40,000	90248091
46	HMP Probe	D-type (standard) Probe for Hardmaster-P	₹ 14,400	90319000
47	HMPC Probe	C-type (for thin and small materials) Probe for Hardmaster-P	₹ 24,000	90249000
DIGITAL SURFACE ROUGHNESS TESTERS				
48	Microsurf 10A	Integrated sensor , Large backlit LCD display,multi parameters measured Ra(16um) , Rz , Rt , Rq .Widely used in production site to measure surface roughness of various machine-processed parts.High accuracy Inductive Transducer, easy operation, data storage, optional PCINT	₹ 74,000	90318000
49	Surftest 10	Separate flexible sensor , Large backlit LCD display.Parameters measured Ra(10um) , Rz .Widely used in production site to measure surface roughness of various machine-processed parts.High accuracy Inductive Transducer, easy operation, optional PCINT	₹ 80,000	90318000
50	Surfprof 09	Flexible probe surface profile gauge to measure profile depth of a surface. The sensor is made up of tungsten carbide tip . Its like a depth micrometer with a fine probe to measure peak-to-valley depth of blast cleaned surfaces in automotive, forgings, castings, industries, optional PCINT	₹ 40,000	90318000
51	SRT Probe	Standard probe for Microsurf10A, Surftest 10	₹ 36,000	90318000
52	GRS Plate	Glass reference standard plate for calibration	₹ 15,000	90318000
53 (*)	SRT Stand	Stand for Surface Roughness Testers for Microsurf10A, Surftest 10	₹ 30,000	90318000
ELECTRICAL TESTERS				
DIGITAL ACA CLAMP METERS				
54	125A+	1999 count 600A AC , ACV/DCV, resistance, Diode, continuity, data hold, backlight LCD	₹ 1,500	90303900
55	225A+	3999 count True RMS 600A AC , ACV/DCV, resistance, capacitance, frequency, temperature, diode, continuity, data hold, NCV, backlight LCD	₹ 2,200	90303900
56	1250A	1999 count True RMS 1000A AC ACV/DCV, Resistance, Capacitance, Frequency, Diode, Continuity, Data Hold, APO, 52mm jaw, auto-range	₹ 2,600	90303900
57	2250T	3999 count True RMS 1000A AC , inrush, ACV/DCV, Resistance, Capacitance, Frequency, Duty, Temperature, Diode, Continuity, Data Hold, APO, 52mm jaw, auto-range	₹ 3,200	90303900
DIGITAL ACA/DCA CLAMP METERS				
58	725A+	3999 count True RMS 600A AC/DC , ACV/DCV, resistance, Frequency, capacitance, duty, Temperature, Diode, continuity, APO, backlight LCD	₹ 4,000	90303900
59	4250T	3999 count True RMS 1000A AC/DC , ACV/DCV, resistance, Frequency, capacitance, duty, Temperature, Diode, continuity, APO, 52mm jaw, auto-range	₹ 5,200	90303900
60	2003TRMS	1999 count True RMS 2000 AC/DC , ACV/DCV, Resistance, Capacitance, Continuity, Diode, LED testing, Data Hold, 55mm jaw, auto-range	₹ 7,200	90303900
DIGITAL CLAMP ON POWER METER				
61	3510PW	Data Logger Power clamp Meter Display Backlight LCD 9999 auto range ACV, ACA, Active Power, apparent power, reactive power, power factor, phase angle, active energy, AC true RMS, 55mm Jaw caliber	₹ 16,000	90303100
DIGITAL MULTIMETERS				
62	31TRMS	1999 count True RMS ACV/DCV, AC/DCA(uA, mA, A), Resistance, Capacitance, Temperature, Frequency, Diode, Continuity, NCV, backlight display, Data hold, auto-range	₹ 1,500	90303100
63	603+	1999 count ACV/DCV, ACA/DCA, Resistance, Capacitance, Frequency, Diode, Continuity, hFe Transistor, Phase wire test , I R Remote test , Data Hold, manual range	₹ 1,300	90303100
64	603A+	1999 count ACV/DCV, ACA/DCA, Resistance, Capacitance, Temperature, Frequency, Diode, Continuity, Transistor, Phase wire test , I R Remote test , Data Hold, manual range	₹ 1,500	90303100

SI No	Model	Description	List Price	HSN
65	171TRMS+	5999 count True RMS 1000V AC/DC V, AC/DC A, resistance, capacitance, temperature, frequency, duty ratio, hFe, diode, continuity, NCV, Large Backlit Display, flashlight data hold, APO, manual range	₹ 2,800	90303100
66	451	LCR Multimeter 3½ digit Extra large Backlight LCD display ACV/DCV, ACA/DCA, Resistance, Capacitance, Inductance, Frequency, diode, continuity, transistor HFe, APO	₹ 3,200	90303100
67	DM 620	50000 count DATA LOGGER True RMS 18000 point Data memory, 10Mhz Frequency Counter, auto calibration, USB to PC, 1000V AC/DC, ACA/DCA, resistance, capacitance, frequency, duty, temperature, Diode, continuity, real time clock, Full Range overload protection APO	₹ 16,000	90303100
DIGITAL CAPACITANCE METER				
68	DCM 1501	Digital capacitance meter wide measuring range in 9 steps 200pF ~ 20mF	₹ 2,000	90303330
DIGITAL INSULATION TESTER				
69	DIT 918	Large Backlight LCD display Heavy Duty 100V/250V/500V/1000V/2500V 50GΩ, AC/DC Voltage Insulation Tester	₹ 5,400	90303390
70	DIT 3125A Eco	Large Backlight LCD, Heavy duty 500V/1000V/2500V/5000V 1000GΩ Insulation Tester, AC/DC Voltage, PI measurement, Timer, with external power(adaptor)	₹ 20,000	90303390
DIGITAL EARTH RESISTANCE TESTER				
71	DET 1503	Jumbo backlight LCD Display Heavy duty Measuring Range: 0.00~20Ω / 0.0~200Ω / 0~2000Ω high accuracy ±2%rdg±0.1Ω (20Ω) ±2%rdg±3dgt (200Ω/2000Ω) Timer	₹ 11,600	90303900
VOLTAGE TESTER(PEN TYPE)				
72	CD 1	Line Voltage Tester 90V~1000V, buzzer and light indication	₹ 300	90303100
73	CD 2	Pen type Voltage Tester 24V~600V	₹ 600	90303100
74	CD 3	Pen type Voltage Tester 12V~1000V, bar display and buzzer, changeable sensitivity	₹ 700	90303100
INSPECTION TOOLS				
INFRARED THERMOMETER				
75	FH 2	Human Body Infrared Thermometer 30°C~45°C (86°F~113°F)	₹ 1,000	90251990
76	MT 2-C	Non-contact Infrared Thermometer -50°C ~ 380°C (-58°F~716°F), DS 12: 1, Emissivity 0.95 fixed, Color Display	₹ 1,400	90251990
77	MT 4xL	Non-contact Infrared Thermometer -32°C~550°C(-26°F~1022°F), DS 12:1, Emissivity 0.95 fixed, Gift box+Carry case	₹ 1,800	90251990
78	MT 12A	Non-contact Infrared Thermometer -18°C~1150°C(-58°F~2102°F), DS 20:1, Emissivity 0.10~1.00 Adjustable	₹ 8,800	90251990
79	MT 16	Non-contact Infrared Thermometer -18°C~1650°C(-58°F~3002°F), DS 50:1, Emissivity 0.10~1.00 Adjustable	₹ 14,400	90251990
80	MT 18	Non-contact Infrared Thermometer 200°C~1850°C(392°F~3362°F), DS 50:1, Emissivity 0.10~1.00 Adjustable	₹ 25,000	90251990
81 (*)	MT 24	Non-contact Infrared Thermometer 200°C~2400°C(392°F~4352°F), DS 100:1, Emissivity 0.10~1.00 Adjustable, Dual laser, K-type extra	₹ 68,000	90251990
DIGITAL THERMAL IMAGERS (THERMAL SCANNERS)				
82	DTI 350	-20 ~ 350°C, 640*480 resolution, 32*32 thermal image resolution, 9Hz frame rate, 33*33 FoV, Adjustable Emissivity (0.10 ~ 1.00), 2.8" LCD display, 4 color palettes with Fusion mode, data storage to microSD card, IP 54 splash proof, rechargeable battery	₹ 46,000	90318000
83	DTI 500	-20 ~ 500°C, 640*480 resolution, 160*120 thermal image resolution, 9Hz frame rate, 51*63.5 FoV, Adjustable Emissivity (0.10 ~ 1.00), 2.8" LCD display, 4 color palettes with Fusion mode, data storage to microSD card, IP 54 splash proof, rechargeable battery	₹ 76,000	90318000

SI No	Model	Description	List Price	HSN
LASER DISTANCE METERS				
84	DM 40	Laser Distance Meter, 0.05~40m metric/imperial measurement, area/volume/pythagorean calculatiion, data storage, dual axis spirit level	₹ 2,600	90318000
85	DM 100	Laser Distance Meter, 0.05~100m metric/imperial measurement, area/volume/pythagorean calculatiion, data storage, dual axis spirit level	₹ 5,000	90318000
DIGITAL STROBOSCOPES				
86	DT 2239	50~12000FPM Internal / external triggering; x2 and ÷2 button for fast adjustment.	₹ 12,400	90292030
87	DT 2259A	50~40000FPM Internal / external triggering; x2 and ÷2 buttons for fast adjustment.	₹ 14,800	90292030
DIGITAL TACHOMETERS				
88	DT 2234BL	Non Contact Type Laser Tachometer, 2.5~99,999rpm , Large Backlit LCD Display	₹ 2,400	90292010
89	DT 2235BL	Contact type tachometer, 0.5 ~ 19,999 rpm , large backlit lcd display	₹ 2,800	90292010
90	TM 4005	Contact/Non-contact Combine Tachometer, surface speed measurement	₹ 4,800	90292010
DIGITAL VIBRATION METERS				
91	VM 8200P	Piezoelectric ceramic(shear type), pen-type ,easy on site vibration measurement. Backlit LCD Display,Acceleration, Velocity(200mm/s) , Displacement,wide frequency range	₹ 14,400	90318000
92	VM 8200+	High Accuracy,easy onsite vibration measurements.Backlit LCD display Velocity(200mm/s) , Acceleration, Displacement wide Frequency range 10Hz ~10kHz in acceleration mode. Optional PCINT	₹ 21,600	90318000
93	VM8200 mk II+	High Accuracy,heavy metal body,easy onsite vibration measurement. Backlit LCD display, Velocity(400mm/s) , acceleration, displacement, RPM, wide frequency range 10Hz~10kHz acceleration mode. Optional PCINT	₹ 27,000	90318000
94	VB 8202A	High Accuracy,heavy metal body,easy onsite vibration measurement. Backlit LCD display, Velocity(400mm/s) , acceleration, displacement, simultaneously display,wide frequency range 1Hz ~ 10kHz in acceleration mode. Optional PCINT	₹ 33,800	90318000
95	Vibro Probe	Spare probe without magnet for VM 8200+, VM 8200mkII+, VB 8202A	₹ 10,800	90319000
96	Vibro Magnet	Spare magnet for VM 2800+, VM 8200mkII+, VB 8202A	₹ 4,000	90319000
DIGITAL MOISTURE METERS				
97	MM 2	Pocket type 4%~90% , large colorful LCD display, Wood/ paper/ wall measuring modes , buzzer and screen alarms, 4 wood selection, range data hold, APO	₹ 1,800	90318000
98	MM 2A+	Pocket type.Large backlit LCD display, 2%~70% four range Multipurpose moisture meter with Temperature & RH measurement.Data hold & APO.	₹ 3,200	90318000
99	MM-W	Intelligent high accuracy,wide application, multi purpose moisture meter with Dual Probe ,backlit LCD display 0%~80% with 10 selection ranges . Long sensor can measure various substrates data hold & APO. Optional PCINT	₹ 9,600	90318000
100	MM-S+	Multipurpose dual probe 0%~80%,20/ 10 range selection ,can measure smooth surfaces with scan sensor and contact with pin probe data hold & APO. Optional PCINT	₹ 10,400	90318000
101	MM-P	Paper moisture meter for paper products, separate flexible probe, data storage, statistics display, LED indication , optional PCINT	₹ 13,600	90318000
102	MM-SOIL	Moisture content in soil, agricultural purposes, 0 ~ 80% , separate flexible probe, data storage, statistics display, LED indication , optional PCINT	₹ 13,600	90318000
103	GMM 7002A	5%~30% 4 species selection backlit LCD Display with temperature measurement. Grain Moisture Meter Hi-Lo alarm setting data hold & APO.	₹ 4,200	90318000
104	MM-G	Intelligent,high accuracy, 6%~30% ,backlit LCD display, 36 species selection . Grain Moisture Meter ,automatic temperature compensation and auto calibration,hi-lo alarm setting,data hold & APO, Optional PCINT	₹ 8,800	90318000
105	MM-GC	Grain Moisture Meter new spring type cup design for better accuracy ,large backlit LCD Display,high accuracy , 0%~50%,36 species selection ,data storage, automatic calibration and temperature compensation, data hold APO, Optional PCINT	₹ 14,400	90318000

SI No	Model	Description	List Price	HSN
DIGITAL FORCE GAUGES				
106 (*)	DFG 1D	Measure push and pull force conveniently, upto 1kgf/9.8N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 20,000	90318000
107 (*)	DFG 2D	Measure push and pull force conveniently, upto 2kgf/19.6N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 21,000	90318000
108 (*)	DFG 5D	Measure push and pull force conveniently, upto 5kgf/49N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 22,000	90318000
109 (*)	DFG 10D	Measure push and pull force conveniently, upto 10kgf/98N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 23,000	90318000
110 (*)	DFG 20D	Measure push and pull force conveniently, upto 20kgf/196N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 24,000	90318000
111 (*)	DFG 50D	Measure push and pull force conveniently, upto 50kgf/490N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 25,000	90318000
112 (*)	DFG 100D	Measure push and pull force conveniently, upto 100kgf/980N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included hook, tips, rod, optional PCINT	₹ 26,000	90318000
113 (*)	DFG 200D	Measure push and pull force conveniently, upto 200kgf/1960N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included suspension links, optional PCINT	₹ 32,000	90318000
114 (*)	DFG 500D	Measure push and pull force conveniently, upto 500kgf/4900N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included suspension links, optional PCINT	₹ 36,000	90318000
115 (*)	DFG 1000D	Measure push and pull force conveniently, upto 1000kgf/9800N , real time and peak value, units N/ kg/ lb/ g, data storage, 2 reversed backlit LCD , included suspension links, optional PCINT	₹ 40,000	90318000
116 (*)	DFG VB 01	Vehicle brake force tester , measure pedal brake and hand brake force of vehicles, upto 100kgf/98N, real time and peak value, units N/kg/ lb, 2 reversed backlit LCD	₹ 44,000	90318000
117 (*)	DFG MS 01D	Muscle strength tester , measure muscle strength, upto 50kgf/ 490N , real time and peak value, units N/ kg/ lb/ g, 2 reversed backlit LCD , data storage, optional PCINT	₹ 48,000	90318000
WELDING PRESSURE GAUGES				
118 (*)	WPM 10	Measure spot welding pressure of electrodes, upto 10kgf/ 98N , real time and peak value, units N/ kg/ lb, backlit LCD	₹ 68,000	90318000
119 (*)	WPM 100	Measure spot welding pressure of electrodes, upto 100kgf/ 980N , real time and peak value, units N/ kg/ lb, backlit LCD	₹ 74,000	90318000
120 (*)	WPM 1K	Measure spot welding pressure of electrodes, upto 1,000kgf/ 9,800N , real time and peak value, units N/ kg/ lb, backlit LCD	₹ 80,000	90318000
121 (*)	WPM 5K	Measure spot welding pressure of electrodes, upto 5,000kgf/ 49,000N , real time and peak value, units N/ kg/ lb, backlit LCD	₹ 88,000	90318000
TORQUE TESTERS				
122 (*)	TRSNT 01	Measure torque conveniently, upto 1Nm/ 0.1kgfm , three jaw chuck size 0.6~6mm , units N/ kgf/ lb /gf, real time and peak value, large backlit LCD	₹ 54,000	90318000
123 (*)	TRSNT 05	Measure torque conveniently, upto 5Nm/ 0.5kgfm , three jaw chuck size 1.5~13mm , units N/ kgf/ lb /gf, real time and peak value, large backlit LCD	₹ 60,000	90318000
124 (*)	TRSNT 20	Measure torque conveniently, upto 20Nm/ 2kgfm , three jaw chuck size 3~16mm , units N/ kgf/ lb /gf, real time and peak value, large backlit LCD	₹ 66,000	90318000
BELT TENSION TESTERS				
125 (*)	BTT 750	Mechanical sensor, measure tension upto 750N , unit N/ lb/ kg/ seems, alarm indication, useful for belts, tapes, wires, etc. optional PCINT	₹ 36,000	90318000
126 (*)	BTF 01	Microphone sensor, flexible probe, measure frequency upto 680Hz and belt tension , unit N, useful for belts of motors, machines, etc.	₹ 44,000	90318000
127 (*)	BTT IR 500	Laser sensor, split type flexible probe, measure frequency upto 500Hz and belt tension , unit N/ lb/ kg, useful for belts of motors, machines, etc.	₹ 56,000	90318000

SI No	Model	Description	List Price	HSN
128 (*)	BTT IR 800	Laser sensor, split type flexible probe and integrated sensor, measure frequency upto 800Hz and belt tension, unit N/ lb/ kg, useful for belts of motors, machines, etc.	₹ 84,000	90318000
CABLE TENSION TESTERS				
129 (*)	SPT 500	Measure rope tension in cell and power transmission towers, wind tower, bridge construction towers, cable way, etc. Upto 500kgf/ 4900N, 2 reversed backlit LCD, unit kgf/ N/ lbf, peak hold	₹ 54,000	90318000
130 (*)	SPT 1K	Measure rope tension in cell and power transmission towers, wind tower, bridge construction towers, cable way, etc. Upto 1,000kgf/ 9800N, 2 reversed backlit LCD, unit kgf/ N/ lbf, peak hold	₹ 60,000	90318000
131 (*)	SPT 5K	Measure rope tension in cell and power transmission towers, wind tower, bridge construction towers, cable way, etc. Upto 5,000kgf/ 49,000N, 2 reversed backlit LCD, unit kgf/ N/ lbf, peak hold	₹ 66,000	90318000
132 (*)	SPT 10K	Measure rope tension in cell and power transmission towers, wind tower, bridge construction towers, cable way. Upto 10,000kgf/ 98,000N, 2 reversed backlit LCD, unit kgf/ N/ lbf, peak hold	₹ 74,000	90318000
SCREEN TENSION METER				
133 (*)	STM 01	Measure general and steel mesh tension like high tension wire mesh, polyester mesh, nylon mesh, etc. Measuring range 7 ~ 40N/cm, optional PCINT	₹ 36,000	90318000
GAUSS METERS				
134 (*)	GSS 200	0/200/2000mT, AC/DC and various magnetic fields, frequency 10 ~ 200Hz, unit Gauss/mT, 2%/ 5% accuracy in uniform magnetic fields	₹ 24,000	90318000
135 (*)	GSS 400	0/200/2000mT, AC/DC and various magnetic fields, frequency 1 ~ 400Hz, unit Gauss/mT, 1% accuracy in uniform magnetic fields	₹ 36,000	90318000
DIGITAL COLOR METER				
136	COL 45	Measurement and color-difference calculations in 6 color spaces, (L*,a*,b*), (L*, C*ab, hab), (Y, x, y), (X, Y, Z), (Rs, Gs, Bs) or (WI, YI, Tw), data storage, statistics display, optional PCINT	₹ 24,000	90318000
ULTRASONIC LEAKAGE DETECTOR				
137	ULD 30	Locate the source of compressed gas/ air leaks via its ultrasonic emission, with LED indication and audible tone.	₹ 28,000	90318000
138	ULD 30 TX	40kHz Ultrasonic Transmitter to be used with ULD 30 to detect leaks in conduit and pipe systems, windshield, door and window frames, etc	₹ 13,000	90318000
WALL DETECTOR				
139	WD 09	Detect metal (steel bars, copper pipes) and cables inside walls, ceilings and floors; wooden beams, metal and cables under plasterboard, upto a depth of 5". LED, audible tone and depth indication, inbuilt battery with type C charging	₹ 5,400	90318000
WATER ACTIVITY METER				
140 (*)	WAM 01	Measure the water activity(amount of free water) in foods like fruits, vegetables, etc. to check food quality, safety and self life. 0 ~ 1.0aw measuring range, Optional PCINT	₹ 70,000	90318000
OPEN CHANNEL FLOW METERS				
141 (*)	FLOWM 05	Measure water and liquid flow in open channel like irrigation and farms, hydrological stations, sewage, mines, factories, etc, pole positioning method, 0.01 ~ 5 m/s, backlit LCD	₹ 40,000	90318000
142 (*)	FLOWM 10	Measure water and liquid flow in open channel like irrigation and farms, hydrological stations, sewage, mines, factories, etc, pole positioning method, 0.01 ~ 10 m/s, backlit LCD	₹ 70,000	90318000
ENVIRONMENTAL TESTERS				
DIGITAL ANEMOMETER				
143	AVM 05	Large backlit LCD Display 0.4~45M/S CMM,CFM & Air Temperature C/F 0~60°C / 32~140°F Fan type Vane Probe, optional PCINT	₹ 5,400	90318000

SI No	Model	Description	List Price	HSN
DIGITAL SOUND LEVEL METERS				
144	SL 4001	Large backlit, color, negative display (for better readability), 30~130dbA Fast/ Slow weighing, inbuilt battery , type C charging, bar graph, ambient temperature and humidity, data hold	₹ 3,600	90278990
145	SL 4005	Large backlit LCD Display 30~130db Fast/ Slow weighing A & C or "F" Flat built in calibration signal 94db LP, LEQ, LN. 30 Group memory, optional PCINT	₹ 5,400	90278990
146 (*)	SL 4005A	Class 1 calibrated highly accurate, 25~130db Fast/ Slow weighing A & C or Linear , large LCD with graph , range control, true condenser sensor	₹ 26,000	90278990
147 (*)	IMSL 4005	Impulse, Class 1 calibrated highly accurate, 25~130db Fast/ Slow weighing A & C or Linear, Impulse time weight , large LCD with graph, range control, true condenser sensor	₹ 46,000	90278990
148 (*)	INSL 4005	Integrating, Class 1 calibrated highly accurate, various statistics on 6 days of data can be calculated and printed, 25~130db Fast/ Slow weighing A & C , large LCD with graph, range control, true condenser sensor, optional PCINT	₹ 50,000	90278990
149 (*)	IISL 4005	Impulse Integrating, Class 1 calibrated highly accurate, various statistics on 6 days of data can be calculated and printed, 25~130db Fast/ Slow weighing A & C or Linear, Impulse time weight , large LCD with graph, range control, true condenser sensor, optional PCINT	₹ 54,000	90278990
150 (*)	NSA 01	Noise Spectrum Analyser, Class 1 calibrated highly accurate, 1/1 and 1/3 octave filter , various statistics on 6 days of data can be calculated and printed, 30~130db Fast/ Slow weighing A & C or Linear, Impulse time weight , large LCD with graph, range control, true condenser sensor, optional PCINT	₹ 58,000	90278990
DIGITAL LUX METER(ILLUMINOMETER)				
151	LX 1336A	0~5,00,000 Lux , 0~20,000 FC , Separate Light Sensor with in-built spectrum filter, low battery indicator, Max value hold function, optional PCINT	₹ 6,800	90278990
DIGITAL THERMOMETER/HUMIDITY METER(HYGROMETER)				
152	TH 01	Humidity/Temperature - 10°C~ 70°C (C/F) RH: 20% ~ 90%. Indoor	₹ 600	90251990
153	HT 9B	Data Logger Temperature Humidity Meter Large Backlight LCD dual display -20°C~ 70°C (C/F) RH: 0% ~ 100%, dew point pickup and wet bulb	₹ 2,000	90251990
154	DT 305-S	High Precision Thermometer , K type Thermocouple, -50°C~1300°C(standard probe : -50 ~ 250°C) , data storage, Auto Power Off, alarm	₹ 1,600	90251910
INDOOR AIR QUALITY(IAQ) METERS				
155 (*)	MCO27	3-in-1 Handheld+Desktop CO2 monitor, Dual beam NDIR technology , 0~10,000PPM, Temp 0~50C, RH 0~99%, 3 color backlit display, external power supply	₹ 14,000	90271000
156 (*)	MCO90C	3-in-1 Desktop CO2 monitor, Dual beam NDIR technology , 0~5,000PPM, Temp 0~50C, RH 0~99%, negative display, SD card storage, data logging, inbuilt battery	₹ 28,000	90271000
157 (*)	MCO906CP	CO2/ PM2.5/ PM10 detector , with temp/ RH/ barometer, Dual beam NDIR technology , CO2, upto 9,999 ppm, CO upto 1,000 ppm, PM2.5 and PM10 upto 999 ug/m3, temp 0~50C, RH 0~99%, barometer 50~110kPa, SD card storage, RS485 comm	₹ 42,000	90271000
MISCELLANEOUS				
158	PCINT	PC interface(USB cable & software) for data logging, only for models where PCINT is mentioned in the description	₹ 5,400	90319000
* Items with (*) will have lead time 4-8 weeks				

Fnirsi Electrical Inspection Tools & Meters

Price List Effective January 2025

(This Price-List Supersedes all Previous Price-List)

Sl No	Model	Description	List Price	MoQ	HSN
DIGITAL STORAGE OSCILLOSCOPES					
159	1014D	Benchtop DSO 100Mhz 2 channel, 1GSa/s, with signal generator	₹ 27,200	2	90302000
160	1013D	Tablet type DSO 100Mhz 2 channel, 1GSa/s	₹ 23,000	2	90302000
161	2C53P	3-in-1 tablet type oscilloscope, multimeter and function generator. 50Mhz 2 channel, 250MSa/s, AC/DC V, AC/DC A, resistance, capacitance, temperature, diode	₹ 19,000	2	90302000
162	2C53T	3-in-1 handheld type oscilloscope, multimeter and function generator. 10Mhz 2 channel, 50MSa/s, AC/DC V, AC/DC A, resistance, capacitance, temperature, diode	₹ 13,000	4	90302000
163	2C53TS	3-in-1 handheld type oscilloscope, multimeter and function generator. 50Mhz 2 channel, 250MSa/s, AC/DC V, AC/DC A, resistance, capacitance, temperature, diode	₹ 14,400	4	90302000
164	5012H	Handheld Pocket Oscilloscope, 100Mhz 1 channel, 500MSa/s	₹ 13,600	4	90302000
165	DSOTC3	3-in-1 tablet type oscilloscope, transistor tester and function generator. 500khz 1 channel, 10MSa/s	₹ 9,600	4	90302000
166	DSO152	Mini pocket handheld oscilloscope, 200kHz 1 channel, 2.5MSa/s	₹ 5,600	5	90302000
167	DSO153	Mini pocket handheld oscilloscope with signal generator, 1MHz 1 channel, 5MSa/s	₹ 6,400	5	90302000
168	DSO510	Mini Oscilloscope with Signal Generator, 10MHz 1 channel 48MSa/s	₹ 8,400	5	90302000
169	DPOX180H Y	Digital Phosphor Oscilloscope, 180MHz 2 channel, 500MSa/s with signal generator	₹ 23,200	1	90302000
170	P4100	High voltage probe 100X for 1014D and 1013D, measurement upto 1000V	₹ 2,800	-	90302000
171	P6100	Standard probe 10X for all oscilloscopes except 1014D and 1013D	₹ 1,600	-	90302000
SIGNAL GENERATORS					
172	SG002	Basic +-12V, 0-24mA voltage and current signal generator with pluggable terminal blocks	₹ 4,800	4	90302000
173	SG003A	Multifunctional Signal Generator 0~24V, 0~24mA, with PWM output	₹ 11,000	2	90302000
174	SG004A	Multifunctional Signal Generator 0~24V, 0~24mA, with PWM, mV/thermocouple, resistance/ thermal resistance output	₹ 22,000	1	90302000
SOLDERING IRONS & STATIONS					
175	HS-01 BLS	Soldering iron, Temperature: 80-420°C, with 1 iron tip	₹ 5,000	4	85151100
176	HS-01 BLT	Soldering iron, Temperature: 80-420°C, with 6 iron tips	₹ 8,000	4	85151100
177	HS-02A S	Soldering iron, Temperature: 100-450°C, with 1 iron tip	₹ 6,400	4	85151100
178	HS-02A M	Soldering iron, Temperature: 100-450°C, with 6 iron tips	₹ 9,600	4	85151100
179	DWS-200 F210 H	Soldering station, 200W/110~250V , 100~450°C, induction sleep sensor rack, helping hands, PID temperature control, 2.8" TFT screen, F210 arm, 3 iron tips.	₹ 21,000	1	85151100
180	DWS-200 F245 H	Soldering station, 200W/110~250V , 100~450°C, induction sleep sensor rack, helping hands, PID temperature control, 2.8" TFT screen, F245 arm, 6 iron tips.	₹ 22,000	1	85151100
181	DWS-200 F210&F245	Soldering station, 200W/110~250V , 100~450°C, induction sleep sensor rack, helping hands, PID temperature control, 2.8" TFT screen, F210 & F245 arm, 3 + 6 iron tips.	₹ 25,200	1	85151100
182	SWM-10	Portable handheld spot welding machine, 1200A MAX, Weld thickness 0.1~0.25mm for Nickel sheet, iron sheet, stainless steel, 3.7V/5000mAh lithium battery	₹ 9,000	2	85151100
183	HS Tip	Tip for HS 01 and HS 02	₹ 1,200	-	85151100
184	65WCC	65W high speed adaptor with type C cable compatible with HS-01	₹ 4,800	-	85447090
185	100WCC	100W high speed adaptor with type C cable compatible with HS-02	₹ 6,400	-	85447090
MULTIMETER					
186	DMT99	10,000 count True RMS smart multimeter with auto recognition, AC/DC V, AC/DC A, resistance, capacitance, diode, temperature, NCV, frequency, plot graph	₹ 5,400	5	90303100

Sl No	Model	Description	List Price	MoQ	HSN
CLAMP METER					
187	DMC100	10,000 count True RMS clamp meter auto range, 600A AC/DC with AC/DC V, resistance, capacitance, temperature, frequency, NCV, diode and 3 measuring modes - normal, curve and power calculations.	₹ 6,800	5	90303900
INTERNAL RESISTANCE BATTERY TESTER					
188	HRM-10	0 ~ ±100V DC, 0 ~ 200ohms, check battery internal resistance , for all types of batteries Lithim, lead acid, carbon zinc, alkaline, button cell, etc.	₹ 8,000	5	90303390
TRANSISTOR TESTERS					
189	LCR-P1	MOS/SCR, PNP/NPN, inductors, resistors, capacitors, zener diode, etc compact component tester	₹ 5,000	10	90302000
190	LCR-ST1	Tweezer type resistor, capacitors, inductor, diode component tester	₹ 5,400	10	90302000
DC POWER SUPPLY					
191	DPS-150	Mini programmable DC power supply , 30V, 5A, 150W, with atleast 100W power input (adaptor sold separately)	₹ 11,200	2	90308400
192	100WCC	100W high speed adaptor with type C cable compatible with DPS-150	₹ 6,400	-	85447090
NUCLEAR RADIATION DETECTOR					
193	GC 01	Geiger Miller counter for detecting the intensity of ionizing radiation(beta particles, gamma rays, x-rays) , real time monitoring with large color display	₹ 8,000	2	90318000
DISTANCE METER					
194	IR 40	40m super compact distance meter , with area/ volume, type C charging	₹ 4,200	5	90318000
BRIX REFRACTOMETER					
195	JBM-10	Measure sugar concentration(sucrose) in solutions, 0~32% brix	₹ 5,200	5	90275020
196	JBM-20	Measure sugar concentration(sucrose) in solutions, 0~55% brix	₹ 6,200	5	90275020
NIGHT VISION DEVICES					
197	NVS-20	Monocular device , upto 300m in full darkness, 6X zoom, photography(upto 36MP) and video(upto 4K), 1.54" HD IPS display, 25mm objective lens aperture, 850nm and 7 level IR	₹ 11,200	2	90318000
198	NVS-40	Binocular device , upto 300m in full darkness, 6X zoom, photography(upto 36MP) and video(upto 4K), 3" HD IPS display, 25mm objective lens aperture, 850nm and 7 level IR	₹ 12,000	2	90318000
USB TESTERS					
199	FNAC-28	Monitor: 4~24V,0~6.5A, 0~156W ; 1.0 inch full-color TFT-LCD screen , support QC2.0/QC3.0/FCP/SCP/AFC/VOOC/SVOOC, 2-in1 USB-A and Type C	₹ 4,000	4	90303390
200	FNB58	Monitor: 4~28V,0~7A, 0~140W, D+/D- voltage, temperature, capacity, energy used, cable internal resistance ; 2.0 inch full-color TFT-LCD screen , support PD2.0/PD3.0/QC2.0/QC3.0/FCP/SCP/VOOC/SVOOC, waveform display	₹ 9,000	4	90303390
* Order lead time 4-8 weeks * Lesser discount applicable for order which is less than the MoQ * Bulk discount (order more than 50pcs) is available on Fnirsi products.					



Pricelist Jan 25

Smart Sensor Meters**Price List Effective January 2025***(This Price-List Supersedes all Previous Price-List)*

Sl No	Model	Description	List Price	MoQ	HSN
GAS DETECTORS					
201	AS8800C	Combustible gas detector , detect all explosive gases, upto 5PPM, flexible probe, large backlit display, inbuilt battery	₹ 4,800	5	90271000
202	ST9700	Carbon Monoxide(CO) detector , 0~1000ppm, units ppm, umol/mol, negative display	₹ 5,400	5	90271000
203	ST8100B	Oxygen(O2) detector , 0~25% VOL, temperature and humidity display, large backlit display with bar-graph	₹ 11,000	5	90271000
204	ST8904	Multi gas detector , oxygen(O2) 0~30% VOL, carbon monoxide(CO) 0~999ppm, Hydrogen sulfide(H2S) 0~500ppm, combustible gas 0~100% LEL, electrochemical principle , 2 year sensor life, large backlit display	₹ 14,000	5	90271000
205	AT8500	Ammonia(NH3) detector , 0~50ppm, temperature and humidity display, large negative display	₹ 26,000	2	90271000
206	AS8908	Ozone(O3) detector , 0~1.00 ppm, 0.01 ppm resolution, backlit display	₹ 40,000	1	90271000
207	ST8310A	CO2 monitor , 400~5000ppm, temperature and humidity display, clock and calendar, inbuilt battery	₹ 16,000	2	90271000
WATER QUALITY METERS					
208	PH828+	pH Meter , pen type, 0~14.00pH, solution temperature compensation range 0~60C, negative display	₹ 4,000	10	90278090
209	PH818T	Penetrating pH Meter , useful for semi-solid food and other substances, 0~14.00pH, solution temperature compensation range 0~70C, backlit display	₹ 8,000	5	90278090
210	AR8211+	TDS/ Conductivity Meter , pen type, conductivity 0~1999us/ 2~19.99mS, TDS 0~1999ppm/ 0~19.99ppt, solution temperature compensation range 0~60C, negative display	₹ 4,000	10	90278090
211	AR8212+	Salinity Meter , pen type, 0~50ppt, solution temperature compensation 0~60C, negative display	₹ 4,000	10	90278090
212	AR8406	Dissolved Oxygen Meter , 0~30mg/L, temperature range 0~40C, salinity compensation inbuilt, data hold, inbuilt battery	₹ 28,000	1	90278090
213	AR8407	Water quality meter , Dissolved oxygen 0~30mg/L, pH 3.5~11, nitrite 0~1.00mg/L, ammonia nitrogen range 0~1.00mg/L, data storage	₹ 36,000	1	90278090
EMF TESTER					
214	ST1393	Electric and magnetic field tester , 0.01~199.9uT(20~300Hz), 0~1999V/m(20Hz~3500MHz), large negative display	₹ 3,600	10	90318000
ANEMOMETERS					
215	ST9606	Inbuilt sensor head, 0.3~30m/s , units m/s, km/hr, ft/min, knots, temperature display, max/ min display, negative LCD	₹ 2,800	10	90318000
216	AR866A	Hot wire anemometer, 0.3~45m/s , units m/s, km/hr, ft/min, knots, temperature display, max/ min display, data storage, backlit LCD with bar-graph	₹ 23,000	2	90318000
LUX METER					
217	ST9620	Inbuilt sensor head, Upto 2L lux , units lux/ FC, temperature display, max/ min display, negative LCD	₹ 2,800	10	90278990
EARTH CLAMP RESISTANCE METERS					
218	ST4100	0.01~500Ohms , grounding resistance test, leakage current test, data storage, alarm, backlit LCD	₹ 24,000	2	90303900
219	ST4800	0.01~1200Ohms, 0mA~30A , grounding resistance test, leakage current test, data storage, alarm, backlit LCD	₹ 36,000	2	90303900



Pricelist Jan 25

Sl No	Model	Description	List Price	MoQ	HSN
HIGH VOLTAGE INSULATION TESTER					
220	ST3128	10kV Insulation Tester , Voltage 250/500/1K/5K/10KV, resistance 0.01MΩ~3000GΩ, DC Voltage Range: 0~1000V, AC Voltage Range:0~750V, Power Supply:12.6V rechargeable battery, LCD display size:108mm×65mm, USB interface, Data Storage:500 groups, according to IEC61010-1、IEC1010-2-31、IEC61557-1,5、IEC60529(IP54)	₹ 60,000	1	90303390
DIGITAL RCD(ELCB) TESTER					
221	AR5406	Earth resistance range 220V±15Hz, 10/20/30/200/300/500mA , trip current duration 1000ms max, 3.5 count LCD display, low battery indication	₹ 24,000	2	90303900
METAL DETECTOR					
222	AR954	Hand-held metal detector , 13KHz, depth upto 2.5", easy grip	₹ 2,600	20	90318000
MOISTURE METER					
223	AR991	Grain moisture meter, 0~30% , grains rapeseed, sesame, soybean meal, cotton, soybean, peanut, barley, rice, sorghum, watermelon seed, paddy, wheat, maize, fodder, backlit display	₹ 3,000	20	90318000
<i>* Order lead time 4-8 weeks</i> <i>* Lesser discount applicable for order which is less than the MoQ</i> <i>* Bulk discount (order more than 50pcs) is available on Smart Sensor products.</i>					

Terms and additional notes

Prices: Ex-works office, packing and freight charges extra as applicable

Delivery against order: Items marked with (*) mark, Fnirsi and Smart Sensor products will be delivered against order, with a lead time of 4-8 weeks, depending on the item. Please also check stock status, given below

Flat discount as applicable.

Discount: Lesser discount applicable for order which is less than the MoQ for Fnirsi and Smart Sensor products

Bulk discount (order more than 50pcs) is available for Fnirsi and Smart Sensor products.

Taxes: Additional GST as applicable

Delivery: Confirm our stock status before placing orders. Many items are ex-stock, and some are only against orders. Please follow the link below for our stock status, updated regularly:

<https://bit.ly/3AuLcPV>

Warranty: Most of the instruments carry a 1-year warranty against manufacturing defects.

Validity: This pricelist supersedes all previous pricelist. Prices, model and specifications maybe subject to change without prior notice

We look forward to your valuable orders

JANUARY 2025

Metrix+™

NDT, Electrical, Environmental, Inspection




FNIRSI

Electrical Inspection
(Oscilloscopes, Signal
Generators, Soldering irons,
etc).

**SMART
SENSOR**

Environmental, Misc
(Gas detectors, water quality
testers, mini environmental
testers, etc).



**ELECTRICAL & ELECTRONIC
TEST AND MEASUREMENT INSTRUMENTS**