

AN ISO 9001:2015 COMPANY
QUOTATION FOR ALL MOTWANE PRODUCTS


(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
DIGITAL MULTIMETER				
DM3540A	3200 Count Auto ranging Digital Multi meter with set of leads and Holster.	3640	90303100	4550
M41	4000 Count Digital Multi meter (Avg) with a set of leads and fuses	5870	90303100	7340
M42	4000 Count Digital Multi meter (Trms) with a set of leads and fuses	7810	90303100	9770
M63	TRMS Heavy Duty 6000 Count Industrial Grade Multi meter	11900	90303100	14880
M65	TRMS High Accuracy 6000 Count Dual Display Multi meter	16310	90303100	20400
Optional accessories for MULTIMETERS				
HV40	40 kV AC/DC High Voltage Probe for M41, M42	8920	90309010	
	Set of Meter leads for DMM	620	90309010	
	K Type Thermocouple	1840	90309010	
DIGITAL EARTH TESTER				
DET 20 With Kit	3 ^{1/2} Digital Earth Resistance Tester with RSR Technology - 0.01 Ohms to 1999 Ohms with the complete testing kit. Earth Voltage Measurement up to 200V AC.	13330	90303390	16670



THE MOTWANE MANUFACTURING COMPANY PVT. LTD.
AN ISO 9001:2015 COMPANY
QUOTATION FOR ALL MOTWANE PRODUCTS
(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
DET 20	3 ^{1/2} Digital Earth Resistance Tester with RSR Technology - 0.01 Ohms to 1999 Ohms. Earth Voltage Measurement up to 200V AC.	9970	90303390	12470
Optional Accessories for DET 20	DET-20 Kit	4540	90309010	
	Battery Charger Assembly for DET-20	1090	90309010	
LOW VOLTAGE INSULATION TESTER				
MIRT-61	6000 Count Digital Multimeter with Insulation Tester with Dual LCD Display with amber backlit	22180	90303100	27740
Optional Accessories	Test Lead Set For (Red & Black) One End With Shrouded Banana 4 Mm & Another With Crocodile Clip	970	90309010	
i-12	1 KV Digital Insu tester with 2 G Ohm Measurement Range, NO- GO test facility, low resistance measurement up to 100 Ohms, live circuit voltage detection up to 600 V AC/DC with following- a. Test leads of 1 m length with crocodile clip – 3 Nos b. Mains eliminator (12VDC, 1000mA output). c. Fuse 800mA/600V d. Instruction Manual	12940	90303350	16190
Optional Accessories	Mains Eliminator (12V DC, 1000mA output)	1100	90309010	
	Test lead set	970	90309010	



THE MOTWANE MANUFACTURING COMPANY PVT. LTD.
AN ISO 9001:2015 COMPANY
QUOTATION FOR ALL MOTWANE PRODUCTS
(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
D2KM	3½ Digit LCD display heavy-duty hand held dual range Insu tester upto 1 KV, 2000 M ohm with - a) Low noise Test lead set with inbuilt banana guard lead. b) Battery charger, c) Pair of test lead set of one end pointed for voltage measurement, d) Fuse 500mA/600v - 1No.	8930	90303350	11170
Optional Accessories	Low Noise Test Lead Assy (Pair) D2KM	1170	90309010	
	Guard probe with crocodile clip	880	90309010	
	Charger Assembly For D2KM	970	90309010	
	Meter Lead Assy For D2K-M	970	90309010	
	Battery Pack Assembly For D2K-M	1070	90309010	
DIGITAL CLAMP ON METER				
E25C	2000 Count 600A AC Clamp Meter with set of leads & battery	2160	90303100	2700
DCM30A	2000 Count 1000A AC Clamp Meter with set of leads, battery and carrying case.	6200	90303100	7750
DCM 23A	AC Clamp Meter	4400	90303100	5500
DCM 33A	1000A AC Clamp Meter	6670	90303100	8340



AN ISO 9001:2015 COMPANY
QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

Commercial Information & Terms

1. One Calibration Certificate & Instruction Manual is supplied along with each of the above stated Motwane Make Instrument.
2. Freight Charges are Extra.
3. GST – CGST / SGST / IGST is applicable @ 18%. However tax shall be charged extra at the rates prevailing at the time of actual dispatch.
4. Any other local Taxes and Other Government levies, applicable at the time of dispatch, will be to Purchaser's account.
5. Prices, Delivery period and specifications are subject to change without notice. Please check while Ordering.
6. Prices prevailing at the time of supply shall be applicable.
7. Each Instrument is warranted for one year from the date of dispatch against any manufacturing defect subject to our standard warranty clause.

Note: Calibration Certificate shall not be supplied with E25C

