




THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
DIGITAL CLAMP ON METER				
DCM39A	4000 Count Auto ranging 1000A AC/DC Clamp on Meter, True RMS with set of leads, Manual, battery and carrying case.	20010	90303100	25030
DCM 9930A	4000 Count Auto ranging 2000A AC/DC Clamp on Meter, True RMS with set of leads, Manual, battery and carrying case.	23260	90303100	29090
DCM49A	4000 count, (AVG) multi-function 1000A AC/DC Clamp Meter with set of leads, Manual & battery.	11500	90303100	14380
DCM45A	AC/DC True RMS Clamp Meter	14100	90303100	17640
DCM10A	3200 Count (AC-AVG) LCD Leakage Clamp Meter.	37130	90303100	46440
DCM600	2000 Count (Trms) Highly Accurate 10 Amp AC / DC Leakage Current Clamp on meter with 0.1mA resolution with Manual, battery and carrying case.	125680	90303100	
MICRO OHM METERS & SAFETY OHM METER				
LR 2045	4½ Digit bench Micro-ohm meter with set of leads with GP Kelvin Clips Jaw: 25 MM,RS232 cable, main cord, instruction Manual	67790	90303390	



AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
Optional Accessories for LR 2045	Leads with GP crocodile clips 2 meter for LR2045	6480	90309010	
	Test Lead Assy. With G.P. Kelvin Clip for LR2065- 2 meter, Jaw: 9 MM	6480	90309010	
	C clamp with 10 m long leads	10550	90309010	
	Test leads with Heavy duty bond testing probe	10550	90309010	
	10 mtr. long test leads with Heavy duty crocodile clips.	11350	90309010	
	Test Lead Assy. With G.P. Kelvin Clip for LR2045- 2 meter, Jaw: 25 MM	6480	90309010	
LR 2065	4½ Digit bench Micro-ohm meter with set of leads with GP Kelvin Clips Jaw: 25 MM & GP crocodile clips, mains cord and Instruction Manual	104150	90303390	
Optional Accessories for LR 2065	Leads with GP crocodile clips 2 mtr for LR2065	6480	90309010	
	C clamp with 10 m long leads	10550	90309010	
	Test leads with Heavy duty bond testing probe	10550	90309010	
	10 mtr. long test leads with Heavy duty crocodile clips.	11350	90309010	
	Test Lead Assy. With G.P. Kelvin Clip for LR2065- 2 meter, Jaw: 9 MM	6480	90309010	
	Test Lead Assy. with G.P. Kelvin Clip for LR2065- 2 meter, Jaw: 25 MM	6480	90309010	
	Battery Pack Assembly(NI CAD 1.2V) for LR2065	15330	90309010	



AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
LR201	3½ Digit heavy duty hand held Safety ohm Meter with a set of leads with GP Kelvin Clips Jaw: 25 MM.	59000	90303390	
Optional Accessories for LR 201	Test Lead GP Crocodile Clip for LR201- 2 meter, Jaw: 25 MM	6480	90309010	
LR2045-S	4½ Digit Micro-Ohm Meter with Back Emf protection suitable for Inductive loads along with following accessories. a. 3 m leads with GP Kelvin Clip b. Three pin mains cord. c. Input protection fuse d. Mains Protection fuse e. User Manual f. Calibration Certificate g. Carrying case.	69140	90303390	
Optional Accessories for LR 2045-S	10 M Long leads with large crocodile clips and shrouded banana, Jaw: 40MM	26610	90309010	
	10 m long test leads with Heavy duty Kelvin clip Jaw: 35MM	8670	90309010	
	10 m test leads with C clamp with normal banana clips, Jaw: 80MM	11180	90309010	
	Software with USB interfacing cable.	9960	90309010	
	Test Lead Assembly With One End Kelvin Clip & Shrouded Banana 3 Meter Long For LR2045-S	6480	90309010	
	Heavy duty GP bond testing probe assembly. (10 mtrs)	10550	90309010	
	Carrying case	6480	90309010	



AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
DIGITAL EARTH CLAMP TESTER-CLAMP ON TYPE				
DECT - 2	4-digit LCD Digital Earth Clamp (Resistance) Tester - 0.01 to 1200 Ohms with Memory & Alarm feature a. Standard Loop Resistance 5.1 Ohm b. Instruction Manual c. Calibration Certificate d. Carrying Case	79160	90303390	
DECT - 3	4 digits Digital Earth Clamp (Resistance) Tester - 0.01 to 1200 Ohms with Leakage Current Measurement 0.05 mA to 20 A a. Standard Loop Resistance 5.1 Ohm b. Instruction Manual c. Calibration Certificate d. Carrying Case e. RS232 Cable & PC Software CD	80760	90303390	
INSULATION TESTER				
IT-51	5 KV Digital Insulation Tester With measurement of 1 T Ohm with PI facility, AC/DC voltage measurement up to 600 V, internal rechargeable battery a. 3 x 3 m test leads for earth, guard & line connection. b. 1.5 m AC mains cord. c. Mains protected fuse d. Carrying case e. Calibration Certificate	75530	90303350	
Optional Accessories IT-51	3 x 10 m test leads with large insulated clamps.	22280	90309010	
	3 x 3 m test leads with large insulated clamps.	7060	90309010	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
IT250G SPOT	5KV,250GΩ Digital Insulation Tester with Programmable Timer a. Test Lead Set-3 x 3m long Shrouded banana with crocodile clip b. Instruction Manual c. Carrying Case	43170	90303350	54000
Optional Accessories IT250G	3 x 3 meter test lead with crocodile clip	8230	90309010	
	Carrying case for IT250G	770	90309010	
	3 x 10 meter test lead with crocodile clip	11350	90309010	
D20K	3½ Digit Battery operated Insu tester 500V/1000V/ 2000V/ 2500V – 20000 M ohms with Earth and Line & Guard Leads, Instruction Manual and carrying case	13960	90303100	17460
HIGH VOLTAGE INDICATORS				
HV-50	High Voltage detector 6.6 KV to 33 KV with 3 meters telescopic fiber glass rod and carrying case.	32530	90303390	40690
HV-132	High Voltage detector 11 KV to 132 KV with 5 meters telescopic fiber glass rod and carrying case.	38520	90303390	48180
HV-220	High Voltage detector 33 KV to 220 KV with 5 meters telescopic fiber glass rod and carrying case.	50580	90303390	
HV-440	High Voltage detector 66KV to 440 KV with 5 meters telescopic fiber glass rod and carrying case.	57190	90303390	
Optional Accessories	3 mtr. Telescopic Fiber glass rod	7920	90309010	
	5.5 mtr. Telescopic Fiber glass rod	13250	90309010	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
HIGH VOLTAGE DIAGNOSTIC INSULATION TESTER				
5KPI	Diagnostic insulation Tester Model 5kPI with following accessories. a. 3 x 3 m test leads for earth, guard & line connection. b. 1.5 m AC mains chord. c. Mains protected fuse d. Instruction manual e. Carrying case. f. Calibration certificate	216460	90303350	
Optional Accessories for 5KPI	3 x 10 m test leads with large insulated clamps.	40750	90309010	
	3 x 3 m test leads with large insulated clamps.	10200	90309010	
	Carrying case	6770	90309010	
	Software CD with RS 232 & USB cable	22060	90309010	
10KPI	Diagnostic insulation Tester Model 10kPI with following accessories. a. 3 x 3 m test leads for earth, guard & line connection. b. 1.5 m AC mains chord. c. Mains protected fuse d. Instruction manual e. Carrying case. f. Calibration certificate	On Request	90303350	
Optional Accessories for 10KPI	3 x 10 m test leads with large insulated clamps	On Request	90309010	
	3 x 3 m test leads with large insulated clamps	On Request	90309010	
	Carrying case	On Request	90309010	
	Software CD with RS 232 & USB cable	On Request	90309010	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
CONDUCTORS				
CRM-100A	Contact Resistance Meter with Test current 10 - 100A DC, Resistance range 200 μ Ohm – 2 m ohm – 20 m ohm with duty cycle, with following accessories. a. 4 nos. of testing leads (10 mtr) b. Mains power cord c. User Manual d. Calibration sheet e. Carrying case f. Mains Protection Fuse	On Request	90303390	
Optional Accessories	Software CD & USB Cord	On Request	90309010	
	Transit case	On Request		
	10 Mtr Long Test Leads With Large Crocodile Clips For CRM-100A	On Request	90309010	
PCRM 100S	4½ digit display Contact Resistance Meter 100 A with 4 wire Measurement with following accessories. a. 15 m long cable with Heavy Duty C clamp with 75 mm jaw size b. Master Earth Cable 7 meter c. Mains power cord d. Mains protection fuse e. User Manual f. Calibration sheet g. Thermal Paper roll h. Carrying case	On Request	90303390	
Optional accessories	22 M long cable with Heavy duty C clamp with 50 / 100 / 150 mm jaw size / heavy crocodile clip 25 mm jaw size	On Request	90309010	
	Software CD & USB cord	On Request	90309010	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
PCRM 200S	4½ digit display Contact Resistance Meter 100 A with 4 wire Measurement with following accessories. a) 15M long cable with C Clamp 75mm opening: 1 Set. b) Master Earthing Cable (5M): 1 Set c) Mains power cord: 1 No. d) Instruction Manual: 1 No. e) Calibration Sheet: 1 No. f) Carrying Case for test lead: 1No g) Thermal Paper Role: 1 No. h) Spare Fuse (250mA/250V slow blow): 1 No.	On Request	90303390	
Optional accessories	22 meter strong cable with C Clamp 50 mm opening	On Request	90309010	
	03 meter cable with Heavy Crocodile clip 25mm opening	On Request	90309010	
	Software CD & USB cord	On Request	90309010	
PCRM-100SM	4½ digit display with 4 wire Measurement, 2 resistance channels, 1 current channel with following accessories. a) 15 M long cable with Heavy Duty C clamp with 75 mm jaw size b) Master Earth Cable c) Mains power cord d) Mains protection fuse e) User Manual f) Calibration sheet g) Carrying case	On Request	90303390	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
XWRM-10	4½ digit display with 10A, 4 wire Measurement, 2 resistance channels, 1 current channel with following accessories. a. 15m strong cables with heavy duty alligator clamps – 1set b. Mains power cord c. Short link (5 M) d. Earthling cable (2 x 5 M) e. User Manual f. Calibration sheet g. Carrying case	On Request	90303390	
Optional Accessories	Test Lead Set For XWRM-10 (ACCY)	On Request	90309010	
	Software & USB cable for XWRM-10	On Request	90309010	
XWRM-25	4½ digit display with 25A, 4 wire Measurement, 3 resistance channels, 1 current channel with following accessories. a. 15m Test Lead Set b. Mains power cord c. Short link 2 No d. Earth cable 1 No e. User Manual f. Calibration sheet g. Carrying case	On Request	90303390	
XWRM-103	4½ digit display with 10A, 4 wire Measurement, 3 resistance channels, 1 current channel with following accessories. a. 15m Test Lead Set b. Mains power cord c. Short link 2 No d. Earth cable 1 No e. User Manual f. Calibration sheet g. Carrying case	On Request	90303390	





THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
Optional Accessories	Software & USB cable for XWRM-103 & XWRM-25	On Request		
XTRM-3	Fully automatic Transformer Turns Ratio Meter a. Test Lead Set (10M long with terminated alligator clips) b. Mains power cord c. Thermal Paper roll d. Instruction Manual e. Calibration Certificate f. LV & HV Extension Cable 5M	On Request	90303390	
Optional Accessories	10 meter long XTRM-3	On Request	90309010	
	Software & USB cable for XTRM-3	On Request	90309010	
XTRM-3A	Fully automatic Transformer Turns Ratio Meter a. Test Lead Set 15M (10M + 5M Extension) b. Mains power cord c. Thermal Paper roll d. Instruction Manual e. Calibration Certificate	On Request	90303390	
Optional Accessories	Software & USB cable for XTRM-3	On Request	90309010	
CIRCUIT BREAKER TIMER				
MCBT-X	Motwane Circuit Breaker Timer Kit with following accessories: a. Test Lead Set (R, Y, B & N) 10Mtrs each b. Control Cable 5Mtrs c. Earthing Cable 5Mtrs d. Mains Power Cord e. Instructional Manual	On Request	90309090	






THE MOTWANE MANUFACTURING COMPANY PVT. LTD.

AN ISO 9001:2015 COMPANY

QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
MCBT-P	Motwane Circuit Breaker Timer Kit with Printer and USB Port with following accessories: a. Test Lead Set (R, Y, B & N) 10Mtrs Each b. Control Cable 5Mtrs c. Earthing Cable 5Mtrs d. Mains Power Cord e. Thermal Paper Roll f. Instructional Manual g. Software CD & USB Cable	On Request	90309090	
GROUND FAULT LOCATOR				
MGFL	Motwane Ground Fault Locator with following accessories: a. Receiver Unit b. Transmitter Unit c. Test Lead Set with Crocodile clips d. Clamp 55 mm & Clamp 20 mm e. Spare Battery – 9V f. Charger for 9V Battery- Receiver unit g. Charger -5 V-Transmitter unit h. Instruction Manual	On Request	90303390	
Oil Testing				
MOTR	Motwane Oil Tan Delta & Resistivity Kit with following accessories: a. Heating Chamber-01No b. Three Terminal Oil Cell-01No c. Calibrator-01No d. Test Lead Set e. Temperature Sensor PT100-01No f. Mains Cord-02Nos g. 20mm Glass Fuse-5A-05Nos, 2A-02Nos h. Thermal Printer Roll i. Software CD & USB Cable-01No j. Instruction Manual-01No	On Request	90303390	
Optional Accessories MOTR	Carrying Case for MOTR & Heating Chamber	On Request	90309010	
	Extra Three Terminal Oil Cell-01No	On Request	90309010	



AN ISO 9001:2015 COMPANY
QUOTATION FOR ALL MOTWANE PRODUCTS

(EFFECTIVE FROM 15/07/2020)

MODEL	DESCRIPTION	PRICE (INR)	HSN CODE	MRP ON THE BOX
MOTR+	Motwane Oil Tan Delta & Resistivity Kit with following accessories: a. Three Terminal Oil Cell-01No b. Calibrator-01No c. Test Lead Set d. Temperature Sensor PT100-01No e. Mains Cord-01Nos f. Thermal Printer Roll g. Software CD & USB Cable-01No h. Instruction Manual-01No	On Request	90303390	

Commercial Information & Terms

1. One Calibration Certificate & Instruction Manual is supplied along with each of the above stated Motwane Make Instrument.
2. Freight Charges Are Extra.
3. GST – CGST / SGST / IGST is applicable @ 18%. However, tax shall be charged extra at the rates prevailing at the time of actual dispatch.
4. Any other local Taxes and Other Government levies, applicable at the time of dispatch, will be to Purchaser's account.
5. Prices, Delivery period and specifications are subject to change without notice. Please check while Ordering.
6. Prices prevailing at the time of supply shall be applicable.
7. Each Instrument is warranted for one year from the date of dispatch against any manufacturing defect subject to our standard warranty clause.

