



AN ISO 9001:2015 COMPANY

Shop No.18, 1st Floor, CIDCO Shopping Complex, Plot # 9, Sector-7,

Rajiv Gandhi Marg, Sanpada, Navi Mumbai-400705

Tel : (022) 27754546, 27750662, 27750292

E-mail : sales@kusam-meco.co.in Web : www.kusamelectrical.com

PRICELIST FOR DEALER REFERENCE






Ref. No.: KEIL/PL/37 Revised / 2022

Date:01/01/2022

Sr. No.	ITEMS	Page No.
1	INTRINSICALLY SAFE MULTIMETER	1
2	HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS	1
	LOW VOLTAGE DETECTORS	1
3	SOFTWARE (Optional)	1
4	MAGNETIC HANGER (OPTIONAL)	1
5	UL" APPROVED 1KV TEST LEADS MODEL	1
6	PROFESSIONAL GRADE DIGITAL MULTIMETERS	2
	4½ DIGIT / 6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS	2
	DIGITAL MULTIMETERS	2
	BASIC DIGITAL MULTIMETERS	2
	BENCH TYPE DIGITAL LCR METER	2
7	DIGITAL LCR + MULTIMETERS & CAPACITANCE METER	2
8	UL/ETL ' APPROVED DIGITAL CLAMP METER	3
9	SOFTWARE(Optional)	3
10	PROFESSIONAL & INDUSTRIAL GRADE DIGITAL CLAMP METERS	4
	PROFESSIONAL GRADE DIGITAL CLAMP METERS	4
	INDUSTRIAL GRADE DIGITAL CLAMP METERS	4
	DIGITAL LEAKAGE CURRENT CLAMP METER	4
	AC & AC / DC CURRENT ADAPTOR	4
	AC LINE SEPARATOR	4
11	INSULATION RESISTANCE TESTER	5
	UL/ETL HAND HELD INSULATION RESISTANCE TESTER CUM MULTIMETER	5
	HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER	5
	LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER	6
	ANALOG INSULATION RESISTANCE TESTER	6
12	DIGITAL EARTH RESISTANCE TESTERS	6
	CLAMP-ON EARTH RESISTANCE TESTERS	7
	ONLINE EARTH RESISTANCE TESTERS	7
13	NON-CONTACT HIGH VOLTAGE DETECTORS & PERSONAL SAFETY DETECTORS	7
	TELESCOPIC HOT STICK	8
	PHASING STICKS	8
	Accessories to be used with Phasing stick Model PC44KV/PC 33KV/22KV/11KV/PC7KV	8
14	SINGLE PHASE DISCHARGE ROD	8
	THREE PHASE DISCHARGE ROD	9
15	TEST & MEASURING INSTRUMENTS	9
	DIGITAL ELCB TESTERS	9
	DIGITAL TACHOMETER / STROBOSCOPE	9
	DIGITAL DISTANCE METER	9
	VIBRATION METER	10

	DIGITAL ULTRASONIC THICKNESS GUAGE	9-10
	DIGITAL COATING THICKNESS GUAGE	10
	DIGITAL CONTACT TYPE THERMOMETER	10
	PHASE SEQUENCE INDICATOR	10
16	LABORATORY INSTRUMENTS	10
	FUNCTION GENERATOR	10
	FREQUENCY COUNTER	10
	DIGITAL STORAGE OSCILLOSCOPE	10
	ANALOG OSCILLOSCOPE	11
	DIGITAL MILLI OHM METER	11
	DC REGULATED POWER SUPPLY	11
	NETWORK CABLE TESTER	11
17	ENVIRONMENTAL TESTING INSTRUMENTS	11
	DIGITAL SOUND LEVEL METER & SOUND LEVEL CALIBRATORS	11
	DIGITAL LUX METER	12
	DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER	12
	DIGITAL MANNOMETER	12
	DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER	12
	DIGITAL THERMO ANEMOMETER	13
	DIGITAL CONTACT TYPE THERMOMETER	13
	DIGITAL NON-CONTACT INFRARED THERMOMETER	13
	ONLINE INFRARED THERMOMETER	14
	DIGITAL ELF DETECTOR	14
	DIGITAL SOLAR POWER METER	14
	DIGITAL MOISTURE METER	14
18	WATERPROOF PEN TESTERS	14
19	CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION & SIGNAL CABLES	14
20	THERMAL IMAGING CAMERA	14
21	DIGITAL PROCESS CALIBRATORS	15
22	POWER MEASUREMENT CLAMP-ON-METER	15
23	POWER MEASUREMENT & CONTROL INSTRUMENTS	15
	MULTIFUNCTION POWER & HARMONICS ANALYSER	15
	MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)	16
	MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)	16
	Optional Functions FOR MODEL KM-8100 & KM 7200	16
	MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm)	16
	DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY)	16
	INSTALLATION CHARGES	16
24	GAS DETECTORS	17-18
25	DIGITAL PROGRAMMABLE PANEL METER	19
26	DC TRANSMITTERS	20
27	AC POWER TRANSDUCER	21
28	TRMT TRANSDUCER	22
29	ACCESSORIES	23-24




SR.NO	PRODUCT IMAGE	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
1		INTRINSICALLY SAFE MULTIMETER					
		KM822sEX	Intrinsically Safe True RMS Digital Multimeter with PC Interface. Ex-rating : Ex ib I/IIC T6	Kusam Ele	90303390	1,09,000.00	
2	 	HIGH SAFETY "UL/ETL" APPROVED DIGITAL MULTIMETERS					
		KM 869	5-4/5 Digit 5,00,000 Counts Auto ranging TRMS Digital Multimeter with VFD Function & PC Interface	Kusam Ele	90303100	28,675.00	
		KM 870	5-4/5 Digits, 500,000 Counts Auto Ranging True Rms Digital Multimeter With VFD Feature & PC Interface & Extended 1500V DC Range	Kusam Ele	90303100	26,200.00	
		KM 859 CF	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter with Temp. measurement, & PC Interface	Kusam Ele	90303100	26,050.00	
		KM 857	5-4/5 Digit 50,000/500,000 Counts Autoranging Digital Multimeter & PC Interface	Kusam Ele	90303100	19,075.00	
		KM 839	3-5/6 Digit & 4½ Digit 20,000 Counts Dual Display TRMS Digital Multimeter	Kusam Ele	90303100	22,825.00	
		KM 829	4 Digit 9999 Counts & 6000 counts True RMS Digital Multimeter With NCV & Probe-Contact EF Detection with IP 54	Kusam Ele	90303100	19,875.00	
		KM807s	3-3/4 Digit 4000 Counts Auto ranging TRMS Digital Multimeter	Kusam Ele	90303100	10,750.00	
		KM 805s	3-3/4 Digit 4000 Counts Digital Multimeter	Kusam Ele	90303100	7,825.00	
		KM 711	3-5/6 Digits 6000 Counts + 3 Digits 999 counts Dual Display Digital Multimeter with VFD Function	Kusam Ele	90303100	8,100.00	
		KM 525	4 Digits 10,000 Counts Multiple Data Logging True RMS Digital Multimeter with 87000 points data log	Kusam Ele	90303100	25,125.00	
		KM 257	3-5/6 Digits 6000 Counts TRMS Digital Multimeter with EF-Detection & 24 Segments Analog Bar Graph.	Kusam Ele	90303100	14,225.00	
		KM 237R	3-5/6 Digit 6000 Counts TRMS DMM with VFD, EF-Detection, 3Phase Rotation-R & 3Phase Rotation-M(Motors).	Kusam Ele	90303100	11,475.00	
		KM 235	3-5/6 Digits 6000 Counts Backlight Display Digital Multimeter with VFD Function	Kusam Ele	90303100	11,625.00	
		KM 233	3-5/6 Digit 6000 Counts TRMS Digital Multimeter with VFD & EF Detection	Kusam Ele	90303100	10,150.00	
		5040	3-5/6 Digit 5000 Counts Autoranging Digital Multimeter with a facility of Computer Interface	Kusam Ele	90303100	11,875.00	
		5040-T	3-5/6 Digit, 5000 Counts Autoranging TRMS Digital Multimeter with a facility of computer interface (Upgraded)	Kusam Ele	90303100	16,100.00	
		LOW VOLTAGE DETECTORS					
			KM 66	Voltage Detector with EF Detection	Kusam Ele	90303100	5,375.00
			KM 69	3 Digit, 1000 Counts Voltage Detector with RCD Load Test & EF Detection	Kusam Ele	90303100	8,700.00
	KM 6185		Non-Contact AC Voltage Detector upto 1000V (CE)	KM	90303100	825.00	
3	SOFTWARE (Optional)						
		BU-86X or BU-82X	SOFTWARE BU-86X or BU-82X - Model - KM 829, KM 525 KM 869 & KM 870	Kusam Ele	90309010	5,825.00	
		BRUA-85Xa	SOFTWARE BRUA-85Xa-Model-KM 857, KM 859CF & 5040				
4	MAGNETIC HANGER (OPTIONAL)						
			For multimeter Models : KM 829, KM 525, KM 869, KM 257, KM 233, KM 237R, KM 839 For Insulation Testers : KM 887, KM 878, KM 877	Kusam Ele	90309010	450.00	
5	UL" APPROVED 1KV TEST LEADS (PAIR)						
		BL20P2-C	For Multimeter Model : KM 829, KM 525, KM 869, KM 859CF, KM 857, KM257, KM 5040, KM 887, KM 877, KM 878 KM 907, KM 805s, KM807s, KM 870 For Clampmeter Model : 2754A, 2754A-T, KM 061, KM 062, 2772, 2799, KM 111M, KM112M, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D, KM 2778	Kusam Ele	90309090	1,150.00	
		BAC-3	Alligator Clips (1 PAIR)	Kusam Ele	90309090	225.00	



SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
6		PROFESSIONAL GRADE DIGITAL MULTIMETERS					
		4½ DIGIT / 6½ DIGIT BENCH TYPE DIGITAL MULTIMETERS					
	 	M3500A	6½ Digit Dual Display TRMS Bench Top Digital Multimeter with 5X7 dot matrix VFD Dual Display 200,000 Counts with Three colour annunciators	Kusam LLP	90303100	1,21,925.00	
		M3500A	A-Opt01 Multipoint Scanner Card(10 Channel)	Kusam LLP	90303100	25,250.00	
		M3500A	A-Opt02 Thermocouple Adaptor	Kusam LLP	90303100	1,725.00	
		M3500A	A-Opt03 BNC to Banana Adaptor	Kusam LLP	90303100	7,600.00	
		M3500A, M3510A, M3511A	A-Opt04 GPIB Card	Kusam LLP	90303100	16,025.00	
		M3500A, M3510A, M3511A	A-Opt06 RS232 Card	Kusam LLP	90303100	4,525.00	
		M3510A	6½ Digit Bench Top TRMS Digital Multimeter with dot matrix Display with AC/DC 10A Current & K -type Thermocouple	Kusam LLP	90303100	1,00,100.00	
		M3511A	6½ Digit Bench Top TRMS Digital Multimeter with Dot Matrix Display with AC/DC 10A Current	Kusam LLP	90303100	71,400.00	
		KM 8045	4½ Digit 19999 Counts TRUE RMS Digital Bench Top Multimeter	Kusam Ele	90303100	10,300.00	
NEW		KM 891	4-5/6 DIGIT 60,0000 Counts Autoranging TRUE RMS DMM With Datalogging & PCc Interface	Kusam LLP	90303100	42,325.00	
		DIGITAL MULTIMETERS					
NEW		KM 8000 HVDM	4000 Counts TRUE RMS High Voltage Digital Multimeter DC Voltage : 3000V AC Voltage : 2000V	Kusam LLP	90303100	27,350.00	
		KM 6030	3½ Digit 2000 Counts Digital Multimeter with Mechanical Terminal Blocking	Kusam Ele	90303100	2,700.00	
		KM-ST-505N	Analog Multimeter	Kusam LLP	90303100	10,800.00	
		KM 405-MK-1	4½ Digit 19,999 Counts True RMS Digital Multimeter with large LCD Display	Kusam Ele	90303100	9,275.00	
		DMM 90	4½ Digit 19999 Counts Digital Multimeter with test leads connection Display	Kusam LLP	90303100	6,900.00	
		KM-60	Touch Screen Digital Multimeter	Kusam Ele	90303100	Price on enquiry	
NEW			KM 60-T	3-5/6 digits 6000 Counts TRMS Digital Multimeter with Non-Contact Voltage Measurement	Kusam Ele	90303100	1,825.00
			PD-28	High Voltage Probe (DC 0 ~ 40 KV, AC 0 ~ 28 KV) 50Hz	Kusam LLP	90303390	8,400.00
		BASIC DIGITAL MULTIMETERS					
		KM 4001	3½ Digit 1999 Counts Digital Multimeter	KM	90303100	1,625.00	
		801- L	3¾ Digit 3999 Counts Large LCD Display Digital Multimeter	Kusam LLP	90303100	2,675.00	
		702	3½ Digit 2000 Counts Liquid Crystal LCD Display DMM	Kusam LLP	90303100	1,150.00	
		603	3½ Digit 1999 Counts Large LCD Display Digital Multimeter	Kusam LLP	90303100	1,850.00	
		207-MK-1(T)	3¾ Digit 4000 Counts Autoranging Digital Multimeter	Kusam LLP	90303100	2,225.00	
		108	3½ Digit 1999 Counts LCD Display Digital Multimeter with 10A fused.	Kusam LLP	90303100	1,225.00	
			BENCH TYPE DIGITAL LCR METER				
		BR5810	100Hz ~ 10kHz four typical test frequency points LCR Meter	Kusam Ele	90308990	67,200.00	
7		DIGITAL LCR + MULTIMETERS & CAPACITANCE METER					
		KM 954MK-II	3½ Digit 1999 Counts Large Display LCR Meter	Kusam Ele	90303390	7,325.00	
		KM 503	Digital Auto Scan Pen R/C meter	Kusam LLP	90303390	3,100.00	
		LCR 459	4½ Digit 19999 Counts Dual Display Autoranging LCR Meter to measure L,C,R,Q,D.	Kusam Ele	90303390	12,475.00	
		333	3½ Digit 1999 Counts Capacitance Meter with Capacitor Discharge Function	Kusam LLP	90303390	3,350.00	
		306	3½ Digit 1999 Counts Digital Multimeter + LCR Meter	Kusam Ele	90303390	6,125.00	

All prices are subject to change without prior notice.





SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
8		UL/ETL * APPROVED DIGITAL CLAMPMETER				
NEW		2799	3½ Digit 4000 Counts (600A) Dual Display Autoranging DigitalClampmeter for HAVC Application (Separate Display for Voltage and Current)	Kusam Ele	90303100	9,975.00
		KM 3001	AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection, PC Interface For Solar Application	Kusam Ele	90303100	22,550.00
		KM 2777	2000A AC / DC TRMS Clamp-On Multimeter with VFD, EF-Detection & PC Interface	Kusam Ele	90303100	23,050.00
		KM 2772	3-5/6 Digit, 6000 Counts Autoranging AC TRMS Clampmeter with 2000A ACA & Non-Contact EF-Detection	Kusam Ele	90303100	10,225.00
		2754A	3½ Digit 4000 Counts AC/DC Autoranging Digital Clampmeter with Multimeter Ranges (1000A DC / 800A AC)	Kusam Ele	90303100	9,575.00
		2754A(T)	3½ Digit 4000 Counts AC/DC TRMS Autoranging Digital Clampmeter with Multimeter Ranges (1000A DC / 800A AC)	Kusam Ele	90303100	11,475.00
		KM 175D	3-5/6 Digits 6000 Counts Dual Display 600A AC TRMS Digital Clampmeter with DC µA VIA TEST LEADS VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	90303100	12,600.00
		KM 112M	3½ Digit 4000 Counts 600A AC Autoranging Digital TRMS Clampmeter with Ultra Slim Jaw	Kusam Ele	90303100	7,700.00
		KM 111M	3 ¼ Digit 4000 Counts 600A AC Autoranging Digital Clampmeter with Ultra Slim Jaw	Kusam Ele	90303100	5,800.00
		KM 088	3-5/6 Digits 6000 Counts 1000A AC/DC; DC+AC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	90303100	15,925.00
		KM 086	3-5/6 Digits 6000 Counts 1000A AC TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation Function & 3 Phase Sequence Indication Function.	Kusam Ele	90303100	14,700.00
		KM 078	3-5/6 Digits 6000 Counts 600A AC+DC TRMS Digital Clampmeter with VFD, EF-Detection, AMP Tip For Low Current Measurement Function.	Kusam Ele	90303100	13,050.00
		KM 076	3-5/6 Digits 6000 Counts 600A AC TRMS Digital Clampmeter with VFD,EF-Detection, AMP Tip For Low Current Measurement, 3 Phase Rotation,Function & 3 Phase Sequence Indication Function.	Kusam Ele	90303100	12,150.00
		KM 072	3-5/6 Digits 6000 Counts Dual Display 600A AC TRMS Digital Clampmeter WITH VFD, EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	90303100	8,550.00
		KM 062	3½ Digit 4000 Counts TRMS 400A DC/AC Autoranging Digital Clampmeter with Multimeter Ranges	Kusam Ele	90303100	9,125.00
		KM 061	3½ Digit 4000 Counts 400A DC/AC Autoranging Digital Clampmeter with Multimeter Ranges	Kusam Ele	90303100	6,725.00
	NEW		KM 039F	3-5/6 digits 6000 counts LCD display True RMS Digital Fork Type Clampmeter	Kusam Ele	90303100
		KM 035	3-5/6 digits 6000 counts 600A AC/DC TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	90303100	10,150.00
		KM 033	3-5/6 digits 6000 counts 600A AC TRUE RMS DIGITAL CLAMPMETER WITH EF-DETECTION, AMPTIP FUNCTION FOR LOW CURRENT MEASUREMENT	Kusam Ele	90303100	8,575.00
9		SOFTWARE(Optional)				
		BRUA 19X	Software BRUA 19X for KM 2778 & KM 2777	Kusam Ele	90309010	5,825.00









SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
10		PROFESSIONAL & INDUSTRIAL GRADE DIGITAL CLAMPMETERS				
NEW NEW NEW NEW		PROFESSIONAL GRADE DIGITAL CLAMPMETERS				
		KM 4000	1000A AC True RMS Digital Clampmeter	Kusam LLP.	90303390	8,325.00
		KM 4002	1000A AC / DC True RMS Digital Clampmeter	Kusam LLP	90303390	13,075.00
		KM CCT3K	Flex Clamp Sensor AC current (A) : 30A/300A/3000A	Kusam LLP	90303390	10,075.00
		KM2779	2500A AC/DC True RMS Digital Clampmeter	Kusam LLP.	90303390	26,125.00
		9999	4 Digit 9999 Counts TRUE RMS Autoranging AC / DC Clampmeter with INRUSH Current Measurement (1000A)	Kusam Ele	90303390	13,100.00
		KM 2784-T	3¾ Digit 3999 Counts LCD Display AC/DC Digital TRMS Clampmeter(1000A)	Kusam LLP	90303390	4,325.00
		KM 2780	3¾ Digit 3,999 Counts 1000A AC Digital Clampmeter	Kusam LLP	90303390	3,350.00
		KM 2775	3¾ Digits, 4000 Counts, 2000A AC/DC Autoranging Digital Clampmeter	Kusam LLP	90303390	16,250.00
		KM 2725	3¾ Digit 4000 Counts Autoranging AC/DC Clampmeter with 4/40A ACA/DCA	Kusam LLP	90303390	6,950.00
		KM 2720	3¾ Digit 4000 Counts Autoranging AC/DC Clampmeter with 40/200A ACA/DCA	Kusam LLP	90303390	5,950.00
		KM 2009	4 digit 6000 counts AC / DC 600A Current Clampmeter for Solar applications.with Datalogging	Kusam Ele	90303100	15,575.00
		KM 071	Milliamp Process Clampmeter measures 4-20mA DC without breaking electrical circuit.	Kusam LLP	90303390	34,800.00
		INDUSTRIAL GRADE DIGITAL CLAMPMETERS				
NEW		KM 2719	3¾ Digits AC TRMS Digital Clampmeter	Kusam LLP	90303390	2,950.00
		KM 3060	3½ Digit 1,999 Counts 1000A AC Digital Clampmeter	Kusam LLP	90303390	1,675.00
		KM 3060-T	3-5/6 Digit 5,999 Counts 1000A AC Digital Clampmeter	Kusam LLP	90303390	1,800.00
		2790	3¾ Digit 2000 Counts Large LCD Display Digital Clampmeter (600A)AC	Kusam Ele / Kusam LLP	90303390	3,600.00
		2781	3¾ Digit 3999 Counts Liquid crystal LCD Display AC/DC Digital Clampmeter(1000A)	Kusam LLP	90303390	6,350.00
		2781-T	3¾ Digit 3999 Counts LCD Display AC/DC Digital TRMS Clampmeter(1000A)	Kusam LLP	90303390	7,500.00
		2700	3½ Digit 1999 Counts (300A) AC Clampmeter	Kusam Ele / Kusam LLP	90303390	3,600.00
		999	3½ Digit 1999 Counts Digital AC Clamp meter (1000A)	Kusam Ele	90303390	4,925.00
				DIGITAL LEAKAGE CURRENT CLAMPMETER		
	KM 2008	4 Digit 3000 counts AC Leakage Current Clampmeter with Data logging & PC Interface	Kusam LLP	90303390	16,075.00	
	KM 2007	3¾ Digit 3999 Counts AC Leakage Clamp On Meter with Harmonics Low Pass Filter Function Ranges: AC Current : 40mA/400mA/4A/100A & AC Voltage : 600V	Kusam LLP	90303390	22,800.00	
	KM 2006	4 Digit 5000 Counts AC / DC TRMS Leakage Clampmeter	Kusam Ele	90303390	24,475.00	
		AC & AC / DC CURRENT ADAPTOR				
	CA 3000D	3000A TRMS Reading Flexible Current Probe with display	Kusam Ele	90303390	16,550.00	
	CA 3000	3000A Flexible Current Probe	Kusam Ele	90303390	11,275.00	
	CA2000	2000A AC/DC Current Adaptor 400/2000A, O/P 1mV/A	Kusam Ele	90303390	5,875.00	
	CA1000	1000A AC/DC Current Clamp Adaptor 400/1000A, O/P 1mV/A	Kusam Ele	90303390	5,400.00	
	CA500	500 A AC/DC Current Clamp Adaptor O/P 1mV/A	Kusam Ele	90303390	7,450.00	
		AC LINE SEPARATOR				
		ALS-1	AC line Separator	Kusam Ele		1,500.00




SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
11	INSULATION RESISTANCE TESTER					
	UL/ETL HAND HELD INSULATION RESISTANCE TESTER CUM MULTIMETER					
	KM 887	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD Function.& AC/DC Current Range Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele	90303100	34,475.00	
	KM 878	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD, capacitance, AC/DC Current Range & Temperature Function Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele	90303100	37,675.00	
	KM 877	3-5/6 Digits 6,000 Counts TRMS Digital Insulation Multimeter with added VFD, PI, DAR & PASS/FAIL Insulation compare Feature Test Voltage Range : 50V/100/250/500/1000V Insulation Range : 3.000MΩ ~ 25.0GΩ	Kusam Ele	90303100	31,850.00	
	HIGH VOLTAGE DIGITAL INSULATION RESISTANCE TESTER					
	KM 7016 IN	Test Insulation Resistance upto 30TΩ Test Insulation Voltage upto 15kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	1,52,650.00	
	KM 7015 IN	Test Insulation Resistance upto 2TΩ Test Insulation Voltage upto 15kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP	90303390	1,56,725.00	
	KM 6310 IN	Test Insulation Resistance upto 20TΩ Test Insulation Voltage upto 10kV.,Short circuit current upto 5mA. PI & DAR indication.Optical USB to RS-232 data transmission.	Kusam LLP.	90303390	96,950.00	
	KM 6305 IN	5KV H. V. Insulation Resistance Tester with PI & DAR Function & PC Interface Test voltage : 500/1000/2500/5000V with Rechargeable Battery with test insulation resistance range upto 10TΩ	Kusam LLP.	90303390	1,05,850.00	
	KM 6305AIN	5KV H. V. Insulation Resistance Tester with PI & DAR Function & PC Interface Test voltage : 500/1000/2500/5000V with Alkaline Battery & test insulation resistance range upto 10TΩ	Kusam LLP	90303390	87,125.00	
		Spare Test Lead Model AL-6305			11,100.00	
	KM 6213 AIN	Test Insulation Resistance upto 600GΩ Test Insulation Voltage upto 10kV.,Short circuit current upto 5mA. PI & DAR indication.	Kusam LLP	90303390	97,200.00	
		Spare Test Lead Model AL53Bu			11,425.00	
	NEW	KM 5405 IN	5KV Digital Insulation Resistance Tester. Short Circuit Current : ≥6mA Insulation Resistance Range : 0.01MΩ~10TΩ	Kusam LLP	90303390	80,650.00
	NEW	KM 5410 IN	10KV Digital Insulation Resistance Tester. Short Circuit Current : ≥6mA Insulation Resistance Range : 0.01MΩ~35TΩ	Kusam LLP	90303390	93,850.00
	NEW	KM 5415 IN	15KV Digital Insulation Resistance Tester. Short Circuit Current : ≥6mA Insulation Resistance Range : 0.01MΩ~50TΩ	Kusam LLP	90303390	1,42,800.00
	NEW	KM 5305 IN	5KV High Performance High Voltage Insulation Resistance Tester. Short Circuit Current ≥7mA Insulation Resistance Range : 0.5MΩ ~10TΩ	Kusam LLP	90303390	1,27,050.00
	NEW	KM 5310 IN	10KV High Performance High Voltage Insulation Resistance Tester. Short Circuit Current ≥7mA Insulation Resistance Range : 0.5MΩ ~20TΩ	Kusam LLP	90303390	1,55,300.00
NEW	KM 5315 IN	15KV High Performance High Voltage Insulation Resistance Tester. Short Circuit Current ≥7mA Insulation Resistance Range : 0.5MΩ ~30TΩ	Kusam LLP	90303390	1,83,400.00	
		15 METERS TEST LEADS FOR KM 5305 IN, KM 5310 IN, KM 5315 IN	Kusam LLP	90303390	Against enquiry	






All prices are subject to change without prior notice.




SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
	KM 2805 MK-1	5KV H. V. Insulation Resistance Tester: 0.5KV/1KV/2.5KV/5KV Test Insulation Resistance upto 1TΩ with PI Function & PC Interface	LLP	90303390	38,650.00		
		Adaptor of KM 2805 MK-1			2,975.00		
		Standard test lead Approx. 1.5 mtr. for KM 2805 MK-1			4,075.00		
		10 Meter long test lead for KM 2805 MK-1			8,100.00		
	KM 2804 IN	10 KV H. V. Insulation Resistance Tester: 1KV/2.5KV/5KV/10KV Test Insulation Resistance upto 500GΩ	Kusam LLP	90303390	68,400.00		
		Spare Test Lead Model AL53			11,425.00		
	KM 2803 IN	5KV H. V. Insulation Resistance Tester: 0.5KV/1KV/2.5KV/5KV Test Insulation Resistance upto 250GΩ	Kusam LLP	90303390	56,400.00		
		Spare Test Lead Model AL53			11,425.00		
	LOW VOLTAGE DIGITAL INSULATION RESISTANCE TESTER						
		KM 1154 TMF	Digital Medium voltage Multifunction Insulation Resistance & Continuity Voltage with MOV & Gas Arrester Tester with Test Voltage 50V/100V/125V/ 250/500/1000V & Measuring Range upto 10GΩ	Kusam LLP	90303390	26,875.00	
KM 1152 MF		Digital Medium voltage Multifunction Insulation Resistance & Continuity Voltage with MOV & Gas Arrester Tester with PI & DAR Test Voltage 250/500/1000V & Measuring Range upto 0-8GΩ	Kusam LLP	90303390	26,875.00		
KM 379		3¼ DIGIT DIGITAL INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS With Test voltage : 250V/500V/1000V with test insulation resistance upto 40 GΩ	Kusam LLP	90303390	5,025.00		
KM 370		3¼ DIGIT DIGITAL INSULATION RESISTANCE TESTER WITH MULTIMETER FUNCTIONS With Test voltage : 500V/1000V/2500V with test insulation resistance upto 40 GΩ	Kusam LLP	90303390	6,450.00		
ANALOG INSULATION RESISTANCE TESTER							
	KM 81	Analog Insulation Tester 1000V/2000 Megohms; 0-600V AC	Kusam LLP	90303390	2,725.00		
	KM 41	Analog Insulation Tester 500V/1000 Megohms; 0-600V AC	Kusam LLP	90303390	2,700.00		
	KM 03	Analog Insulation Tester 500V/100 Megohms; 0-600V AC	Kusam LLP	90303390	2,600.00		
	KM 01	Analog Insulation Tester 100V/50 Megohms; 0-600V AC	Kusam LLP	90303390	2,525.00		
12	DIGITAL EARTH RESISTANCE TESTERS						
	KM 4235ER	Digital Earth Resistance Soil Resistivity Tester 4 Wire Earth Resistance: 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	58,325.00		
	KM 4234ER	4 Wire Digital Earth Resistance Tester : 0Ω-2000Ω, Earth Voltage 0.0 ~ 300.0V	Kusam LLP	90318000	52,800.00		
	KM 2040	Digital Earth Resistance Soil Resistivity Tester 4 Wire Earth Resistance: 20.9KΩ Resistivity measurement	Kusam Ele	90303390	22,725.00		
		Test lead set of 50 meter length for Model KM 2040	Kusam Ele	90303390	15,500.00		
	KM 2030	3½ Digit LCD display Digital Ground resistance measurements 2000Ω with 0.01Ω resolution. Earth Voltage 0 ~ 30V	Kusam Ele	90303390	8,850.00		
	KM 1520	Digital Earth Resistance Tester 3 Terminal, 3½ Digit 2000 counts LCD Display Earth Resistance: Range 0-20/200/2000Ω Earth Voltage : 0-200V AC (40-500Hz)	Kusam LLP	90303390	18,800.00		
	KM 1520A	Digital Earth Resistance Tester 3 Terminal, 3¾ Digit 4000 counts LCD Display Earth Resistance: Range : 0-40/400/4000Ω Earth Voltage : 0-400V AC (40-500Hz)	Kusam LLP	90303390	23,100.00		
	KM 1320	Digital Earth Resistance Soil Resistivity Tester 2 / 3 / 4 Wire Earth Resistance: 0.00Ω-30.00kΩ, Earth Voltage 0.0 ~ 600V & Test Frequency 128Hz/111Hz/105Hz/94Hz(AFC) with RS232 Interface	Kusam LLP	90303390	63,750.00		
	KM 8025LP	Loop Impedance Tester Loop Impedance Range : 20Ω / 200Ω / 2000Ω Prospective Short-circuit Current : 20KA / 2000A / 200A	Kusam LLP	90303390	27,125.00		
KM 1105ER	ANALOGUE EARTH RESISTANCE Earth Resistance: Range upto 1200 Ω Test Frequency 820Hz	Kusam LLP	90303390	24,250.00			




SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		CLAMP-ON EARTH RESISTANCE TESTERS				
		KM 1720+	Clamp On Earth Resistance Tester With PC interface. Leakage Current Range : 20A ,Resistance Range 0.01~1200Ω	Kusam LLP	90303390	63,250.00
		KM 1720	Clamp On Earth Resistance Tester With Leakage Current Range : 20A Resistance Range 0.01~1200Ω	Kusam LLP	90303390	42,425.00
		KM 1620	Clamp On Earth Resistance Tester : Resistance Range 0.01~1200Ω	Kusam LLP	90303390	38,775.00
NEW		KM 1690	Clamp Ground Resistance Tester Ground Resistance range : 0.01Ω ~ 1200Ω	Kusam LLP	90303390	40,000.00
NEW		KM 1790	Clamp Ground Resistance Tester Ground Resistance range : 0.01Ω ~ 1200Ω Leakage Current Range : 0.00mA ~ 20.0A	Kusam LLP	90303390	38,100.00
NEW		KM 1820EX	Flameproof Type Earth Resistance Tester Ex- Resistance range : 0.010Ω ~ 1200Ω Mark Ex ia II BT3Ga	Kusam LLP	90303390	47,925.00
NEW		KM 1920	Ground Pile Type Clamp Ground Resistance Tester	Kusam LLP	90303390	78,750.00
		ONLINE EARTH RESISTANCE TESTERS				
		2800KC	Explosion-proof Split Type Ground Resistance On-Line Detector	Kusam LLP	90258090	38,125.00
		2800C	4 Digit LCD Display Non-Contact Grounding Resistance Online Tester With Display . Range : 0.01Ω ~ 200Ω	Kusam LLP	90303390	31,050.00
13		NON-CONTACT HIGH VOLTAGE DETECTORS & PERSONAL SAFETY DETECTORS				
		500HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V- 500KV	Kusam LLP	90318000	16,550.00
		388 SVD	Personal Safety High Voltage Detector AC Voltage 240V ~ 69kV.	Kusam LLP	90303390	16,800.00
		375HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V- 500KV	Kusam LLP	90318000	17,275.00
		KM 302 SVD	Personal Safety High Voltage Detector AC Voltage 100V ~ 50kV.	Kusam LLP	90303390	9,600.00
		290 HD	Telescopic High Voltage Detector upto : Measur. Volt Range : 6kV ~ 81.5KV Retracted : 1370 ± 50mm ; Extracted : 2450 ± 50mm.	Kusam LLP	90303390	26,400.00
		288 SVD	Personal Safety High Voltage Detector AC Voltage 110V (240V-50kV).	Kusam LLP	90303390	16,800.00
		287 SVD	Personal Safety High Voltage Detector Range (Arm & Helmet wearing) : 110V ~ 22.8KV	Kusam LLP	90303390	8,050.00
		286 SVD	Personal Safety High Voltage Detector Range(Arm & Helmet wearing) : 110V ~ 11.4KV	Kusam LLP	90303390	7,200.00
		285HD-A	Pole Mounting High Voltage Detector : 3kV ~ 7kV	Kusam LLP	90303390	4,650.00
		285HD-B	Pole Mounting High Voltage Detector 6.6kV ~ 11kV	Kusam LLP	90303390	4,650.00
		285HD-C	Pole Mounting High Voltage Detector 10kV ~ 22kV	Kusam LLP	90303390	4,650.00
		278HP	High Voltage Non-Contact Proximity Detector with 10 Voltage setting from 240V ~ 275KV / 240V- 500KV	Kusam LLP	90318000	17,050.00
		277HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV-132kV	Kusam LLP	90303390	13,450.00
		276 HD	High Voltage Detector :Measur.Volt Range :H.V.: 3kV-24kV AC L. V. : 80V ~ 600V AC	Kusam LLP	90303390	18,000.00
		276 HD 33KV	High Voltage Detector :Measur.Volt Range :H.V.: 3kV-33kV AC L. V. : 80V ~ 600V AC	Kusam LLP	90303390	18,000.00
		275HP	High Voltage Non-Contact Proximity Detectorwith 8 Voltage setting from 240V- 275KV	Kusam LLP	90318000	16,325.00
		273HP	High Voltage Non-Contact Proximity Detector 2 ranges for selection : LOW 50V ~ 1.5kV; HIGH 1.5kV-132kV	Kusam LLP	90303390	9,125.00
	230 HD	Telescopic High Voltage Detector : Measuring Voltage Range : 6kV ~ 36.5kV Retracted : 893 ± 50mm ; Extracted : 1520 ± 50mm.	Kusam LLP	90318000	21,850.00	
	213HVD	Capacitive High Voltage Detector(Contact) upto 11KV	Kusam LLP	90318000	43,675.00	




SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
TELESCOPIC HOT STICK					
	HSR 122-5M	Retractable Fibre Glass Rod 5 meters with cover	Kusam LLP	39269099	11,750.00
	HSR 121-3M	Retractable Fibre Glass Rod 3 meters with cover	Kusam LLP	39269099	7,750.00
	HS 800	Fibre Glass Rod 0.8 m Black with handle with cover	Kusam LLP	90309090	12,725.00
	HS-175-9	TELESCOPIC HOT STICK Fibre Glass Rod 12.09 meters	Kusam LLP	90309090	1,46,400.00
	HS-175-8	TELESCOPIC HOT STICK Fibre Glass Rod 10.62 meters	Kusam LLP	90309090	1,25,525.00
	HS-175-7	TELESCOPIC HOT STICK Fibre Glass Rod 9.18 meters	Kusam LLP	90309090	1,04,400.00
	HS-175-6	TELESCOPIC HOT STICK Fibre Glass Rod 7.78 meters	Kusam LLP	90309090	99,850.00
	HS-175-5	TELESCOPIC HOT STICK, Fibre Glass Rod 6.42 meters	Kusam LLP	90309090	80,650.00
	HS-175-4	TELESCOPIC HOT STICK, Fibre Glass Rod 5.10 meters	Kusam LLP	90309090	60,475.00
	HS-175-3	TELESCOPIC HOT STICK, Fibre Glass Rod 3.82 meters	Kusam LLP	90309090	46,325.00
	HOK-HS166	Disconnect Hook	Kusam LLP	90309090	550.00
	HSR 120B	Fibre Glass Rod 1.8m Black with cover	Kusam LLP	90309090	16,550.00
	HSR 120C	Fibre Glass Rod 1.8m Black with handle with cover	Kusam LLP	90309090	14,150.00
	HSR 120A	Fibre Glass Rod 1.2m Orange with cover	Kusam LLP	90309090	18,000.00
	HSR 120	Fibre Glass Rod 1x1.2m Orange stick + 3x1.8m Black stick (SET)	Kusam LLP	90309090	56,400.00
	HS 120R	Fibre Glass Rod 1.2m Black with handle with cover	Kusam LLP	90309090	19,200.00
ADP-HS120	FUSE EXTRACTOR HEAD	Kusam LLP	90309090	425.00	
PHASING STICKS					
	KM-MPS-50K	Digital Multifunction Phasing Sticks (AC/DC 50KV) with digital display with CE	Kusam LLP	90303390	1,18,325.00
	PC 44KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 44KV	Kusam LLP	90303390	1,75,450.00
	PC 33KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 33KV	Kusam LLP	90303390	1,53,125.00
	PC 22KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 22KV	Kusam LLP	90303390	1,41,850.00
	PC 11KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 11KV	Kusam LLP	90303390	1,30,325.00
	PC 7KV	High Voltage Multifunction Phasing Sticks with Analog display with System Voltage 6.6KV	Kusam LLP	90303390	1,21,675.00
ACCESSORIES TO BE USED WITH PHASING STICK MODEL PC44KV/PC 33KV/22KV/11KV/PC7KV					
	TER-40mm	Piercing Tip 40mm(Pair)	Kusam LLP		1,725.00
	TER-70mm	Piercing Tip 70mm (Pair)	Kusam LLP		1,725.00
	PC-160	Right Angle Adaptors It can be semi-disconnected for storage into the case (Pair)	Kusam LLP		21,350.00
	ADP-PCXXX	Adaptor	Kusam LLP		720.00
	TER-213 100mm	Contact Type Terminal 100mm	Kusam LLP		1,525.00
	TER-213 60mm	Contact Type Terminal 60mm	Kusam LLP		1,100.00
	TER-213 40mm	Contact Type Terminal 40mm	Kusam LLP		725.00
14	SINGLE PHASE DISCHARGE ROD				
	400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	18,150.00
	132-220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	16,575.00
	66-132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP	39269099	15,125.00
	33-66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP	39269099	8,100.00
	11-33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	6,900.00
	11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	6,050.00




SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		THREE PHASE DISCHARGE ROD				
		400KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 20 feet with cover Push Button type Locking System,35 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	54,450.00
		132-220KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 18 feet Push Button type Locking System,25 sq. mm copper cable of 10 mtr. Long with cover	Kusam LLP	39269099	49,750.00
		66-132KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,16 sq. mm copper cable of 08 mtr. Long with cover	Kusam LLP	39269099	45,375.00
		33-66KV	Highly Insulated FRP Earth / Discharge Rod 4 sections 16 feet Push Button type Locking System,10 sq. mm copper cable of 07 mtr. Long with cover	Kusam LLP	39269099	24,350.00
		11-33KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,6 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	20,700.00
		11-KV	Highly Insulated FRP Earth / Discharge Rod 3 sections 15 feet Push Button type Locking System,4 sq. mm copper cable of 06 mtr. Long with cover	Kusam LLP	39269099	18,150.00
			Cable For Discharge Rod (Other than Standard Size & Length) ,4 sq. mm/6sq. Mm/10 sq. mm/16 sq. mm/,25 sq. mm/,35 sq. mm	Kusam LLP	39269099	PRICES ON ENQUIRY
15		TEST & MEASURING INSTRUMENTS				
		BATTERY QUALITY ANALYSER				
new		KM 930	BATTERY INTERNAL RESISTANCE TESTER	Kusam LLP	90303390	57,144.00
		KM 900	BATTERY QUALITY ANALYZER for current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/1200Ah	Kusam Ele	90303390	2,88,000.00
		KM 900 C	BATTERY QUALITY ANALYZER for current measurement with Model CA 500 AC/DC Current Clamp Adaptor With Battery Range 100V/6000Ah & AC Ripple Current measurement	Kusam Ele	90303390	3,36,000.00
		DIGITAL ELCB TESTERS				
NEW		KM 1812 EL-A	Digital ELCB Tester - 240Vac,Max. current 500mA	Kusam LLP	90318000	23,525.00
		KM 1812 EL-B	Digital ELCB Tester - 230Vac,Max. current 500mA	Kusam LLP	90318000	23,525.00
		KM 1812 EL-C	Digital ELCB Tester - 220Vac,Max. current 500mA	Kusam LLP	90318000	23,525.00
		KM 1812 EL-D	Digital ELCB Tester- 110 Vac,Max. current 500mA	Kusam LLP	90318000	23,525.00
			Test Leads for KM 1812EL	Kusam LLP	90318000	3,500.00
		KM 2820 EL	Digital ELCB Tester - 100-450V, Max. current 1A	Kusam LLP	90318000	55,200.00
		KM 582	Digital RCD (ELCB) Tester suitable for single-phase circuits Voltage Measurement Range : 30V-600V, 45Hz -65Hz	Kusam LLP	90318000	15,250.00
		DIGITAL TACHOMETER / STROBOSCOPE				
		KM-2235B	Digital Tachometer (Contact Type) 5 – 9999 / 19,999 RPM	Kusam Ele	90292010	3,475.00
			Accessories for KM 2235B :Set of Surface speed Test Wheel, RPM adapter(cone) & (funnel)	Kusam Ele	85069000	950.00
		KM-2234BL	Digital Tachometer (Non- Contact Type) 5-9999 / 99,999RPM	Kusam Ele	90292010	4,275.00
		KM-2241	Non Contact (Photo) Tachometer 2.5 - 99,999RPM &Contact Tachometer 0.5-19,999 RPM, Surface Speed 0.05-1,999.9M/Min	Kusam Ele	90292010	5,475.00
			Reflective Tape for Tachometer (Non-Contact type)Model No. KM 2234BL & KM 2241 (12mm X 100mm) X 6NOS	Kusam Ele	85069000	130.00
		KM 2240	Adaptor for KM 2241	Kusam Ele	90299000	950.00
	KM 2240	Stroboscope measuring by NonContact 60- 39,999 RPM	Kusam Ele	90292030	14,375.00	
		DIGITAL DISTANCE METER				
		KM-973	30 mtrs distance meter	KM	90318000	6,200.00
		KM-975	50 mtrs distance meter	KM	90318000	7,425.00
		KM-976	100 mtrs distance meter	KM	90318000	10,875.00




SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		VIBRATION METER (HSN CODE :9031)				
		KM 63	Hand-hold, Pocket vibration meter with built in sensor	Kusam Ele	90303390	18,250.00
		KM 3961	Vibration meter with external sensor	Kusam Ele	90318000	32,875.00
			USB Cable + Software	Kusam Ele	90318000	7,675.00
			Probe With Magnet	Kusam Ele	90318000	12,000.00
		KM-VB-CAL-27	Vibration Calibrator	Kusam Ele	90318000	49,675.00
		DIGITAL ULTRASONIC THICKNESS GAUGE				
new		KM 131D	Digital Ultrasonic Thickness Meter Measuring range : 1.00 ~ 225.0 mm	Kusam Ele.	90318000	13,545.00
		KM 130D	4 Digit LCD display Digital Ultrasonic Thickness Meter Measuring range : 1.0 ~ 220 mm (steel)	Kusam Ele	90318000	17,050.00
		KM 8042	4 Digits LCD Display Coating Thickness gauge Meter Measurement range: 0~1200µm.	Kusam Ele	90318000	24,400.00
		KM -EP-770	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material with USB interface. Range : 0 to 2000µm	Kusam Ele	90318000	12,200.00
		KM-FN-500A	Coating Thickness Gauge For Ferrous & Non-ferrous Base Material Range : 0 to 1500µm	Kusam Ele	90318000	10,225.00
		KM 117A	Coating Thickness Gauge for Ferrous Base Material (iron, Steel)	Kusam Ele	90318000	8,225.00
		DIGITAL CONTACT TYPE THERMOMETER				
		KM 6503	Probe Temperature Meter -50°C ~ +300°C	Kusam Ele	90251990	675.00
		KM 6502	Probe Temperature Meter -50°C ~ 270°C	Kusam Ele	90251990	1,500.00
		PHASE SEQUENCE INDICATOR				
		KM 991	3phase Motor Rotation Tester& Open Phase indication. Operat. Voltage 100V-450VAC	Kusam Ele	90303390	2,400.00
		KM 981-MK-1	Phase Sequence Indicator Operating Voltage 60-600V AC & frequency range 20Hz ~ 400Hz	Kusam Ele	90303390	1,775.00
		KM 888 PMR	3 phases Presence and Rotation Indicator combined with a 3	Kusam LLP	90303390	7,325.00
		KM 885PR	phases Motor Rotation Tester. Operating Voltage 100V-600V AC Phase Sequence Indicator with display with Phase Rotation, Phase Presence & Voltmeter.	Kusam LLP	90303390	17,275.00
		KM 855PR	Phase Sequence Indicator Operating Voltage 200V-600V AC frequency range 50Hz ~ 60Hz with open phase condition check feature through LED & Buzzer.	Kusam LLP	90303390	7,000.00
16		LABORATORY INSTRUMENTS				
		FUNCTION GENERATOR				
		KM 2001	Digital Signal Generator (2MHz)	Kusam Ele	90303390	14,975.00
		KM 2002	Digital Function Generator(2MHz)	KM	90303390	18,350.00
		KM 2005	Digital Function Generator (5MHz)	Kusam Ele	90303390	17,350.00
		KM 2010	Digital Function Generator (10MHz)	Kusam Ele	90303390	19,225.00
			FREQUENCY COUNTER			
	KM 3165	3 step function selection 8 Digit LED Display Frequency Counter. Wide measuring range from 0.01 Hz to 2.4 GHz	KM	90303390	8,275.00	
		DIGITAL STORAGE OSCILLOSCOPE				
NEW		KM 2025CL	25MHz 2 Channels Digital Storage Oscilloscopes	Kusam LLP	90302000	34,125.00
NEW		KM 2052CL+	50MHz2 Channels Digital Storage Oscilloscopes	Kusam LLP	90302000	34,275.00
NEW		KM 2102CEX	100MHz 2 Channels Digital Storage Oscilloscopes	Kusam LLP	90302000	43,025.00
		KM-20-2025CA	Dual Trace 25MHz Digital Storage Oscilloscope	Kusam Ele	90302000	56,650.00




SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
NEW		KM-20-2040CA	Dual Trace 40MHz Digital Storage Oscilloscope	Kusam Ele	90302000	Against Enquiry	
		SDS1102CML	2 Channels 100MHz Digital Storage Oscilloscope	Kusam Ele	90302000	Against Enquiry	
		SSA3032X	Spectrum Analyser TG-SSA3000X (Tracking generator kit) UKITSSA3X(Utility Kit)	Kusam Ele	90302000	6,47,450.00	
		ANALOG OSCILLOSCOPE					
		KM-20-10	20MHz Analog Oscilloscope	Kusam Ele	90302000	37,375.00	
		KM 5060	Dual Trace 60MHz Analog Oscilloscope	Kusam Ele	90302000	53,650.00	
		DIGITAL MILLI OHM METER					
		KM-OHM-8500	4½ Digit 19,999 Counts Milli Ohm Meter Range : 1 µΩ to 200K & Output Current 1A	Kusam Ele	90303390	Against Enquiry	
		KM OHM 8501	Digital DC Low Resistance Meter Resistance range : 0.001mΩ~300.0KΩ Resolution : 1mΩ	Kusam LLP	90303390	30,000.00	
		KM OHM 8502	Handheld DC Resistance Tester (10A) Resistance range : 10.0mΩ ~ 50.00KΩ Resolution ratio : 0.1 mΩ	Kusam LLP	90303390	60,000.00	
NEW		KM-8500-1	4 ½ digit Digital Display 1A Micro Ohm Meter	Kusam LLP	90303390	42,500.00	
NEW		KM-8500-10	4 ½ digit Digital Display 10A Micro Ohm Meter	Kusam LLP	90303390	60,000.00	
NEW		KM-8500-100	3.5 Digit LED display 100 Amp DC Constant Current Source Digital Contact Resistance Meter (Micro - Ohm Meter)	Kusam LLP	90303390	1,37,750.00	
NEW		KM 930	Battery Internal Resistance Tester Temp. range : -10.0°C ~ 60.0°C Resistance Range : 0.000mΩ ~ 3 Ω	Kusam LLP	90303390	57,150.00	
DC REGULATED POWER SUPPLY							
		KM-PS-302	DC Power Supply-0-30V, 2A Single O/P	Kusam Ele	90318000	6,800.00	
		KM-PS-303	DC Power Supply-0-30V, 3A Single O/P	Kusam Ele	90318000	7,150.00	
	KM-PS-305	DC Power Supply-0-30V, 5A Single O/P	Kusam Ele	90318000	7,900.00		
	KM-PS-302-AB	DC Power Supply-0-30V, 2A Single O/P + 5V / Fixed Output	Kusam Ele	90318000	7,925.00		
	KM-PS-3010-AB	DC Power Supply-0-30V, 10A Single O/P fixed output 5V/2A	Kusam Ele	90318000	19,450.00		
	KM-PS-302D-II	DC Power Supply-0-30V, 2A Dual O/P	Kusam Ele	90318000	12,775.00		
	KM-PS-303D-II	DC Power Supply-0-30V, 3A Dual O/P	Kusam Ele	90318000	14,700.00		
	KM-PS-305D-II	DC Power Supply-0-30V, 5A Dual O/P fixed output 5V/3A	Kusam Ele	90318000	18,375.00		
	NETWORK CABLE TESTER						
		KM 36	Network Cable Tester	Kusam LLP	90318000	1,200.00	
17	ENVIRONMENTAL TESTING INSTRUMENTS						
		DIGITAL SOUND LEVEL METER & SOUND LEVEL CALIBRATORS					
		KM 926	Digital Sound Level Meter : Measuring Ranges : 30 ~ 130 dBA, 40 ~ 130dbc	Kusam LLP	90278090	5,125.00	
		KM 928 MK-1	Digital Sound Level Meter : Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC	KM / Kusam Ele	90278090	4,200.00	
		KM 929 MK-1	Digital Sound Level Meter with 4700 Records Data Logger with USB interface Measuring Ranges : 30 ~ 130 dBA, 35 ~ 130 dBC & PWM output	KM / Kusam Ele	90278090	5,150.00	
		KM 8080	Digital Sound Level Meter : Measuring Ranges : 30dB ~ 120dB with 'A' Frequency weighting	Kusam LLP	90278090	7,500.00	
		KM 8080 MK-1	Digital Sound Level Meter : Measuring Ranges : 30dB ~ 130dB with 'A' Frequency weighting	Kusam Ele	90278090	2,050.00	
		KM-20 /YF-20	Analog Sound Level Meter : Measuring Ranges : Lo - 40dBA ~ 80dBA	Kusam Ele	85381010	4,700.00	
		TM-100	Sound Level Calibrator 94 KHz & 114KHz for 1/2 inch microphone condensor	Kusam LLP	90283090	21,000.00	

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		DIGITAL LUX METER				
		KM-LUX-99	Range 0 – 2000 / 20000 / 100,000 LUX. Resolution : 1Lux / 10 Lux / 100Lux	Kusam Ele	90275090	2,600.00
		KM-LUX-200K	Range 0 – 200,000 LUX ,0.01-20,000 FC Resolution : 0.1Lux & 0.01FC	Kusam Ele	90275090	4,775.00
		KM 8051	Digital Lux Meter with adjustable sensor Range : 0 ~ 30000 Lux; 0 ~2788.0 ftc Resolution : 1 Lux (0 ~ 30000 Lux); 0.1 ftc (0 ~ 2788.0 ftc)	Kusam LLP	90275090	7,325.00
		KM 8051 MK-1	Digital Lux Meter with adjustable sensor Range : 0 ~ 200000 Lux;	Kusam Ele	90278090	1,800.00
		KM 203	Data Logging Digital Lux Meter Range : 20, 200, 2000, 20000, 200000Lux	Kusam LLP	90275090	24,475.00
		KM 8911A	Digital Lux Meter with Analog Bar Graph & PC Interface : 0 ~ 400,000Lux (0~400kLux, 0~40kFC)	Kusam LLP	90314900	5,225.00
New		KM 531	Digital LED Light Meter Range : 0.0 to 199.9 / 1999 / 19990 / 199900 LX 0.00 to 19.99 / 199.9 / 1999 / 19990 FC	Kusam Ele	90275090	14,875.00
New		KM 532	Digital UV Light Meter Range : Low Range : 1 to 3999 uw/cm2 High Range : 0.01 to 39.99 mw/cm2	Kusam Ele	90275090	17,275.00
		DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER				
		KM 600NH	Digital Temperature & Humidity Datalogger upto 16000 data record with USB PC interface	KM / Kusam LLP	90258090	8,400.00
		KM 9122	Wall Mounting HIGH-PRECISION TEMPERATURE & HUMIDITY DATA LOGGER with 16000 data logging & USB Interface.	Kusam LLP	90314900	5,100.00
		KM 8102	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER with Dew Point & Wet Bulb Temperature with Internal memory to save 99 groups of data	Kusam LLP	90314900	3,550.00
		DIGITAL MANNOMETER (HSN CODE : 9026)				
		KM 8070	6 digit LCD display Digital Absolute Pressure Meter Range : 300 ... 1,200 hPa 120.4 ... 481.8 inH2O	Kusam LLP	90262000	11,550.00
		DIGITAL THERMO HYGRO METER /TEMPERATURE & HUMIDITY DATALOGGER				
		KM 8122	MULTIFUNCTIONAL TEMPERATURE & HUMIDITY METER Measures environment/dewpoint/wetbulb temperature with USB interface & Data Logging 32000 Data	Kusam LLP	90314900	5,475.00
		KM 918	3½ Digit 1999 counts Thermo Hygrometer, Dual Display FOR TEMPERATURE / HUMIDITY / WET BULB / DEW POINT MEASUREMENT	Kusam Ele	90258090	8,400.00
		KM 918 A	Digit Thermo Hygrometer with large LCD Triple Display of Clock, Temperature & Humidity	Kusam Ele	90251990	1,325.00
		KM 918 B	Thermo Hygrometer	KM	90251990	625.00
		KM 8010	4 digit LCD Display Digital Temperature Humidity Meter with Dew Point	Kusam LLP	90258090	6,150.00
		KM 8010 MK-1	LCD Backlight Dual Display Digital Temperature Humidity Meter with Dew Point & Wet Bulb	KM / Kusam Ele	90258090	2,200.00
		KM 920	Large LCD Dual Display with backlight Digital Humidity & Temperature meter Probe Temperature Range : -10°C-50°C' (-30°C-1000°Cwith separate K-Type)	KM / Kusam Ele	90258090	4,925.00
		KM-THS-03	3-Wire Temperature & Humidity Transmitter for wall Type	Kusam Ele	90318000	18,350.00
		KM-THS-04	3-Wire Temperature & Humidity Transmitter for Duct Type	Kusam Ele	90318000	20,450.00
		KM-THS-33	3-Wire Temperature & Humidity Transmitter with temperature compensation wall Type	Kusam Ele	90318000	25,825.00
	KM-THS-34	3-Wire Temperature & Humidity Transmitter with temperature compensation duct type	Kusam Ele	90318000	27,850.00	

SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
New	DIGITAL THERMO ANEMOMETER					
		KM 735(332)	Hot Wire Anemometer Air Velocity: 0-25 m/s (0-5000ft/min)	Kusam Ele	90303390	23,050.00
		KM 909	4 Digit Thermo Anemometer, Dual Backlight Display for temperature & Wind velocity measurement in knots, mph, Km/h, m/s, ft/min.	Kusam LLP	90303390	8,250.00
		KM 908 MK-1	Range : Air Velocity: 0 ~ 45 m/s, 0 ~ 140 km/hr, 0 ~ 8800 Ft/min/0 ~ 88Knots/0 ~ 100 mph, Air Temperature: 0 ~ 45°C, 32 ~ 113°F	Kusam Ele	90251990	4,500.00
		KM 910 MK-1	4 Digit dual LCD Display CFM/CMM Digital Thermo Anemometer	Kusam Ele	90318000	6,850.00
		KM 734 MK-1	Air Velocity/Flow/Temperature Thermal anemometer, for very low air velocity measurement.	KM / Kusam Ele	90318000	17,600.00
		KM 8022	DIGITAL TEMPERATURE / AIR VOLUME /VANE ANEMOMETER: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s;/.4 ~ 20m/s	KM	90251990	6,625.00
		KM 8022MK-1	DIGITAL TEMPERATURE / AIR VOLUME /VANE ANEMOMETER: Range :-10 ~ 50 C, 14 ~ 122 F/ 0 ~ 99999m /s;/.4 ~ 20m/s	KM / Kusam Ele	90318000	2,050.00
		KM 730	IR THERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity in m/s, ft/min, km/h, mile/h, knots & Temperature in °C and °F	KM	90303390	26,650.00
		KM 732	IR THERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity : m/s, ft/min, km/h, mile/h, knots, Air Flow in CMM (m ³ / min), CFM (ft ³ /min) & temperature in °C and °F	KM	90303390	36,000.00
	KM 733	IR THERMO-ANEMOMETER WITH BUILT-IN INFRARED THERMOMETER (HOT AIR ANEMOMETER) Measures Air Velocity : m/s, ft/min, km/h, mile/h, knots, Air Flow in CMM (m ³ / min), CFM (ft ³ /min) & temperature in °C and °F	KM	90303390	52,800.00	
New	DIGITAL CONTACT TYPE THERMOMETER					
		KM-936	3½ Digit 1999 Count Thermometer (Single channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele	90251990	2,850.00
		KM-945	3½ Digit Digital Thermometer (Dual channel) -50-260 °C .Can measure upto 1300 °C with Optional - "K" Type Thermocouple Probe	Kusam Ele	90251990	3,650.00
			Optional - "K" Type Thermocouple Probe for KM 936 & KM 945 1200°C with 12 inch long stem.	Kusam Ele	90251990	3,025.00
New	DIGITAL NON-CONTACT INFRARED THERMOMETER					
		IRL-180	Industrial Infrared Thermometer with Human Body Temperature measurement function. DS Ratio 12:1 Industrial Temperature range 0°C to 380°C & Human Body Temperature range 32°C ~ 42°C	Kusam Ele	90251920	1,500.00
		IRL-380	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : Adjustable (0.1 to 1.0)	Kusam Ele	90251990	1,750.00
		IRL-380(F)	Infrared Thermometer with Temperature range -50°C to 380°C & DS Ratio 12:1 Emissivity : 0.95	Kusam Ele	90251990	1,050.00
		IRL-900	Non-Contact with laser sighting, Range: -30°C to 550°C. D:S Ratio 10:1	Kusam Ele	90251190	8,800.00
		IRL-650	Infrared Thermometer with Temperature range -50°C to 650°C D:S Ratio 12:1	Kusam Ele	90251990	2,800.00
		KM-690	Non-Contact Infrared Thermometer Temp. Range : 0-1650°C ; DS ratio 50: 1	Kusam LLP	90251990	31,200.00
		IRL-866	Infrared Thermometer with Temperature range -50°C to 2250°C D:S Ratio 50:1	Kusam Ele	90251190	28,800.00
		IRL-1100	Infrared Thermometer with Temperature range -50°C to 1100°C D:S Ratio 50:1	Kusam Ele	90251990	4,500.00
		IRL-1600	Infrared Thermometer with Temperature range -50°C to 1600°C D:S Ratio 50:1	Kusam Ele	90251990	8,875.00
		IR BT-1	Human Body Infrared Thermometer with Temperature range 32°C ~ 42.9°C (89.6°F ~ 109.2°F)	Kusam LLP	90251920	1,425.00
		IR BT-2	Industrial Infrared Thermometer with Human Body Temperature measurement function. DS Ratio 12:1 Industrial Temperature range 0°C to 380°C & Human Body Temperature range 32°C ~ 42°C	Kusam LLP	90251920	1,500.00

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
		ONLINE INFRARED THERMOMETER				
		KM 6816-2 (DT 8300B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~-300°C Output 4-20mA	KM	90251990	8,050.00
		KM 6816-3 (DT 8600B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~-600°C Output 4-20mA	KM	90251990	11,550.00
		KM 6816-4 (DT 8012B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~-1200°C Output 4-20mA	KM	90251990	20,525.00
		KM 6816-5 (DT 8018B)	TEMPERATURE TRANSMITTER Temperature range : -50°C ~-1800°C Output 4-20mA	KM	90251910	27,575.00
		DIGITAL ELF DETECTOR				
		KM 192	Digital Triaxial ELF Magnetic Field Meter	Kusam LLP	90303390	16,550.00
		KM 195	Three-Axis RF Field Strength Meter	Kusam LLP	90303390	15,125.00
		KM 196	3½ Digit LCD display Digital Electromagnetic Radiation Tester Measuring Range : Electric Field : 1V/m ~ 1999V/m. Magnetic Field	Kusam Ele.	90303390	3,000.00
		KM 828	Field Intensity Meter : Measuring Range : 0.1 ~ 400mG, 1 ~ 4000mG; 0.01 ~ 40mT, 0.1 ~ 400mT Frequency : 30Hz ~ 400Hz	Kusam Ele.	90271000	8,400.00
		DIGITAL SOLAR POWER METER				
		KM-SPM-11	3½ digits LCD with 1999 counts Digital Solar Power Meter Measuring Range : 1999W/m2, 634 BTU (ft2*h)	Kusam LLP	85381010	11,300.00
		DIGITAL MOISTURE METER				
		KM-963-G	Digital Grain Moisture Meter Measurement range : 2% ~ 30% Measuring Grains : Wheat, Paddy, Rice & Corn.	Kusam Ele.	90318000	10,375.00
		KM-963	Digital Wood Moisture Meter : Measurement Range : 5% - 40 %	Kusam Ele.	90318000	1,925.00
		KM-963-P(N)	Digital Paper Moisture Meter : Measurement Range : 2% - 40%	Kusam Ele.	90318000	4,525.00
		KM 963G-II	Digital Grain Moisture Meter Measurement range : 2% ~ 50% Measuring Grains : 9 types : Wheat, Un-Husked rice, Husked rice & Corn.	Kusam Ele.	85381010	5,450.00
		KM 917	Concrete Moisture Meter : moisture Test Range : 0 ~ 40%	Kusam Ele.	90318000	9,350.00
18		WATERPROOF PEN TESTERS				
		7021	Portable COND/TDS/SALT /TEMP	Kusam Ele.	90278090	8,875.00
		7031	Portable DO/O2/TEMP	Kusam Ele.	90278090	23,050.00
		7200	Portable pH/COND/TEMP/TDS + standard Solution	Kusam Ele.	90278090	13,925.00
		6011	Portable PH Waterproof Pen Tester with 0.1pH Resolution	Kusam Ele.	90278090	4,750.00
		6011A	Portable PH Waterproof Pen Tester with 0.01pH Resolution	Kusam Ele.	90278090	5,700.00
		6021	Portable Conductivity Waterproof Pen Tester with range of 0~19990µS & 10µS/cm Resolution	Kusam Ele.	90278090	5,000.00
		6022	Portable Conductivity Waterproof Pen Tester with range of 0~1999µS µS 1µS/cm Resolution	Kusam Ele.	90278090	5,000.00
		6031	Portable TDS Waterproof Pen Tester with range of 0~19990ppm & 10ppm Resolution	Kusam Ele.	90278090	5,000.00
		6032	Portable TDS Waterproof Pen Tester with range of 0~1999ppm & 1ppm Resolution	Kusam Ele.	90278090	5,050.00
		6061	Portable EC Waterproof Pen Tester	Kusam Ele.	90278090	5,050.00
19		CABLE FAULT PRE-LOCATOR FOR TELECOMMUNICATION & SIGNAL CABLES				
		KM-CFPL-620	Portable Under ground Cable Fault Pre-Locator : Measurement Mode TDR Fault Distance Range : 8 km (240m, 480m, 1000m 2000m,4000m,8000m)	Kusam Ele	90318000	Against Enquiry
		KM-CFPL-612	Hand Held Cable Fault Pre-Locator Pause Testing Method (TDR) Pulse Test Range (m) : 8km (4,16,32 optional)	Kusam Ele	90318000	Against Enquiry
20		THERMAL IMAGING CAMERA				
		TG-301	Hand Held Thermal Camera with 128(H) x 160(V) pixel 1.77 inches TFT-LCD Display Temp. -30°C ~650° C	Kusam Ele	90275090	36,000.00
NEW		TG-305	Thermal Imaging Camera Temperature range : -20°C~300°C (-4°F ~ 572°F) Infrared image resolution : 320x240	Kusam Ele	90275090	78,475.00

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
21		DIGITAL PROCESS CALIBRATORS				
		KM-CAL-710	Thermocouple Calibrator Source(8 Type thermocouple)	KM / Kusam LLP	90303390	31,625.00
		KM-CAL-720	RTD Calibrator Source & Measure (7 RTD type devices)	KM / Kusam LLP	90303390	33,525.00
		KM CAL-904MK1	4-20mA Loop Calibrator(DCA, DCV)	Kusam LLP.	90303390	25,200.00
		KM 3600	4½ Digit 19999 Counts Temperature Calibrator with Thermocouple	KM	90303390	13,875.00
		KM-CAL-801	Temperature Calibrator (Source)(DCV,OHM,TC, RTD)	KM	90303390	27,600.00
		KM-CAL-802	Thermocouple Calibrator Source & Sink (DCV, TC)	KM / Kusam Ele	90303390	27,600.00
		KM-CAL-803	RTD Calibrator Source & Sink	KM	90303390	27,600.00
		KM-CAL-804	Voltage/mA Source Calibrator	KM	90303390	27,600.00
		KM-CAL-805	Loop Calibrator Source (DCA), Sink (DCA, DCV)	KM / Kusam Ele	90303390	32,875.00
		KM-CAL-905	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,Pressure (Source & Sink)	KM	90303390	2,91,600.00
		KM-CAL-905A	Digital High Precision Multifunction Calibrator DCV, DCA, Hz, TC,RTD, LOOP,(Source & Sink) & Without Pressure function)	KM	90303390	1,92,000.00
		KM-CAL-906	Digital High Precison Temperature Calibrator DCV, OHM, TC, RTD (Source & Sink)	KM	90303390	81,700.00
		KM-CAL-907	V/mA Process Calibrator (Source/Sink) DCV, DCA, Hz, Pulse, LOOP, Pressure	KM	90303390	81,700.00
		KM-26	Multifunction Process Calibrator with Data Storage 1200 Groups	KE	90303390	3,00,000.00
		KM-26H	Multifunction Process Calibrator with Data Storage 1200 Groups &HART communication	KE	90303390	3,78,000.00
22		POWER MEASUREMENT CLAMP-ON-METER				
		2709	3 Phase 9999 Counts TRMS Power Clampmeter with AC Current, AC /DC Voltage, KWHR , KVA, KW, KVAR, Power factor, THD% BRUA-13X Software (Optional) to be used with KM 2709	Kusam Ele Kusam Ele	90303100 90309010	19,300.00 4,950.00
		2745	3 Phase Power Clampmeter display 4 Digits 9999 Counts with KW, KVA,KVAR, PF, Frequency, AC Current, AC Voltage, Harmonics Measurement & Inrush Current Measurement.	Kusam Ele	90303390	17,600.00
		KM 351	Single Phase Balance load TRMS Power Clampmeter	Kusam Ele	90303100	8,325.00
		KM 357	3-Phase 9999 Counts TRMS Power Clampmeter with kWhr recording,AC/DC Voltage, AC Current, Frequency, Resistance, KW, KVA, KVAR &PF functions.	Kusam Ele	90303100	14,500.00
		2736	Single phase 9999 Counts TRMS Power Clampmeter with AC Current,AC/DC Voltage, PF, KVA, KVAR, Temp., Frequency, Resistance; THD%-Functions.	Kusam Ele	90303100	17,850.00
		MULTIFUNCTION POWER & HARMONICS ANALYSER				
		KM 2100	Class 'S' Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger, Interruption, Inter Harmonics, Transient Voltage, Inrush Current, Flicker functions.	Kusam Ele	90303390	1,98,250.00
		KM 2200	Class 'S' Multifunction Power & Harmonics Analyser with band width of 50 Hz nominal Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele	90303390	1,73,750.00
		KM 2300	Class 'A' Multifunction Power & Harmonics Analyser with band width of 400 Hz nominal Basic Meter : Volts / Amps. / Hertz, Dips & Swell, Power / Energy, Unbalance, Monitor, Scope, Harmonic, Logger & Interruption functions.	Kusam Ele	90303390	4,20,475.00

SR.NO		MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE	
			Basic Meter KM 2100 & KM 2200 & KM 2300 includes the following :				
			User Manual & basic program software in CD	Kusam Ele	90303390		
			2 meter long voltage cable (with 4mm banana plug) x 5 pc.				
			Crocodile clip x 5 pc.				
			Power Adaptor, Power cord , Bag & Battery x 1 pc.				
				OPTIONAL CURRENT CLAMPS FOR KM 2100, KM 2200 & KM 2300 :			
			Clamps - 5A	Kusam Ele	90303390	11,050.00	
			Clamps - 50A	Kusam Ele	90303390	12,950.00	
			Clamps - 100A	Kusam Ele	90303390	14,875.00	
			Clamps - 1000A	Kusam Ele	90303390	19,675.00	
		Current Coil - 3000A	Kusam Ele	90303390	12,475.00		
		Current Coil - 5000A	Kusam Ele	90303390	20,650.00		
			MULTIFUNCTION POWER METER WITH 3 DISPLAYS (SIZE 144 X 144 mm)				
		KM 7200-A	Multifunction Power Meter with 3 display (Size 144 x 144mm) (Basic Meter)	Kusam Ele	90303390	33,850.00	
		KM 7200-C	Multifunction Power Meter + Harmonics Display (Basic Meter)	Kusam Ele	90303390	37,450.00	
				MULTIFUNCTION POWER METER WITH 12 DISPLAYS (SIZE 280 X 183 mm)			
		KM 8100-A	Multifunction Power Meter (Basic Meter) (12 Display)	Kusam Ele	90303390	41,750.00	
		KM 8100-B	Multifunction Power Meter + Demand Controller	Kusam Ele	90303390	58,550.00	
		KM 8100-C	Multifunction Power Meter + Harmonics Display	Kusam Ele	90303390	45,125.00	
				Optional Functions FOR MODEL KM-8100 & KM 7200			
			4 Units of Hi / Lo Setting	Kusam Ele	90303390	12,000.00	
			4 Units of Analog outputs	Kusam Ele		14,400.00	
			Pulse Output	Kusam Ele		7,200.00	
		Aux. Supply DC 24V	Kusam Ele	2,400.00			
		System Analyser Software (smart Analyser) for Model KM 8100 / 7200	Kusam Ele	7,025.00			
			MULTIFUNCTION POWER METER WITH LCD DISPLAYS (SIZE 96mm X 96mm)				
		KM-PM-100	KM-PM-100-3-2-4-0-6 "KUSAM MECO" DIGITAL MULTIFUNCTION POWER METER				
			Input Voltage : 55-600V (L-L)	Kusam Ele.	90318000	23,050.00	
			Input Current : 5A				
			Out Put Signal : RS-485 MODBUS RTU				
			Alarm Setting : None				
			Aux. Power : AC/DC 85 ~ 265V				
			Optional Functions (EXTRA CHARGES)				
			KM-PM-100 Meter with Harmonics Function			36,250.00	
			4 Sets Of DC 4~20mA			14,400.00	
			4 Sets Alarm Function			12,000.00	
		Pulse Function			7,200.00		
		Micro SD			16,050.00		
		Ethernet Function			26,500.00		
			DIGITAL POWER FACTOR REGULATOR (A.P.F.C. RELAY)				
		KM-PFR-9-06	Automatic Power Factor Regulator (6 step) Sequence Based	Kusam Ele	85372000	14,100.00	
		KM-PFR-S-9-04	Automatic Power Factor Regulator (4 step) KVAR Based	Kusam Ele	85372000	6,150.00	
		KM-PFR-S-9-08	Automatic Power Factor Regulator (8 step) KVAR Based	Kusam Ele	85372000	6,575.00	
			INSTALLATION CHARGES				
			For Power Meter & Power Factor Regulator (Per Man / Day)	Kusam Ele	85372000	ON ENQUIRY	



SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
24	GAS DETECTORS				
NEW	BX-616	Portable Multi-Gas Detector For LEL, H2S, CO, O2	Kusam Ele.	90271000	71,575.00
NEW	KM-GD-04	Portable Multi Gas Detector For CO,O2, H2S, LEL.	Kusam Ele.	90271000	21,800.00
NEW	KM 840-O2	Portable Gas Detector - oxygen (0-30%)	Kusam Ele.	90271000	19,350.00
NEW	KM 840-H2S	Portable Gas Detector - Hydrogen Sulphide (0-100 PPM)	Kusam Ele.	90271000	18,150.00
NEW	KM 820-H2S	Portable Gas Detector - Hydrogen Sulphide (0-1000 PPM)	Kusam Ele.	90271000	27,825.00
NEW	KM 840-CO	Portable Gas Detector - Carbon Monoxide (0-500 PPM)	Kusam Ele.	90271000	15,725.00
NEW	KM 820-CO	Portable Gas Detector - Carbon Monoxide (0-1000 PPM)	Kusam Ele.	90271000	26,625.00
NEW	KM 820-CO	Portable Gas Detector - Carbon Monoxide (0-5000 PPM)	Kusam Ele.	90271000	33,875.00
NEW	KM 840-LEL	Portable Gas Detector - Combustable (0-100%)	Kusam Ele.	90271000	10,900.00
NEW	KM 820-H2	Portable Gas Detector - Hydrogen (0-1000 PPM)	Kusam Ele.	90271000	38,725.00
NEW	KM 820-SO2	Portable Gas Detector - Sulphur Dioxide (0-20 PPM)	Kusam Ele.	90271000	38,725.00
NEW	KM 820-SO2	Portable Gas Detector - Sulphur Dioxide (0-100 PPM)	Kusam Ele.	90271000	43,550.00
NEW	KM 820-CL2	Portable Gas Detector - Chloride (0-20 PPM)	Kusam Ele.	90271000	38,725.00
NEW	KM 820-NO	Portable Gas Detector - Nitrogen Oxide (0-20 PPM)	Kusam Ele.	90271000	32,675.00
NEW	KM 820-NO	Portable Gas Detector - Nitrogen Oxide (0-250 PPM)	Kusam Ele.	90271000	38,725.00
NEW	KM 820-NO	Portable Gas Detector - Nitrogen Oxide (0-1000 PPM)	Kusam Ele.	90271000	54,450.00
NEW	KM 820-NO2	Portable Gas Detector - Nitrogen Dioxide (0-20 PPM)	Kusam Ele.	90271000	35,100.00
NEW	KM 820-NO2	Portable Gas Detector - Nitrogen Dioxide (0-250 PPM)	Kusam Ele.	90271000	38,725.00
NEW	KM 820-NH3	Portable Gas Detector - Ammonia (0-20 PPM)	Kusam Ele.	90271000	33,875.00
NEW	KM 820-NH3	Portable Gas Detector - Ammonia (0-100 PPM)	Kusam Ele.	90271000	43,550.00
NEW	KM 820-CO2	Portable Gas Detector - Carbon Dioxide (0-5000 PPM)	Kusam Ele.	90271000	65,350.00
NEW	KM 820-HCL	Portable Gas Detector - Hydrogen Chloride (0-20 PPM)	Kusam Ele.	90271000	44,275.00
NEW	KM 820-HCL	Portable Gas Detector - Hydrogen Chloride (0-100 PPM)	Kusam Ele.	90271000	55,175.00
NEW	KM 820-HCL	Portable Gas Detector - Hydrogen Chloride (0-1000 PPM)	Kusam Ele.	90271000	70,175.00
NEW	KM 820-O3	Portable gas Detector - Ozone (0-10 PPM)	Kusam Ele.	90271000	44,775.00
NEW	KM 820-ETO	Portable Gas Detector - Ethylene Oxide (0-100 PPM)	Kusam Ele.	90271000	37,500.00
NEW	KM 840-CH20	Portable Gas Detector - Formaldehyde (0-10 PPM)	Kusam Ele.	90271000	67,750.00
NEW	KM 820-CH20	Portable Gas Detector - Formaldehyde (0-20 PPM)	Kusam Ele.	90271000	47,200.00
NEW	KM 820-CH20	Portable Gas Detector - Formaldehyde (0-100 PPM)	Kusam Ele.	90271000	54,450.00
NEW	KM 820-HCN	Portable Gas Detector - Hydrogen Cyanide (0-50 PPM)	Kusam Ele.	90271000	47,900.00
NEW	KM 820-H2O2	Portable Gas Detector - Hydrogen peroxide (0-50 PPM)	Kusam Ele.	90271000	55,175.00





SR.NO	MODEL	DESCRIPTION	COMPANY REFERENCE	HSN CODE	UNIT PRICE
NEW	KM 820-SF6	Portable Gas Detector - Sulphur Hexafluoride (0-100 PPM)	Kusam Ele.	90271000	65,350.00
NEW	KM 820-PH3	Portable Gas Detector Phosphine (0-20 PPM)	Kusam Ele.	90271000	41,150.00
NEW	KM 7460	Portable CO2 Gas Detector	Kusam Ele.	90271000	33,375.00
		sampling pump for KM 820 series	Kusam Ele.	90271000	price on enquiry
	BX-171-H2S	Portable Toxic Gas Detector RANGE 0-100PPM	Kusam Ele.	90271000	19,200.00
	BX-171-CO	Portable Toxic Gas Detector RANGE 0-1000PPM	Kusam Ele.	90271000	19,200.00
	BX-176-LEL	Portable Single Gas Detector Range 0-100% LEL	Kusam Ele.	90271000	31,550.00
	BX-176-CO	Portable Single Gas Detector Range 0-1000ppm	Kusam Ele.	90271000	31,550.00
	BX-176-O2	Portable Single Gas Detector Range 0-30%VOL	Kusam Ele.	90271000	38,125.00
	BX-176-H2S	Portable Single Gas Detector Range 0-100ppm	Kusam Ele.	90271000	31,550.00
	PP-01	Gas Sampling Pump to be used with BX176, BX171 & BX616	Kusam Ele.	90271000	24,700.00
	E1000	Portable Single Gas Detector Detecting Gases : Combustible gas / Toxic Gas	Kusam Ele.	90271000	Price Against Enquiry
	E4000	Multi-Gas Detector (Four Gasses)	Kusam Ele.	90271000	
	E6000	Multi-Gas Detector (Six Gasses)	Kusam Ele.	90271000	
	KM 315	Refrigeration Gas Leak Detector with SF6 Gas detector	Kusam Ele.	90318000	2,975.00
	KM 310	Refrigerant Leak Detector with Standard Battery	KM	90303390	18,525.00
	KM 312	Refrigerant Leak Detector with Rechargeable Battery	KM	90303390	25,450.00
NEW	KM 313(380)	Refrigerant Leakage Detector Gas Detect : R134a, R404A, R410A, R407C, R22, R502, R600 A	Kusam Ele.	90303390	15,350.00
NEW	KM 5491	Portable Oxygen Detector Range : O2 : 0 ~ 25%VOL Temperature : -15 ~ 50°C	Kusam Ele.	90271000	12,700.00
	KM 5490	4 digit LCD display Oxygen Detector with Measuring Range 0~25% vol	Kusam Ele.	90271000	23,425.00
	KM-CO-910	Mini Carbon Monoxide (CO) Gas Detector with Measuring Range 0~1000PPM	KM	90271000	13,525.00
	KM 5420A	Combustible Gas Detector	KM	90318000	13,850.00

All prices are subject to change without prior notice.


DIGITAL PROGRAMMABLE PANEL METER

MM SERIES DIGITAL PROGRAMMABLE PANEL METER

	MODEL	TYPE	Only Display	Output or	Output & 2	4 Alarm and	Full Function
				2 Alarm	Alarm or	Output	
	MMA	AC Current Meter	6,950.00	11,525.00	13,450.00	15,850.00	18,000.00
	MMAR	AC Current Meter TRMS	9,350.00	13,925.00	15,850.00	18,250.00	20,400.00
	MMV	AC Voltage Meter	6,950.00	11,525.00	13,450.00	15,850.00	18,000.00
	MMVR	AC Voltage Meter TRMS	9,350.00	13,925.00	15,850.00	18,250.00	20,400.00
	MMS	DC Process Signal Input Meter	8,400.00	12,250.00	14,400.00	16,550.00	18,725.00
	MMD	DC Voltage/Current Meter	6,950.00	11,525.00	13,450.00	15,850.00	18,000.00
	MMR	PT 100Ω Temperature Meter	7,925.00	12,000.00	14,150.00	16,325.00	18,475.00
	MMT	Thermocouple Temperature Meter	10,075.00	13,925.00	15,850.00	17,525.00	19,675.00
	MMG	RS-485-RTU Input Meter	10,075.00	13,925.00	15,850.00	17,525.00	19,675.00
MMP	Potentiometer & Setting Digital Meter	11,050.00	14,650.00	16,325.00	18,250.00	20,150.00	

			Only Display	One Output	Dual Output
	MMPF	Power Factor Meter	18,250.00	21,850.00	24,250.00
	MMW	Watt Meter	18,250.00	21,850.00	24,250.00
	MMWH	Watt-hour Meter	18,250.00	21,850.00	24,250.00
	MMWWH	Watt + Watt-hour Dual Meter	21,350.00	23,275.00	25,675.00
	MMQ	Reactive VoltAmpere Meter (VAR)	18,250.00	21,850.00	24,250.00
	MMQH	Reactive VoltAmpere Meter (VAR/ HOUR)	18,250.00	21,850.00	24,250.00
	MMQQH	Reactive VoltAmpere Meter (VAR) + Watt-hour Meter	21,350.00	23,275.00	25,675.00
	MASTER	Send & Receive Signal of Multiple Modbus RTU instruments	Price against enquiry		
MMF	Frequency Meter	18,250.00	21,850.00	24,250.00	


DM SERIES DIGITAL PROGRAMMABLE PANEL METER

		Only Display	Output	2 Alarm	Full Function	
	DMU	RPM / SPEED / PULSE / LENGTH / FLUID Input Signal Meter	11,050.00	14,650.00	14,650.00	17,525.00
	DML	Flow Input Signal Meter	19,675.00	21,850.00	21,850.00	24,250.00
	DMB	Load Cell, Strain Gauge Input Signal Meter	15,850.00	19,450.00	19,450.00	21,600.00
	DMX	DC Signal Generator (4-20mA)	Price against enquiry			
	DMP	Potentiometer / Level / Position Meter	Price against enquiry			
	DMCA	DC Signal Operation Meter	Price against enquiry			


*For MM series meter with output or alarm function, the standard aux. power is AC/DC 85-265V.

*For DC Aux. power supply (AC/DC 85-265V, DC 24V) Rs. 1900/- Extra

DMDPW-DC MULTIFUNCTION POWER METER FOR DC, V, A, W, WH

	DMDPW	with Input Voltage, Input Current, RS 485	19,450.00
		For 4 Units Alarm Setting	7,200.00
		For Pulse output	7,200.00
		For Analog output	7,200.00
		Full function DMDPW	32,400.00
		For DC 24V aux. power	1,925.00

3 PHASE DIGITAL PROGRAMMABLE PANEL METER


	MODEL	Only Display	Analog Output	RS-485 Output	3 Alarm Function	Full Function
	DM3A, DM3V, DM3D, DM3E	11,050.00	13,450.00	13,450.00	17,050.00	20,150.00

AC/DC 85-265V is Standard Power


*For DC Aux. power supply DC 24V Rs. 1900/- Extra

DC TRANSMITTERS


TW SERIES DC TRANSMITTERS

	MODEL	TYPE	One Output	Two Output
	TWD	DC Isolating	8,150.00	11,525.00
	TWS	Current Loop (2 wire)	8,875.00	12,475.00
	TWR	RTD Temperature	9,125.00	12,950.00
	TWP	Potentiometer/Level/Position Transmitter	10,550.00	15,125.00
	TWF	Frequency DC Isolating	11,525.00	16,550.00
<p>*For DC power supply (DC 24V) Rs. 1900/ Extra AC/DC 85~265V is Standard Power</p>				


TA SERIES DC TRANSMITTERS

	MODEL	TYPE	Alarm Function	Analog Output	Alarm & Analog O/P
	TAD	DC Alarm Setter Transmitter	10,800.00	10,800.00	13,925.00
	TAS	Current Loop Supply Alarm Setter Transmitter	11,050.00	11,050.00	15,125.00
	TAR	RTD Alarm Setter Transmitter	11,050.00	11,050.00	15,350.00
	TAT	Thermocouple Alarm Setter Transmitter	11,275.00	11,275.00	16,800.00
	TAP	Potentiometer/Level/Posituon Transmitter	11,275.00	11,275.00	16,800.00




TB SERIES DC TRANSMITTERS

	TBD	DC Alarm Setter	10,800.00	TB series without Analog output
	TBS	Current Loop Supply Alarm Setter	11,050.00	
	TBR	RTD Alarm Setter	11,050.00	
	TBT	Thermocouple Alarm Setter	11,275.00	
	TBP	Potentiometer/Level/Position Transmitter	11,275.00	
	<p>*For DC power supply (DC 24V) Rs. 1900/ Extra AC/DC 85~265V is Standard Power supply</p>			

TM SERIES DC TRANSMITTERS

	MODEL	TYPE	Three Output	Four Output
	TMD3 / TMD4	DC Isolating	15,350.00	17,750.00
	TMS3 / TMS4	Current Loop (2 wire)	16,075.00	18,475.00
<p>*For DC power supply (DC 24V) Rs. 1900/ Extra AC / DC 85 ~ 265V is Standard Power supply</p>				

AC POWER TRANSDUCER

	TYPE	TD Series (0.2)		TS Series (0.5)	
	Input Signal	Model	Price	Model	Price
  	AC Current	TDA	5,750.00	TSA	5,525.00
	AC Current TRMS	None		TSAR	7,925.00
	AC Current With 2 Output	TDA (2 O/P)	12,250.00	TSA (2 O/P)	11,750.00
	AC Current With 3 Output	TDA (3 O/P)	13,450.00	TSA (3 O/P)	12,950.00
	AC 3 Phase Current	TDA3	13,450.00	TSA3	12,950.00
	AC Voltage	TDV	5,750.00	TSV	5,525.00
	AC Voltage TRMS	None		TSVR	7,925.00
	AC Voltage With 2 Output	TDV (2 O/P)	12,250.00	TSV (2 O/P)	11,750.00
	AC Voltage With 3 Output	TDV (3 O/P)	13,450.00	TSV (3 O/P)	12,950.00
	AC 3 Phase Voltage	TDV3	13,450.00	TSV3	12,950.00
	Power Factor	TDPF	16,075.00	TSPF	14,150.00
	Frequency	TDF	12,250.00	TSF	11,750.00
	Watt 1P2W / 3P3W	TDW-A/B	14,650.00	TSW-B	13,450.00
	Watt 3-Phase 4-Wire	TDW-C	15,850.00	TSW-C	14,150.00
	Watt 1-Phase 2-Wire / 3-Phase 3-Wire (Bi-Direction)	TDW2-A/B	16,800.00	TSW2-B	15,350.00
	Watt 3-Phase 4-Wire (Bi-Direction)	TDW2-C	18,000.00	TSW2-C	16,075.00
	Wattour 1-Phase 2-Wire / 3-Phase 3-Wire	TDWH-A/B	14,650.00	TSWH-B	13,450.00
	Wattour 3-Phase 4-Wire	TDWH-C	16,075.00	TSWH-C	14,650.00
	Wattour 1-Phase 2-Wire / 3-Phase 3-Wire (Bi-Direction)	TDWH2-A/B	18,725.00	TSWH2-A/B	-----
	Wattour 3-Phase 4-Wire (Bi-Direction)	TDWH2-C	19,675.00	TSWH2-C	-----
	Watt Wattour 1-Phase 2-Wire / 3-Phase 3-Wire	TDWWH-A/B	20,650.00	TSWWH-B	19,450.00
	Watt Wattour 3-Phase 4-Wire	TDWWH-C	21,350.00	TSWWH-C	20,400.00
	Watt Wattour 1-Phase 2-Wire / 3-Phase 3-Wire Bi-direction	TDWWH2-A/B	24,725.00	TSWWH2-A/B	-----
	Watt Wattour 3-Phase 4-Wire Bi-direction	TDWWH2-C	25,450.00	TSWWH2-C	-----
	Var 1-Phase 2-Wire / 3-Phase 3-Wire Bi-Direction	TDQ2-A/B	18,250.00	TSQ2-B	16,325.00
	Var 3-Phase 4-Wire Bi-Direction	TDQ2-C	18,725.00	TSQ2-C	17,275.00
	Varhour 1-Phase 2-Wire / 3-Phase 3-Wire Bi-Direction	TDQH2-A/B	19,675.00	TSQH2-B	17,750.00
	Varhour 3-Phase 4-Wire Bi-Direction	TDQH2-C	20,650.00	TSQH2-C	18,725.00
Watt + Var 1-Phase 2-Wire / 3-Phase 3-Wire	TDWQ2-A/B	26,875.00	TSWQ-B	24,250.00	
Watt + Var 3-Phase 4-Wire	TDWQ2-C	27,600.00	TSWQ-C	24,950.00	
AC Current Sensor Transducer	---		TSCT	7,675.00	
AC Current Sensor Transducer	---		TFCT	11,050.00	

*For DC Aux. power supply (AC/DC 85-265V,DC 24V) Rs. 1900/- Extra

For self power mode for TDA & TSA Rs. 1200/- Extra

All prices are subject to change without prior notice.

TRMT PRICE LIST

Input		Input Current		Frequency		Output		Aux. Power	
A	55 ~ 440V (L-L)	A	1A	A	50	A	RS-485 (MODBUS-RTU)	C	DC 22 ~ 72V
C	55 ~ 600V (L-L)	B	5A	B	60	B	Dual RS-485 (MODBUS-RTU)	F	AC/DC 85~265V
						C	2 Pulse		
						D	4 ~20mA + RS-485		
Y	Special	Y	Special	Y	Special	Y	Special	Y	Special

1. Standards TRMT with Input Voltage, Input Current, RS-485(built-in) is Rs. 23050/-
2. For Dual RS-485 Modbus RTU plus Rs. 24000/-
3. For Pulse output plus Rs. 7200/-
4. For DC 4~20mA plus Rs. 7200/-, for Dual DC 4~20mA plus Rs. 10800/-
5. For Aux. Power DC 22 ~ 72V plus Rs. 1925/-



All prices are subject to change without prior notice.

ACCESSORIES

ITEMS	Company Ref.	UNIT PRICE
SPARES		
Fuses of all respective instruments	KE / KM	Price on Enquiry
Basic Test Leads for Industrial/Professional Grade Multimeter & Clamp Meter	KE / KM	200.00
CARRYING CASE		
Carrying case size : for Models 603,801-L,DMM90,IRL-900, 333,IRL-380, 702,1001,CA500	KM	150.00
Carrying case size : for Model KM 6030, KM 6040,KM 6050, KM6060, 954MK-II, LCR 459, 306	KM	175.00
Carrying case size : for Model KM 2700, KM 2790	KM	150.00
Carrying case size : for all UL listed Multimeteres & Clampmeters Models	KM	150.00
Carrying case size : for Km 2745, 999, 9999, CA 1000, CA 2000	KM	175.00
Carrying case size : for Km 918, KM 909	KM	250.00
CALIBRATION CERTIFICATE WITH LIMITED TRACEABILITY TO NABL STANDARDS		
Model – KM 887, KM 877, KM 878, KM 869, KM 859CF, KM857, KM 829, KM 521, KM 257, KM 255, KM 711, KM 233, KM 237R, KM 839, 5040, KM 405-MK-1, KM 805s, KM 807s, KM 870, KM 8045	Kusam Ele./KM	1,000.00
KM 2777, KM 072, KM 076, KM 078, KM 086, KM 088, KM 175D, 2754A,2754A(T), KM 061, KM 062, KM 111M, KM 112M, 2772, KM 2799, 2709, KM 2778, KM 089, KM 035, KM 033, 2745, KM 351, KM 357		
CA 500, CA 1000, CA 2000, CA 3000, CA 3000D		
KM-CAL-802, KM-CAL-803, KM-CAL-804, KM-CAL-805, KM-CAL-905, KM-CAL-906, KM-CAL-907,		
KM 6305IN, KM 7015IN KM , KM 2803IN, KM 2804IN, KM 6213AIN, KM 1152MF KM 1154TMF, KM 2805MK-1, KM 370, KM 379 (FOR 1KV Range Only)		
KM 1520, KM 1520A, KM 2030, KM 4234ER, KM 2040, KM 4235ER, KM 1320	Kusam Ele./ KM	800.00
KM 66, KM 69, KM 6185, KM-DMM-41, 90, 333, KM 6030, KM 6040, KM 6050		
KM 6060, 801-L , 207MK-1(T), 603, 702, 108, KM 4001, LCR 459, KM 954MK-II, 306, KM 520B, KM 503		
9999, KM 2775, KM 071, KM 2783, KM 2009, KM 2720, KM 2725, KM 2780,KM 860A, 2700, KM 3060, KM 1002, 2781, 2781-T, 2790, 999, KM 2006, KM 2007, KM 2008, KM 1620, KM 1720		
KM 8080, KM 926, KM 928MK-1, KM 929MK-1		
In house Non- NABL Callibration charges for KM-LUX-99, KM-LUX-200K, KM 8051, KM 203		
KM 2234BL, KM 2235B, KM 2241, KM 2240		
IRL-151, IRL-380, IRL-650, IRL-866, IRL-1100, IRL-1600, IRL-900, IRL-690 (Upto 450°C)		
KM-PS-302-AB, KM-PS-302, KM-PS-303, KM-PS-305, KM-PS-3010-AB, KM-PS- 302D-II, KM-PS-303D-II, KM-PS-305D-II		
Other Instruments		

NOTE : Callibration Certificate from NABL accredited lab can be arranged at extra cost.

BUSINESS TERMS:-	Prices
	: Ex – Mumbai / Sanpada.
	GST Tax : Extra as applicable on date of dispatch, presently 18%
	Minimum Order : Rs.15,000=00 net; otherwise Handling Charge Rs. 300=00 extra.
	Payment : Against Proforma Invoice by NEFT
Kusam Ele. :	GSTIN -27 AABCK3644E 1ZR
Kusam-meco :	GSTiN -27 AABCG6718M 1Z9
Kusam LLP :	GSTiN -27 AANFK0412B 1ZV

All prices are subject to change without prior notice.

Bank Details	
	Company Name : Kusam Electrical Industries Ltd.
	Bank Name : Canara Bank Branch : Parel
	MICR Code : 400015055 IFSC Code : CNRB 0000110
	Acc. No. : 0110261021521 Acc. Type : ODCC
	Company Name : Kusam-Meco Import Export Pvt. Ltd.
	Bank Name : Canara Bank Branch : Parel
	MICR Code : 400015055 IFSC Code : CNRB 0000110
	Acc. No. : 0110261021642 Acc. Type : ODCC
	Company Name : Kusam Electrical Instruments LLP
	Bank Name : Canara Bank Branch : Parel
	MICR Code : 400015055 IFSC Code : CNRB 0000110
	Acc. No. : . 0110261021779 Acc. Type : CASH CREDIT
<ul style="list-style-type: none"> • Please confirm availability at the time of ordering as some products are procured against order only. Some models may be discontinued due to upgradation. • Prices subject to change without notice. • All Manuals are available on our Website 	
E & O.E	

All prices are subject to change without prior notice.