



Pocketline Product Series List

HSN Code	Part Nos	Model No.	Description	List Price 2025	MRP 2025	GST %	LPC
90291090	0560 0460	Testo 460	OPTICAL RPM MEASUREMENT (TACHOMETER) Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range : 100 ... 29,999 rpm, Measuring range : 100 ... 29,999 rpm, Measuring rate : 0.5 sec	19,500	25,350	18	Climate
90262000	0560 0511	Testo 511	ABSOLUTE PRESSURE, BAROMETRIC PRESSURE, ALTITUDE MEASUREMENT Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range: 300 ... 1200 hPa, Resolution : 0.1hPa,	13,050	16,965	18	Flue Gas
90278090	0560 0540	Testo 540	LIGHT INTENSITY MEASUREMENT (LUX METER) Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range: 0 ... 99,999 lux, Resolution : 1 lux (0...19,999 lux) 10 lux (20,000...99,999 lux), Accuracy: +/- 3%	10,305	13,395	18	Climate
90258090	0560 0610	Testo 610	AIR HUMIDITY AND TEMPERATURE WITH DEW POINT CALCULATION & WET BULB Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range Temp : -10 ... 50°C, Resolution : 0.1° C, Accuracy : +/- 0.5 °C, Measuring range humidity : 0 ... 100% RH, Resolution: 0.1%rh, Accuracy: +/- 2.5 %rh (5 ... 95 %rh)	10,645	13,840	18	Climate
90251920	0560 0810	Testo 810	AIR TEMPERATURE AND INFRARED SURFACE TEMPERATURE Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range (Surface temp): -30 ... 300°C, Resolution: 0.1°C, Accuracy: +/- 2.0 °C (-30...+100 °C) +/- 2% of m.v. (remaining range), D:S Ratio : 6:1, Measuring range (Air Temp) : -10 ... 50°C, Resolution: 0.1°C, Accuracy: +/- 0.5 °C	7,455	9,690	18	Climate
90262000	0560 4101	Testo 410-1	AIR VELOCITY METER WITH 40mm VANE WITH TEMPERATURE MEASUREMENT Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range Velocity : 0.4 ... 20m/ s, Resolution: 0.1m/s, Measuring range Temperature : -10 ... 50° C, Resolution: 0.1°C	7,970	10,360	18	Climate
90262000	0560 4102	Testo 410-2	AIR VELOCITY METER WITH 40mm VANE WITH TEMPERATURE & HUMIDITY MEASUREMENT Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range Velocity : 0.4 ... 20m/s, Resolution: 0.1m/s, Measuring range Temperature : -10 ... 50°C, Resolution: 0.1° C, Measuring range Humidity : 0 ... 100% RH, Resolution: 0.1%rh, Accuracy: +/- 2.5 %rh (5...95% RH)	12,225	15,895	18	Climate
90258090	0560 6060	Testo 606-1	MATERIAL MOISTURE MEASUREMENT Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range: 0 ... 90%, Resolution: 0.1	7,915	10,290	18	Climate
90258090	0560 6062	Testo 606-2	MATERIAL MOISTURE, AIR HUMIDITY AND TEMPERATURE MEASUREMENT Including Calibration protocol, Protective Cap, Wrist strap, Belt holder, Batteries, Measuring range Moisture: 0 ... 90%, Resolution: 0.1, Measuring range Air temperature : -10 ... 50° C, Resolution: 0.1°C, Measuring range Humidity : 0 ... 100% RH, Resolution: 0.1%rh	13,190	17,145	18	Climate
90268090	0560 4053	Testo 405-V1	VELOCITY MEASUREMENT STICK WITH TEMPERATURE MEASUREMENT Includes Duct Holder, Attachment Clips, Batteries, Measuring range: 0... 10m/s, resolution: 0.01 m/s, Measuring Range Temp : -20 to 50 Deg C, Resolution : 0.1 Deg C	10,165	13,215	18	Climate
90258090	0560 6053	Testo 605-H1	HUMIDITY MEASUREMENT STICK Includes Duct Holder, Attachment Clips, Batteries, Measuring Range Humidity: +5 to +95 %RH, Temperature 0 to +50 °C, Resolution 0.1 %RH / 0.1 °C	12,115	15,745	18	Climate
90251920	0560 9055	Testo 905-T1	PENETRATION THERMOMETER Includes Attachment Clips, batteries, Measuring range :-50...+350°C short-term to +500°C, Resolution : 0,1°C	5,565	7,235	18	Food
90251920	0560 9056	Testo 905-T2	SURFACE THERMOMETER Includes Attachment Clips, batteries Measuring range:- 50...+350°C short-term to +500°C, Resolution: 0,1°C	7,420	9,645	18	Food
90251920	0560 0103	Testo 103	FOLDING THERMOMETER Measuring Range -30 to +220 °C, Accuracy ±0.5 °C (-30 to +99.9 °C), ±1 % of mv (+100 to +220 °C), Resolution 0.1 ° C, IP55	6,215	8,080	18	Food
90251920	0563 0104	Testo 104	WATER PROOF FOLDING THERMOMETER Measuring Range -50 to +250 °C, Accuracy ±1.0 °C (-50 to -30.1 °C), ±0.5 °C (-30 to +99.9 °C), ±1 % of mv (+100 to +250 °C), Resolution 0.1 °C, IP65	10,745	13,965	18	Food
90251920	0560 1040	Testo 104 IR	INFRARED / PENETRATION THERMOMETER - TESTO 104 IR	17,400	22,615	18	Food
90251920	0563 1051	Testo 105	ROBUST ONE HAND THERMOMETER Measuring Range -50 to +275 ° C, Accuracy : ±0.5 °C (-20 to +100 °C), ±1 °C (-50 to -20.1 °C), ±1 % (+100.1 to +275°C), Resolution: 0.1 °C, IP 65	13,080	17,000	18	Food
90251920	0560 1063	Testo 106	COMPACT FOOD THERMOMETER WITH ALARM Measuring Range -50 to +275 °C, Accuracy : ±1 % (+100 to +275 °C) +/-1 digit, ±1 °C (-50 to -30.1 °C), Resolution : 0.1 °C	6,110	7,940	18	Food
90251920	0563 1063	Testo 106 + Top safe	COMPACT FOOD THERMOMETER WITH ALARM Measuring Range -50 to +275 °C, Accuracy : ±1 % (+100 to +275 °C) +/-1 digit, ±1 °C (-50 to -30.1 °C), Resolution : 0.1 °C including Top safe cover	6,635	8,625	18	Food



Pocketline Product Series List

HSN Code	Part Nos	Model No.	Description	List Price 2025	MRP 2025	GST %	LPC
90251920	0563 1080	Testo 108	testo 108, waterproof T/C instrument	12,005	15,610	18	Food
90251920	0563 1082	Testo 108-2	WATERPROOF TEMPERATURE MEASURING INSTRUMENT - TESTO 108-2	17,485	22,725	18	Food
90251920	0560 1109	MINI SURFACE THERMOMETE R	Mini Surface Thermometer with battery.Measuring Range: -50 to +300° C,Accuracy: ±1 °C (-30 to +250 °C),±2 °C (remaining range),Resolution: 0.1 °C (-19.9 to +199.9 °C),1 °C (remaining range)	3,900	5,070	18	Food
90251920	0560 1110	MINI PENETRATION THERMOMETE R	Mini thermometer, 133 mm long, up to +150°C with protective sleeve for probe shaft.Measuring Range: -50 to +150°C,Accuracy: ±1 °C (-10 to +99.9 °C),±2 °C (-30 to -10.1 °C),±2% of mv(+100 to +150 ° C),Resolution: 0.1 °C (-19.9 to +150 °C),1 °C (remaining range)	2,950	3,835	18	Food
90251920	0560 1111	MINI PENETRATION THERMOMETE R	Mini thermometer, 213 mm long, up to +150°C with protective sleeve for probe shaft.Measuring Range: -50 to +250 °C,Accuracy: ±1 °C (-10 to +99.9 °C), ±2% of mv (+100 to +199.9 °C),±3% of mv(+200 to +250 ° C),Resolution: 0.1 °C (-19.9 to +199.9 °C),1 °C (remaining range)	4,110	5,340	18	Food
90251920	0560 1113	WATER-PROOF MINI THERMOMETE R	Waterproof mini thermometer. Protective sleeve for probe shaft.Measuring Range: -40 to +230 °C,Accuracy: ±1 °C (-20 to +99.9 °C),±2% of mv (+100 to +199.9 °C),±3% of mv(+200 to +230 ° C),Resolution: 0.1 °C (-19.9 to +199.9 °C),1 °C (remaining range)	2,545	3,305	18	Food
90262000	0563 0510	Testo 510	DIFFERENTIAL PRESSURE METER Including Calibration protocol,Protective Cap, Wrist strap, Belt holder,Batteries,Measuring range : 10 to 100 hPa,Resolution : 0.01hPa,Measuring rate : 0.5 sec	11,335	14,735	18	Flue Gas
90251920	0560 8311	Testo 830 T1	NON CONTACT TEMPERATURE METER Measuring Range : -30 to +400 °C,Accuracy : ±1.5 °C or 1.5 % of mv (+0.1 to +400 °C),Resolution : 0.5 °C,D:S Ratio : 10:1,Emissivity : Adjustable	6,610	8,590	18	Climate
90258090	0560 6081	Testo 608-H1	THERMOHYGROMETER Measuring Range: +10 to +95 %RH 0 to +50 ° C,-20 to +50 °C td,Accuracy : ±3 %RH (+10 to +95 %RH), Resolution : 0.1 %RH / 0.1 °C	5,770	7,500	18	Climate
90258090	0560 6082	Testo 608-H2	THERMOHYGROMETER WITH LED ALARM Includes Calibration Protocol & Batteries,Measuring Range :+2 to +98 %RH -10 to +70 °C,-40 to +70 °C td,Accuracy :±2 %RH (+2 to +98 %RH),Resolution : 0.1 %RH / 0.1 °C	8,930	11,610	18	Climate
90258090	0563 1625	Testo-625	Portable Hygrometer	16,760	21,785	18	Climate
90251920	0563 0925	* Testo 925	Testo 925 - 1 Channel Temperature Measuring Instrument	13,895	18,065	18	Climate
90251920	0563 0922	* Testo 922	Testo 922 - Differential Temperature Measuring Instrument	18,330	23,830	18	Climate
90291090	0563 0470	* Testo 470	Testo 470 - Non-Contact And Mechanical RPM Meas.	28,885	37,550	18	Climate
SMART PROBES							
90268090	0560 1405	testo 405i	testo 405i - Thermal Anemometer operated with your smartphone	15,065	19,580	18	Refrigeration
90259000	0560 1410	testo 410i	testo 410i - Vane-Anemometer operated with your smartphone	12,730	16,545	18	Refrigeration
90262000	0560 1510	testo 510i	testo 510i Differential Pressure Meter operated with your smartphone	15,180	19,735	18	Refrigeration
90262000	0560 2549 02	testo 549i	testo 549i - High Pressure Meter operated with your smartphone	10,510	13,660	18	Refrigeration
90258090	0560 2605 02	testo 605i	testo 605i - Thermohygrometer operated with your smartphone	12,845	16,700	18	Refrigeration
90259000	0560 2115 02	testo 115i	testo 115i - Clampthermometer operated with your smartphone	9,110	11,840	18	Refrigeration
90251920	0563 1915	Smart Probes	testo 915i - TC immersion probe	12,380	16,090	18	Refrigeration
90251920	0563 2915	Smart Probes	testo 915i - TC surface probe	12,960	16,850	18	Refrigeration
90251920	0563 3915	Smart Probes	testo 915i - TC air probe	11,795	15,330	18	Refrigeration
90251920	0563 4915	Smart Probes	testo 915i - flexible TC probe	10,975	14,270	18	Refrigeration
90259000	0560 1805	testo 805i	testo 805i - Infrared-Thermometer operated with your smartphone	11,910	15,485	18	Refrigeration
Sets							
90251920	0563 0002 10	Smart Probes	Smart Probes - Refrigeration Set # (2x testo 549i / 2x testo 115i)	39,700	51,605	18	Refrigeration
90259000	0563 0003 10	Smart Probes	Smart Probes - VAC Set # (testo 405i / testo 410i / testo 605i / testo 805i)	52,305	68,000	18	Refrigeration
90251920	0563 0004 10	Smart Probes	Smart Probes - Heating Set # (testo 510i / testo 805i / testo 115i)	34,560	44,930	18	Refrigeration

Note :-

- Order of the probes & spares to be added with respective base instrument LPC
- Astrix marked products are only for Retail promotions.
- Above price are excluding of Taxes. • PV Lumens reserves the right to change/amend the prices without any prior notice.
- Standard Discount will be 19%
- All the order need to be placed at Chirag.kedia@pvlumens.com

Discounts Structure		
1	Assorted 10 units	25%
2	Special price for bulk order will be discussed and prices to be taken from testo on case to case basis.	

**Testo Electrical Instruments Price List - 2025**

HSN Code	Part No	Description	List price 2025	MRP 2025	GST %	LPC
90303310	0590 7450	testo 745 Non-Contact Voltage Tester	4,090	5,315	18	Refrigeration
90303310	0590 7501	testo 750-1 Voltage tester	5,840	7,590	18	Refrigeration
90303310	0590 7502	testo 750-2 Voltage tester	9,110	11,840	18	Refrigeration
90303310	0590 7503	testo 750-3 Voltage tester	12,380	16,090	18	Refrigeration
90303310	0590 7551	testo 755-1 Electrical Tester	17,170	22,315	18	Refrigeration
90303310	0590 7552	testo 755-2 Electrical Tester	21,020	27,320	18	Refrigeration
90303100	0590 7601	testo 760-1 Digital-Multimeter	11,910	15,485	18	Refrigeration
90303100	0590 7602	testo 760-2 True-rms Multimeter	19,850	25,805	18	Refrigeration
90303100	0590 7603	testo 760-3 True-rms Multimeter	26,270	34,150	18	Refrigeration
90303310	0590 7701	testo 770-1 True-rms Clamp Meter	17,170	22,315	18	Refrigeration
90303310	0590 7702	testo 770-2 True-rms Clamp Meter	22,540	29,295	18	Refrigeration
90303310	0590 7703	testo 770-3 True-rms Clamp Meter	26,860	34,910	18	Refrigeration

Discounts Structure

1	Assorted 5 units	23%
2	Assorted 10 units 760 & 770	30%
3	745 one lot 10 units	30%
4	Accessories	25%

Note :-

- Order of the probes & spares to be added with respective base instrument LPC
- Above price are excluding of Taxes.
- PV Lumens reserves the right to change/amend the prices without any prior notice.
- All the order need to be placed at Chirag.kedia@pvlumens.com

