

BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

ANALOGUE INSULATION TESTER (HAND DRIVEN GENERATOR TYPE) – METAL BODY

Note: - (All Optional Accessories are not supplied with the Instruments, you have to buy it as an extra*)

A.	Rated Voltage	Rated resistance	Model No	Price (Rs)
1.	100 VOLTS	10 Kilo Ohms	WI 101	13,000.00
2.		50 Kilo Ohms	WI 102	13,000.00
3.		100 Kilo Ohms	WI 103	13,000.00
4.		10 Mega Ohms	WI 104	11,400.00
5.		20 Mega Ohms	WI 105	11,500.00
6.		50 Mega Ohms	WI 106	11,800.00
7.		100 Mega Ohms	WI 107	12,000.00
8.		500 Mega Ohms	WI 108	12,500.00
9.	250 VOLTS	20 Mega Ohms	WI 251	11,400.00
10.		50 Mega Ohms	WI 252	11,500.00
11.		100 Mega Ohms	WI 253	11,800.00
12.		250 Mega Ohms	WI 254	12,000.00
13.		500 Mega Ohms	WI 255	13,000.00
14.	500 VOLTS	50 Mega Ohms	WI 501	11,500.00
15.		100 Mega Ohms	WI 502	11,800.00
16.		200 Mega Ohms	WI 503	12,000.00
17.		500 Mega Ohms	WI 504	12,600.00
18.		1,000 Mega Ohms	WI 505	13,000.00
19.		2,000 Mega Ohms	WI 506	14,000.00
20.		2,500 Mega Ohms	WI 507	14,000.00
21.	1000 VOLTS	100 Mega Ohms	WI 1001	12,000.00
22.		200 Mega Ohms	WI 1002	12,400.00
23.		500 Mega Ohms	WI 1003	12,700.00
24.		1,000 Mega Ohms	WI 1004	13,200.00
25.		2,000 Mega Ohms	WI 1005	13,900.00
26.		2,500 Mega Ohms	WI 1006	14,500.00
27.	2000 VOLTS	1,000 Mega Ohms	WI 2001	14,100.00
28.		2,000 Mega Ohms	WI 2002	14,400.00
29.		2,500 Mega Ohms	WI 2003	14,600.00
30.		5,000 Mega Ohms	WI 2004	14,900.00
31.		10,000 Mega Ohms	WI 2005	15,300.00
32.		20,000 Mega Ohms	WI 2006	15,800.00
33.	2500 VOLTS	1,000 Mega Ohms	WI 2501	14,100.00
34.		2,000 Mega Ohms	WI 2502	14,400.00
35.		2,500 Mega Ohms	WI 2503	14,600.00
36.		5,000 Mega Ohms	WI 2504	15,100.00
37.		10,000 Mega Ohms	WI 2505	15,500.00
38.		20,000 Mega Ohms	WI 2506	16,200.00
39.		50,000 Mega Ohms	WI 2507	17,300.00
40.	5000 VOLTS	5,000 Mega Ohms	WI 5001	17,500.00
41.		10,000 Mega Ohms	WI 5002	17,900.00
42.		20,000 Mega Ohms	WI 5003	19,100.00
43.		50,000 Mega Ohms	WI 5004	21,400.00
44.		1,00,000 Mega Ohms	WI 5005	23,800.00

NOTE:- DUAL VOLTAGE & DUAL INSULATING RANGE CAN BE SUPPLIED

- 1) Every additional VOLTAGE Range would be charged @ Rs 3500/- extra. (**Optional**)
- 2) Carrying Case for Metal Body @ Rs 700/- each. (**Optional**)
- 3) Testing Lead (1Meter. Length) @ Rs 600/- each pair. (**Optional**)
- 4) Testing Lead (2 Meter. Length) @ Rs 800/- each pair. (**Optional**)
- 5) High Voltage Lead (2 Meter. Length) @Rs 2300/- each pair. (**Optional**)



BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

**PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)**

**ANALOGUE INSULATION TESTER (MOTOR DRIVEN, AC POWER OPERATED,
WOODEN BODY)**

Note:- (All Optional Accessories are not supplied with the Instruments, you have to buy it as an extra**)

B.	Rated Voltage	Rated resistance	Model No	Price (Rs)
1.	500 VOLTS	UPTO 1000 MEGA OHMS	WI 505M	38,000.00
2.	1000 VOLTS	UPTO 2000 MEGA OHMS	WI 1005M	39,500.00
3.	2500 VOLTS	5000 or 10000 MEGA OHMS	WI 2504M or WI 2505M	40,500.00
4.	2500 VOLTS	20000 MEGA OHMS	WI 2506M	41,900.00
5.	5000 VOLTS	5000 OR 10000 MEGA OHMS	WI 5001M or WI 5002M	45,600.00
6.	5000 VOLTS	20000 MEGA OHMS	WI 5003M	46,800.00
7.	5000 VOLTS	50000 MEGA OHMS	WI 5004M	49,500.00
8.	5000 VOLTS	1,00,000 MEGA OHMS	WI 5010M	55,500.00
9.	10000 VOLTS	10,000 TO 1,00,000 MEGA OHMS (ANY ONE RANGE)	WI 10000M	84,500.00
10.	(Multi Range) 1000 VOLTS 2500 VOLTS 5000 VOLTS	10000 MEGA OHMS 20000 MEGA OHMS 50000 MEGA OHMS	WI 5005M	75,500.00

**ANALOGUE INSULATION TESTER (HAND & MOTOR DRIVEN TYPE, AC 220V POWER &
HAND OPERATED, WOODEN BODY, 2 IN 1 TYPE)**

C.	Rated Voltage	Rated resistance	Model No	Price (Rs)
1.	500 VOLTS	UPTO 1000 MEGA OHMS	WI 505HM	54,500.00
2.	1000 VOLTS	UPTO 2000 MEGA OHMS	WI 1005HM	55,600.00
3.	2500 VOLTS	5000 or 10000 MEGA OHMS	WI 2504HM or WI 2505HM	56,800.00
4.	2500 VOLTS	20000 MEGA OHMS	WI 2506HM	58,200.00
5.	5000 VOLTS	5000 OR 10000 MEGA OHMS	WI 5001HM or WI 5002HM	59,400.00
6.	5000 VOLTS	20000 MEGA OHMS	WI 5003HM	60,500.00
7.	5000 VOLTS	50000 MEGA OHMS	WI 5004HM	63,200.00
8.	5000 VOLTS	1,00,000 MEGA OHMS	WI 5010HM	69,300.00
9.	10000 VOLTS	10,000 TO 1,00,000 MEGA OHMS (ANY ONE RANGE)	WI 10000HM	99,000.00
10.	(Multi Range) 1000 VOLTS 2500 VOLTS 5000 VOLTS	10000 MEGA OHMS 20000 MEGA OHMS 50000 MEGA OHMS	WI 5005HM	94,500.00

NOTE: - DUAL VOLTAGE & DUAL INSULATING RANGE CAN BE SUPPLIED

- 1) Every additional VOLTAGE Range would be charged @ Rs 4500/- extra. (**Optional*)
- 2) Carrying Case @ Rs 2500/- each. (**Optional**)
- 3) Testing Lead (1 Meter. Length) @ Rs 600/- each pair. (**Optional**)
- 4) Testing Lead (2 Meter. Length) @ Rs 800/- each pair. (**Optional**)
- 5) High Voltage Lead (2 Meter. Length) @Rs 2300/- each pair. (**Optional**)
- 6) High Voltage Lead (2 Meter. Length) Export Quality @ Rs 3500/- (**Optional**)
- 7) Timers can be provided with an extra charge of Rs @ 4000/- (**Optional**)

BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

ANALOGUE EARTH TESTER 4 TERMINAL (HAND DRIVEN GENERATOR TYPE)

(Suitable for measuring Earth Resistance and Specific Soil Resistivity)

Note:- (All Optional Accessories are not supplied with the Instruments, you have to buy it as an extra***)

D.	Types of Ranges / Model	Rated (Ohms)	Price (Rs)
1.	ANALOGUE EARTH TESTER (Single Range)	0-1	14,000.00
2.		0-2	14,000.00
3.		0-3	14,000.00
4.		0-10	11,400.00
5.		0-20	11,500.00
6.		0-50	11,800.00
7.		0-100	13,200.00
8.		0-1,000	13,400.00
9.	ANALOGUE EARTH TESTER (Dual Range)	0-1-10	14,000.00
10.		0-2-10	14,000.00
11.		0-3-30	14,000.00
12.		0-10-100	14,000.00
13.		0-100-1,000	14,400.00
14.	ANALOGUE EARTH TESTER (Triple Range)	0-2-10-100	14,400.00
15.		0-2-20-200	14,900.00
16.		0-3-30-300	15,500.00
17.		0-10-100-1,000	16,100.00
18.	ANALOGUE EARTH TESTER (Four Range)	0-2-10-100-1,000	17,300.00
19.		0-10-100-1,000-10,000	17,300.00
20.	ANALOGUE EARTH TESTER (Five Range)	0-1-10-100-1,000-10,000	18,500.00
21.		0-2-10-100-1,000-10,000	18,500.00

****OPTIONAL ACCESSORIES**** FOR WACO Analogue Earth Tester.

A) Earth Testing Kit @ Rs 4800/-

Testing Kit Contains:-

4 Nos. M.S.Spikes.

4 Nos. Rolls of Flexible Wire

1 No. Hammer.

1 No. High Quality Canvas Bag.

B) Carrying Case @ Rs 700/- (OPTIONAL ACCESSORIES***) FOR WACO Analogue Earth Tester.



PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

<u>Digital Insulation Tester (Single Range) Economical Series</u>		<u>Price (Rs)</u>
1.	(100V- 20MOhms, Rechargeable Battery Operated, Carrying Case) model: DIT 99A	6,700.00
2.	(250V- 200MOhms, Rechargeable Battery Operated, Carrying Case) model: DIT 99B	6,700.00
3.	(500V- 200MOhms, Rechargeable Battery Operated, Carrying Case) model: DIT 99C	6,700.00
4.	(1000V- 200MOhms, Rechargeable Battery Operated, Carrying Case) model: DIT 99D	6,700.00
5.	(1000V- 2000MOhms, Rechargeable Battery Operated, Carrying Case) model: DIT 99E	6,700.00
<u>Digital Earth Resistance Tester</u>		<u>Price (Rs)</u>
1.	(4 Terminal, Dual Range : 0Ω-5Ω-500Ω ,Carrying Case Included but Testing Kit Optional****) model: WACO DET (low)	6,700.00
2.	(4 Terminal, Dual Range : 0Ω-10Ω-1000Ω ,Carrying Case Included but Testing Kit Optional****) model: WACO DET (mid)	6,700.00
3.	(4 Terminal, Dual Range : 0Ω-20Ω-2000Ω ,Carrying Case Included but Testing Kit Optional****) model: WACO DET (high)	7,900.00
4.	(4 Terminal, Triple Range : 0Ω-20Ω-200Ω-2000Ω ,Carrying Case Included but Testing Kit Optional****) model: WACO 4100	10,000.00
OPTIONAL ACCESSORIES FOR WACO Digital Earth Resistance Tester		
A) Earth Testing Kit @ Rs 4800/-		
<u>Testing Kit Contains:-</u>		
4 Nos. M.S. Spikes.		
4 Nos. Rolls of Flexible Wire.		
1 No. Hammer		
1 No. High Quality Canvas Bag.		

:- Sales Terms & Conditions :-

- ✓ All Above products are manufactured by WACO is as per ISO, CE, CAT, IS, ISS Standard Specification, so customer can trust on our accurate and quality products.
- ✓ All Above Prices are Distributor's & Dealer's List Price only & Should not be considered as M.R.P. (Maximum Retail Price) as all Taxes & Duties payable are extra as applicable.
- ✓ All Prices are Ex-WORKS Basis (KOLKATA).
- ✓ Packing Forwarding will be charged extra @ 2%.
- ✓ Prices are exclusive of GST etc which will be charged extra as applicable.
- ✓ All bank charges would be in the customer's account.
- ✓ All prices are subject to be revised without prior notice.
- ✓ This is a new revised pricelist and all other previous pricelist would be treated as cancelled.
- ✓ Design and specification of the instruments may be changed without prior notice.
- ✓ Warranty for a period of 12 months from the date of BILLING of the materials, against any manufacturing defects.



WACO INSTRUMENTS

AN ISO 9001:2008 CERTIFIED COMPANY
MANUFACTURER OF ELECTRONIC & ELECTRICAL
MEASURING & TESTING INSTRUMENTS

CORPORATE OFFICE:
32A, Ganesh Chandra Avenue, 4Th Floor, Kolkata-700013, West Bengal, India.
Phone : 91-33-22157835, 91-33-22158423
Tel Fax : 91-33-22157835
Customer Care : 91-33-40645370
For Sales Enquiries Email Us At : sales@wacoinstrumentsindia.com
For Service Enquiries Email Us At : services@wacoinstrumentsindia.com
Visit Us & Buy Our Products Online At : www.wacoinstrumentsindia.com



NS - EN ISO 9001:2008
QMS ISO 9001:2008
CERTIFICATE NO: 1/QSC-2314

BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS

EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

MODELS	DESCRIPTION OF ITEMS	PRICE
--------	----------------------	-------

DIGITAL MULTIMETER

19TB	3½ Digits (1999counts), Terminal Blocking Facility, DCV 1000V/ACV 750V/ DCA 10A/ ACA 10A/OHM 200MΩ/CAP 200μF/Diode/Frequency200KHz/ Temperature 1000°C/Continuity/Transistor/Back Light Display/ Auto Power Off/Over Load Protection	1750
801A	3½ Digits (1999counts), DCV 1000V/ACV 750V/DCA 20A /ACA 20A/hFE/ OHM 200MΩ/CAP 200μF/Diode/Frequency 20KHz/Temperature 1000°C/ Continuity/Transistor/Auto Power Off/Over Load Protection.	1800
126A+	3¾ Digits (9999 Counts), DCV 999.9V/ ACV 750V/ DCA 9.999A/ OHM 9.999MΩ/ CAP 9mF/ Frequency 9.999MHz/Diode/Continuity.	1700
CIE- 122	3½ Digits (1999Counts), DCV 600V/ACV 600V/DCA 10A/ACA 10A/OHM 2000MΩ/CAP 20μF/ Frequency 20MHz/Diode/Continuity/Transistor/Logic Test.	4700
WACO-122	3½ digit (1999 Counts),DCV 600V/ACV 600V/DCA 10A/ACA 10A/OHM 2000MΩ/CAP 20μF/ Frequency 20MHz/Diode/Continuity/Transistor/ Logic Test/ hFT/Over Load Protection.	6000
WACO-45	4½digits (19999 Counts), DCV 1000V/ACV 750V/DCA 20A/ACA 20A/ OHM 20MΩ/ Frequency 200KHz/Duty Cycle/Diode/Continuity/Logic Test/ Over range Indication / Low Battery Indication. / Auto power off.	9300
WACO-92A	Digits (1999Counts), DCV 1000V/ACV 750V/DCA 10A/ACA 10A/ OHM 200MΩ/CAP 200μF/ TEMP 1000°C/ Frequency 4MHz/Diode/hFE/IR/ Over range Indication. / Low Battery Indication	2000
WACO 75	Digits (3999 Counts) TRUE RMS, DCV-2000V/ ACV-2000V/ DCA-10A/ ACA-10A/OHMS-400MΩ/CAP-400uF/Frequency-2MHz/Temp-yes/Diode/Transistor/ Continuity/Data hold/Back light/NCV Testing/ Auto power off.	4200

ANALOGUE MULTIMETER

YX-360 TR NEW LAUNCHED	DCV 1000V, ACV 1000V, DCA 10A, OHM 20MΩ, ICEO 150mA, hFE, Decibel, Diode Test.	1400
---	--	------

DIGITAL CLAMP METER

DCM-30	3½ Digits (1999 counts), Jaw Diameter: 33mm 600ACA/600ACV/600DCV/ FREQUENCY/FULL RANGE PROTECTION/OHM/Diode/Continuity/ Capacitance.	4000
2205 HZ	3½ Digits (1999 Counts), Jaw Diameter: 45mm ,DCV 1000V/ACV 750V/ACA 1000A/ OHM 60MΩ/Frequency 60KHz/Diode/Over Load Protection/Continuity/Back light/ TRMS.	1500
FM-200 FORK TYPE	3½ Digits (4999 counts), Jaw Diameter: 15mm , 600DCV/600ACV/DCA200A/ 200ACA/OHM 50MΩ/Capacitance 5mF/Frequency 1MHz/Temperature 500°C/ Diode/Continuity.	6000
36 AUTO	3 5/6 Digits (6000Counts), DCV 1000V/ACV 750V/DCA 600A/ACA 600A/OHM 60MΩ/CAP 20mF/ Frequency60MHz/Diode/Continuity/ Jaw Diameter: 40mm / Over load protection/Auto Ranging.	2800



BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

MODELS	DESCRIPTION OF ITEMS	PRICE
--------	----------------------	-------

DIGITAL CLAMP METER

3600A	3¾ digits (3999counts), DCV 1000V/ACV 700V/DCA 1000A/ACA 1000A/OHM 40MΩ/CAP 10MF/Frequency 40MHz/Duty Cycle/Temperature/Diode Test Continuity Test/ Jaw Diameter : 52mm.	3800
2782A	3¾ Digits (3999 counts), Jaw Diameter: 45mm, 1000ACA/1000DCA/750ACV/1000DCV/CAP 100µF/FREQUENCY 5.12MHz/ TEMPERATURE 1000°C/DUTYCYCLE/OHM 40MΩ/Diode/Continuity/Back Light/ AUTO RANGE/RELATIVE VALUE	5000
2605A	3¾ digits (3999counts),DCV 1000V/DCA 1000A/ACV 750V/ACA 1000A/ OHM 400Ω/Continuity test/Diode Test/Frequency/Duty cycle/ Overload Protection/ Jaw Diameter: 57mm.	8400
DT-2250	3½ digits,(1999counts),DCV 1000V/ACV 750V/ACA 1000A/OHM 20MΩ/ Frequency 40KHz/ Diode Test/Capacitance 200µF/ Duty cycle Overload Protection / Jaw Diameter: 57mm.	6400
4455 NEW LAUNCHED	3½ Digits (1999 counts), Jaw Diameter: 55mm, 2000DCV/2000ACV/DCA2000A/2000ACA/OHM 20MΩ/Capacitance2000uF/ Diode Test/Continuity Test/Auto Power off.	9000

DIGITAL ANEMOMETER

AVM-04A	WIND SPEED: 0-45m/s, Temperature: 0-45°C, Range Type: m/s, FT/min, Knots, Km/hr., Mph, Data Hold, C°/F° Temp Selection, Data Record/ Bar Graph Display.	3500
----------------	---	------

DIGITAL POWER GUARD

PG-10A	Multifunction Power Meter, works on 10A,230A,indicates voltage,current,power factor,KWh,Calculates CO2 emission, calculates total time the equipment's is under test and calculates the cost of electricity consumed accordingly. During load shedding the instruments memorizes the readings, Ideal for analyzing power consumed for different kinds of loads of any electrical/ Electronic products which consumes electricity.	1400
---------------	--	------

DIGITAL LUX METER

231A	3½ digits (1999Counts), Range: 20-20,000 Lux (Lx1010BS)/ Range: 200-200,000 Lux (Lx1020BS)/Cos Reaction: $f_2 \leq 2\%$ Working Temp: 32°F-104°F.	2025
-------------	---	------

DIGITAL LCR METER

4070 NEW LAUNCHED	Display: 3½ digits (1999 counts) LCD, Capacitance: 200PF – 2000µf, Inductance: 200uH – 20H, Resistance: 200Ω - 20MΩ, Diode Test, Over range display, Auto Power Off.	2750
------------------------------------	---	------



WACO INSTRUMENTS

AN ISO 9001:2008 CERTIFIED COMPANY
MANUFACTURER OF ELECTRONIC & ELECTRICAL
MEASURING & TESTING INSTRUMENTS

CORPORATE OFFICE:
32A, Ganesh Chandra Avenue, 4Th Floor, Kolkata-700013, West Bengal, India.
Phone : 91-33-22157835, 91-33-22158423
Tel Fax : 91-33-22157835
Customer Care : 91-33-40645370
For Sales Enquiries Email Us At : sales@wacoinstrumentsindia.com
For Service Enquiries Email Us At : services@wacoinstrumentsindia.com
Visit Us & Buy Our Products Online At : www.wacoinstrumentsindia.com



BUY OUR PRODUCTS ONLINE AT: www.wacoinstrumentsindia.com

PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS

EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

MODELS	DESCRIPTION OF ITEMS	PRICE
--------	----------------------	-------

DIGITAL SOUND LEVEL METER

101	Range: 30 to 130dB, Frequency Weighting A, pocket Size	1900
103	Range :30 to 130dB,Frequency Weighting A & C,Fast/Slow measurement/ Data Recorder with date & time set/Back Light/USB Interface.	4000

DIGITAL TACHOMETER

DT-2235B	Measuring Range : CONTACT TACO-0.5 to 19,999RPM/ Surface Speed-0.05 to 1,999.9(m/min) Resolution : CONTACT TACH-0.1RPM(0.5 to 999.9RPM) /Accuracy :±(0.05% +1 digit) Sampling Time : 0.8 Sec /Time Base : Quartz Crystal/Operation Temp : 0 to 50°C.	2100
DT-2234C	Test Range : PHOTO TACO-2.5 to 99,999RPM / Resolution : PHOTO TACH-0.1RPM(2.5 to 999.9RPM) 1RPM(over 1000RPM) / Detecting Distance : 50 to 250 mm, 50 to 500mm Accuracy : ±(0.05% + 1digit) / Sampling Time : 0.8 sec / Time Base : Quartz Crystal / Operation Temp : 0 to 50°C	1650
DT-2236C	Measuring Range: PHOTO TACH: 2.5~99999RPM/CONTACT TACH: 0.5~19999RPM/ SURFACE SPEED(m/min):0.05~1999.9m/min/SURFACE DISTANCE(m):0.05~99999m Resolution PHOTO: 0.1RPM(2.5 ~ 999.9RPM)/CONTACT: 0.1RPM(0.5~999.9RPM)/ Display:5Digits,18mm LCD/Accuracy: ±(0.05%)/Sampling Time: 0.8 Second/Range: AUTO/Detecting Distance: 50mm~500mm(photo)	2550

CAPACITANCE METER

6013 NEW LAUNCHED	Display: 3½ digits (1999 counts) LCD, Capacitance: 200PF - 20mF (20,000µF), Power: 9V Battery, Reading: 2-3 readings/sec, On/Off Button.	2625
-------------------------	---	------

PHASE SEQUENCE INDICATOR

5801	Operation Voltage : 200-600V AC three phase/Sequence use : 200V AC : 30 Minutes Time Limit : 480V AC : 4 Minutes/600V AC : 2 Minutes / Frequency Range : 20Hz-400Hz / Withstand Voltage : 4000V/min	2250
------	---	------

DIGITAL K-TYPE THERMOMETER

WACO-305	3½ Digits (1999 Counts)/ Measurement Range: -50 to 1300°C, -50 to 1999°F Ambient Operating Range: 0 to 50°C (32 to 122°F)/ Storage Temperature: -40 to 60°C (-40 to 140°F)	2500
----------	--	------

INFRARED IR THERMOMETER

WACO-JT-550C	Laser Point/Temperature range: -40 to 350°C, -40 to 380°C, -40 to 450°C, -40 to 550°C Response Time : 500mSec/Spectral Response : 8-14um/Emissivity : pre-set 0.95 Operating Range: 0 to 40°C(32 to 104°F)/ Storage Temperature : -20 to 60°C/ °C/°F Selection.	2300
--------------	--	------

CLAMP INSULATION TESTER WITH 1000A TRMS CLAMP METER

3604C	DCV-1000V/ACV-750V/ACA1000A (TRMS), Resistance/Capacitance/ Temperature/Frequency/Duty Cycle/Insulating Resistance Range: 50V-100V-250- 500-1000V/Analogue Bar Graph Display With 3.5/6LCD Display	8500
-------	--	------



PRICE LIST FOR ALL INDIA DISTRIBUTORS & DEALERS
EFFECTIVE FROM 12.12.2023 (Version 3, 2023)

MODELS	DESCRIPTION OF ITEMS	PRICE
--------	----------------------	-------

CLAMP ON EARTH/GROUND TESTER WITH LEAKAGE CURRENT

1200	Earth Ground Resistance Range: 0.01-1000 OHM / Leakage Current Range: 0-30a Jaw Size : 32X65mm	40000
-------------	--	-------

DIGITAL MULTIMETER + INSULATION TESTER

622 NEW LAUNCHED	3½ digits (4000 counts) LCD, Insulation Range:500V/1000V/2500V, DCV 400mV-1000V, ACV 4V-700V, DCA 40mA-400ma, ACA 40mA-400mA, Resistance: 400Ω-40MΩ, Capacitance: 40nF-40μF, Frequency: 40Hz-4MHz, Diode Test, Continuity test, Over Load Protection.	9000
-----------------------------------	---	------

DIGITAL HV INSULATION TESTER (MULTI RANGE)

914A	500V/1000V/2500V/5000V - 200G OHM/AC Voltage 750V/Back Light/HV Indication Lamp/Economical Model	16300
5106	100V/250V/500V/1000V/2500V/5000V - 200G OHM/ Back Light/HV Indication Lamp/AC Power Adapter Included	18800
3125A	500V/1000V/2500V/5000V - 1T OHM, DC/AC Voltage 600V/Back Light/Polarization Index/DAR/Time Function.	26300
SEW-6211A IN	1000V/2500V/5000V/10000V - 500G OHMS, AC Voltage 500V, Bar Graph Indication, Full Protected, Heavy Duty Carry case, & Start or Stop Button.	85000
5105	100V/250V/500V/1000V/2500V/5000V - 10T OHM, DCV-1000V, ACV-750V, Capacitance-50uF, Polarization Index, 12V Rechargeable Battery, Backlight, 4Bit LCD Display, USB interface, Data Storage, Alarm Function, Auto Power Off.	138000
5110	250V/500V/1000V/2500V/5000V/10000V - 35T OHM, DCV-1000V, ACV-750V, Capacitance-50uF, Polarization Index, 12V Rechargeable Battery, Backlight, 4Bit LCD Display, USB interface, Data Storage, Alarm Function, Auto Power Off.	165000
5115	500V/1000V/2500V/5000V/10000V/15000V - 50T OHM, DCV-1000V, ACV-750V, Capacitance-50uF, Polarization Index, 12V Rechargeable Battery, Backlight, 4Bit LCD Display, USB interface, Data Storage, Alarm Function, Auto Power Off.	253000

****OPTIONAL ACCESSORIES**** FOR HV INSULATION TESTER

- 1) High Voltage Lead (10 Meter. Length) @ Rs 30000/- each pair. (**Optional**)
- 2) Battery @Rs2500/-each pair. (Only 5106 model)

2 IN 1 COATING THICKNESS GAUGE

TG-05	Detectable Substrate Material : Ferrous Metal(iron ,steel)and Non-Ferrous metal(copper,aluminum,zinc,bronze,brass,etc) Ferrous Thickness Range: 0 to 80.0mils / Non Ferrous: 0 to 40.0mils / Display Resolution: 0.1mils/1μm / Auto power off	12500
--------------	--	-------

AC VOLTAGE DETECTOR

JT-902B NEW LAUNCHED	Never Test Voltage More Than 1000V AC Test Voltage Range: 90V-1000V AC / IP54, IEC 1010.	450
---------------------------------------	---	-----

ALL ABOVE PRICES ARE EXCLUDING OF ALL GOVT TAXES/FREIGHT/PACKING & FORWARDING, ETC.