

Voitto ACE-72 E

ACE series



Touch Display
22" Full HD



Smart Multimedia
Control Panel



Audio Visual
Connectivity





Product Specifications

DIGITAL- PODIUM ACE-72E

Physical Specifications

Size	659(W) x 1,130(H) x 750(D)
Weight	70KG
Shipping Weight	110KG
Shipping Size.	804(W)x 909(H) x 1,311(D)

Standard Features

Software	Integrated Podium Software
View Angle	22 inch wide (Wide angle display monitor)
Touch Technology	Pen touch technology based on Digitiser technology
Power Consumption	Upto to 150W
Warranty	One Year limited equipment warranty

22"LCD Tablet Monitor		VT-2233WD
LCD	Resolution	1920 x 1080 (Full HD)
	View Area	477(H) x 268 (V)mm - 22inch
	Luminance, White	250 cd/m ²
	Contrast Ratio	1000:1 (typ)
	Viewing Angle	160° (H/V)
	Lamp Life Time	20,000 Hrs (min)
Tablet	Technology	Electromagnetic Resonance
	Detectable Height	3-10mm
	Position Report Rate	138 pps
	Pressure Resolution	1024 level
DC Adapter		AC 100-240V 1.5A 50-60 HZ/ DC12V 3000mA
BODY		
Sliding Cover		Opening/ closing the cover easily
Soft Wheels		Moving Podium with convenience
Adjusting Monitor Angle System		User can set monitor angle as user's want
Dimension		659(W) x 1130(H) x 750(D)
Multimedia Controller		
HDMI	Supported	Upto 4K 2K
	Resolution	3840 x 2160 @ 30Hz
	Input	HDMI X3
	Output	HDMI X3
VGA	Output	VGA x1(Full HD)
Sound	Audio Input	3.5 Stereo x1
	MIC	5.5 Mono x1, Canon Jack x1
	Output	3.5 Stereo x1
	Output	160W(L) + 160W(R) = 320W 4Ω
Control	Switch Control Ports (Relay)	4 Ports
	Screen Relay Control	2 Ports
	RS -232C Ports	4 Ports
	RMS Control Module	1 Ports
	IR Port	2 Ports
USB	USB Switch	2 Input, 1 Output (PC, Laptop Switch)
LAN	LAN Hub	4 Ports (10 /100 Mbps)
RMS	Interface	10/100 Base- T Ethernet
	Protocol	TCIP/IP,UDP,DHCP
Other	Power (Adaptor)	36 V 8A
	Weight	1.5 Kg

