

SOUTHEASTERN GEOLOGY

Table of Contents

Volume 53, No. 1, May 2018

1. **ATHENS SHALE IN THE SUBSURFACE NEAR CALERA, ALABAMA FOLD-AND-THRUST BELT: LITHOFACIES, BASIN PROCESSES AND CONDITIONS, AND HYDROCARBON SOURCE POTENTIAL**
PHILLIP A. DAYMOND AND CHARLES E. SAVRDA 1

2. **PINE HALL FORMATION: TYPE SECTION DESIGNATED – DAN RIVER BASIN, STOKES CO., NORTH CAROLINA**
JEFFREY C. REID, KATHERINE J. MARCINIAK, WALTER T. HAVEN AND KENNETH B. TAYLOR 23

3. **MIDDLE PLEISTOCENE ESTUARINE DEPOSITS, BLOUNTS BAY AREA, BEAUFORT COUNTY, EASTERN NORTH CAROLINA**
WILLIAM MILLER, III 33

4. **THE CYPRAEIDAE AND OVULIDAE (MOLLUSCA; CAENOGASTROPODA) FROM THE COOK MOUNTAIN FORMATION (BARTONIAN, MIDDLE EOCENE) OF THE GULF COASTAL PLAIN, SOUTHERN UNITED STATES: A PROVINCE OF UNSUSPECTED GENERIC ORIGINS**
LUC DOLIN AND DAVID T. DOCKERY III 41

COVER IMAGE: JEFFREY C. REID, KATHERINE J. MARCINIAK, WALTER T. HAVEN, AND KENNETH B. TAYLOR-
Figure 1: Map showing the southern portion of Dan River basin in North Carolina. Three 1981 core holes (SO-C-01-81; SO-C-02-81; RC-C-01-81) along with “The Town of Walnut Cove” stratigraphic core hole SO-C-01-15 and sidetrack SO-C-01A-15 drilled in June 2015. Generalized cross section line location (orange), see Figure 4. Light yellow vertical line is the boundary between Stokes and Rockingham counties, North Carolina.