

Openings in Steel Amarr Residential Garage Doors





Openings in Steel. Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in eight steel collections.

From classic carriage house designs to contemporary flush panels, get a striking look that stands the test of time.

- COLORS
- 2 NORTHWOODS NEW
- CLASSICA® FLUSH
- 6 CLASSICA FULL VIEW
- 8 CLASSICA
- 10 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 12 CARRIAGE COURT
- 14 CARRIAGE COURT OPTIONS
- 16 DESIGNER'S CHOICE
- 18 HILLCREST
- 20 HERITAGE®
- 22 OLYMPUS
- 24 LINCOLN
- 26 WINDOW & GLASS OPTIONS
- 27 COLOR ZONE & MOSAIC WINDOW OPTIONS
- 28 CONSTRUCTION OPTIONS
- 29 SPECIFICATIONS

AMARR COLORS

The garage door is the largest and most visible door on your home so choosing the right color is an important decision. Explore the many color options Amarr offers.

PLANK NEW




CEDAR (CEP)



ASPEN GRAY (AGP)



DUAL-DIRECTIONAL WOODGRAIN











SOLID



















COLOR ZONE



Over 800 Sherwin-Williams SnapDry™ paint colors – approved list is at amarr.com/ amarr_color_zone. Check your local Sherwin-Williams store for paint chips.



Northwoods in Cedar with Sliml ine windows



NEW AMARR NORTHWOODS

The printed horizontal plank design on a ribbed section creates depth, texture and subtle dimension.

A perfect complement to modern, mid-century modern, and traditional architectural styles.

The multi-hued, digitally printed woodgrain pattern gives a more genuine wood

appearance. Available with either traditional or mosaic window placement.



Designs

The Amarr Northwoods collection is a traditional door offered in Ribbed panel design in two digitally printed plank color options.


See page 29 for complete specifications.













Aspen Gray with Long Panel Windows








WINDOWS

Choose from standard Short Panel or Long Panel windows with color matched frames or the new SlimLine windows with Black frame. See page 26 for glass options.







SLIMLINE

COLORS



ASPEN GRAY (AGP)



CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home.

The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.



Designs

Unique three-section tall door with large windows allow maximum natural lighting. See page 29 for complete specifications.

CL3000 Triple-Layer: Steel+Insulation+Steel



Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.





CLASSICA FLUSH



CLASSICA® FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The modern design combined with polyurethane insulation provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.



Designs

Unique three-section tall door with large windows allow maximum natural lighting. See page 29 for complete specifications.

CL3000 Triple-Layer: Steel + Insulation + Steel

Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.





COLORS













GOLDEN OAK (OK)









See page 27 for more information

CLASSICA FULL VIEW

CLASSICA FULL VIEW

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



Designs

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 29 for complete specifications.



CL1000 Single-Layer: Steel

CL2000 Double-Layer: Steel + Insulation



¥ U-factor .32 R-value 6.64

CL3000 Triple-Layer: Steel + Insulation +




Decorative Windows & Hardware

Optional decorative windows & hardware,

carriage houses, adds character to your door.

reminiscent of authentic hardware found on original

See pp. 10-11 for glass, window, and hardware options.







Tuscany with Closed Arch (T1)



DESIGNS














COLORS
































 ${\tt C\;L\;A\;S\;S\;I\;C\;A}$

CLASSICA & DECORATIVE HARDWARE OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

TWO-TONE PAINT OPTIONS*









GLASS OPTIONS

Insulated glass* available in Clear, Frost and Dark Tint.





FROST (WF)*





*Price upcharge applies.

TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1)






CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)











CLOSED SQUARE • NORTHAMPTON (N2)





JARDIN (75)*



*Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting.

NO INSERT



DANUBE (4)†



MADEIRA (5)†



NII F (6) †





SFINE (8) †



THAMES (10)†



†Window inserts shown on Clear glass.
Design also available with Obscure, Frost or Dark Tint glass.

DECORATIVE HARDWARE & LOCK

ALUMINUM

 $A vailable for Amarr Carriage Court, Classica, Designer's Choice, Heritage ^1 and Hillcrest collections. \\$







 ${}^{\star} \text{Hinges with Clavos not recommended for arched openings. } {}^{\dagger} \text{Not for use with high lift installations.}$

STAMPED STEEL

 $A vailable for Amarr \, Carriage \, Court, \, Classica, \, Designer's \, Choice, \, Heritage ^1 \, and \, Hillcrest \, collections.$



MAGNETIC ABS VINYL

 $\label{lem:continuous} A vailable for Amarr, Classica, Designer's Choice, Heritage ^1 and Hillcrest collections.$













CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.



Designs

A wide variety of unique carriage house designs available in four color options.

See page 29 for complete specifications.


CC4000 Four-Layer: Overlay + Steel + Insulation + Steel



Decorative Windows & Hardware


Choose from a variety of optional decorative windows & hardware to match your home's design.

See page 11 for window and hardware options.



DESIGNS

AVAILABLE WITH WINDOWS


































CARRIAGE COURT

CARRIAGE COURT OPTIONS

TOP SECTIONS A vailable for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE* or INSULATED* glass.CLOSED SQUARE (104) CLOSED ARCH (105) CLEAR SQUARE (115) CLEAR ARCH (114) 3 LITE SQUARE (106) 3 LITE ARCH (110) 4 LITE SQUARE (107) 4 LITE ARCH (111) 6 LITE SQUARE (112) 6 LITE ARCH (108) 8 LITE SQUARE (113) 8 LITE ARCH (109) Available for ARCADIA+, ASHLEY, BROOKLAND+, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA+, MIDDLETON, NEWBERRY, RAVENWOOD+ and TANGLEWOOD CLOSED SQUARE (104) CLOSED ARCH (105)

CONSTRUCTION



CC4000

Four-Layer: Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated[‡] or Obscure[‡] glass.

[‡]Price upcharge applies.

COLORS





ALMOND / WHITE (A1)





Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

DOOR WIDTHS


Only available in widths shown; not available in odd widths

6' WIDE*



8', 9' & 10' WIDE





*Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options)

DOOR HEIGHTS

Available in 6'6" – 10' heights in 3"increments†







†Rosemont not available in 8'3", 8'9", 9'3" and 9'9"; Tanglewood not available in 6'3" and 7'3" door heights.

WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

Newberry design with Closed Square in Sandtone/White with Canterbury decorative handles





DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



Designs

The Amarr Designer's Choice model is available in three carriage house designs and eight color options.

See page 29 for complete specifications.



DC3138* 1-3/8" Triple-Layer: Steel + Insulation + Steel

₩ U-factor .24

DC3200

2" Triple-Layer: Steel + Insulation + Steel

₩ U-factor † True White Bead Board only. 13.35 R-value for all other panels and colors.

DC3200†

DC3138

Long Bead Board with Stockton DecraTrim (LPBB20)

‡Available for DC3200 only.

For decorative hardware, see page 11.

Decorative Windows & Hardware

Choose from DecraTrim inserts or DecraGlass‡


windows to best coordinate with your home.

See page 26 for window and glass options.




Bead Board with Victorian DecraGlass (BB54)





DESIGNS



Long Bead Board (LPBB)

COLORS

















Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.

DC3138 only available in True White and Color Zone

DESIGNER'S CHOICE

* DC3200 True White Bead Board only.



HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.



Designs

The Amarr Hillcrest collection is available in three carriage house designs with a wide range of color options.

See page 29 for complete specifications.

Long Bead Board with Closed Square (LPBB)

HI1000 Single-Layer: Steel

H12000

Double-Layer: Steel + Insulation



R-value 6.64

HI3138

1-3/8" Triple-Layer: Steel+Insulation+Steel



HI3000

2" Triple-Layer: Steel + Insulation + Steel



Decorative Windows & Hardware

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 26 for window and glass options. For decorative hardware, see page 11.

Bead Board with Waterford DecraTrim (BB25)



Bead Board with Cascade DecraTrim (BB23)





DESIGNS

Bead Board (BB)





COLORS































Long Panel design with Trellis DecraGlass in Sandton



H E R I T A G E[®]

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted. The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.



Designs

The Amarr Heritage collection is available in a variety of traditional and carriage house panel designs and colors.

See page 29 for complete specifications.



HR1000 Single-Layer: Steel

HR2000 Double-Layer:

Steel + Insulation



HR3000 Triple-Layer: Steel+Insulation+Steel

HR3000

see page 11.

Decorative Windows & Hardware

Choose from contemporary or craftsmen

inserts to coordinate with your home.

See page 26 for window and glass options.

For decorative lock and hardware options,

DecraGlass windows or DecraTrim window



Recessed with Thames DecraTrim (RE30)





DESIGNS





Long Bead Board (LPBB)

TRADITIONAL

MOSAIC WINDOW OPTIONS

COLORS


























OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



Designs

The Amarr Olympus model is available in Short, Long, and Flush panel designs and your choice of eight color options.

See page 29 for complete specifications.

Short Panel with Prairie DecraTrim (SP21)



OL3138* 1-3/8" Triple-Layer:

OL3200

2" Triple-Layer:

Steel + Insulation + Steel

† Short Panel True White and Flush Panel True White and Black only. R-value rating for other colors and panels 13.35; U-factor rating currently unavailable for all other colors and panels.

Steel + Insulation + Steel

*OL3138 only available in 8', 9' or 16' wide doors. R-value 14.46

≇ U-factor .24

OL3200†

₩ U-factor

OL3138

Choose from DecraTrim inserts or DecraGlass‡ windows to best coordinate with your home.

See page 26 for window and glass options. [‡]Available for OL3200 only.

Decorative Windows

Long Panel with Moonlite DecraTrim (LP24)




ong Panel with full Long Panel Windows (LP)




Flush Panel with Mosaic Clear Windows (FPO)



Short Panel with Heartland DecraGlass (SP70)



DESIGNS



MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS















BLACK (BL)







OL3138 only available in

0 L Y M P U S

* OL3200 True White Flush and Short Panel only.

Long Panel design with Stockton DecraTrim in True White



LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.



Designs

The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs and a wide range of color options.

See page 29 for complete specifications.

Short Panel with Victorian DecraGlass (SP54)

Ribbed Panel (RP) with Long Panel Clear Windows



L12000

Double-Layer: Steel + Insulation



Decorative Windows

Flush Panel (FP)

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See page 26 for window and glass options.




1-3/8" Triple-Layer: Steel + Insulation + Steel



L13000

2" Triple-Layer: Steel + Insulation + Steel





Long Panel with Cascade DecraTrim (LP23)





DESIGNS

Long Panel (LP) Flush Panel (FP)

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic



COLORS

Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.























* Available in LI1000/LI2000 Flush Panel with Stucco texture




LINCOLN

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

03030 03030

DecraTrim and DecraGlass design visibility varies due to lighting.













FULL SUNRAY (28) Short Panel



TRELLIS (76)

VICTORIAN (54)

830 830 830 830

OND OND OND

COLOR ZONE & MOSAIC WINDOW OPTIONS

COLOR ZONE



Embrace your inner designer. Amarr's Color Zone is a factory-applied option available on most steel garage doors. This color option that allows homeowners to color match the exterior features of their homes from shutters and trim to their front door. For the commercial market, Amarr Color Zone creates a unique lasting first impression on our wide selection of industrial doors.

- Available on all* Amarr residential or commercial steel overhead doors up to 20' wide.
- In a multi-step process, your chosen color is applied as a top coat to Amarr pre-painted, galvanized steel sections giving your door one more layer of protection from the elements.
- Sherwin-Williams® SnapDry™ paint is resistant to dirt, fingerprints, and UV weathering.
- Choose from more than 800 approved Sherwin-Williams SnapDry paint colors. Approved list is at amarr.com/amarr_color_zone.
- Your local Sherwin-Williams store can provide you with paint chips of selected colors to help vou decide.





MOSAIC WINDOW OPTIONS

 $\textbf{Release your creativity with Mosaic Window options.} \ \mathsf{Give} \ \mathsf{your}$ contemporary, mid-century modern or transitional home a fresh look that is uniquely you. Create a unique look by choosing how many windows you want and where to place them! Just lke your home, your garage door should reflect your personal style. Three easy decisions give you the garage door of your dreams.

- Choose your door available with traditional collections; Heritage[®], Lincoln, Northwoods, and Olympus.
- Choose your design available with all panel designs; Short, Long, Flush* and Ribbed[†] panels.
- Create your design with short or long panel windows in clear, frost, obscure or dark tint glass.

Flush Panel design in Wicker Tan with Obscure glass





*Available in Heritage HR3000, Lincoln LI1000/LI2000/LI3138/LI3000 and Olympus OL3200 only.

^{*} Not available on Amarr Carriage Court

AMARR Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel. CONSTRUCTION

SINGLE-LAYER:

Steel

Amarr Classica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance



DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



TRIPLE-LAYER:

Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln, & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- · Extra quiet operation













* True White Bead Board only.

FOUR-LAYER: Overlay + Steel + Insulation + Steel Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation



VERIFIED THERMAL PERFORMANCE

DASMA THERMAL PERFORMANCE **VERIFICATION PROGRAM** ww.dasma.com/therma

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.

What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. A lower U-factor rating indicates less heat transfer and better thermal performance.

Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.



This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.

8									lom	(III)	yrene.	15		7 ga	42mm							Ι.																							
TI3000	ŀ	•	•	•	c	•		•	(mo) 2" (E 1cm)	_	ne. Folystyrene	9.05			nm 0.42/0.42mm	•	1	•				•	•		•		•	•				•	•	_	•	Ŀ	•	•		•	•	•		-	
LI3138	٠	•	•	•	c	>		•	1.9/0"(9.5cm)		Polystyrene 70.27	6.48		27/27 ga	0.42/0.42mm	•		•				•	•		•		•	•	•			•	• •	•	•	٠	•	•		٠	•	•		•	
LI2000		•	*		c	1	•		2" (E 1cm)	Pelinterion 2	ronystyrene	6.64		25 ga	0.53mm	9	•			•	٠		•		•		•	•	٠			•			•	٠	•	•			•	•		•	
00011			4		Ŧ				0"(E 10m)	(0.1011)	0.32			25 ga	0.53mm	9	•						•					•				•			•		•							•	
013200			TW/BL		c	,			9" (F 10m)	A (O.IOIII)	roiyuretilaile	1940 [†] 13.35 [‡]		27/27 ga	0.42/0.42mm			. +		+-,		+.						•				•													
01.3138	WL		WL		c	>			1.9/0"(9.5om)	ONO (O.OUIII)	ronyuretilane				0.42/0.42mm																	•													
HR3000					3 Designs	,			2"(E1cm) 1		n.26	9.05			0.61/0.42mm (٠.		•			•		6					Ī			
HR2000					3 Designs	1	•			-	nuysiyrene r	6.64			0.61mm 0			•										•		٠.		•			•		6.					Ī		•	
HK1000		•		_	3 Designs				2"(E1cm)	+				24 ga	0.61mm			•	Ì			Ī	•					•		٠.		•	• •		•		6-					Ī			
HI3000					3 Designs	>				+	ronystyrene:	9.05			0.42/0.42mm			•										•				•					•							•	l
				_	3 Designs	,			, o/o/(0/0/0/-)	_	noiystyrene Pr	6.48			0.42/0.42mm 0.4			•										•				•					•							•	ł
					3 Designs	1	•		2" (E form)		0.32	6.64			0.53mm 0.4													•									•							•	+
	H				3 Designs 3				0" (E10m)	+	2				0.53mm							l															•	•							
DC3200					3 Designs 3	·			0"(E1cm)	-	Polyureurane 0.19*	19.40*/13.35**			0.42/0.42mm			. ,		*.		*•						•														Ì			ł
DC3138					Design	>			c (mo) 6/10/6-1	_	_				_			•							•			•				•													
CC4000					18 Designs 1	,			• (E10m)	C-I CITCHIA	0.26 0.24	6.48		27/27 ga 2	0.42/0.42mm 0.42/0.42mm		+	•									• oreal unity					~										1		•	t
CL3000					7 Designs 18	,			9" (E 1cm)	_	rolyuretitarie rol				0.53/0.42mm 0.43			•										•									•								
CL2000				_	7 Designs 7	1			0"(E10m) 0"	_	0.32				0.61mm 0.53																	•													+
CL1000					7 Designs 7 I				9" (E 1cm) 9"		roiy				0.61mm 0.																	•					•								
CL3000	H			_	Full View 7 D	,			0"(E1cm)	-	roiyureuiane	13.35			0.53/0.42mm 0.0		+		+			H																							t
					- E				1)"C (mol 2)"C		noyureurarie rouyu				0.53/0.42mm 0.53/f		+																							+					
NW3138 CL3000										_					_		+																												+
NW3	H			•	c			•	teel 1 9/9"(9 5cm)	1000-	Polystyrene 0.27	6.48	H	27/27 ga	0.42/0.42mm	JRE .	+	•	+		_	•	NS.		•	ngth	• •	•		SNO				H		L				_		+	• •	• •	
PANEL DESIGNS				Ribbed	Carriage House		Steel + Insulation	Steel + Insulation + Steel	Overlay + Steel + Insulation + Steel	DOOR INICANESS	II-FACTOR 🥞	R-VALUE ²	STEELTHICKNESS	Gauge (ga)	Gauge (mm)	WOODGRAIN EXTERIOR TEXTURE	GALVANIZED END STILES	PAINTED END STILES	THERMAL SEAL	Stroll Detainer	Steet Retainer	Extruded Vinyl	DECORATIVE WINDOW OPTIONS	WINDOW GLASS OPTIONS	3/32"(0.24cm) Single Strength	1/8" (0.32cm) Tempered 2X Strength	ilisutateu (Cteal, Flost & Dalk Illit) Obscure		Dark Tint	DECORATIVE HAR DWARE OPTIONS	EXTERIOR COLOR OPTIONS	True White (TW)	Almond (AL) Wicker Tan (WK)	Sandtone (ST)	Terratone (TT)	Dark Brown (DN)	Charcoal Gray (EF)	Black (BL)	Golden Oak (OK)	Walnut (NT)	Mahogany (MY)	Weathered Gray (WZ)	Cedar (CEP)	Aspen Gray (AGP) WIND LOAD* AVAILABLE	

^{**}All panels and colors except True White Bead Board.

\$ Anoth Panel True White and Flush Panel True White and Black only.

**Revalue rating for other colors and panels 13.5 except Short Panel
True White and Flush Panel True White and Black; U-factor rating
currently unavailable for all other colors and other.





Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer:

Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com





Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSA ABLOY Printed in USA Form #6450624/PDF