

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: May 12, 2021

SECTION 1: IDENTIFICATION

Product Name: Tracit-1100 Heat Transfer Compound

REACH number: Not relevant (mixture)

Recommended use: Heat transfer between surfaces

Manufacturer: Chemax Manufacturing Corporation
1025 River Road
New Castle, Delaware 19720 USA
Tel: (800) 804-4596, E-mail: sales@chemax.com

Emergency telephone number:

(800) 804-4596 ext. 2 (Manufacturer), (800) 222-1222 (Poison Control)

SECTION 2: HAZARD IDENTIFICATION

Classification: OSHA Hazard Communication Standard: This material is not considered hazardous in accordance with OSHA HazCom 2012, 29 CFR 1910.1200

Label elements: No significant hazard as per GHS

Pictograms: None required

Hazard phrases: None

Health hazards: Not expected to be a health hazard when used under normal conditions. Avoid prolonged contact with skin, and direct contact with eyes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances: Not applicable

Mixtures:

Ingredient	CAS #	%
Polymeric Additive in Oil	NA	30-45%

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of § 1910.1200.

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

Description of first aid measures

- Inhalation:** Under typical conditions of intended use, material is not expected to be inhalation hazard. If symptoms exist, move to fresh air and seek medical attention.
- Skin contact:** Wash contact area with soap and water. Get medical attention if irritation persists.
- Eye contact:** Hold eye lids open and flush thoroughly with water for 5-10 minutes. Remove contact lenses. If irritation develops seek medical treatment.
- Ingestion:** Do not induce vomiting. Rinse mouth with fresh water. Call a doctor if symptoms persist.

Indication of immediate medical attention and special treatment needed:

No specific medical attention generally required.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water spray (fog), dry chemical, foam, or CO₂.

Unsuitable extinguishing media:

Water stream may splash burning liquid and spread fire.

Special hazard arising from the substances or mixture:

No special exposure hazards are known.

Advice to firefighters: Wear proper protective equipment and SCBA.

Flash point (COC): >500 °F (260 °C)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Wear appropriate Personal Protective Equipment (PPE). Keep all unnecessary personnel out of the area. Clean up spills to prevent slipping hazards, and contamination of soil, surface, or groundwater.

Environmental precautions:

Prevent discharge into sewers or streams by covering nearby drains.

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods and materials for containment and cleaning up:

This compound has a high viscosity and will not likely leak or spill.

A degreasing agent may be used to aid in clean-up.

Place collected material into a closed container for disposal. Follow local disposal regulations.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Wear protective gloves and goggles when handling.

Avoid prolonged contact with skin, and direct contact with eyes.

Follow good industrial hygiene and safety practices when handling.

Precautions for safe storage:

Store at room temperature. Keep lid sealed tightly when not in use.

Protect compound from direct contact with open flames and strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures/controls:

Keep container closed when not in use. Allow adequate ventilation.

Personal protective equipment (PPE)



Eye: Wear safety glasses/goggles when direct eye contact is a possibility.

Hand: Wear cotton or rubber gloves when handling.

Respiratory: Wear NIOSH/MSHA approved respirators when removing hardened compound and dust levels exceed recommended TLV levels.
Graphite dust exposure limits: OSHA PEL: TWA 5 mg/m³ (resp)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color:	Black
Physical state:	Semi-solid
Specific gravity:	1.4
Odor and threshold:	Slight odor
pH:	Not applicable
Vapor pressure:	Nil at room temperature
Evaporation rate:	Not applicable
% volatile by volume:	0 %.
Solubility in water:	Insoluble
Boiling point:	Very high
Flash point (COC):	>500 °F (260 °C)
Explosion properties:	No data available
Vapor density (Air=1):	>1
Relative density:	No data available
Partition coefficient:	No data available
Auto-ignition temp.:	No data available
Decomposition temp:	No data available
Viscosity:	No data available
Flammability:	No data available

SECTION 10: STABILITY AND REACTIVITY

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity: Compound is not reactive under normal conditions of intended use.

Stability: Compound is stable if used in recommended temperature range.

Conditions to be avoided:

Do not exceed instructed upper temperature limit.

Materials to avoid: Avoid contact with open flames and strong oxidizing agents.

Hazardous decomposition products:

Not expected to occur under normal conditions of use or storage.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Eyes: May cause irritation if not treated.

Skin: Continued contact may cause irritation.

Ingestion: May cause irritation to mucous membranes of mouth, throat, stomach.

Inhalation: No adverse effects.

Carcinogen status: Product is not listed as a possible carcinogen by OSHA, IARC, or NTP.

Health hazards: No known chronic effects. Not expected to aggravate medical conditions.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: None known.

Persistence and degradability:

No information available.

Possible environmental effects:

Prevent discharge into sewers or streams.

Other information: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Product waste: Dispose of product in accordance with local, regional, national, and/or international regulations. Prevent discharge into sewers or streams.

TRACIT-1100 Heat Transfer Compound-Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packaging waste: Dispose of container in accordance with local, regional, national, and/or international regulations.

SECTION 14: TRANSPORT INFORMATION

Special shipping precautions/information:

Product is not listed in the US hazardous materials shipping regulations (49cfr, table 172.101). No known local, state, federal, or international transport restrictions.

	Bulk shipping	Non-bulk shipping	Identification #	Hazardous class
US DOT:	Not required	Not required	Not required	Not required
Canadian TDG:	Not required	Not required	Not required	Not required
European :	Not required	Not required	Not required	Not required
ADR, IMDG, IATA-DGR:	Not classified as hazardous product for land, sea and air transport.			

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazard Communication Standard:

This material is not considered hazardous in accordance with OSHA HazCom 2012, 29 CFR 1910.1200.

TSCA Inventory list: Reported/listed.

SARA 311/312.: This material does not contain any chemical substance on SARA extremely hazardous substance list.

SARA 313: This product contains no chemicals regulated under SARA Title III, Section 313.

SECTION 16: OTHER INFORMATION

NFPA HAZARDS: Health: 1 Reactivity: 0 Fire: 1