LIVE ROUND SOUND

"The whole nine yards in rugged and portable audio systems"

USER MANUAL

Contact:

- <u>Email</u> Support@liveroundsound.com
- Phone John Richardson: (904)-608-6111

Hello! Congratulations on purchasing your Live Round Sound audio system. We hope it's everything you expect and more. Below, you will find some information about your cooler and some answers to any questions you might have. Remember...if you have any questions at all, PLEASE do not hesitate to call, email, or even text us. Our contact information can be found on the first page of this manual.

DISCLAIMER: Live Round Sound highly suggests you do not tamper with any of the equipment installed within the cooler. The systems are built and tuned to be the highest quality with safety in mind and are not designed to be tampered with. Tampering of the equipment in any way may result in damage. Live Round Sound will not be at fault for any damages that occur due to tampering of the system. Always turn the system off when not in use. These systems are NOT waterproof. Please be sure to listen for distortion at loud volumes due to the risk that equipment may be damaged. Only use automatic 12v chargers that charge at 2 amps or less when charging the battery.

General Q & A:

- **-When should I charge my battery?** All systems should be charged when the battery reaches roughly 11.0 on the voltmeter. Allowing the system to drop below this may damage the battery or amplifier.
- **-How do I charge my battery?** A charger is included with all cooler audio systems. However, almost any automatic 12v car or lawn equipment battery charger will work. Be sure to use a charger that charges at 2 amps or less! 12v trickle chargers, float chargers, battery tenders, and any other automatic charger will be just fine. Considering we recommend an automatic charger; charging is as easy as connecting the SAE plug into the charge port of the cooler. When your charger shows a full charge, you're good to go! Always remember to turn off your cooler when not in use.
- **-How should I set my MP3 Player equalizer/music settings?** We highly recommend leaving any equalizers alone. Bass reducer or treble booster is safe, but any bass BOOSTER can damage speakers.
- **-How loud can I raise the volume?** We tune each amp individually to be able to take any type of music. You're good to play loud all day long.

Equipment:

Amplifier- The equipment inside your cooler is completely installed and ready to go when it is shipped. We tune each amp to get the highest sound quality and output out of the music while keeping the audio system safe and reliable.

Speakers- Your speaker(s) are also ready to go upon purchase. We highly suggest you do not tamper with the speaker(s) in any way.

Toggle Switch- Your ammo can is equipped with an ON/OFF toggle switch. The switch can only be in the on or off position.

Charger- The included charger is automatic. When your battery is low simply plug the charger into the port on the front of the cooler. Then, plug the charger into your wall. The charger will automatically charge and cut off when charging is complete. Additionally, it will alert you via green LED when charging is complete.

How to charge your battery

All batteries must be charged when the voltmeter reads 11.0 or higher. A full charge is 12.8 or higher when the charger is not attached, and no music is playing.

The included charger is automatic. When your battery is low simply plug the charger into the port on the front of the cooler. Then, plug the charger into your wall. The charger will automatically charge and cut off when charging is complete. Additionally, it will alert you via green LED when charging is complete. If you are using your own charger, please be sure it is an automatic trickle charger set to charge at 12 volts at less than or equal to a 2-amp charging rate.