

Full 3D Profile Lures (No Flat Spot Like Open Pour Molds)

- No injector or special equipment needed
- Specifically Designed For Low to Moderate Volume Hand Pouring.
- Available in Precision CNC Machined Composite and Aluminum Molds
- All Designs Available in Single Cavity & Multiple Cavity Versions





- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED

New For 2022 **Multi-Cavity Molds** FOR ALL EPOX MODELS

- Prices subject to change without notice.
- Lure specifications subject to change without notice.
- Lure lengths given in "as molded" condition and are for reference only.
- Lures per pack of X-Cubes and per Quart of Resin are estimates and for reference only.
- Refer to latest revision of this document for up-to-date information.







www.fusionxfishing.com

Why Choose EpoX Closed Pour Molds



- Long Life
- Low Cost
- Great Lure Resolution
- Easy To Create Multi-Color Lures
- Works With A Resin Firmness Levels
- No Injector Needed
- Shorter Learning Curve
- No Loss of Tear Strength Compared To Injection Lures

EpoX Closed Pour Molds – Select lure designs allow lures to be poured instead of injected into closed molds. This results in a very economical and easy to use mold with no loss of lure resolution or lure tear strength when compared to injection molding. EpoX molds are CNC machined on the same equipment and use the same mold materials as InjeX injection molds. EpoX molds are economical, durable, and easy to use. The greatest benefits of EpoX molds is they allow a wider range of resin firmness levels without excessive shrinkage or other molding issues. EpoX molds allow multi-color lures to be produced through lamination and direct pouring. Every mold and every lure will have its own personality and will require some level of trial and error to get optimal results when molded. Every type and brand of resin will react differently and will require changes to the molding procedure. Experiment with resin temperature, pouring techniques, and pouring utensils find the right molding parameters. Softer resins will be thinner and easier to pour; however, it will shrink more while cooling. Firm or hard resins will be thicker and will be difficult to fill small details.

CUSTOM LURE & MOLD DESIGN SERVICES

3D CAD Design Rapid Prototyping Machined Master Molds
Open Pour Molds Closed Pour Molds Injection Molds



www.fusionxfishing.com



Closed Pour Molds

- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED



Caterpillar Stick Bait

NX Stick

The NX Stick is a segmented stick bait or caterpillar worm. It has a thick body and tail to give it a stiff appearance in the water. This is a very popular design for Ned rig fishing. It works equally well as a weightless stick bait, drop shot, or shaky head lure.





		Dimensi (inches)	ions	Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
2-1/2"	2.50"	0.46"	0.45"	EPOX-2525SC	\$8.75	EPOX-2525SC- 3PK	\$22.31	EPOX-2525MC	6	\$39.38
3"	3.00"	0.48"	0.47"	EPOX-2530SC	\$8.84	EPOX-2530SC- 3PK	\$22.54	EPOX-2530MC	6	\$39.78
3-1/2"	3.50"	0.50"	0.51"	EPOX-2535SC	\$9.08	EPOX-2535SC- 3PK	\$23.15	EPOX-2535MC	6	\$40.86
4"	4.00"	0.53"	0.56"	EPOX-2540SC	\$9.31	EPOX-2540SC- 3PK	\$23.74	EPOX-2540MC	6	\$41.90
4-1/2"	4.50"	0.60"	0.59"	EPOX-2545SC	\$9.89	EPOX-2545SC- 3PK	\$25.22	EPOX-2545MC	6	\$44.51
5"	5.00"	0.56"	0.59"	EPOX-2550SC	\$10.40	EPOX-2550SC- 3PK	\$26.52	EPOX-2550MC	6	\$46.80



www.fusionxfishing.com

SSX Stick Slim StiX



Closed Pour Molds

- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED

Slim Body Stick Bait

SSX Stick

The SSX Stick has a thinner body than a standard stick bait for increased action and a slower fall. It makes a great stick bait for use as a weightless stick bait, wacky rig, shaky head, Carolina rig, drop shot, or Texas rig. It has a solid side to side darting action. The SSX Stick is a great choice for shallow water and a more finesse presentation



		Dimensi (inches)	ions	Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
2-1/2"	2.65"	0.28"	0.28"	EPOX-2625SC	\$8.53	EPOX-2625SC- 3PK	\$21.75	EPOX-2625MC	6	\$38.39
3-1/2"	3.50"	0.33"	0.33"	EPOX-2635SC	\$8.81	EPOX-2635SC- 3PK	\$22.47	EPOX-2635MC	6	\$39.65
4-1/2"	4.50"	0.32"	0.32"	EPOX-2645C	\$9.15	EPOX-2645SC- 3PK	\$23.33	EPOX-2645MC	6	\$41.18
5-1/2"	5.50"	0.34"	0.34"	EPOX-2655SC	\$9.87	EPOX-2655SC- 3PK	\$25.17	EPOX-2655MC	6	\$44.42
6-1/2"	6.60"	0.37"	0.37"	EPOX-2665SC	\$10.27	EPOX-2665SC- 3PK	\$26.19	EPOX-2665MC	6	\$46.22
7-1/2"	7.50"	0.40"	0.40"	EPOX-2676SC	\$11.11	EPOX-2675SC- 3PK	\$28.33	EPOX-2675MC	6	\$50.00
8-1/2"	8.60"	0.41"	0.41"	EPOX-2685SC	\$11.96	EPOX-2685SC- 3PK	\$30.50	EPOX-2685MC	6	\$53.82





www.fusionxfishing.com

RSX Stick StiX



Closed Pour Molds

- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED

Standard Body Stick Bait

RSX

The RSX Stick is a broad body soft plastic stick bait lure made popular by lures such as the "Yamamoto Senko". It has a thick body and makes a great stick bait for use as a weightless stick bait, wacky rig, shaky head, Carolina rig, drop shot, or Texas rig. It has a solid side to side darting action. The extra thickness gives it increased weight for fishing deeper or on windy days.



		Dimensi (inches)	ions	Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
2-1/2"	2.50"	0.31"	0.31"	EPOX-2725SC	\$8.98	EPOX-2725SC- 3PK	\$22.90	EPOX-2725MC	6	\$40.41
3"	3.00"	0.34"	0.34"	EPOX-2730SC	\$9.22	EPOX-2730SC- 3PK	\$23.51	EPOX-2730MC	6	\$41.49
4"	4.00"	0.39"	0.39"	EPOX-27405C	\$9.72	EPOX-2740SC- 3PK	\$24.79	EPOX-2740MC	6	\$43.74
5"	5.00"	0.40"	0.40"	EPOX-2750SC	\$10.60	EPOX-2750SC- 3PK	\$27.03	EPOX-2750MC	6	\$47.70
6"	6.00"	0.40"	0.40"	EPOX-2760SC	\$11.54	EPOX-2760SC- 3PK	\$29.43	EPOX-2760MC	6	\$51.93
7"	7.00"	0.44"	0.44"	EPOX-2770SC	\$12.24	EPOX-2770SC- 3PK	\$31.21	EPOX-2770MC	6	\$55.08
8"	8.00"	0.48"	0.48"	EPOX-2780SC	\$13.30	EPOX-2780SC- 3PK	\$33.92	EPOX-2780MC	6	\$59.85





www.fusionxfishing.com

FSX Stick Fat StiX




- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED

Fat Body Stick Bait

FSX Stick

The FSX Stick is a thick bodied stick bait design. It has a thick body and tail to give it a stiff appearance in the water. The extra size allows easy casting in the wind and a faster fall rate for windy days. It works equally well as a weightless stick bait, drop shot, Carolina rig, or shaky head lure.



		Dimensi (inches)	ons	Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
3"	3.00"	0.41"	0.41"	EPOX-2830SC	\$9.37	EPOX-2830SC- 3PK	\$23.89	EPOX-2830MC	6	\$42.17
4"	4.00"	0.45"	0.45"	EPOX-2840SC	\$9.88	EPOX-2840SC- 3PK	\$25.19	EPOX-2840MC	6	\$44.46
5"	5.00"	0.46"	0.46"	EPOX-28505C	\$11.53	EPOX-2850SC- 3PK	\$29.40	EPOX-2850MC	6	\$51.89
6"	6.00"	0.48"	0.48"	EPOX-2860SC	\$12.29	EPOX-2860SC- 3PK	\$31.34	EPOX-2860MC	6	\$55.31
7"	7.00"	0.50"	0.50"	EPOX-2870SC	\$12.84	EPOX-2870SC- 3PK	\$32.74	EPOX-2870MC	6	\$57.78
8"	8.00"	0.52"	0.52"	EPOX-2880SC	\$13.26	EPOX-2880SC- 3PK	\$33.81	EPOX-2880MC	6	\$59.67



www.fusionxfishing.com

CRX Stick CrinkleX



Ribbed Body Stick Bait



Closed Pour Molds

- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- **ECONOMICAL**
- NO INJECTOR NEEDED

CRX Stick

The CRX Stick is a broad body stick bait with the addition of ribs on the body for extra vibration and a different feel. It has a thick body and makes a great stick bait for use as a weightless stick bait, wacky rig, shaky head, Carolina rig, drop shot, or Texas rig. It has a slow side to side darting action with increased stiffness over a standard stick bait for a very unique action. The extra thickness gives it increases weight for fishing deeper or on windy days



		Dimensi (inches)	ions	Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
3"	3.00"	0.42"	0.38"	EPOX-2930SC	\$10.31	EPOX-2930SC- 3PK	\$27.84	EPOX-2930MC	5	\$46.40
4"	4.00"	0.46"	0.40"	EPOX-2940SC	\$10.87	EPOX-2940SC- 3PK	\$29.35	EPOX-2940MC	5	\$48.92
5"	5.00"	0.48"	0.42"	EPOX-29505C	\$12.68	EPOX-2950SC- 3PK	\$34.24	EPOX-2950MC	5	\$57.06
6"	6.00"	0.50"	0.45"	EPOX-2960SC	\$13.52	EPOX-2960SC- 3PK	\$36.50	EPOX-2960MC	5	\$60.84
7"	7.00"	0.52"	0.48"	EPOX-2970SC	\$14.12	EPOX-2970SC- 3PK	\$38.12	EPOX-2970MC	5	\$63.54
8"	8.00"	0.54"	0.50"	EPOX-2980SC	\$14.59	EPOX-2980SC- 3PK	\$39.39	EPOX-2980MC	5	\$65.66



www.fusionxfishing.com

DRX Stick
Drop StiX



Closed Pour Molds

- HAND POURED
- FULL ROUND
- NO FLAT SIDE
- ECONOMICAL
- NO INJECTOR NEEDED



DRX Stick

The DRX Stick is a broad body stick bait with the addition of a thick tail section for a unique action. The combination of the thick body and unique tail design makes a great lure for Ned rig and drop shot fishing.



		Dimensi (inches)		Single Ca	vity	3 Pac	k	Mul	ti-Cavity	
Size	Length (in)	Width (in)	Height (in)	Part Number	PRICE	Part Number	PRICE	Part Number	# Cavities	PRICE
3"	3.0"	0.34"	0.40"	EPOX-D230SC	\$9.45	EPOX-D230SC- 3PK	\$24.10	EPOX-D230MC	6	\$42.53
3-1/2"	3.5"	0.38"	0.42"	EPOX-D235SC	\$9.82	EPOX-D235SC- 3PK	\$25.04	EPOX-D235MC	6	\$44.19
4"	4.0"	0.40"	0.42"	EPOX-D2405C	\$10.21	EPOX-D240SC- 3PK	\$26.04	EPOX-D240MC	6	\$45.95
4-1/2"	4.5"	0.42"	0.42"	EPOX-D245SC	\$10.65	EPOX-D245SC- 3PK	\$27.16	EPOX-D245MC	6	\$47.93
5"	5.0"	0.44"	0.45"	EPOX-D250SC	\$11.12	EPOX-D250SC- 3PK	\$28.36	EPOX-D250MC	6	\$50.04
6"	6.0"	0.48"	0.50"	EPOX-D260SC	\$12.43	EPOX-D260SC- 3PK	\$31.70	EPOX-D260MC	6	\$55.94

EpoX Product Line Specifications

Pack Clark Clark				1	Lure Info					Single Cavity	vity	3 Pack Single Cavity	avity		Multi-Cavity	ıity .	
25" 0.46" 0.45" 5.3g 0.18 oz 14 160 3.0" 0.48" 0.47" 6.8g 0.23 oz 11 125 3.5" 0.50" 0.51" 5.2g 0.32 oz 4 50 4.5" 0.56" 0.59" 13.2g 0.40 oz 6 65 5.0" 0.56" 0.59" 17.2g 0.63 oz 4 46 5.0" 0.56" 0.59" 17.2g 0.63 oz 4 46 5.0" 0.56" 0.59" 17.2g 0.63 oz 4 46 50 5.0" 0.66" 0.59" 17.2g 0.63 oz 4 46 60 2.7" 0.66" 0.59" 19.0g 0.63 oz 4 46 60 3.5" 0.34" 1.0 0.8 0.13 oz 1 1.5z 1 1 1 1 1 1 1 1 1 1 1 1 1 <	Fen			eight/Thick ness	Lure Weight (Estimated)			Lure Per Quart Resin	Single Cavity Part Number	, Shot Size	Single Cavity Cost	3 Pack Part Number	3 Pack Cost	Multi-Cavity Part Number	Number of Cavities	Shot Size (fluid oz)	Multi- Cavity Cost
3.0" 0.48" 0.47" 6.8g 0.13 oz 11 125 3.5" 0.50" 0.51" 9.5g 0.31 oz 8 93 4.5" 0.65" 0.55" 13.2g 0.40 oz 6 65 4.5" 0.66" 0.55" 17.5g 0.80 oz 4 50 50" 0.56" 0.59" 17.5g 0.07 oz 4 46 50" 0.56" 0.59" 17.5g 0.07 oz 4 46 50" 0.56" 0.529" 19.0g 0.80 oz 4 46 3.5" 0.32" 0.28" 2.2g 0.07 oz 4 46 45" 0.34" 0.34" 7.1g 0.23 oz 11 125 66" 0.34" 0.34" 10.0g 0.33 oz 4 46 75" 0.40" 0.40" 10.1g 0.22 oz 11 125 80" 0.44" 0.40" 0.40" 10.1g <td< td=""><td></td><td>H</td><td>.46"</td><td>0.45"</td><td>П</td><td>0.18 oz</td><td>14</td><td>160</td><td>EPOX-2525SC</td><td>-</td><td>\$8.75</td><td>EPOX-2525SC-3PK</td><td>\$22.31</td><td>EPOX-2525MC</td><td>6</td><td>1.58 oz</td><td>\$39.38</td></td<>		H	.46"	0.45"	П	0.18 oz	14	160	EPOX-2525SC	-	\$8.75	EPOX-2525SC-3PK	\$22.31	EPOX-2525MC	6	1.58 oz	\$39.38
3.5" 0.50" 0.51" 9.5g 0.31 or 8 93 4.0" 0.53" 0.56" 13.3g 0.44 or 6 65 5.0" 0.60" 0.55" 17.5g 0.83 or 4 46 5.0" 0.66" 0.59" 17.5g 0.63 or 4 46 5.0" 0.58" 0.58" 19.0g 0.63 or 4 46 2.7" 0.58" 0.28" 2.2g 0.07 or 36 411 3.5" 0.33" 0.33" 4.0g 0.13 or 15 66 70 4.5" 0.34" 7.1g 0.12 or 11 125 6.17 or 11 125 66" 0.41" 0.41" 10.1g 0.12 or 5 5 5 50" 0.44" 0.44" 10.1g 0.22 or 11 13 50" 0.44" 0.44" 10.1g 0.22 or 11 11 50" 0.44" </td <td></td> <td></td> <td>.48"</td> <td>0.47"</td> <td></td> <td>0.23 oz</td> <td>11</td> <td>125</td> <td>EPOX-2530SC</td> <td>C 0.29 oz</td> <td>\$8.84</td> <td>EPOX-2530SC-3PK</td> <td>\$22.54</td> <td>EPOX-2530MC</td> <td>9</td> <td>1.83 oz</td> <td>\$39.78</td>			.48"	0.47"		0.23 oz	11	125	EPOX-2530SC	C 0.29 oz	\$8.84	EPOX-2530SC-3PK	\$22.54	EPOX-2530MC	9	1.83 oz	\$39.78
40" 0.53" 0.56" 13.2g 0.44 oz 6 65 4.5" 0.60" 0.59" 17.5g 0.80 oz 4 50 4.5" 0.66" 0.59" 17.5g 0.63 oz 4 46 2.7" 0.56" 0.59" 19.0g 0.63 oz 4 46 2.7" 0.28" 0.22g 0.07 oz 36 411 46 3.5" 0.33" 0.33" 4.0g 0.13 oz 19 222 4.5" 0.34" 0.34" 10.0g 0.13 oz 11 125 5.5" 0.34" 10.1g 0.22 oz 11 125 0.13 oz 10 5.5" 0.44" 12.5g 0.12 oz 11 125 0.25 oz 5 5 5.0" 0.44" 0.44" 15.5g 0.22 oz 11 131 131 5.0" 0.44" 0.44" 13.3g 0.44 oz 13.2g 100 10			.20"	0.51"		0.31 oz	8	93	EPOX-2535SC	-	\$9.08	EPOX-2535SC-3PK	\$23.15	EPOX-2535MC	9	2.48 oz	\$40.86
4-1/2" NX CatX 4.5" 0.66" 0.59" 17.5g 0.80 oz 4 50 2-1/2" SXS SIIm Stix 5.0" 0.56" 0.59" 19.0g 0.63 oz 4 46 2-1/2" SXS SIIm Stix 5.0" 0.58" 0.28" 2.2g 0.07 oz 36 411 3-1/2" SXS SIIm Stix 6.0" 0.33" 0.33" 5.2g 0.13 oz 11 125 5-1/2" SXS SIIm Stix 6.0" 0.34" 0.34" 0.34" 0.34" 1.16 0.23 oz 1.1 1.25 6-1/2" SXS SIIm Stix 6.0" 0.34" 0.34" 0.34" 0.34" 0.35 0.34" 0.34" 0.40" <td>1</td> <td></td> <td>.53"</td> <td>0.56"</td> <td></td> <td>0.44 oz</td> <td>9</td> <td>65</td> <td>EPOX-2540SC</td> <td>-</td> <td>\$9.31</td> <td>EPOX-2540SC-3PK</td> <td>\$23.74</td> <td>EPOX-2540MC</td> <td>9</td> <td>3.33 oz</td> <td>\$41.90</td>	1		.53"	0.56"		0.44 oz	9	65	EPOX-2540SC	-	\$9.31	EPOX-2540SC-3PK	\$23.74	EPOX-2540MC	9	3.33 oz	\$41.90
5" NX Cak N 50" 0.56" 0.59" 19.0g 0.630 z 4 46 2.1/2" SSX Slim Stix 2.7" 0.58" 0.28" 2.2g 0.07 oz 36 411 3.1/2" SSX Slim Stix 3.5" 0.33" 0.33" 0.33" 0.32" 1.0 <td></td> <td></td> <td>09</td> <td>0.59"</td> <td></td> <td>0.58 oz</td> <td>4</td> <td>20</td> <td>EPOX-2545SC</td> <td>_</td> <td>\$9.89</td> <td>EPOX-2545SC-3PK</td> <td>\$25.22</td> <td>EPOX-2545MC</td> <td>9</td> <td>4.25 oz</td> <td>\$44.51</td>			09	0.59"		0.58 oz	4	20	EPOX-2545SC	_	\$9.89	EPOX-2545SC-3PK	\$25.22	EPOX-2545MC	9	4.25 oz	\$44.51
2.1/T. SSX Slim Stix 2.7" 0.28" 0.28" 2.2g 0.0702 36 411 3.1/Z. SSX Slim Stix 3.5" 0.33" 0.33" 0.32" 1.9 2.22 4.1/Z. SSX Slim Stix 4.5" 0.32" 0.32" 1.0 1.0 1.0 1.0 5.1/Z. SSX Slim Stix 5.5" 0.34" 0.34" 1.0 0.30 1.1 1.5 6.1/Z. SSX Slim Stix 5.5" 0.34" 0.34" 0.34" 0.41" 1.0 0.20 1.0 <t< td=""><td>+</td><td>\forall</td><td>.56"</td><td>0.59"</td><td>T</td><td>0.63 oz</td><td>4</td><td>46</td><td>EPOX-2550SC</td><td>C 0.73 oz</td><td>\$10.40</td><td>EPOX-2550SC-3PK</td><td>\$26.52</td><td>EPOX-2550MC</td><td>9</td><td>4.50 oz</td><td>\$46.80</td></t<>	+	\forall	.56"	0.59"	T	0.63 oz	4	46	EPOX-2550SC	C 0.73 oz	\$10.40	EPOX-2550SC-3PK	\$26.52	EPOX-2550MC	9	4.50 oz	\$46.80
2.1/2° SSX SIIM SIX X 2.7" 0.28" 0.28" 2.2g 0.07 oz 36 411 3-1/2° SSX SIIM SIX X 3.5" 0.33" 0.33" 5.2g 0.17 oz 15 169 4-1/2° SSX SIIM SIX X 4.5" 0.32" 0.32" 5.2g 0.17 oz 15 169 5-1/2° SSX SIIM SIX X 4.5" 0.32" 0.32" 1.0g 0.33 oz 8 8 5-1/2° SSX SIIM SIX X 4.5" 0.34" 0.34" 1.15g 0.17 oz 1 156 6-1/2° SSX SIIM SIX X 5.5" 0.34" 0.34" 1.5g 0.12 oz 1 1 156 8-1/2° SSX SIIM SIX X 5.6" 0.34" 0.34" 0.34" 1 <td></td> <td>-</td> <td></td>		-															
3-1/2" SSX SIIM SIX X 3.5" 0.33" 0.32" 5.2g 0.17 oz 15 169 4-1/2" SSX SIIM SIX X 4.5" 0.32" 0.32" 1.03" 1.5 1.09 1.5 1.69 1.20 1.69 1.20 1.5 1.09 1.03 1.69 1.20 1.03 1.09 1.03 1.09 1.09 1.03 1.09 1.03 1.09 1.09 1.03 1.09			.28"	0.28"		0.07 oz	36	411	EPOX-2625SC		\$8.53	EPOX-2625SC-3PK	\$21.75	EPOX-2625MC	9	0.64 oz	\$38.39
4-1/2" SSX SIIm Stix 4.5" 0.32" 0.32" 5.2g 0.17 oz 15 169 5-1/2" SSX SIIM SIX 5.5" 0.34" 0.34" 0.34" 1.1g 0.13 oz 11 125 6-1/2" SSX SIIM SIX 5.5" 0.34" 0.34" 10.9g 0.41 oz 6 70 8-1/2" SSX SIIM SIX 7.5" 0.40" 0.40" 15.6g 0.52 oz 5 5 8-1/2" SSX SIIM SIX 7.5" 0.40" 0.40" 15.6g 0.52 oz 5 5 2-1/2" SSX SIIM SIX 3.6" 0.34" 0.43" 3.7g 0.12 oz 5 5 3" RSX SIX 4.0" 0.39" 0.34" 3.7g 0.12 oz 1 131 131 5" RSX SIX 4.0" 0.34" 0.44" 13.3g 0.44 oz 5 0.50 oz 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			.33"	0.33"		0.13 oz	19	222	EPOX-2635SC	C 0.17 oz	\$8.81	EPOX-2635SC-3PK	\$22.47	EPOX-2635MC	9	1.10 oz	\$39.65
5-1/2" SSX Silm StiX 5.5" 0.34" 0.34" 7.18 0.13 oz 11 125 6-1/2" SSX Silm StiX 6.6" 0.37" 0.04" 0.13 oz 8 87 7-1/2" SSX Silm StiX 6.6" 0.37" 0.04" 10.08 0.33 oz 8 87 7-1/2" SSX Silm StiX 8.6" 0.41" 0.41" 1.5 g 0.22 oz 5 55 8-1/2" SSX Silm StiX 8.6" 0.41" 0.41" 1.5 g 0.22 oz 5 55 2-1/2" RSX StiX 3.0" 0.34" 0.34" 3.7g 0.12 oz 1 131 2-1/2" RSX StiX 5.0" 0.40" 0.40" 0.40" 10.18 0.23 oz 7 80 6" RSX StiX 5.0" 0.44"			.32"	0.32"		0.17 oz	15	169	EPOX-2645SC	_	\$9.15	EPOX-2645SC-3PK	\$23.33	EPOX-2645MC	9	1.40 oz	\$41.18
6.1/2" SSX Slim StiX 6.6" 0.37" 0.37" 10.0g 0.33 oz 8 87 7-1/2" SSX Slim StiX 7.5" 0.40" 0.40" 12.5g 0.41 oz 6 70 8-1/2" SSX Slim StiX 8.6" 0.41" 0.41" 15.6g 0.52 oz 5 55 3-1/2" SSX Slim StiX 3.0" 0.34" 0.34" 0.34" 3.7g 0.12 oz 11 240 3" RSX StiX 3.0" 0.34" 0.34" 3.7g 0.12 oz 21 240 6" RSX StiX 3.0" 0.40" 0.40" 0.40" 0.44" <td< td=""><td></td><td></td><td>.34"</td><td>0.34"</td><td></td><td>0.23 oz</td><td>11</td><td>125</td><td>EPOX-2655SC</td><td></td><td>\$9.87</td><td>EPOX-2655SC-3PK</td><td>\$25.17</td><td>EPOX-2655MC</td><td>9</td><td>1.90 oz</td><td>\$44.42</td></td<>			.34"	0.34"		0.23 oz	11	125	EPOX-2655SC		\$9.87	EPOX-2655SC-3PK	\$25.17	EPOX-2655MC	9	1.90 oz	\$44.42
7-1/2" SSX Slim Stix 7-5" 0.40" 0.40" 12-5g 0.41 oz 6 70 8-1/2" SSX Slim Stix 86" 0.41" 0.41" 15-6g 0.52 oz 5 55 2-1/2" RSX Stix 2.5" 0.31" 0.34" 3.7g 0.12 oz 11 131 3" RSX StiX 3.0" 0.34" 0.34" 0.34" 3.7g 0.12 oz 11 131 5" RSX StiX 4.0" 0.39" 0.34" 0.49" 0.40" 10.1g 0.12 oz 11 131 5" RSX StiX 5.0" 0.40" 0.40" 0.40" 0.40" 0.40" 10.1g 0.20 oz 107 0.5g 8" RSX StiX 5.0" 0.40"			.37"	0.37"		0.33 oz	8	87	EPOX-2665SC	_	\$10.27	EPOX-2665SC-3PK	\$26.19	EPOX-2665MC	9	2.60 oz	\$46.22
8-1/2" SSX SIIm StiX 86" 0.41" 0.41" 15.6g 0.52 oz 5 55 2-1/2" RSX StiX 2.5" 0.31" 2.4g 0.08 oz 2 360 2-1/2" RSX StiX 3.0" 0.34" 0.34" 3.7g 0.12 oz 11 134 4" RSX StiX 4.0" 0.40" 0.40" 0.40" 0.40" 10.1g 0.12 oz 11 131 5" RSX StiX 5.0" 0.40"			.40"	0.40"		0.41 oz	9	70	EPOX-2675SC	C 0.49 oz	\$11.11	EPOX-2675SC-3PK	\$28.33	EPOX-2675MC	9	3.00 oz	\$50.00
2-1/2" RSX StiX 2.5" 0.31" 0.34" 3.7g 0.02 oz 32 360 3" RSX StiX 3.0" 0.34" 0.34" 3.7g 0.12 oz 21 240 4" RSX StiX 3.0" 0.34" 0.34" 3.7g 0.12 oz 11 131 5" RSX StiX 5.0" 0.40" 0.40" 0.40" 0.40" 10.1g 0.34 oz 1 131 6" RSX StiX 5.0" 0.40" 0.40" 10.1g 0.34 oz 7 85 8" RSX StiX 8.0" 0.44" 0.44" 18.2g 0.40 oz 4 48 8" RSX Fat StiX 8.0" 0.44" 0.48"<			.41"	0.41"	П	0.52 oz	2	55	EPOX-2685SC	C 0.60 oz	\$11.96	EPOX-2685SC-3PK	\$30.50	EPOX-2685MC	9	3.60 oz	\$53.82
A-1/Z NAX SIA 2.3 0.34 0.31 2.4g 0.08 02 3.7 0.08 02 3.7 0.08 02 3.80 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.08 02 3.7 0.07 3.0 0.09 0.09 0.09 0.09 0.09 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.04	+	t	= 5	170	- 7	5	5	950	אסוכבני אסמו		0000	אמר הארבר אהמי	00 (1)	7847020	,	100	40 41
4" RSX StIX 3.0 0.34 3.78 0.12 02 21 240 5" RSX StIX 4.0" 0.39" 0.55 0.12 02 11 131 5" SSX StIX 5.0" 0.40" 0.40" 8.26 0.22 02 11 131 6" RSX StIX 5.0" 0.40" 0.40" 0.40" 0.40" 8.26 0.22 02 1 107 8" RSX StIX 5.0" 0.40" 0.40" 10.1g 0.340z 7 85 8" RSX StIX 8.0" 0.48" 0.44" 0.48" 0.44" 18.2g 0.40 oz 4 48 8" RSX StIX 8.0" 0.48" 0.48" 0.48" 0.48" 18.2g 0.18 oz 4 48 3" FSX Fat StIX 4.0" 0.46" 0.46" 0.46" 0.46" 0.48" 0.50" 19.3g 0.77 oz 4 45 8" FSX Fat StIX 5.0" 0.48" 0.48" 0.52" 0.52" 1 10.2g 1 1 </td <td>+</td> <td>+</td> <td>.31</td> <td>U.31</td> <td>2.48</td> <td>0.08 02</td> <td>32</td> <td>380</td> <td>EPOX-2/255C</td> <td></td> <td>\$8.98</td> <td>EPOX-2/255C-3PK</td> <td>\$22.90</td> <td>EPOX-2725MC</td> <td>٥</td> <td>1 19 0-</td> <td>\$40.41</td>	+	+	.31	U.31	2.48	0.08 02	32	380	EPOX-2/255C		\$8.98	EPOX-2/255C-3PK	\$22.90	EPOX-2725MC	٥	1 19 0-	\$40.41
4" RAX SUX 4.0" 0.39" 0.43" 0.59" 0.59" 0.50" 1131 131 6" RSX SUX 5.0" 040" 040" 0.40"			45.	0.34		0.12 0Z	77	740	EPOX-2/30S	_	59.22	EPUX-2/30SC-3PK	\$23.51	EPOX-2/30IVIC	٥	1.180Z	\$41.49
S KAX SIXX 3.0 040* 040* 8.2g 0.27/02 9 107 F RSX SIXX 6.0° 0.44° 0.44° 0.44° 0.44° 0.340° 7 85 7" RSX SIXX 7.0° 0.44° 0.44° 0.48° 0.44° 6.6 6 6 6 8" RSX SIXX 7.0° 0.48° 0.48° 0.48° 18.3g 0.440° 6			65:	0.39"		0.22 02	E	131	EPOX-2/40SC	_	\$9.72	EPOX-2/40SC-3PK	\$24.79	EPOX-2/40IMC	6	1.8/02	\$43.74
b F NSAN SHIX b G T WAN SHIX b G T WAN SHIX b G T WAN SHIX c G WA		+	1040	040		0.27 02	וות	10/	EPUX-2/50SC	-	\$10.60	EPUX-27505C-3PK	\$27.03	EPUX-2/50IVIC	٩	20 /1.7	\$47.70
Y RASA SIXA 7.00 0.444 0.448" 15.3g 0.4402 0 0 3" FSX Fat StiX 8.0" 0.48" 0.48" 18.2g 0.60 oz 4 48 4" FSX Fat StiX 8.0" 0.44" 0.41" 5.3g 0.18 oz 14 160 5" FSX Fat StiX 4.0" 0.45" 0.45" 8.5g 0.28 oz 9 103 6" FSX Fat StiX 5.0" 0.46" 0.46" 0.46" 10.8g 0.28 oz 7 80 7" FSX Fat StiX 5.0" 0.44" 0.48" 14.5g 0.48 oz 5 6 8" FSX Fat StiX 5.0" 0.48" 0.50" 0.50" 0.50" 0.50" 0.50" 0.50" 0.49 oz 5 6 8" FSX Fat StiX 5.0" 0.42" 0.40" 7.4g 0.7d 11 120 9 192 8" FSX Fat StiX 8.0" 0.52" 0.42" 1.47g 0.44c 4 4 5 <		+	:.04:	0.40"	\dagger	0.34 02	,	& F	EPOX-2760SC	0.4102	\$11.54	EPOX-2/605C-3PK	\$29.43	EPOX-2/60IMC	9	2.5602	\$51.93
8 KSA SUA 8 LSA SUA 6.48 18.28 0.0002 4 48 3" FSX Fat Stix 3.0" 0.41" 0.41" 0.41" 0.41" 1.8.8 0.18 oz 14 160 4" FSX Fat Stix 4.0" 0.46" 0.46" 0.46" 0.46" 0.48" 0.49" 0.48" 0.48" 0.49" 0.48" 0.48" 0.48" 0.49" 0.48" 0.48" 0.49" 0.48" 0.48" 0.49" 0.48"			‡ §	0.44		70 17 07	٠,	60	EPOA-2//03C	_	\$12.24	EPUA-2//03C-3PA	551.21	EPOX-2770IVIC	0	3.19.02	923.00
3" FSX Fat StiX 30" 0.41" 0.41" 5.3g 0.18 oz 14 160 4" FSX Fat StiX 40" 0.45" 0.45" 0.45" 0.45" 9.78 0.28 oz 9 103 6" FSX Fat StiX 50" 0.46" 0.46" 0.46" 0.48" 0.48 oz 5 60 7" FSX Fat StiX 70" 0.50" 0.50" 0.50" 0.50" 3 3 7 80 8" FSX Fat StiX 70" 0.50" 0.52" 0.52" 23.3g 0.77 oz 3 37 192 8" FSX Fat StiX 80" 0.52" 0.52" 23.3g 0.77 oz 3 37 192 4" CRX CrinkleX 3.0" 0.42" 0.49" 7.4g 0.24 oz 11 120 5" CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.49 oz 5 59 6" CRX CrinkleX 8.0" 0.52" 0.48" 0.46" 0.50" 20.7g 0.49 262		+	8	0.48		0.60 02	4	8	EPUA-2/803	0.7302	\$13.3U	EPUA-2/803C-3PR	553.92	EPUA-2/80IVIC	٥	4.43 02	529.82
4" FSX Fat StiX 40" 0.45" 0.45" 8.5g 0.28 oz 9 103 5" FSX Fat StiX 5.0" 0.46" 0.46" 10.8g 0.36 oz 7 80 6" FSX Fat StiX 5.0" 0.48" 0.48" 14.5g 0.48 oz 5 60 7" FSX Fat StiX 7.0" 0.50" 0.50" 0.50" 0.50" 4 45 80 8" FSX Fat StiX 8.0" 0.52" 0.52" 23.3g 0.77 oz 3 37 80 3" CRX CrinkleX 3.0" 0.42" 0.48" 4.7g 0.15 oz 17 192 4" CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 5" CRX CrinkleX 5.0" 0.48" 0.42" 14.7g 0.49 oz 5 59 6" CRX CrinkleX 5.0" 0.50" 0.48" 0.45" 14.7g 46 45 8" CRX CrinkleX 8.0" 0.52" 0.48" 0.45" <td< td=""><td></td><td>┝</td><td>.41"</td><td>0.41"</td><td>5.3g</td><td>0.18 oz</td><td>14</td><td>160</td><td>EPOX-2830SC</td><td>C 0.23 oz</td><td>\$9.37</td><td>EPOX-2830SC-3PK</td><td>\$23.89</td><td>EPOX-2830MC</td><td>9</td><td>1.48 oz</td><td>\$42.17</td></td<>		┝	.41"	0.41"	5.3g	0.18 oz	14	160	EPOX-2830SC	C 0.23 oz	\$9.37	EPOX-2830SC-3PK	\$23.89	EPOX-2830MC	9	1.48 oz	\$42.17
S' FSX Fat StiX 5.0" 0.46" 0.46" 10.8g 0.36 oz 7 80 6" FSX Fat StiX 6.0" 0.48" 0.48" 14.5g 0.480z 5 60 7" FSX Fat StiX 7.0" 0.50" 0.50" 0.50" 0.52" 4 4 6 8" FSX Fat StiX 3.0" 0.42" 0.52" 23.3g 0.77 oz 3 37 8 3" CRX Crinklex 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 7 4" CRX Crinklex 5.0" 0.46" 0.40" 7.4g 0.24 oz 1 120 5" CRX Crinklex 5.0" 0.48" 0.42" 14.7g 0.49 oz 5 9 6" CRX Crinklex 5.0" 0.50" 0.48" 18.6g 0.60 oz 4 46 7 7" CRX Crinklex 8.0" 0.52" 0.48" 0.49" 2.0.7g 0.40" 4 4 4 8" CRX Crinklex 8.0"			.45"	0.45"		0.28 oz	6	103	EPOX-2840SC	C 0.38 oz	\$9.88	EPOX-2840SC-3PK	\$25.19	EPOX-2840MC	9	2.34 oz	\$44.46
6' FSX Fat StiX 6.0" 0.48" 0.48" 14.5g 0.480z 5 60 7' FSX Fat StiX 7.0" 0.50" 0.50" 0.50" 0.50" 4 45 9 8" FSX Fat StiX 8.0" 0.52" 0.52" 0.52" 3.3" 0.77 oz 3 37 3" CRX Crinklex 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 4" CRX Crinklex 5.0" 0.48" 0.40" 7.4g 0.24 oz 1 120 5" CRX Crinklex 5.0" 0.48" 0.42" 14.7g 0.49 oz 5 59 6" CRX Crinklex 5.0" 0.50" 0.48" 18.6g 0.62 oz 4 46 7" CRX Crinklex 8.0" 0.52" 0.48" 18.6g 0.69 oz 4 42 8" CRX Crinklex 8.0" 0.54" 0.50" 0.50" 0.49" 18.6g 0.10 oz 4 42 3" DRX Drop StiX 3.0" 0.54"			.46"	0.46"		0.36 oz	7	08	EPOX-2850SC	C 0.47 oz	\$11.53	EPOX-2850SC-3PK	\$29.40	EPOX-2850MC	9	2.92 oz	\$51.89
7" FSX Fat StiX 7.0" 0.50" 0.50" 19.3g 0.64 oz 4 45 45 8" FSX Fat StiX 8.0" 0.52" 0.52" 23.3g 0.77 oz 3 37 7 3" CRX CrinkleX 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 7 4" CRX CrinkleX 5.0" 0.46" 0.40" 7.4g 0.24 oz 1 120 8 5" CRX CrinkleX 5.0" 0.48" 0.42" 14.7g 0.49 oz 7 82 6 7" CRX CrinkleX 5.0" 0.50" 0.48" 14.7g 0.49 oz 5 59 7 82 8" CRX CrinkleX 5.0" 0.52" 0.48" 18.6g 0.69 oz 4 46 7 8" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 42 1 3" DRX Drop StiX 3.0" 0.34" 0.40" 0.40" 0.48" 0.10 oz 1 4			.48"	0.48"		0.48 oz	5	09	EPOX-2860SC	C 0.59 oz	\$12.29	EPOX-2860SC-3PK	\$31.34	EPOX-2860MC	9	3.66 oz	\$55.31
8" FSX Fat StiX 8.0" 0.52" 0.52" 3.3g 0.77 oz 3 37 37 3" CRX CrinkleX 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 7 4" CRX CrinkleX 5.0" 0.46" 0.40" 7.4g 0.15 oz 1 120 7 5" CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 6 6" CRX CrinkleX 5.0" 0.50" 0.48" 14.7g 0.49 oz 5 59 7 82 7 7" CRX CrinkleX 7.0" 0.52" 0.48" 18.6g 0.62 oz 4 46 7 8 8 8" CRX CrinkleX 8.0" 0.54" 0.50" 0.57" 0.59" 4 4 4 4 4 4 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 <td></td> <td></td> <td>.20.</td> <td>0.50"</td> <td></td> <td>0.64 oz</td> <td>4</td> <td>45</td> <td>EPOX-2870SC</td> <td>C 0.81 oz</td> <td>\$12.84</td> <td>EPOX-2870SC-3PK</td> <td>\$32.74</td> <td>EPOX-2870MC</td> <td>9</td> <td>4.98 oz</td> <td>\$57.78</td>			.20.	0.50"		0.64 oz	4	45	EPOX-2870SC	C 0.81 oz	\$12.84	EPOX-2870SC-3PK	\$32.74	EPOX-2870MC	9	4.98 oz	\$57.78
3"CRX CrinkleX 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 4"CRX CrinkleX 4.0" 0.46" 0.40" 7.4g 0.15 oz 11 120 5"CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 6"CRX CrinkleX 6.0" 0.50" 0.45" 14.7g 0.49 oz 5 59 7"CRX CrinkleX 7.0" 0.52" 0.48" 18.6g 0.62 oz 4 46 8"CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 42 3"DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 4"DRX Drop StiX 3.5" 0.40" 0.42" 5.8g 0.19 oz 13 152 4-1/2" DRX Drop StiX 5" 0.44" 0.42" 8.6g 0.29 oz 9 99			.52"	0.52"		0.77 oz	3	37	EPOX-2880SC	C 0.90 oz	\$13.26	EPOX-2880SC-3PK	\$33.81	EPOX-2880MC	9	5.56 oz	\$59.67
3" CRX CrinkleX 3.0" 0.42" 0.38" 4.7g 0.15 oz 17 192 4" CRX CrinkleX 4.0" 0.46" 0.40" 7.4g 0.15 oz 11 120 5" CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 6" CRX CrinkleX 6.0" 0.50" 0.48" 18.6g 0.62 oz 4 46 7" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 46 8" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 46 3" DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 4" DRX Drop StiX 5" 0.44" 0.42" 8.6g 0.29 oz 9 99	ŀ	+			T								1				\[\frac{1}{2}
4"CRX CrinkleX 40" 0.46" 0.40" 7.4g 0.24 oz 11 120 5"CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 6"CRX CrinkleX 6.0" 0.50" 0.45" 14.7g 0.49 oz 5 59 7"CRX CrinkleX 7.0" 0.52" 0.48" 18.6g 0.62 oz 4 46 8"CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 45 3"DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 4"DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.16 oz 180 4-1/2" DRX Drop StiX 4.5" 0.42" 6.8g 0.20 oz 1 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99			.42"	0.38"		0.15 oz	17	192	EPOX-2930SC	_	\$10.31	EPOX-2930SC-3PK	\$27.84	EPOX-2930MC	5	1.24 oz	\$46.40
5" CRX CrinkleX 5.0" 0.48" 0.42" 10.6g 0.35 oz 7 82 6" CRX CrinkleX 6.0" 0.50" 0.45" 14.7g 0.49 oz 5 59 7" CRX CrinkleX 7.0" 0.52" 0.48" 18.6g 0.62 oz 4 46 8" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 46 3" DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 180 4-1/2" DRX Drop StiX 4.5" 0.42" 6.8g 0.20 oz 11 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99	1	_	.46"	0.40"	1	0.24 oz	11	120	EPOX-2940SC	_	\$10.87	EPOX-2940SC-3PK	\$29.35	EPOX-2940MC	2	1.78 oz	\$48.92
6" CRX CrinkleX 60" 0.50" 0.45" 14.7g 0.49 oz 5 59 7" CRX CrinkleX 70" 0.52" 0.48" 18.6g 0.62 oz 4 46 8" CRX CrinkleX 80" 0.54" 0.50" 20.7g 0.69 oz 4 42 3" DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 4" DRX Drop StiX 3.5" 0.38" 0.42" 4.8g 0.16 oz 16 180 4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 5" DRX Drop StiX 5" 0.42" 6.8g 0.20 oz 11 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99			.48"	0.42"		0.35 oz	7	82	EPOX-2950SC	_	\$12.68	EPOX-2950SC-3PK	\$34.24	EPOX-2950MC	2	2.34 oz	\$57.06
7" CRX CrinkleX 7.0 CRX CrinkleX 7.0 CRX CrinkleX 8.0 CRX CrinkleX 0.52" 0.48" 18.6g 0.62 oz 4 46 46 8" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 42 1 3" DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 1 4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 4" DRX Drop StiX 4.5" 0.42" 6.8g 0.20 oz 11 131 31 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99			.20"	0.45"		0.49 oz	2	29	EPOX-2960SC	_	\$13.52	EPOX-2960SC-3PK	\$36.50	EPOX-2960MC	5	3.23 oz	\$60.84
8" CRX CrinkleX 8.0" 0.54" 0.50" 20.7g 0.69 oz 4 42 42 3" DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 7 4" DRX Drop StiX 4.0" 0.40" 0.42" 4.8g 0.16 oz 16 180 180 4-1/2" DRX Drop StiX 4.5" 0.42" 5.8g 0.19 oz 13 152 152 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.20 oz 9 99			.52"	0.48"		0.62 oz	4	46	EPOX-2970SC	_	\$14.12	EPOX-2970SC-3PK	\$38.12	EPOX-2970MC	5	3.92 oz	\$63.54
3. DRX Drop StiX 3.0" 0.34" 0.40" 3.5g 0.11 oz 23 262 3-1/2" DRX Drop StiX 3.5" 0.38" 0.42" 4.8g 0.16 oz 16 180 4-1/2" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99	\dashv	-	<u>"42</u>	0.50"		0.69 oz	4	42	EPOX-2980SC	C 0.85 oz	\$14.59	EPOX-2980SC-3PK	\$39.39	EPOX-2980MC	2	4.32 oz	\$65.66
3-1/2" DRX Drop StiX 3.5" 0.38" 0.42" 4.8g 0.16 oz 16 180 180 4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 4-1/2" DRX Drop StiX 4.5" 0.42" 6.8g 0.22 oz 11 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99	-	\vdash	34"	0.40"	3.5g	0.11 oz	23	262	EPOX-D230SC	C 0.20 oz	\$9.45	EPOX-D230SC-3PK	\$24.10	EPOX-D230MC	9	1.20 oz	\$42.53
4" DRX Drop StiX 4.0" 0.40" 0.42" 5.8g 0.19 oz 13 152 4-1/2" DRX Drop StiX 4.5" 0.42" 6.8g 0.22 oz 11 131 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99			.38"	0.42"		0.16 oz	16	180	EPOX-D235SC		\$9.82	EPOX-D235SC-3PK	\$25.04	EPOX-D235MC	9	1.46 oz	\$44.19
4-1/2" DRX Drop StiX 4.5" 0.42" 0.42" 6.8g 0.22 oz 11 131 131 5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99 99			.40"	0.42"		0.19 oz	13	152	EPOX-D240SC	C 0.27 oz	\$10.21	EPOX-D240SC-3PK	\$26.04	EPOX-D240MC	9	1.68 oz	\$45.95
5" DRX Drop StiX 5" 0.44" 0.45" 8.6g 0.29 oz 9 99			.42"	0.42"		0.22 oz	11	131	EPOX-D245SC	C 0.31 oz	\$10.65	EPOX-D245SC-3PK	\$27.16	EPOX-D245MC	9	1.86 oz	\$47.93
			.44"	0.45"		0.29 oz	6	66	EPOX-D250SC	C 0.37 oz	\$11.12	EPOX-D250SC-3PK	\$28.36	EPOX-D250MC	9	2.23 oz	\$50.04
D260 6" DRX Drop StiX 6" 0.48" 0.50" 11.9g 0.39 oz 6 74 EPO	_		.48"	0.50"		0.39 oz	9	74	EPOX-D260SC	C 0.39 oz	\$12.43	EPOX-D260SC-3PK	\$31.70	EPOX-D260MC	9	2.88 oz	\$55.94

Drop Us A Line - Email

GoFish@FusionXFishing.com

ADDITIONAL INFORMATION





PREMIUM SILICONE HAND POUR MOLDS

OVER 400 PROPRIETATY LURE DESIGNS

From 1" to 14" Lures All Available in Single or Multi-Cavity Molds.









AVAILABLE IN 5 POPULAR LURE STYLES IN 2" to 8" LURE LENGTHS

- HAND POURED
- **FULL ROUND**
- **NO FLAT SIDE**
- **ECONOMICAL**





Soft Plastic Lure Making Pigment

Just add dry blend to liquid plastisol prior to heating

AVAILABLE IN OVER 300 COLORS

LURE MAKING CUBES

JUST HEAT AND POUR INTO YOUR FAVORITE LURE MOLD

The "Clean & Easy" way to make soft

plastic lures.

- **OVER 300 COLORS**
- CHOOSE YOUR COLOR, SCENT, WEIGHT, AND **HARDNESS LEVEL**
- SINGLE, 3, 5, 10, 25, and **50 PACK SIZES**



NON-PHTHALATE FORMULA

LIQUID PLASTISOL

FOR MAKING SOFT PLASTIC FISHING LURES

PINTS, QUARTS, GALLONS

ADDITIONAL INFORMATION



WARNING!

Molten Plastisol is HOT and will cause SEVERE BURNS if proper safety precautions are not taken. Fusion X Fishing assumes no liability for personal injury or property damage resulting from the use of Fusion X products.

Warranty

FusionX Fishing Lures warranties all products to be free of defects in materials and workmanship for a period of 30 days from purchase. FusionX Fishing will replace defective product free of charge for qualifying warranty returns. Products must be returned to FusionX Fishing at the expense of the customer. If a warranty claim is accepted a replacement item will be shipped to the customer at the full expense of the product and shipping. Damage from misuse, neglect, or failure to follow instructions will not be covered under warranty. FusionX Fishing assumes no responsibility for property damage or injury related to the use of FusionX Fishing products. It is the responsibility of the user to understand all safety and health risks associate with the product and its use including taking the appropriate safety precautions to protect property and health of the user as well as those nearby. When in question customers can research additional health and safety concerns prior to using the product. When in doubt do not use the product. FusionX Fishing provides safety and health information that is available at the time of publishing. FusionX Fishing assumes no liability for health and safety concerns discovered after publishing of the documents provided with the products.

Warranty Does Not Cover The Following Items:

Mold Damage From Clamps, Mold Breakage From Dropping, Mold Damage From Prying Mold Open, Mold Damage From Overheating, Mold Damage From Using harsh Chemicals, Mold Damage From Not Using Mold Release

Intellectual Property Notification

FusionX Fishing reserves rights to the FusionX Fishing Name, X-Cube name, FusionX Kit names, as well as all FusionX lure names and any names protected by trademark or copyright being held by Impulsive Innovations (dba. FusionX Fishing). By purchasing a mold from FusionX Fishing customers of FusionX have full use of the FusionX lure mold for recreational or commercial uses. Replication of molds or lures without the consent of FusionX Fishing may violate copyright, patent, and trademark laws.

FusionX Fishing holds no responsibility for copyright, trademark, patent, or other intellectual property violations committed by customers using FusionX Fishing products. It is the responsibility of customers of FusionX Fishing to understand and adhere to all applicable intellectual property laws. Intellectual property laws vary when products are used for personal use verses commercial use.

PROPOSITION 65 WARNING: FusionX Fishing products can expose you to chemicals, including silica, which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

FusionX Fishing Lures Assumes NO responsibility for injury and/or property damage from the use of FusionX Fishing products.

Copyright 2017, 2018, 2019, 2020, 2021 Impulsive Innovations LLC (dba Fusion X Fishing) All rights reserved