



17 ½" × 20"







= Confident Beginner

FINISHED BAG SIZE 17 1/2" × 20"

Please read all instructions before beginning this project. Yardage calculated using a 42" usable width of fabric. Pattern designed by The RBD Designers.

GENERAL INSTRUCTIONS

Please check www.rileyblakedesigns.com/pattern-updates or scan the QR Code for any revisions before starting this project. This pattern requires a basic knowledge of sewing techniques and terminology.

of sewing techniques and terminology. The bag and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric. It is not recommended to prewash fabric before cutting and assembling.



Always verify your panel size before beginning. If your panel measurements differ from those given in the pattern, trim to the desired size or use coping strips to alter the size of your panel. If coping strips are needed, add oversized, coordinating strips of fabric to the necessary edges of the panel, then trim to the size specified in the pattern.

WOF = Width of Fabric RST = Right Sides Together

FABRIC REQUIREMENTS

All fabrics from the Fright This Way collection unless stated otherwise.

(1) BT23330-122 Sugar Cookie Panel

Additional Fabric:

Fat % BT23331-188 Vineyard
Fat % BT23331-233 Apricot
Fat % BT23331-235 Tangerine
% yard BT23338-247 Cinnamon Grove
% yard BT23337-122 Sugar Cookie

OTHER SUPPLIES

Basic Sewing Supplies

CUTTING INSTRUCTIONS

When cutting fabrics, use a straight edge ruler and rotary cutter. Measurements include %" seam allowance. Label, allocate, and organize all cuts as noted.



Sugar Cookie Panel

Fussy cut (2) 12" \times 18 %" Panel rectangles, centered over the motifs.*

*Note: If the panel motifs do not reach the edge of the required cuts, add coping strips first and then trim to the required sizes.



Vinevard

Cut (4) 1 %" × 18" rectangles. Label as A.



Apricot

Cut (1) 8 %" × 16" rectangle. Label as B.



Tangerine

Cut (2) 3 $\frac{1}{2}$ " × 16" rectangles. Label as C.



Cinnamon Grove

Cut (2) 5 ½" × WOF strips. Subcut:

(2) 5 $\frac{1}{2}$ " × 31" rectangles. Label as D.

Cut (1) 2 ½" × WOF strip. Subcut:

(2) $2 \frac{1}{2}$ " × 16" rectangles. Label as E.



Sugar Cookie

Cut (1) 18" × WOF strip. Subcut:


(2) $18" \times 20 \%"$ rectangles. Label as F.

SEWING TECHNIQUES

Sew all seams RST and with a ¼" seam allowance unless stated otherwise. Refer to the diagrams for placement of the prints. Press seams as desired unless stated otherwise. Dimensions listed in steps are unfinished sizes.

BAG ASSEMBLY

1. Sew (2) **E**-rectangles, (2) **C**-rectangles, and (1) **B**-rectangle together as shown below to make (1) strip set. Cut the strip set into (4) 3 ½"-wide segments.



Sew (1) strip set segment to each side of (1) Panel rectangle.
 Next, sew (1) A-rectangle to the top and bottom to make
 (1) Bag Front. Repeat to make (1) Bag Back.



3. With wrong sides together, fold and press the long edges of (1) **D**-rectangle in half lengthwise to create a center crease; open the rectangle. Next, fold and press each long edge of the rectangle in ¼" toward the center crease. Fold the rectangle on the center crease so the raw edges are encased and topstitch along both long edges to make (1) Bag Handle. Repeat to make a second handle.



Make (2)

2 ½" × 31"

4. Pin (1) Bag Handle to the Bag Front, aligning raw edges and positioning each handle end 3" from the side edges. Baste in place with a %" seam allowance. Repeat with the second Bag Handle on the Bag Back.



Make (2)

 Place the Bag Front and Bag Back RST, making sure the handles are sandwiched between the layers of fabric. Sew along the side and bottom edges to make the Bag Body. Turn right side out.



6. Place (2) **F**-rectangles RST. Sew along the side and bottom edges, leaving a 3" opening along the bottom for turning, to make the Bag Lining. Do not turn right side out.



- 7. Insert the Bag Body into the Bag Lining and align the side seams. Make sure the Bag Body and Bag Lining are RST and the handles are sandwiched between the layers of fabric.
- Sew around the top edge. Turn right side out through the opening in the Bag Lining and press. Topstitch along the top of the bag if desired. Sew the lining opening closed by machine or by hand to complete the bag.





Enjoy and share your bag using the hashtags: #frightthiswayfabric, #trickortreatbag, #rileyblakedesigns, and #iloverileyblake.