

Spears Equipment Sales and Service Inc

On the web at SpearsEquipment.com

2613 Poinsett Highway #4, Greenville, SC 29609

Phone: 864-242-4242 Cell: 864-346-2021 Fax: 864-235-9874

Thank you for your interest in a Karcher floor sweeper. We offer manual, electric powered, and battery powered options as well as walk behind and ride-on options.



Attached is information for the floor sweepers we offer as well as pricing for each unit. However, we always apply a discount to any floor sweeper we quote. Therefore, feel free to request a quote on any unit and I will forward additional information and discounted pricing.

Thank you for your time and consideration. I hope you have a wonderful day!

Tammy Spears

Customer Service / Sales

KM 70/20 C



Superior performance with manual power.

Speedy sweeping and painless maintenance rolled into one convenient package. This sweeper provides superior sweeping performance in a compact manual push sweeper. It is built to be rugged and durable for long life.

Fast and efficient

- Push sweepers are the easy way to clean paths, halls, sidewalks and warehouses quickly and conveniently.
- Main cylindrical brush is driven by both wheels so that it sweeps equally well in either right or left turns.

Built to last

- Rugged metal pinion drive for long life.
- Durable design

Easy to use

- Height of cylindrical brush can be easily adjusted in five positions by a knob on the handle.

KM 70/20 C

TECHNICAL SPECIFICATIONS

Cleaning path/width- main broom	in	19
Cleaning path/width with 1 sb	in	28
Cleaning path/width with 2 sb	in	36
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq. ft/hr	30,000
Weight	lbs	50.7
Dimensions (LxWxH)	in	51.2 x 30.14 x 40.7

EQUIPMENT

Order No.	Description	List Price
1.517-106.0	KM 70/20 C, twenty eight inch walk-behind sweeper	\$ 675.00
1.517-107.0	KM 70/20 C 2SB, thirty six inch walk-behind sweeper, dual brushes	\$ 750.00

ACCESSORIES

Order No.	Description	List Price
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$ 105.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$ 173.00
■ 4.040-772.0	Dust Filter	\$ 64.00
□ 2.640-908.0	Litter picker—for picking up waste	\$ 116.00

■ Included □ Optional

KM 70/30 C BP ADV



Efficient sweeping on hard or soft floors.

Fast and efficient for sweeping indoors or outdoors—on hard floor or carpet for those that need to get the job done right the first time. Rely on this sweeper to make quick work of any sweeping needs with its highly productive electronic driven broom. It also features active dust control for optimum air quality. User-friendly features such as an easy adjust broom height and an adjustable handle height make this a popular machine with those who use it.

Productive sweeping

- Delivers fast, efficient sweeping for hard and soft floor surfaces
- 28 inch cleaning path

We thought of you

- For a wide range of applications indoors and outdoors, with a particularly quiet battery drive system at 69 dBA.
- Features Active Dust Control with a separate fan and flat pleated filter for dustless sweeping indoors
- Simple adjustment of the main cylindrical broom and side broom.

KM 70/30 C BP ADV

TECHNICAL SPECIFICATIONS

Cleaning path/width- main broom	in	19
Cleaning path/width with 1 sb	in	28
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq. ft/hr	30,800
Operating noise level	dBA	59
Sweeping method	direct/overthrow	direct
Weight	lbs	105.8
Dimensions (LxWxH)	in	48.8 x 28 x 45.2

EQUIPMENT

Order No.	Description	List Price
1.517-218.0	KM 70/30 C Bp Adv, twenty eight inch walk-behind sweeper	\$ 3,125.00

ACCESSORIES

Order No.	Description	List Price
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$ 105.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$ 173.00
■ 6.904-367.0	Flat dust filter	\$ 54.50
□ 2.640-908.0	Litter picker—for picking up waste	\$ 116.00
□ 5.731-625.0	Filter element - plastic filter, water resistant, washable, saves maintenance costs	\$ 31.50
□ 6.907-041.0	Standard cylindrical broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.	\$ 263.00

■ Included □ Optional

KM 75/40 W BP



Self-propelled for increased productivity.

Big enough to get the job done, but maneuverable to clean congested areas, count on the KM 75/40 W Bp for your sweeping needs. This machine provides the versatility to clean anywhere—carpet or hard floors, indoors or out. We built it to perform day in and day out in the toughest commercial applications.

Highly productive

- Cleans effectively indoors and out for increased versatility
- Self-propelled, 30 inch cleaning path for increased productivity
- Easy to understand controls increase operator effectiveness
- Over throw sweeping system with an easily removed hopper make emptying quick and efficient

Improved air quality

- Active dust control system provides better air quality
- Air is vacuumed through a high-efficiency automotive style filter
- Manual filter shaker for easy cleaning and consistent results
- Wet-sweep bypass for cleaning wet surfaces

KM 75/40 W BP

TECHNICAL SPECIFICATIONS

Cleaning path/width- main broom	in	22
Cleaning path/width with 1 sb	in	30
Side broom diameter	in	16.5
Debris container capacity	gal	10.5
Practical productivity	sq. ft/hr	36,328
Operating noise level	dBA	64
Sweeping method	direct/overthrow	direct
Weight	lbs	172
Dimensions (LxWxH)	in	56 x 30 x 46.5

EQUIPMENT

Order No.	Description	List Price
9.840-739.0	KM 75/40 W Bp, thirty inch walk-behind sweeper	\$ 6,765.00

ACCESSORIES

Order No.	Description	List Price
■ 8.631-173.0	Battery, 12V AGM 70 Ah	\$ 693.00
■ 8.629-377.0	Automatic shelf charger, 24V, 24A, 115V, standard on AGM models	\$ 877.00
■ 6.905-626.0	Side Broom, Soft Bristle	\$ 131.00
■ 6.906-884.0	Main Broom	\$ 294.00
■ 5.731-635.0	Flat pleated filter—plastic filter, water resistant, washable, reduces maintenance costs	\$ 137.00
□ 6.905-625.0	Side broom, hard for heavy-duty cleaning	\$ 131.00
□ 6.906-885.0	Main Broom, Hard Bristle	\$ 378.00
□ 6.906-950.0	Anti-Static Rolling Brush	\$ 368.00
□ 2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static cylindrical brush and triple caster)	\$ 1,260.00
□ 6.906-886.0	Main cylindrical broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors.	\$ 620.00

■ Included □ Optional

KM 85/50 W BP



Self-propelled for increased productivity.

Big enough to get the job done, but maneuverable to clean congested areas, count on the KM 85/50 W Bp for your sweeping needs. This machine provides the versatility to clean anywhere—carpet or hard floors, indoors or out. We built it to perform day in and day out in the toughest commercial applications.

Highly productive

- Cleans effectively indoors and out for increased versatility
- Self-propelled, 30 inch cleaning path for increased productivity
- Over throw sweeping system with an easily removed hopper make emptying quick and efficient

KM 85/50 W BP ADV

TECHNICAL SPECIFICATIONS

Productivity (practical)	ft ² /hr	52,300
Cleaning path (1 side brush)	in	34
Container capacity	gal	13
Operating noise level	dBa	64
Climbing ability	%	15
Working speed	mph	2.76
Weight	lbs	390
Dimensions (L x W x H)	in	53.3 x 35.8 x 45.2

EQUIPMENT

Order No.	Description	List Price
9.840-758.0	KM 85/50 W Bp, thirty-four inch walk-behind sweeper, 105 Ah batteries	\$ 10,340.00
9.840-760.0	KM 85/50 W Bp, thirty-four inch walk-behind sweeper, 100 Ah AGM batteries	\$ 10,650.00

ACCESSORIES

Order No.	Description	List Price
■ 4.762-430.0	Main broom	\$ 415.00
■ 6.906-132.0	Side broom	\$ 152.00
■ 5.731-585.0	Flat filter complete	\$ 173.00
■ 8.622-839.0	Battery, 12V, 105 Ah low-maintenance	\$ 389.00
■ 8.629-183.0	Battery, 12V 100 Ah AGM	\$ 909.00
■ 8.628-403.0	Battery charger, 24V, 21A, 115V, C50, Wet/gel, for use with 8.622-839.0	\$ 378.00
■ 8.629-377.0	Battery charger, 24V, 25A AGM, for use with 8.622-183.0	\$ 877.00
□ 6.906-950.0	Anti-Static Rolling Brush	\$ 368.00
□ 2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static cylindrical brush and triple caster)	\$ 1,260.00
□ 6.906-886.0	Main cylindrical broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors.	\$ 620.00
□ 5.035-488.0	Adapter Homebase - to mount different hooks and clips to the machine	\$ 5.10
□ 6.980-077.0	Double hook - suitable for storing trash bags on the machine (order also Homebase adapter)	\$ 9.25
□ 6.980-078.0	Holder grey/mop clip - used to fix a mop or broom to the machine (order also Homebase adapter)	\$ 7.90
□ 6.980-080.0	Holder bottle clip	\$ 13.10
□ 6.907-023.0	Anti-Static Rolling Brush	\$ 368.00
□ 4.762-443.0	Main Roller Brush, Hard	\$ 326.00
□ 4.762-442.0	Main Roller Brush, Soft/Natural	\$ 415.00
□ 6.905-625.0	Side Brush, Hard	\$ 131.00
□ 2.642-693.0	Side Brush KIT, Left	\$ 2,320.00
□ 2.641-665.0	Carpet sweeping kit (includes Anti-static rolling brush)	\$ 1,755.00
□ 6.414-532.0	Round filter - plastic filter, water resistant, washables, saves maintenance costs. (fits previous KM 90/60 R Bp without TACT)	\$ 483.00
□ 6.906-533.0	Main roller brush, soft/natural with natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors	\$ 908.00

■ Included □ Optional

KM 85/50 R BP



Compact, agile and intuitive.

The KM 85/50 R Bp is a battery-powered ride-on sweeper perfect for confined and congested areas. Its compact design and high maneuverability make cleaning faster than ever in narrow corridors and around sharp corners. It is extremely easy to operate and maintain, and boasts impressive area performance outdoors.

Efficient filter system

- Polyester flat pleated filter
- Effective cleaning with dual scraper

Ergonomic design for enhanced performance and comfort

- Clear and simple operation for all components
- Easy, tool-free seat adjustment for operator comfort
- Adjustable rotation speed depending on type of dirt
- Drives through door openings as narrow as 36"

KM 85/50 R BP

TECHNICAL SPECIFICATIONS

Cleaning path/width- main broom	in	24.2
Cleaning path/width with 1 sb	in	33.5
Cleaning path/width with 2 sb	in	41.3
Side broom diameter	in	16.5
Debris container capacity	gal	13.2
Practical productivity - 1 / 2 sb	sq. ft/hr	32,940 / 40,685
Operating noise level	dB(A)	69
Sweeping method	direct/overthrow	direct
Weight	lbs	555
Dimensions (LxWxH)	in	50 x 35 x 46

EQUIPMENT

Order No.	Item Description	List Price
9.841-453.0	KM 85/50 R Bp Wet, 1 side broom, shelf charger	\$ 10,170.00
9.841-454.0	KM 85/50 R Bp AGM, 1 side broom, shelf charger	\$ 10,660.00

ACCESSORIES

Order No.	Item Description	List Price
■ 4.762-430.0	Main brush, standard	\$ 415.00
■ 6.906-132.0	1-side brush, standard	\$ 152.00
■ 6.435-773.0	Pneumatic tire (1 each)	\$ 152.00
■ 5.731-585.0	Flat Filter complete	\$ 173.00
□ 6.435-431.0	Solid rubber non-marking wheel	\$ 446.00
□ 4.762-442.0	Main brush, soft	\$ 415.00
□ 4.762-443.0	Main brush, hard	\$ 326.00
□ 4.762-441.0	Main brush, antistatic	\$ 614.00
□ 6.905-626.0	Side brush, soft	\$ 131.00
□ 6.905-625.0	Side brush, hard	\$ 131.00
□ 2.852-499.0	Carpet cleaning kit	\$ 1,555.00
□ 2.852-321.0	Additional left side brush kit	\$ 1,295.00
□ 2.852-500.0	Warning beacon	\$ 656.00
□ 5.035-488.0	Home Base kit (adapter and cable hook)	\$ 5.10
□ 6.980-077.0	Double Hook (requires 5.035-488.0)	\$ 9.25

■ Included □ Optional

KM 90/60 R BP ADV



Built for tough environments.

Sweep large areas quickly with this highly maneuverable, ride-on sweeper that increase productivity and safety. This machine cleans multiple surfaces, from tough industrial flooring to soft carpet. Its innovative Tact filter cleaning system extends the filter life, saving you money.

Highly productive sweeping

- Automatic, continuous sweeping
- Overthrow sweeping

KM 90/60 R BP ADV

TECHNICAL SPECIFICATIONS

Cleaning path/width- main broom	in	24.2
Cleaning path/width with 1 sb	in	35.4
Cleaning path/width with 2 sb	in	45.3
Side broom diameter	in	16.5
Debris container capacity	gal	16
Practical productivity - 2 sb	sq. ft/hr	47,520
Operating noise level	dBA	69
Sweeping method	direct/overthrow	direct
Weight	lbs	782
Dimensions (LxWxH)	in	64 x 38.5 x 49.5

EQUIPMENT

Order No.	Description	List Price
9.841-246.0	KM 90/60 R Bp Adv, 1SB, 2 x 12V/225 Ah wet batteries, shelf charger	\$ 16,600.00
9.841-247.0	KM 90/60 R Bp Adv, 1SB, 2 x 12V/225Ah wet batteries, shelf charger	\$ 18,340.00
9.841-248.0	KM 90/60 R Bp Adv, 2SB, 2 x 12V/234 Ah AGM batteries, shelf charger	\$ 17,640.00
9.841-249.0	KM 90/60 R Bp Adv, 2SB, 2 x 12V/234 Ah AGM batteries, shelf charger	\$ 19,180.00

ACCESSORIES

Order No.	Description	List Price
■ 4.762-430.0	Main broom	\$ 415.00
■ 6.906-132.0	Side broom	\$ 152.00
■ 6.907-519.0	TACT Filter (2 required)	\$ 81.00
□ 5.035-488.0	Home Base kit (adapter and cable hook)	\$ 5.10
□ 6.980-078.0	Mop clip (requires 5.035-488.0)	\$ 7.90
□ 6.980-080.0	Bottle Hook (requires 5.035-488.0)	\$ 13.10
□ 6.907-023.0	Anti-static rolling brush	\$ 368.00
□ 4.762-443.0	Main cylindrical brush, hard	\$ 326.00
□ 4.762-442.0	Main cylindrical brush, soft/natural	\$ 415.00
□ 6.905-625.0	Side broom, hard for heavy-duty cleaning	\$ 131.00
□ 2.642-693.0	Side brush kit, left	\$ 2,320.00
□ 2.851-334.7	Carpet sweeping kit (Includes anti-static rolling brush)	\$ 1,515.00
□ 2.642-989.0	Warning beacon revolving signal light	\$ 898.00
□ 6.414-532.0	Round filter - plastic filter, water-resistant, washable, saves maintenance costs. (Fits previous KM 90/60 R Bp without Tact)	\$ 483.00
□ 4.762-442.0	Main cylindrical brush, soft/natural—with natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors.	\$ 415.00
□ 8.628-341.0	12V/225 Ah wet batteries	\$ 814.00
□ 8.622-843.0	Battery pack 234 Ah AGM, 3 required	\$ 1,305.00

■ Included □ Optional

KM 105/110 R BP



Cleaner corners quicker.

Kärcher's pioneering KM 105 ride-on sweeper features a patented crescent side-broom that follows you control panel's ergonomic layout is simple to use, with smartly grouped controls that promote intuitive operation. The KM 105 is compact and extremely maneuverable, with a turning radius that can easily accommodate hallways as narrow as 78" wide. It delivers excellent cleaning performance and is easy to service, making this ride-on sweeper a great addition to your cleaning operation.

Intuitive operation

- The control panel and operating elements are clearly arranged and easily accessible in the ergonomically designed cockpit.

Maximum maneuverability

- Single front wheel steering make this machine very maneuverable.

Self-preserving sweeping system

- The main broom is positioned behind the rear wheels to protect it.

		KM 105/110 + NO BATTERIES	KM 105/110 + WET BATTERIES	KM 105/110 + AGM BATTERIES
TECHNICAL SPECIFICATIONS				
Cleaning path/width- main broom	in	25.2	25.2	25.2
Cleaning path/width with 1 sb	in	41	41	41
Cleaning path/width with 2 sb	in	55	55	55
Side broom diameter	in	24	24	24
Debris container capacity	gal	29	29	29
Practical productivity - 1 sb	sq. ft/hr	54,250	54,250	54,250
Operating noise level	dBA	64	64	64
Max dumping height	in	61	61	61
Minimum turning radius	ft	3.25	3.25	3.25
Sweeping method	direct/overthrow	overthrow	overthrow	overthrow
Weight	lbs	982	1389	1389
Dimensions (LxWxH)	in	70 x 49x 57	70 x 49 x 57	70 x 49 x 57

EQUIPMENT

Order No.	Description	List Price
9.841-354.0	KM 105/110 R Bp, 2RSB No Batteries or Charger	\$ 25,520.00
9.841-350.0	KM 105/110 R Bp, 2RSB Wet 295 Ah batteries, shelf charger	\$ 27,510.00
9.841-351.0	KM 105/110 R Bp, 2RSB AGM 285 Ah batteries, shelf charger	\$ 29,970.00
9.841-355.0	KM 105/110 R Bp, 3SB No Batteries or Charger, shelf charger	\$ 26,660.00
9.841-352.0	KM 105/110 R Bp, 3SB Wet 295 Ah batteries, shelf charger	\$ 28,360.00
9.841-353.0	KM 105/110 R Bp, 3SB AGM 285 Ah batteries, shelf charger	\$ 31,110.00

KM 105/110 R BP

ACCESSORIES

Order No.	Description	List Price
■ 4.762-523.0	Main cylindrical brush, soft, 25" (640mm) - standard for Bp machine	\$ 494.00
■ 6.966-063.0	Side brush, regular - standard for Lpg machine	\$ 200.00
■ 6.966-065.0	Yellow side broom, soft	\$ 205.00
■ 6.907-519.0	Tact filter (2 required)	\$ 81.00
■ 2.851-683.0	Pneumatic Tires, standard for Bp machine (set of 2)	\$ 840.00
■ 6.435-845.0	Pneumatic Tire, standard for Bp machine (single tire)	\$ 420.00
■ 8.622-842.0	6V/360 Ah wet batteries	\$ 730.00
■ 8.629-184.0	Battery, 285 Ah AGM	\$ 1,150.00
■ 8.641-484.0	Battery charger, 24V, 25A, C175 115V. For use with 8.622-842.0 Wet batteries	\$ 541.00
■ 8.632-076.0	Battery charger, 24V, 25A, SB175 115V. For use with 8.629-184.0 AGM batteries	\$ 663.00
□ 4.762-524.0	Main Cylindrical Brush, hard, 25" (640mm)	\$ 488.00
□ 6.906-705.0	Black side brush, hard	\$ 200.00
□ 4.762-529.0	Main cylindrical brush, regular hardness (yellow-black) 25"	\$ 578.00
□ 6.435-698.0	Wheel, solid rubber, non-marking, for Bp machine (set of 2)	\$ 672.00
□ 2.851-261.0	Overhead Guard	\$ 2,845.00
□ 2.851-381.0	Comfort Seat	\$ 856.00
□ 2.852-059.0	Front/rear working lights	\$ 1,320.00
□ 2.852-057.0	Warning Beacon, on post	\$ 1,140.00
□ 2.852-058.0	Warning Beacon, on overhead guard	\$ 1,010.00
□ 2.640-908.0	Litter picker—for picking up waste	\$ 116.00

■ Included □ Optional

KM 125/130 R BP



Dirt is no match for this sweeper.

With a cleaning path of 67 inches, this sweeper covers a lot of ground very quickly and thoroughly. Thanks to a hydraulic front-wheel drive, it turns on the spot in hallways as narrow as 87 inches. It effortlessly sweeps out corners with the patented swiveling side broom that picks up more dirt while turning than any competitive sweeper. The main sweeper broom is positioned on the rear axle to prevent damage from large obstacles. Our Tact filter cleaning system uses blasts of compressed air to clean your air filter. This unique system allows for much longer life out of the filter, saving you money while cleaning better.

Perfect cleaning in the corners

- Saves time and money by reducing number of passes required
- Fully hydraulic drive and sweeping system



KM 125/130 R BP

TECHNICAL DATA

Cleaning path/width- main broom	in	35
Cleaning path/width with 2 sb	in	67
Side broom diameter	in	24
Debris container capacity	gal	34
Practical productivity - 2 sb	sq. ft/hr	117,110
Operating noise level	dB(A)	71
Maximum dumping height	in	61
Minimum turning radius	ft	3.63
Sweeping method	direct/overthrow	overthrow
Weight	lbs	2,028
Dimensions (LxWxH)	in	71 x 49 x 57

EQUIPMENT

Order No.	Description	List Price
9.841-410.0	KM 125/130 R Bp, wet batteries, 2 side brooms, shelf charger	\$ 36,380.00
9.841-411.0	KM 125/130 R Bp, AGM batteries, 2 side brooms, shelf charger	\$ 38,000.00

ACCESSORIES

Order No.	Description	List Price
■ 4.762-526.0	Main Cylindrical Brush, soft, 35" (brown color) standard for Bp machine	\$ 483.00
■ 6.966-063.0	Side Brush, regular	\$ 200.00
■ 6.435-833.0	Pneumatic Tire, Rear (2 required)	\$ 242.00
■ 2.851-381.0	Comfort Seat	\$ 856.00
■ 6.907-519.0	Filter (3 required)	\$ 81.00
■ 2.852-059.0	Front/rear working lights	\$ 1,320.00
■ 8.622-842.0	6V/360 Ah wet batteries (4 required) (standard on 9.841-410.0)	\$ 730.00
■ 8.629-184.0	Battery, 6V, 312Ah AGM (4 required) (standard on 9.841-411.0)	\$ 1,150.00
■ 8.641-484.0	Battery charger, 24V, 25A standard - for Wet batteries (standard on 9.841-410.0)	\$ 541.00
■ 8.632-076.0	Battery charger, 24V, 25A standard - for AGM batteries (standard on 9.841-411.0)	\$ 663.00
□ 4.762-527.0	Main Cylindrical Brush, hard, 35" (solid black color)	\$ 483.00
□ 4.762-525.0	Main Cylindrical Brush, regular hardness, 35 inches (yellow-black color)	\$ 551.00
□ 6.906-705.0	Black side brush, hard	\$ 200.00
□ 6.966-065.0	Yellow side broom, soft	\$ 205.00
□ 4.035-374.0	Home Base kit (includes mop support, mop clip and bottlehook)	\$ 116.00
□ 6.435-746.0	Rubber Tire, Rear non-marking (2 required)	\$ 725.00
□ 6.435-439.0	Rubber Tire, Rear solid (2 required)	\$ 509.00
□ 8.641-384.0	Overhead Guard (factory install only)	\$ 4,385.00
□ 8.641-385.0	Warning Beacon, post mount (factory install only)	\$ 1,715.00
□ 8.640-208.0	Seat Belt	\$ 158.00

■ Included □ Optional

KM 130/300 R BP OR LPG



High capacity and power for heavy-duty use.


This powerful sweeper with fully hydraulic traction drive and sweeping system cleans all industrial surfaces effortlessly - from fine dust to construction waste. High working and transport speed and simple no-tools brush roller replacement shorten prep times and increase efficiency.

User-friendly design

- Easy-Operation design with low noise level
- Fully hydraulic drive and sweeping system

Efficient long-life filter

- Effective filter cleaning with dual scraper for dust free sweeping



KM 130/300 R BP / KM 130/300 R BP 2SB

KM 130/300 R LPG / KM 130/300 R LPG 2SB

TECHNICAL SPECIFICATIONS

Power / Drive		36 V / 5 kw / DC motor	17.5 kw / Four-stroke Lpg engine - Kubota
Max. area performance	ft ² / hr	139,932	139,932
Working width - main broom	in	39	39
Working width with 1/2 side brushes	in	51 / 61	51 / 61
Waste container capacity	gal	79.3	79.3
Climbing capacity	%	12	18
Working speed	mph	4	6
Filter area	ft ²	56	56
Weight	lbs	2,900	1,875
Dimensions (L x W x H)	in	81 x 52 x 56	81 x 52 x 56

EQUIPMENT

Order No.	Description	List Price
9.841-326.0	KM 130/300 R Bp STL	\$ 48,620.00
9.841-327.0	KM 130/300 R Bp, Overhead Guard, STL	\$ 49,810.00
9.841-328.0	KM 130/300 R Bp, Overhead Guard, Front/Rear Lights, STL	\$ 51,270.00
9.841-329.0	KM 130/300 R Bp 2SB STL	\$ 51,200.00
9.841-330.0	KM 130/300 R Bp 2SB, Overhead Guard, STL	\$ 52,370.00
9.841-331.0	KM 130/300 R Bp 2SB, Overhead Guard, Front/Rear Lights, STL	\$ 53,850.00
9.841-332.0	KM 130/300 R Bp STL High-Efficiency Charger	\$ 50,100.00
9.841-333.0	KM 130/300 R Bp, Overhead Guard, STL, High-Efficiency	\$ 51,270.00
9.841-334.0	KM 130/300 R Bp, Overhead Guard, Front/Rear Lights, STL High-Efficiency Charger	\$ 52,750.00
9.841-335.0	KM 130/300 R Bp 2SB STL High-Efficiency Charger	\$ 52,680.00
9.841-336.0	KM 130/300 R Bp 2SB, Overhead Guard, STL, High-Efficiency	\$ 53,850.00
9.841-337.0	KM 130/300 R Bp 2SB, Overhead Guard, Front/Rear Lights, STL	\$ 55,330.00
9.841-398.0	KM 130/300 R Lpg Base machine (1 side brush)	\$ 41,530.00
9.841-402.0	KM 130/300 R Lpg Base machine with Overhead Guard	\$ 43,210.00
9.841-403.0	KM 130/300 R Lpg Base machine with Overhead Guard and Working Lights	\$ 44,620.00
9.841-399.0	KM 130/300 R Lpg 2SB	\$ 44,240.00
9.841-400.0	KM 130/300 R Lpg 2SB with Overhead Guard	\$ 45,930.00
9.841-401.0	KM 130/300 R Lpg 2SB with Overhead Guard and Working Lights	\$ 47,330.00

KM 130/300 R BP OR LPG ACCESSORIES

STL (Steel Case Battery)	■	■	■	■	■	■	■	■	■	■	■	■						
Overhead Guard	□	■	■	□	■	■	□	■	■	□	■	■	□	■	■			
Front/Rear Lights	□		■	□	□	■	□	□	■	□	□	■	□	□	■			
Standard Charger	■	■	■	□	□	□	■	■	■	□	□	□						
High-Efficiency Charger	□	□	□	■	■	■	□	□	□	■	■	■						
Warning Beacon	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Rear Back-up Alarm	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Steel Hopper	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Order No.	9.841-338.0	9.841-339.0	9.841-340.0	9.841-344.0	9.841-345.0	9.841-346.0	9.841-341.0	9.841-342.0	9.841-343.0	9.841-347.0	9.841-348.0	9.841-349.0	9.841-404.0	9.841-408.0	9.841-409.0	9.841-405.0	9.841-406.0	9.841-407.0

■ Included in delivery. □ Available accessories.

ACCESSORIES

Order No.	Description	List Price
■ 6.987-438.0	Main Roller Brush, regular, 39" (1000 mm) - standard for Bp machine	\$ 389.00
■ 6.987-083.0	Side Brush, regular	\$ 210.00
■ 4.515-328.0	Front Wheel, solid rubber, puncture-proof, non-marking (set of 2)	\$ 1,830.00
■ 6.988-158.0	Flat pleat filter, green, standard (set of 2)	\$ 672.00
■ 8.636-996.0	Battery, 36V, 374 Ah Steel Case	\$ 6,930.00
■ 8.640-032.0	Battery charger, 36V, standard	\$ 4,095.00
■ 8.639-416.0	Battery charger, 36V, High-Efficiency (required in Calif. & Oregon)	\$ 5,990.00
□ 6.987-439.0	Main Roller Brush, hard, 39" (1000 mm)	\$ 651.00
□ 6.987-460.0	Main Roller Brush, soft, 39" (1000 mm)	\$ 515.00
□ 6.987-440.0	Main Roller Brush, soft, natural 39" (1000 mm)	\$ 651.00
□ 6.905-773.0	Side Brush, hard	\$ 257.00
□ 6.905-620.0	Side Brush, soft	\$ 284.00
□ 6.905-619.0	Side Brush, hard steel bristles	\$ 336.00
□ 8.636-952.0	Left Side Broom kit ; This is a factory installed option only.	\$ 3,585.00
□ 6.987-519.0	Flat pleat filter, white (set of 2)	\$ 667.00
□ 8.636-953.0	Front/Rear Light kit. This is a factory installed option only.	\$ 1,840.00
□ 8.638-973.0	Water spray dust control system. This is a factory installed option only. LPG only, 2 side brushes	\$ 3,545.00
□ 4.515-332.0	Front Wheel, pneumatic (set of 2)	\$ 1,900.00
□ 8.636-955.0	Overhead Guard. This is a factory installed option only.	\$ 2,940.00
□ 8.636-956.0	Overhead Guard w/windscreen & wiper ; This is a factory installed option only.	\$ 8,275.00
□ 8.636-957.0	Closed Cab w/plastic curtains ; This is a factory installed option only.	\$ 10,320.00
□ 8.640-256.0	Comfort Seat	\$ 803.00
□ 8.636-889.0	Dust control cover for (1) side brush. Factory installed.	\$ 1,285.00
□ 2.851-286.0	Dust control cover for field install, one side brush	\$ 1,028.00
□ 6.981-056.0	HEPA filter, 2 required	\$ 535.00

■ Included □ Optional

KM 150/500 R BP OR LPG



Maximum performance for the toughest jobs.

Built up for the toughest jobs with its robust steel chasis, durable and reliable components, and an outstanding dust filter system, this machine fits well in heavy duty industrial environments. If a low noise level or emission-free work is required, this battery version is the only one on the market in this size range. The KM 150/500 R Bp enables high working and transport speeds, low-maintenance, fully hydraulic traction drive and sweeping system.

Comfortable and easy-to-use

- All displays are in the operators field-of-vision
- All controls are clearly arranged and easy to reach

Long run times

- Emission-free and environmentally friendly with low noise level and extended run times



KM 150/500 R BP / KM 150/500 R BP 2SB

KM 150/500 R LPG / KM 150/500 R BLP 2SB

TECHNICAL SPECIFICATIONS

Power / Drive		48 V / 10 kw / DC motor	22 kw / Four-stroke Lpg engine - Kubota
Max. area performance	ft ² / hr	193,752	193,752
Working width - main broom	in	47	47
Working width with 1/2 side brushes	in	59 / 71	59 / 71
Waste container capacity	gal	132	132
Climbing capacity	%	12	18
Working speed	mph	5	7
Filter area	ft ²	75	75
Weight	lbs	5,650	3,119
Dimensions (L x W x H)	in	96 x 61 x 65	96 x 61 x 65

EQUIPMENT

Order No.	Description	List Price
9.841-338.0	KM 150/500 R Bp, STL	\$ 73,700.00
9.841-339.0	KM 150/500 R Bp, Overhead Guard, STL	\$ 75,080.00
9.841-340.0	KM 150/500 R Bp, Overhead Guard, Front/Rear Lights, STL	\$ 76,550.00
9.841-341.0	KM 150/500 R Bp 2SB, STL	\$ 76,290.00
9.841-342.0	KM 150/500 R Bp 2SB, Overhead Guard, STL	\$ 77,660.00
9.841-343.0	KM 150/500 R Bp 2SB, Overhead Guard, Front/Rear Lights, STL	\$ 79,130.00
9.841-344.0	KM 150/500 R Bp, STL, High-Efficiency Charger	\$ 74,600.00
9.841-345.0	KM 150/500 R Bp, Overhead Guard, STL, High-Efficiency Charger	\$ 75,960.00
9.841-346.0	KM 150/500 R Bp, Overhead Guard, Front/Rear Lights, STL, High-Efficiency Charger	\$ 77,440.00
9.841-347.0	KM 150/500 R Bp 2SB, STL, High-Efficiency Charger	\$ 77,170.00
9.841-348.0	KM 150/500 R Bp 2SB, Overhead Guard, STL, High-Efficiency Charger	\$ 78,540.00
9.841-349.0	KM 150/500 R Bp 2SB, Overhead Guard, Front/Rear Lights, STL, High-Efficiency Charger	\$ 80,010.00
9.841-404.0	KM 150/500 R Lpg Base Machine w/1SB, warning beacon	\$ 53,370.00
9.841-408.0	KM 150/500 R Lpg Base Machine w/1SB, warning beacon + overhead guard	\$ 55,060.00
9.841-409.0	KM 150/500 R Lpg Base Machine w/1SB, warning beacon, overhead guard + working lights	\$ 56,450.00
9.841-405.0	KM 150/500 R Lpg Base Machine w/2SB, warning beacon	\$ 56,090.00
9.841-406.0	KM 150/500 R Lpg Base Machine w/2SB, warning beacon + overhead guard	\$ 57,770.00
9.841-407.0	KM 150/500 R Lpg Base Machine w/2SB, warning beacon, overhead guard + working lights	\$ 59,170.00

KM 150/500 R BP OR LPG ACCESSORIES

Equipment																		
STL (Steel Case Battery)	■	■	■	■	■	■	■	■	■	■	■	■						
Overhead Guard	□	■	■	□	■	■	□	■	■	□	■	■	□	■	■			
Front/Rear Lights	□	■	■	□	□	■	□	□	■	□	□	■	□	□	■			
Standard Charger	■	■	■	□	□	□	■	■	■	□	□	□						
High-Efficiency Charger	□	□	□	■	■	■	□	□	□	■	■	■						
Warning Beacon	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Rear Back-up Alarm	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Steel Hopper	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
Order No.	9.841-338.0	9.841-339.0	9.841-340.0	9.841-344.0	9.841-345.0	9.841-346.0	9.841-341.0	9.841-342.0	9.841-343.0	9.841-347.0	9.841-348.0	9.841-349.0	9.841-404.0	9.841-408.0	9.841-409.0	9.841-405.0	9.841-406.0	9.841-407.0

■ Included in delivery. □ Available accessories.

ACCESSORIES

Order No.	Description	List Price
■ 6.987-085.0	Main Roller Brush, regular, 47" (1200 mm) - standard for Bp machine	\$ 446.00
■ 6.987-083.0	Side Brush, regular	\$ 210.00
■ 4.515-329.0	Front Wheel, solid rubber, puncture-proof (set of 2)	\$ 1,665.00
■ 6.988-159.0	Flat pleat filter, green, standard (set of 2)	\$ 698.00
■ 8.636-896.0	Battery, 24V, 721 Ah Steel Case (2 required)	\$ 6,930.00
■ 8.637-291.0	Battery charger, 48V, standard	\$ 6,265.00
■ 8.637-293.0	Battery charger, 48V, High-Efficiency (required in Calif. & Oregon)	\$ 7,455.00
□ 6.987-436.0	Main Roller Brush, hard, 47" (1200 mm)	\$ 845.00
□ 6.987-437.0	Main Roller Brush, soft, natural 47" (1200 mm)	\$ 714.00
□ 6.905-773.0	Side Brush, hard	\$ 257.00
□ 6.905-620.0	Side Brush, soft	\$ 284.00
□ 6.905-619.0	Side Brush, hard steel bristles	\$ 336.00
□ 8.638-989.0	Left Side Broom kit; This is a factory installed option only.	\$ 4,490.00
□ 8.638-975.0	Water spray dust control system. This is a factory installed option only. For LPG machine only, 2 side brushes	\$ 3,545.00
□ 6.987-177.0	Flat pleat filter, white (set of 2)	\$ 698.00
□ 8.636-953.0	Front/Rear Light kit. This is a factory installed option only.	\$ 1,840.00
□ 8.638-990.0	Overhead Guard. This is a factory installed option only.	\$ 2,235.00
□ 8.638-991.0	Overhead Guard w/windscreen & wiper; This is a factory installed option only.	\$ 8,820.00
□ 6.373-014.0	Comfort Seat	\$ 851.00
□ 8.638-992.0	Dust control cover for (1) side brush. This is a factory installed option only.	\$ 1,370.00
□ 8.637-011.0	Seat Belt	\$ 242.00
□ 2.851-287.0	Dust control cover for field install, one side brush	\$ 1,160.00
□ 6.981-057.0	HEPA filter, 2 required	\$ 600.00

■ Included □ Optional