

# EnerVis RM

# **SECTION 1. IDENTIFICATION**

Product Identifier	EnerVis RM
Other Means of Identification	Dimmer / Trimmer
Recommended Use	Drilling Fluid Additive.
Manufacturer / Supplier	AES Drilling Fluids, LLC, 11767 Katy Freeway, Suite 230, Houston, TX, 77079, Sales & Information, 281-556-5628
Emergency Phone No. Date of Preparation	CHEMTREC, 1-800-424-9300, 24-hour Emergency March 05, 2015

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Acute toxicity (Oral) - Category 5; Acute toxicity (Dermal) - Category 4; Skin corrosion/irritation - Category 2; Specific target organ toxicity (single exposure) - Category 3; Aspiration hazard - Category 2

#### **GHS Label Elements**



× .	$\mathbf{v}$
Signal Word:	
Warning	
Hazard Stateme	ent(s):
H305	May be harmful if swallowed and enters airways.
H333	May be harmful if inhaled.
H312	Harmful in contact with skin.
H336	May cause drowsiness or dizziness.
Precautionary S	Statement(s):
Prevention:	
P260	Do not breathe vapours, mist, spray.
P264	Wash hands and skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing.
P301 + P310	
P304 + P340	
P310	Immediately call a POISON CENTRE/doctor.
P302 + P352	
	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
•	Continue rinsing.
P315	Get immediate medical advice/attention.
Storage:	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no hazardous ingredients. Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Mixture of Fatty acids, tall oil	61790-12-3	Trade Secret	
Trade Secret	CBI*	Trade Secret	

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

CBI = Confidential Business Information.

# SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

#### Inhalation

Remove source of contaminant or move to fresh air. Get medical advice/attention if irritation develops. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Immediately call a Poison Centre or doctor.

#### Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Seek medical advice/attention.

#### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek medical advice/attention.

#### Ingestion

Immediately call a Poison Centre or doctor. Rinse mouth with water. Do not induce vomiting. If vomiting occurs, have victim lean forward to reduce the risk of aspiration.

### **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water, Carbon Dioxide, Foam, Dry chemical.

#### Specific Hazards Arising from the Chemical

Product can ignite if strongly heated and exposed to open flames.

Oxides of carbon.

#### Special Protective Equipment and Precautions for Fire-fighters

Use water spray to cool containers/tanks.

When fighting chemical fires, emergency responders should wear NIOSH approved self contained breathing apparatus and appropriate protective clothing.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Prevent product from entering drains, soil, ditches, sewers, waterways and/or groundwater.

#### Methods and Materials for Containment and Cleaning Up

Eliminate all ignition sources. Dike spilled product to prevent runoff. Do not use absorbents. Contain spill using noncombustible material such as vermiculite, earth or sand. Place used absorbent into suitable, covered, labelled containers for disposal. Store recovered product or absorbent material in suitable containers for disposal according to

#### local regulations. Other Information

Contact EH&S regarding spill as spills of certain products and certain quantities may require reporting to various authorities.

# **SECTION 7. HANDLING AND STORAGE**

#### Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do not ingest product. Do not eat, drink or smoke in areas where product is handled. Employees should wash hands after working with product and before going on breaks outside of the work area. Avoid generating vapours or mists. Keep containers tightly closed when not in use or empty. Keep away from heat and open flames. See Section 8 for appropriate Personal Protective Equipment (PPE).

#### **Conditions for Safe Storage**

Store in an area that is: cool, dry, well-ventilated. Away from open flames, excessive heat or sources of ignition. Separate from incompatible materials keep containers tightly closed when not in use.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH	ACGIH® TLV®		OSHA PEL		AIHA® WEEL™	
Chemical Name	TWA	STEL [C]	TWA	Ceiling	8-hr TWA	Short-term TWA [C]	
Mixture of Fatty acids, tall oil	Not established		Not established		Not established		
Trade Secret	5 mg/m3		Not established		Not established		

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. STEL = Short-term Exposure Limit. C = Ceiling limit. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. AIHA® = AIHA® Guideline Foundation. WEEL<sup>™</sup> = Workplace Environmental Exposure Limit. OEL values are for Oil Mist. There is no established TLV or OEL's for petroleum distillates.

#### **Appropriate Engineering Controls**

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. A suitable eyewash station should be within acceptable distance to the work area.

#### **Individual Protection Measures**

#### Eye/Face Protection

Wear safety glasses and if contact is possible wear chemical safety goggles.

#### **Skin Protection**

Wear gloves with appropriate chemical resistance, see manufacturers specifications for suitability. Wear long sleeves, long pants and appropriate footwear while working with product. If a splashing hazard exists wear chemical protective clothing e.g. gloves that extend up arms, aprons, boots.

#### **Respiratory Protection**

If conditions exist above the OEL wear a NIOSH approved respirator with an appropriate cartridge.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Basic Physical and Chemical Properties			
Appearance	Brown liquid.		
Odour	Not available		
рН	Not available		
Melting Point/Freezing Point	Not available (melting); Not available (freezing)		
Initial Boiling Point/Range	Not available		

Flash Point	238 ºF (114 ºC)
Evaporation Rate	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	0.92
Solubility	Insoluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Other Information Physical State	Liquid

# SECTION 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None expected under normal conditions of storage and use.

#### Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources.

#### **Incompatible Materials**

Strong oxidizing agents (e.g. perchloric acid).

#### Hazardous Decomposition Products

Carbon oxides.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

#### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Mixture of Fatty acids, tall oil	Not available	> 10000 mg/kg (rat)	Not available
Trade Secret	Not available	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)

#### Skin Corrosion/Irritation

May cause skin irritation.

#### Serious Eye Damage/Irritation

May cause eye irritation. Symptoms include pain, redness and tearing.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause irritation of the mucous membranes and upper respiratory tract. May cause depression of the central nervous system.

#### **Skin Absorption**

No information was located.

### Ingestion

May cause irritation of the mouth, throat and stomach. May cause. nausea, vomiting, diarrhea, depression of the central nervous system.

### **Aspiration Hazard**

Liquid may be aspirated into the lungs during ingestion or vomiting resulting in lung injury.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No known significant effects.

#### Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not known to be a skin sensitizer.

#### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Mixture of Fatty acids, tall oil	Not Listed	Not Listed	Not Listed	Not Listed
Trade Secret	Not Listed	Not Listed	Not Listed	Not Listed

No information was located.

Mouse skin painting studies have shown that highly refined petroleum base oils similar to the ingredients in this product have not caused skin tumors.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. IARC = International Agency for Research on Cancer. NTP = National Toxicology Program. OSHA = US Occupational Safety and Health Administration.

#### **Reproductive Toxicity**

#### **Development of Offspring**

No information was located.

**Sexual Function and Fertility** 

No information was located.

#### **Germ Cell Mutagenicity**

No information was located.

# **SECTION 12. ECOLOGICAL INFORMATION**

Do not allow product to contaminate domestic or irrigation water supplies, lakes, streams, ponds or rivers.

#### Toxicity

No information was located.

#### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Mixture of Fatty acids, tall oil	Not available	Not available	Not available	Not available
Trade Secret	2.9 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	Not available	Not available	Not available

### Persistence and Degradability

No information was located.

#### **Bioaccumulative Potential**

No information was located.

#### **Mobility in Soil**

No information was located.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose of in accordance with all local, state and federal regulations. Not classified as RCRA Hazardous. RCRA WASTE NUMBER: Not Applicable.

### **SECTION 14. TRANSPORT INFORMATION**

Not regulated under US DOT Regulations.

# **SECTION 15. REGULATORY INFORMATION**

# Safety, Health and Environmental Regulations

USA

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

#### Additional USA Regulatory Lists

CERCLA: Product does not contain any chemicals subject to the reporting requirement of CERCLA. SARA Title III - Section 302: No listed components. SARA Title III - Section 311/312: Immediate Health Hazard SARA Title III - Section 313: No chemicals are reportable under Section 313.

# SECTION 16. OTHER INFORMATION

NFPA Rating SDS Prepared By	Health - 2 Flammability - 1 Instability - 0 AES Drilling Fluids
Phone No.	281-556-5628
Date of Preparation	March 05, 2015
Disclaimer	Do not handle or use until precautions on MSDS are read and understood. The information on this form is furnished solely for the purpose of enabling those who transport, handle or use our products to ensure the safety and health of their employees and to comply with various laws and regulations (federal, state and local). We believe the statements, technical information and recommendations contained herein are reliable but, they are given without warranty or guarantee of any kind, express or implied and we assume no responsibility for any loss, damage, direct or consequential, arising out of their use.

