

Enviro-Syn® HCR-7000-WL

Date of Preparation: August 23, 2019

Section 1: IDENTIFICATION

Product Name:

Enviro-Syn® HCR-7000-WL

Synonyms:

Modified Acid™.

Product Use:

Acid Replacement.

Restrictions on Use:

Not available.

Manufacturer/Supplier:

Fluid USA Inc.

1209 Orange Street

Wilmington, Delaware 19801

Phone Number:

+1 (403) 463-5843

Emergency Phone:

Chemtrec (US & Canada) 1-800-424-9300

Chemtrec (outside the US & Canada) 1-703-537-3887

Date of Preparation of SDS:

August 23, 2019

Section 2: HAZARD(S) IDENTIFICATION

GHS INFORMATION

Classification:

Corrosive to Metals, Category 1 Acute Toxicity - Oral, Category 4 Acute Toxicity - Inhalation, Category 4

Eye Irritation, Category 2A

LABEL ELEMENTS

Hazard

Pictogram(s):

1

Signal Word:

Warning

Hazard

May be corrosive to metals.

Statements:

Harmful if swallowed.

Harmful if inhaled.

Causes serious eye irritation.

Precautionary Statements

Prevention:

Keep only in original packaging.

Avoid breathing mist, vapours, or spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing and eye protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor if you feel unwell.



Date of Preparation: August 23, 2019

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Absorb spillage to prevent material damage.

Storage: Store in corrosive resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with applicable regional, national

and local laws and regulations.

Hazards Not Otherwise Classified:

Not applicable.

Ingredients with Unknown Toxicity:

None.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s) Proprietary Proprietary	Common name / Synonyms	CAS No.	% wt./wt.
	Not available.	Proprietary	10 - 20
	Not available.	Proprietary	5 - 10

The specific chemical identity and concentration have been withheld as a trade secret.

Section 4: FIRST-AID MEASURES

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: Harmful if inhaled. May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal

discharge, headache, hoarseness, and nose and throat pain.

Eye Contact:

If in eyes: Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred

or hazy vision.

Skin Contact:

If on skin: Wash with plenty of water. Call a poison center or doctor if you

feel unwell.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion:

If swallowed: Rinse mouth. Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: Harmful if swallowed. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.



Enviro-Syn® HCR-7000-WL

Date of Preparation: August 23, 2019

General Advice:

In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible).

Note to Physicians:

Symptoms may not appear immediately.

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated.

If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

Fire involving Tanks or Car/Trailer Loads: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside containers. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire.

Sensitivity to Mechanical Impact:

This material is not sensitive to mechanical impact.

Sensitivity to Static Discharge:

This material is sensitive to static discharge at temperatures

at or above the flash point.

MEANS OF EXTINCTION
Suitable Extinguishing Media:

Small Fire: Dry chemical, CO2 or water spray.

Large Fire: Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal; do not

scatter the material.

Unsuitable Extinguishing Media:

Not available.

Products of Combustion:

Oxides of carbon. Oxides of nitrogen.

Protection of Firefighters:

Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

As an immediate precautionary measure, isolate spill or leak area

in all directions for at least 50 meters (150 feet). Keep

unauthorized personnel away. Stay upwind. Keep out of low

areas. Ventilate enclosed areas.

Personal Precautions:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection



Date of Preparation: August 23, 2019

recommended in Section 8.

Environmental Precautions: Prevent entry into waterways, sewers, basements or confined

areas.

Methods for Containment: Stop leak if you can do it without risk.

Methods for Clean-Up: Absorb spillage to prevent material damage. Absorb or cover with

dry earth, sand or other non-combustible material and transfer to

containers.

Other Information: See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Avoid breathing mist, vapours, or spray. Keep only in original packaging. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment.

Storage:

Limit quantity of material in storage. Restrict access to storage area. Post appropriate warning signs. Keep storage area separate from populated work areas. Consider leak detection and alarm systems, as required. Store locked up. Store in corrosive resistant container with a resistant inner liner. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

No TLV or PEL established for the components of this product.

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels

of dust, fume, vapour, gas, etc.) below recommended

exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection: Wear chemical safety goggles. Ensure that eyewash

stations are close to the workstation location. Use equipment for eye protection that meets the standards referenced by OSHA regulations in 29 CFR 1910.133 for Personal

Protective Equipment.



Enviro-Syn® HCR-7000-WL

Date of Preparation: August 23, 2019

Hand Protection:

Wear protective gloves. Consult manufacturer specifications

for further information

Skin and Body Protection:

Wear protective clothing.

Respiratory Protection:

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-11, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations

exceed the limits of the air-purifying respirators.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to

ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Yellow liquid.

Colour:

Yellow.

Odour:

Slight.

Odour Threshold:

Not available.

Physical State:

Liquid.

pH:

< 1

Melting Point / Freezing

Point:

Not available.

Initial Boiling Point:

Not available.

Boiling Range:

> 100 °C (212 °F)

Flash Point:

> 100 °C (212 °F)

Evaporation Rate:

Not available.

Flammability (solid, gas):

Not applicable.

Lower Flammability Limit:

Not available.

Upper Flammability Limit:

Not available.

Vapor Pressure:

Not available.

Vapor Density:

Not available.

Relative Density:

 $1.10 \, (Water = 1)$

Solubilities:

Soluble in water.

Partition Coefficient: n-

Not available.

Octanol/Water:



Date of Preparation: August 23, 2019

SAFETY DATA SHEET

Auto-ignition Temperature:

Not available.

Decomposition

Not available.

Temperature: Viscosity:

Not available.

Percent Volatile, wt. %:

Not available.

VOC content, wt. %:

Not available.

Density:

Not available.

Coefficient of Water/Oil

Not available.

Distribution:

Section 10: STABILITY AND REACTIVITY

Reactivity:

Contact with incompatible materials. Exposure to heat.

Chemical Stability:

Stable under normal storage conditions.

Possibility of Hazardous Reactions:

Modified Proprietary reacts vigorously with alkaline material. Reacts

with soft metals such as aluminum and zinc producing flammable

hydrogen gas. Corrosive to metals.

Conditions to Avoid:

Contact with incompatible materials. Exposure to heat.

Incompatible Materials:

Bases. Oxidizers. Soft metals (aluminum, magnesium, etc.).

Hazardous Decomposition Products:

Chlorine. Hydrogen.

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Oral:

Not available.

Dermal:

Not available.

Inhalation:

Not available.

Component Toxicity

Component

CAS No.

LD₅₀ oral

LD50 dermal

LC50

Proprietary

Proprietary

900 mg/kg (rabbit)

Not available.

1108 ppm (mouse); 1H

Proprietary

Proprietary

620 mg/kg (guinea pig)

1 mL/kg (rabbit)

Not available.

Likely Routes of Exposure:

Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs:

Skin. Eyes. Gastrointestinal tract. Respiratory system. Lungs.

Liver. Kidneys. Central nervous system. Teeth.

Symptoms (including delayed and immediate effects)

Inhalation: Harmful if inhaled. May cause respiratory irritation. Signs/symptoms may include

cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat

pain.



Enviro-Syn® HCR-7000-WL

Date of Preparation: August 23, 2019

Eye:

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain,

tearing, and blurred or hazy vision.

Skin:

May cause skin irritation. Signs/symptoms may include localized redness, swelling,

and itching.

Ingestion:

Harmful if swallowed. May cause gastrointestinal irritation. Signs/symptoms may

include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization:

Not available

Respiratory Sensitization:

Not available

Medical Conditions

Not available.

Aggravated By Exposure:

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs:

Skin. Eyes. Gastrointestinal tract. Respiratory system. Lungs. Liver.

Kidneys. Central nervous system. Teeth.

Chronic Effects:

Prolonged or repeated contact may dry skin and cause irritation.

Prolonged exposure to Proprietary may cause conjunctivitis,

photosensitization, and possible blindness, and may have effects on

the lungs, resulting in chronic bronchitis.

Carcinogenicity:

Product is not classified as a carcinogen. See Component

Carcinogenicity table below for information on individual components.

Component Carcinogenicity

Component

ACGIH

IARC

OSHA

Prop 65

Proprietary

A4

Group 3

Not listed.

Not listed.

Not listed.

Mutagenicity:

Not available.

Reproductive Effects:

Not available.

Developmental Effects

Teratogenicity:

Not available.

Embryotoxicity:

Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Not available.

Persistence / Degradability:

Not available.

Bioaccumulation / Accumulation:

Not available.

Mobility in Environment:

Not available

Other Adverse Effects:

Not available.



Date of Preparation: August 23, 2019

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name:

Not regulated as per exemption 49CFR 173.154 (d) (2).

Class:

Not applicable.

UN Number:

Not applicable.

Packing Group:

Not applicable.

Label Code:

Not applicable.

ICAO/IATA

Proper Shipping Name:

UN1760, CORROSIVE LIQUIDS, N.O.S. (Hydrochloric acid), 8,

PG III

Class:

UN Number:

UN1760

Packing Group:

Ш

Label Code:

IMDG

Proper Shipping Name:

UN1760, CORROSIVE LIQUIDS, N.O.S. (Hydrochloric acid), 8,

PG III

Class:

8

UN Number:

UN1760

Packing Group:

Ш

Label Code:

Section 15: REGULATORY INFORMATION

Chemical Inventories

US (TSCA)

The components of this product are in compliance with the chemical notification requirements of TSCA.



Enviro-Syn® HCR-7000-WL

Date of Preparation: August 23, 2019

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III	Section	Section	CERCLA	Section	RCRA	CAA
Component	302 (EHS)	304 EHS	RQ (lbs.)	313	CODE	112(r) TQ
Proprietary	TPQ (lbs.) 500	RQ (lbs.) 5000	5000	313	Not listed.	(lbs.) 5000

State Regulations Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of

Massachusetts Regulations Section 670.000)

ComponentCAS No.RTK ListProprietaryProprietaryEProprietaryProprietaryListed.

Note: E = Extraordinarily Hazardous Substance

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

ComponentCAS No.RTK ListProprietaryProprietarySHHSProprietaryProprietarySHHS

Note: SHHS = Special Health Hazard Substance

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

ComponentCAS No.RTK ListProprietaryProprietaryEProprietaryProprietaryListed.

Note: E = Environmental Hazard

California

California Prop 65: This product does not contain chemicals known to the State of California

to cause cancer, birth defects or other reproductive harm.



Date of Preparation: August 23, 2019

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS: August 23, 2019

1.5 Version:

Deerfoot Consulting Inc. GHS SDS Prepared by:

Phone: (403) 720-3700