

# TruVis

# **SECTION 1. IDENTIFICATION**

| Product Identifier                         | TruVis   |
|--|--|
| Other Means of<br>Identification           | Organic Clay / Quaternary Ammonium Bentonite   |
| Recommended Use                            | Drilling Fluid Additive.   |
| Manufacturer /<br>Supplier                 | AES Drilling Fluids, LLC, 11767 Katy Freeway, Suite 230, Houston, TX, 77079, Sales & Information, 281-556-5628 |
| Emergency Phone No.<br>Date of Preparation | CHEMTREC, 1-800-424-9300, 24-hour Emergency<br>April 13, 2015  |

# **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Acute toxicity (Oral) - Category 4; Carcinogenicity - Category 1A; Specific target organ toxicity (repeated exposure) - Category 1 OSHA Defined Hazards: Combustible dust

## **GHS Label Elements**



| $\sim$          | $\mathbf{v}$  |
|-----------------|---|
| Signal Word:    |   |
| Danger          |   |
| Hazard Statem   | ent(s):   |
| H302 + H332     | Harmful if swallowed or if inhaled.   |
| H320            | Causes eye irritation.  |
| H372            | Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.                  |
| H350            | May cause cancer.   |
| May form comb   | oustible dust concentrations in air   |
| Precautionary S | Statement(s):   |
| Prevention:     |   |
| P202            | Do not handle until all safety precautions have been read and understood.                           |
| P260            | Do not breathe dust.  |
| P264            | Wash hands thoroughly after handling.   |
| P280            | Wear protective gloves/protective clothing/eye protection/face protection.                          |
| Response:       |   |
| P301 + P312     | IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.                                       |
|                 | P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present |
| and easy to do. | Continue rinsing.   |
| P337 + P313     | If eye irritation persists: Get medical advice/attention.   |
| P304 + P340     | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                          |
| P308 + P313     | IF exposed or concerned: Get medical advice/attention.  |
| Storage:        |   |
| P403 + P233     | Store in a well-ventilated place. Keep container tightly closed.                                    |
|                 |   |

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Mixture:

| Chemical Name  | CAS No.    | %     | Other Identifiers |
|----------------|------------|-------|-------------------|
| Treated Clay   | CBI*       | 97.5  |                   |
| Silica, quartz | 14808-60-7 | < 2.5 |                   |

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

CBI = Confidential Business Information.

# **SECTION 4. FIRST-AID MEASURES**

#### First-aid Measures

#### Inhalation

Remove source of contaminant or move to fresh air. Get medical advice/attention if irritation develops.

#### Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap. If irritation persists, get medical advice/attention.

#### Eye Contact

Flush eyes thoroughly with lukewarm water for 15 minutes. If eye irritation persists, get medical advice/attention.

#### Ingestion

Rinse mouth with water. Seek medical advice.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water, Carbon Dioxide, Foam, Dry chemical.

## Specific Hazards Arising from the Chemical

Does not burn.

In a fire, the following hazardous materials may be generated: oxides of carbon.

## **Special Protective Equipment and Precautions for Fire-fighters**

Dust explosion hazard. Use water spray or fog to prevent dust formation and minimize risk of explosion. When fighting chemical fires, emergency responders should wear NIOSH approved self contained breathing apparatus and appropriate protective clothing.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Avoid dust formation.

#### **Environmental Precautions**

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

## Methods and Materials for Containment and Cleaning Up

Eliminate all ignition sources. Vacuum or sweep product up, try to minimize dust build-up. Wet sweeping may be used to minimize dust build-up. Store recovered product in suitable containers that are: tightly-covered. Containerize for solid waste disposal. Aqueous solutions or powders that become wet render surfaces extremely slippery.

# SECTION 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Only use

where there is adequate ventilation. Avoid creating excessive dust while handling the product. See Section 8 for appropriate Personal Protective Equipment (PPE). Eliminate ignition sources in dusty conditions. If spilled, take caution, as material can cause surfaces to become very slippery.

## **Conditions for Safe Storage**

Store in an area that is: dry, well-ventilated. Keep containers tightly closed when not in use. Use good housekeeping to prevent accumulation of dust. Eliminate nearby ignition sources.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

|                | ACGIH®             | TLV®     | OSHA PEL           |         | AIHA® WEEL™        |                       |
|----------------|--------------------|----------|--------------------|---------|--------------------|-----------------------|
| Chemical Name  | TWA                | STEL [C] | TWA                | Ceiling | 8-hr TWA           | Short-term<br>TWA [C] |
| Silica, quartz | 0.025 mg/m3<br>A2  |          | 0.1 mg/m3          |         | Not<br>established |                       |
| Treated Clay   | Not<br>established |          | Not<br>established |         | Not<br>established |                       |

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. AIHA® = AIHA® Guideline Foundation. WEEL<sup>™</sup> = Workplace Environmental Exposure Limit.

#### **Appropriate Engineering Controls**

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. While working with this product an eyewash should be within acceptable distance to the work area.

#### Individual Protection Measures

#### **Eye/Face Protection**

Wear chemical safety goggles. Use goggles or face shield when there is risk of eye contact or visible dust produced.

#### **Skin Protection**

Work gloves. Wear long sleeves, long pants and appropriate footwear while working with product.

#### **Respiratory Protection**

If conditions of use promote large amounts of dust to gather in the work area, wear NIOSH approved dust mask or respirator.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## **Basic Physical and Chemical Properties**

| ···· · · · · · · · · · · · · · · · · ·         |   |
|--|---|
| Appearance                                     | Tan powder.   |
| Odour  | Faint   |
| рН   | Not available                                       |
| Melting Point/Freezing Point                   | Not applicable (melting); Not applicable (freezing) |
| Initial Boiling Point/Range                    | Not available                                       |
| Flash Point                                    | Not available                                       |
| Evaporation Rate                               | Not available                                       |
| Flammability (solid, gas)                      | Not available                                       |
| Upper/Lower Flammability or<br>Explosive Limit | Not available (upper); Not available (lower)        |
| Vapour Pressure                                | Not available                                       |
| Vapour Density (air = 1)                       | Not available                                       |
| Relative Density (water = 1)                   | 1.6   |
| Solubility                                     | Insoluble in water                                  |
| Auto-ignition Temperature                      | Not available                                       |
|  |   |

# SECTION 10. STABILITY AND REACTIVITY

Reactivity
Not reactive.
Chemical Stability
Stable under normal conditions.
Possibility of Hazardous Reactions
None expected under normal conditions of storage and use.
Conditions to Avoid
Generation of dust.
Incompatible Materials
None known.
Hazardous Decomposition Products
Oxides of carbon.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Likely Routes of Exposure

Inhalation; eye contact; skin contact; ingestion.

#### Acute Toxicity

| Chemical Name  | LC50          | LD50 (oral)     | LD50 (dermal) |
|----------------|---------------|-----------------|---------------|
| Silica, quartz | Not available | 500 mg/kg (rat) | Not available |
| Treated Clay   | Not available | Not available   | Not available |

#### **Skin Corrosion/Irritation**

Irritating to skin, prolonged contact can de fat the skin and cause dermatitis.

#### Serious Eye Damage/Irritation

May cause mechanical irritation to eyes.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause irritation of the mucous membranes and upper respiratory tract. May aggravate asthma.

#### **Skin Absorption**

Not harmful.

#### Ingestion

May be harmful if ingested may cause. irritation of the gastrointestinal tract, nausea, vomiting, diarrhea.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

This product may contain trace amounts of crystalline silica (quartz). Long term exposure to respirable crystalline silica dust over the TLV may lead to the development of silicosis or other respiratory problems. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness and reduced pulmonary function. May cause chronic bronchitis (inflammation of the airways leading to the lungs).

#### **Respiratory and/or Skin Sensitization**

Not a respiratory sensitizer. Not a skin sensitizer.

#### Carcinogenicity

| Chemical Name  | IARC    | ACGIH® | NTP              | OSHA       |
|----------------|---------|--------|------------------|------------|
| Silica, quartz | Group 1 | A2     | Known carcinogen | Not Listed |

| Treated Clay | Not Listed | Not Listed | Not Listed | Not Listed |
|--------------|------------|------------|------------|------------|
|--------------|------------|------------|------------|------------|

This product contains free silica which the International Agency for Research on Cancer (IARC) has listed as causing cancer in humans.

#### Key to Abbreviations

IARC = International Agency for Research on Cancer. Group 1 = Carcinogenic to humans. ACGIH® = American Conference of Governmental Industrial Hygienists. A2 = Suspected human carcinogen. NTP = National Toxicology Program. OSHA = US Occupational Safety and Health Administration.

#### **Reproductive Toxicity**

## **Development of Offspring**

Not known to harm the unborn child.

#### Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

#### **Germ Cell Mutagenicity**

Not known to be a mutagen.

## Interactive Effects

Smoking and being exposed to free silica may cause a greater risk of developing certain pulmonary illnesses.

## SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

#### Toxicity

No information was located.

#### Acute Aquatic Toxicity

| Chemical Name  | LC50 Fish     | EC50 Crustacea | ErC50 Aquatic<br>Plants | ErC50 Algae   |
|----------------|---------------|----------------|-------------------------|---------------|
| Silica, quartz | Not available | Not available  | Not available           | Not available |
| Treated Clay   | Not available | Not available  | Not available           | Not available |

## Persistence and Degradability

No information was located.

## **Bioaccumulative Potential**

#### No information was located.

#### **Mobility in Soil**

No information was located.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose of in accordance with all local, state and federal regulations. Not classified as RCRA Hazardous. RCRA WASTE NUMBER: Not Applicable.

## SECTION 14. TRANSPORT INFORMATION

Not regulated under US DOT Regulations.

# **SECTION 15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations

#### USA

## Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

## Additional USA Regulatory Lists

CERCLA: Product does not contain any chemicals subject to the reporting requirement of CERCLA. SARA Title III - Section 302: No listed components. SARA Title III - Section 311/312: Immediate Health Hazard Chronic Health Hazard. SARA Title III - Section 313: No chemicals are reportable under Section 313.

# **SECTION 16. OTHER INFORMATION**

| NFPA Rating         | Health - 1 Flammability - 1 Instability - 0   |
|---------------------|---|
| SDS Prepared By     | AES Drilling Fluids   |
| Phone No.           | 281-556-5628  |
| Date of Preparation | April 13, 2015  |
| Disclaimer          | Do not handle or use until precautions on MSDS are read and understood. The information on this form is furnished solely for the purpose of enabling those who transport, handle or use our products to ensure the safety and health of their employees and to comply with various laws and regulations (federal, state and local). We believe the statements, technical information and recommendations contained herein are reliable but, they are given without warranty or guarantee of any kind, express or implied and we assume no responsibility for any loss, damage, direct or consequential, arising out of their use. |

