

## WAXTREAT 15930

Page 1

Substance key: 000000741821  
Version : 1 - 2 / USA

Revision Date: 03/26/2020  
Date of printing :04/15/2021

## SECTION 1. IDENTIFICATION

<b>Identification of the company:</b>	Clariant Corporation 4000 Monroe Road Charlotte, NC, 28205 Telephone No.: +1 704-331-7000
<b>Information of the substance/preparation:</b>	BU Oil & Mining Services Product Stewardship +1-704-331-7710
<b>Emergency tel. number:</b>	+1 800-424-9300(CHEMTREC)

**Trade name:** WAXTREAT 15930  
**Material number:** 308736

**Primary product use:** Industrial use  
**Chemical family:** paraffin inhibitor

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids : Category 3  
Acute toxicity (Dermal) : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)  
Specific target organ toxicity - repeated exposure : Category 2 (hearing organs, Kidney, Liver, Central nervous system)  
Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.

---

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

---

H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs (hearing organs, Kidney, Liver, Central nervous system) through prolonged or repeated exposure.

## Precautionary statements

:

**Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## WAXTREAT 15930

Page 3

Substance key: 000000741821  
Version : 1 - 2 / USA

Revision Date: 03/26/2020  
Date of printing :04/15/2021

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Xylene	1330-20-7	70 - 90
Ethylbenzene	100-41-4	5 - 10
hydrocarbon mixture rich in aromatics	64742-95-6	1 - 5
Alkyl Amido Amine	Not Assigned	1 - 5
Cumene	98-82-8	0.1 - 1

**SECTION 4. FIRST AID MEASURES**

- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : Get medical attention immediately.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water mist  
Alcohol-resistant foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Cool containers/tanks with water spray.
- Unsuitable extinguishing : High volume water jet

## WAXTREAT 15930

Page 4

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

media

- Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)
- Further information : Wear positive pressure self-contained breathing apparatus and full protective gear. Do not direct a solid stream of water or foam into hot burning pools; this may spread fire, cause frothing, and increase fire intensity. Containers can build up pressure if exposed to heat and/or fire. Vapors may form an explosive mixture with air. Vapors may travel to source of ignition and flash back. Use water spray to keep containers cool.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all spark producing devices or ignition sources. Wear proper personnel protective equipment. Using non-sparking tools collect as a liquid for recycling/disposal or absorb onto a suitable absorbant and secure in a suitable container. Collect any contaminated soils or cleaning waste in a suitable container for proper disposal.  
Absorbent materials such as dry sand, absorbent booms, and vermiculite may be used to keep material from entering drains, sewers, or streams.
- Methods and materials for containment and cleaning up : Take measures to prevent the build up of electrostatic charge.  
Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Keep away from sources of ignition - No smoking.  
Keep tightly closed in a dry, cool and well-ventilated place.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  
Wash thoroughly after handling.  
Incompatible with oxidizing agents.
- Further information on storage conditions : Store in original container.  
Keep container tightly closed.

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Xylene	1330-20-7	STEL	150 ppm 655 mg/m <sup>3</sup>	OSHA P0
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
Ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	NIOSH REL
		ST	125 ppm 545 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
hydrocarbon mixture rich in aromatics	64742-95-6	TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
		STEL	125 ppm 545 mg/m <sup>3</sup>	OSHA P0
		TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
Cumene	98-82-8	TWA	50 ppm	ACGIH
		TWA	50 ppm 245 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 245 mg/m <sup>3</sup>	OSHA Z-1
		TWA	50 ppm 245 mg/m <sup>3</sup>	OSHA P0

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15 g/g creatinine	ACGIH BEI
Xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure)	1.5 g/g creatinine	ACGIH BEI

## WAXTREAT 15930

Page 6

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

				ceases)		
--	--	--	--	---------	--	--

**Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

**Personal protective equipment**

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Hand protection

Material : Silver Shield(R) gloves

Remarks : Viton® PVA gloves or gauntlets

Eye protection : Wear safety glasses with side shields, chemical splash goggles, and /or full face shield to prevent contact with eyes.

Skin and body protection : Flame retardant protective clothing

Protective measures : Observe the usual precautions for handling chemicals.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.  
Ensure that eyewash stations and safety showers are close to the workstation location.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : hydrocarbon-like

Odour Threshold : no data available

pH : Not applicable

Melting point : < 73 °F / < 23 °C

Boiling point : > 280 °F / > 138 °C

Flash point : 73 - 140 °F / 23 - 60 °C

Evaporation rate : no data available

## WAXTREAT 15930

Page 7

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Self-ignition	:	810 °F / 432 °C
Burning number	:	no data available
Upper explosion limit / upper flammability limit	:	7 %(V) Data relate to solvent
Lower explosion limit / Lower flammability limit	:	1 %(V) Data relate to solvent
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	0.85 - 0.89 g/cm3 (59 °F / 15 °C)
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	no data available
Decomposition temperature	:	no data available
Viscosity	:	
Viscosity, dynamic	:	< 10 mPa.s
Viscosity, kinematic	:	no data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	Stable under recommended storage conditions.
Conditions to avoid	:	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	:	Oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## WAXTREAT 15930

Page 8

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact  
Ingestion

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 27.62 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1,398 mg/kg  
Method: Calculation method

**Components:****Xylene:**

Acute oral toxicity : LD50 (Rat, male and female): 3523 - > 4000 mg/kg  
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)  
GLP: no

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): 27.571 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Directive 67/548/EEC, Annex V, B.2.  
GLP: No information available.  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Other (Rabbit, male): > 4,200 mg/kg  
Method: Other  
GLP: No information available.

Assessment: The component/mixture is moderately toxic after single contact with skin.

**Ethylbenzene:**

Acute oral toxicity : LD50 (Rat, male and female): ca. 3,500 mg/kg  
Method: Other  
GLP: no



## WAXTREAT 15930

Page 9

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

**hydrocarbon mixture rich in aromatics:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Remarks: By analogy with a product of similar composition

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: By analogy with a product of similar composition

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: By analogy with a product of similar composition

**Alkyl Amido Amine:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

**Skin corrosion/irritation****Components:****Xylene:**

Species: Rabbit  
Method: Other  
Result: Irritating to skin.  
GLP: No information available.

**Ethylbenzene:**

Species: Rabbit  
Method: Other  
Result: slight irritation  
GLP: no

## WAXTREAT 15930

Page 10

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

**hydrocarbon mixture rich in aromatics:**

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: non-irritant

GLP: yes

Remarks: By analogy with a product of similar composition

**Alkyl Amido Amine:**

Result: Irritating to skin.

**Serious eye damage/eye irritation****Components:****Xylene:**

Species: rabbit eye

Result: Irritating to eyes.

Method: Other

GLP: No information available.

**Ethylbenzene:**

Species: rabbit eye

Result: slight irritation

Method: Other

GLP: no

**hydrocarbon mixture rich in aromatics:**

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Remarks: By analogy with a product of similar composition

**Alkyl Amido Amine:**

Result: Irritating to eyes.

**Respiratory or skin sensitisation****Components:****Xylene:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: No information available.

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

**Ethylbenzene:**

Remarks: not required

**hydrocarbon mixture rich in aromatics:**

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

GLP: yes

Remarks: By analogy with a product of similar composition

**Germ cell mutagenicity****Components:****Xylene:**

- Genotoxicity in vitro : Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Concentration: 5 - 50 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: Other  
Result: negative  
GLP: No information available.
- Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Concentration: 15,1 - 100,5 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: Directive 84/449/EEC, B.10  
Result: negative  
GLP: No information available.
- Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse (male and female)  
Strain: Other  
Application Route: Subcutaneous  
Exposure time: single injection  
Dose: 1 ml/kg  
Method: OECD Test Guideline 478  
Result: negative  
GLP: no
- Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

**Ethylbenzene:**

- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Concentration: 75 - 125 µg/ml  
Metabolic activation: with and without metabolic activation

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Method: OECD Test Guideline 473

Result: negative

GLP: no

Test Type: In vitro gene mutation study in mammalian cells

Test system: mouse lymphoma cells

Concentration: 4,2 - 1060 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Genotoxicity in vivo

: Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: NMRI  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: 24 - 48 h  
Dose: 187,5-375-750 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Test Type: unscheduled DNA synthesis assay

Species: Mouse (male and female)

Strain: B6C3F1

Application Route: Inhalation

Exposure time: 6 h

Dose: 375-500-750-1000 ppm

Method: OECD Test Guideline 486

Result: negative

GLP: yes

Germ cell mutagenicity -  
Assessment

: In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

**hydrocarbon mixture rich in aromatics:**

Genotoxicity in vitro

: Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 0,001 - 5 µl/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Test Type: In vitro gene mutation study in bacteria

Test system: mouse lymphoma cells

Concentration: 0,065 - 1,004 µl/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

## WAXTREAT 15930

Page 13

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Result: negative  
 GLP: No information available.  
 Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
 Species: Rat (male and female)  
 Strain: Sprague-Dawley  
 Cell type: Bone marrow  
 Application Route: Inhalation  
 Exposure time: 6 h/day, 5 d/week, 28 d  
 Dose: 2000-10000-20000 mg/m<sup>3</sup>  
 Method: OPPTS 870.5395  
 Result: negative  
 GLP: yes

Test Type: Micronucleus test  
 Species: Rat (male)  
 Strain: Sprague-Dawley  
 Cell type: Bone marrow  
 Application Route: Intraperitoneal injection  
 Exposure time: 1x per day, 5 d  
 Dose: 72 - 240 - 720 mg/kg  
 Method: OECD Test Guideline 475  
 Result: negative  
 GLP: No information available.  
 Test substance: other TS

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

**Carcinogenicity****Components:****Xylene:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**Ethylbenzene:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**hydrocarbon mixture rich in aromatics:**

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

**IARC**

Group 2B: Possibly carcinogenic to humans

Ethylbenzene 100-41-4

Cumene 98-82-8

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

**OSHA**

Carcinogen

Ethylbenzene 100-41-4

Cumene 98-82-8

**NTP**

Reasonably anticipated to be a human carcinogen

Cumene 98-82-8

**Reproductive toxicity****Components:****Xylene:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Inhalation  
 Dose: 25 - 100 - 500 ppm  
 Duration of Single Treatment: 6 h  
 General Toxicity - Parent: NOAEL:  $\geq$  2.171 mg/l  
 General Toxicity F1: NOAEL:  $\geq$  2.171 mg/l  
 General Toxicity F2: NOAEL:  $\geq$  2.171 mg/l  
 Method: Other  
 GLP: No information available.  
 Remarks: By analogy with a product of similar composition

Effects on foetal development : Test Type: Two-generation study  
 Species: Rat  
 Application Route: Inhalation  
 Dose: 100 - 500 - 1000 ppm  
 Developmental Toxicity: NOAEL: 342 mg/kg body weight  
 Method: OPPTS 870.3800  
 GLP: No information available.  
 Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity - Assessment : Classification as "toxic for reproduction" is not justifiable.  
 Classification as "teratogenic" is not justifiable.

**Ethylbenzene:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Strain: Sprague-Dawley  
 Application Route: Inhalation  
 Dose: 25 - 100 - 500 ppm  
 Duration of Single Treatment: 6 h  
 General Toxicity - Parent: NOAEL: 2.21 mg/l  
 General Toxicity F1: NOAEL: 2.21 mg/l  
 General Toxicity F2: NOAEL: 2.21 mg/l  
 Method: OECD Test Guideline 416

## WAXTREAT 15930

Page 15

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

GLP: yes

Effects on foetal development

: Test Type: Fertility/early embryonic development  
Species: Rat  
Strain: Sprague-Dawley  
Application Route: Inhalation  
Dose: 100-500-1000-2000 ppm  
Duration of Single Treatment: 15 d  
General Toxicity Maternal: 500  
Teratogenicity: 2,000  
Developmental Toxicity: 500  
Method: OECD Test Guideline 414  
GLP: No information available.

Reproductive toxicity - Assessment

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**hydrocarbon mixture rich in aromatics:**

Effects on fertility

: Test Type: One generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: Inhalation  
Dose: 5090-12490-24690 mg/m<sup>3</sup>  
Duration of Single Treatment: 6 h  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL: 24.7 mg/l  
General Toxicity F1: NOAEL: 24.7 mg/l  
Method: OECD Test Guideline 421  
GLP: yes  
Remarks: By analogy with a product of similar composition

Test Type: Two-generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: Inhalation  
Dose: 5000-10000-20000 mg/m<sup>3</sup>  
Duration of Single Treatment: 6 h  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL:  $\geq$  20 mg/l  
General Toxicity F1: NOAEL:  $\geq$  20 mg/l  
Method: OECD Test Guideline 416  
GLP: yes  
Remarks: By analogy with a product of similar composition

Effects on foetal development

: Test Type: Fertility/early embryonic development  
Species: Rat  
Strain: Sprague-Dawley  
Application Route: Inhalation  
Dose: 2,653 - 7,96 - 23,9 mg/l  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 6 daily

## WAXTREAT 15930

Page 16

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

General Toxicity Maternal: NOAEL: 23.9  
Developmental Toxicity: NOAEL: 23.9  
Method: OECD Test Guideline 414  
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

**STOT - single exposure****Components:****Xylene:**

Exposure routes: Inhalation

Assessment: May cause respiratory irritation.

**Ethylbenzene:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**hydrocarbon mixture rich in aromatics:**

Assessment: May cause drowsiness or dizziness.

Assessment: May cause respiratory irritation.

**Cumene:**

Assessment: May cause respiratory irritation.

**STOT - repeated exposure****Components:****Xylene:**

Target Organs: Kidney, Liver, Central nervous system

Assessment: May cause damage to organs through prolonged or repeated exposure.

**Ethylbenzene:**

Target Organs: hearing organs

Assessment: May cause damage to organs through prolonged or repeated exposure.

**hydrocarbon mixture rich in aromatics:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



---

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

---

**Repeated dose toxicity****Components:****Xylene:**

Species: Rat, male and female  
NOAEL: 250 mg/kg  
Application Route: oral (gavage)  
Exposure time: 103 w  
Number of exposures: Once daily (5 days/week).  
Dose: 250 - 500 mg/kg  
Group: yes  
Method: Other  
GLP: No information available.

Species: Rat, male and female  
NOAEL: 150 mg/kg  
LOAEL: 150 mg/kg  
Application Route: oral (gavage)  
Exposure time: 90 d  
Number of exposures: once daily  
Dose: 150 - 750 - 1500 mg/kg  
Group: yes  
Method: OECD Test Guideline 408  
GLP: No information available.

Species: Rat, male  
NOAEL:  $\geq 3.515$  mg/l  
Application Route: Inhalation  
Exposure time: 13 w  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 781 - 1996 - 3515 mg/m<sup>3</sup>  
Group: yes  
Method: Other  
GLP: No information available.

Application Route: Skin contact  
Remarks: This information is not available.

**Ethylbenzene:**

Species: Rat, male and female  
NOAEL: 75 mg/kg  
Application Route: oral (gavage)  
Exposure time: 3 m  
Number of exposures: twice daily  
Dose: 75 - 250 - 750 mg/kg  
Group: yes  
Method: OECD Test Guideline 408  
GLP: yes

Species: Rat, male and female  
NOAEL: 0.33 - 1.1 mg/l

---

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

---

Application Route: Inhalation  
Exposure time: 2 a  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 75 - 250 - 750 ppm  
Group: yes  
Method: OECD Test Guideline 453  
GLP: yes

Application Route: Skin contact  
Remarks: This information is not available.

**hydrocarbon mixture rich in aromatics:**

Species: Rat, male  
LOAEL: 500 mg/kg  
Application Route: oral (gavage)  
Exposure time: 28 d  
Number of exposures: daily  
Dose: 500 - 2000 mg/kg  
Group: yes  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Species: Rat, male and female  
NOAEL: 1.402 mg/l  
Application Route: Inhalation  
Exposure time: 107 - 109 w  
Number of exposures: 6 h / day, 5 days/week  
Dose: 322 - 1402 - 9869 mg/m<sup>3</sup>  
Group: yes  
Method: OECD Test Guideline 453  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Species: Rat, male and female  
NOAEL: 9.84 mg/l  
Application Route: Inhalation  
Exposure time: 28 d  
Number of exposures: 6 h / day, 5 days/week  
Dose: 328 - 1406 - 9840 mg/m<sup>3</sup>  
Group: yes  
Method: OECD Test Guideline 412  
GLP: yes  
Remarks: By analogy with a product of similar composition

Species: Rat, male and female  
NOAEL: < 375 mg/kg  
Application Route: Skin contact  
Exposure time: 28 d  
Number of exposures: 6 h / day, 5 days/week  
Dose: 375-750-1500-1875-3750-7500mg/

## WAXTREAT 15930

Page 19

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Group: yes  
Method: OECD Test Guideline 410  
GLP: yes  
Remarks: By analogy with a product of similar composition

**Aspiration toxicity****Components:****Xylene:**

May be fatal if swallowed and enters airways.

**Ethylbenzene:**

May be fatal if swallowed and enters airways.

**hydrocarbon mixture rich in aromatics:**

May be fatal if swallowed and enters airways.

**Cumene:**

May be fatal if swallowed and enters airways.

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Xylene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): ca. 1 mg/l  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

## WAXTREAT 15930

Page 20

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 4.36 mg/l  
End point: Growth rate  
Exposure time: 73 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition
- EC50 (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l  
End point: Biomass  
Exposure time: 73 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.44 mg/l  
Exposure time: 73 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg/l  
Exposure time: 56 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: Other  
GLP: no
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Freshwater insects): 0.96 - 1.17 mg/l  
End point: Reproduction rate  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition
- Toxicity to microorganisms : EC50 (Nitrosomonas sp.): 96 mg/l  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: Other  
GLP: No information available.

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal  
concentration.

EC50 (activated sludge, domestic): > 157 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 209  
GLP: yes

Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal  
concentration.

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : EC50: ca. > 1 mg/kg  
>1 milligram per kilogram  
Exposure time: 14 d  
End point: Growth  
Species: Lactuca sativa (lettuce)  
Analytical monitoring: yes  
Method: OECD Guide-line 208  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Ethylbenzene:

Toxicity to fish : LC50 (Menidia menidia (Atlantic silverside)): 5.1 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: Other  
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: No information available.

## WAXTREAT 15930

Page 22

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.8 - 2.4 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: EPA  
GLP: no
- LC50 (*Mysidopsis bahia* (opossum shrimp)): 2.6 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: EPA  
GLP: yes
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 3.6 mg/l  
End point: Biomass  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: EPA  
GLP: yes
- EC50 (*Skeletonema costatum* (marine diatom)): 7.7 mg/l  
End point: Biomass  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: EPA  
GLP: yes
- Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value (Fish): 1.13 mg/l  
Exposure time: 30 d  
Analytical monitoring: no  
Method: Expert judgement  
GLP: no
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Ceriodaphnia spec.*): 0.96 mg/l  
End point: Reproduction rate  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: Other  
GLP: no
- Toxicity to microorganisms : EC50 (*Nitrosomonas sp.*): 96 mg/l  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: Other  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

## WAXTREAT 15930

Page 23

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 0.047 mg/cm2  
Exposure time: 48 h  
End point: mortality  
Method: OECD Test Guideline 207  
GLP: no

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**hydrocarbon mixture rich in aromatics:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: EPA  
GLP: yes  
Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic) : Remarks: no data available

## WAXTREAT 15930

Page 24

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

toxicity)

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 13 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l  
End point: Growth rate  
Exposure time: 40 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: estimated  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : NOEC (other soil dwelling arthropod): 0.4 - 20.8 mg/kg  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition
- Plant toxicity : NOEC: 0.4 - 20.8 mg/kg  
Species: other terrestrial plant  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition
- Sediment toxicity : Remarks: Not applicable
- Toxicity to terrestrial organisms : Remarks: Not applicable

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**Cumene:****Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**Persistence and degradability****Components:****Xylene:**



## WAXTREAT 15930

Page 25

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

- Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 41 mg/l  
BOD in % of theoretical OD  
Result: Readily biodegradable.  
Biodegradation: 87.8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes
- Ethylbenzene:**
- Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 22 mg/l  
Dissolved organic carbon (DOC)  
Result: Readily biodegradable.  
Biodegradation: 70 - 80 %  
Exposure time: 28 d  
Method: ISO/DIS 14853  
GLP: yes
- Photodegradation : Test Type: air  
Concentration: 500000 molecule/cm<sup>3</sup>  
Rate constant: 7,1E-12 cm<sup>3</sup>/(molecule\*sec)  
Degradation (indirect photolysis): 50 % Degradation half life:  
2.3 d  
GLP: No information available.
- hydrocarbon mixture rich in aromatics:**
- Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 20 mg/l  
Carbon dioxide (CO<sub>2</sub>)  
Result: Readily biodegradable.  
Biodegradation: 90.4 %  
Exposure time: 28 d  
Method: OPPTS 835.3120 (ISO/DIS-14593)  
GLP: yes  
Remarks: By analogy with a product of similar composition
- aerobic  
Inoculum: activated sludge  
Concentration: 49.2 mg/l  
Biochemical oxygen demand  
Result: Readily biodegradable.  
Biodegradation: 77.1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes  
Remarks: By analogy with a product of similar composition

## WAXTREAT 15930

Page 26

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Physico-chemical removability : Remarks: Readily biodegradable, according to appropriate OECD test.

**Bioaccumulative potential****Components:****Xylene:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 7.2 - 25.9  
Exposure time: 56 d  
Concentration: 0.36 - 0.74 mg/l  
Method: Other  
GLP: No information available.

**Ethylbenzene:**

Bioaccumulation : Species: Oncorhynchus kisutch (coho salmon)  
Bioconcentration factor (BCF): 1  
Exposure time: 42 d  
Concentration: 0.005 mg/l  
Method: Other  
GLP: No information available.

**hydrocarbon mixture rich in aromatics:**

Bioaccumulation : Remarks: Not applicable

**Mobility in soil****Components:****Xylene:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 2.73  
Method: OECD Test Guideline 121

**Ethylbenzene:**

Distribution among environmental compartments : Adsorption/Soil  
log Koc: 2.71  
Method: estimated

**hydrocarbon mixture rich in aromatics:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: -2.4 - 1.8  
Method: estimated

---

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

---

**Other adverse effects****Product:**

Additional ecological information : No data is available on the product itself.

**Components:****Xylene:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Ethylbenzene:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

**hydrocarbon mixture rich in aromatics:**

Environmental fate and pathways : no data available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

RCRA - Resource Conservation and Recovery Act : This material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations

Waste Code : D001

WAXTREAT 15930

Page 28

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

- Waste from residues : Consult local, state, and federal regulations.  
For disposal, this material is a flammable hazardous waste under RCRA.
- Contaminated packaging : Contaminated packaging material should be treated equivalent to residual chemicals. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation.

---

**SECTION 14. TRANSPORT INFORMATION****DOT Regulation:**

UN/NA-number: UN 1993  
Proper shipping name: Flammable liquids, n.o.s.  
Technical Name: Xylene  
Ethylbenzene

Primary hazard class: 3  
Packing group: III  
Reportable Quantity: 61.518 kg Xylene

Emergency Response Guide: 128

**IATA**

UN/ID number: UN 1993  
Proper shipping name: Flammable liquid, n.o.s.  
Hazard inducer(s): Xylene  
Ethylbenzene

Primary risk: 3  
Packing group: III  
Remarks: Shipment permitted

**IMDG**

UN no.: UN 1993  
Proper shipping name: Flammable liquid, n.o.s.  
Hazard inducer(s): Xylene  
Ethylbenzene

Primary risk: 3  
Packing group: III  
EmS: F-E S-E

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

# SAFETY DATA SHEET

**WAXTREAT 15930**

Page 29

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Xylene	1330-20-7	100	135

A characteristic waste RQ of 100 lbs applies to this product in a waste form: D001

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:


Xylene	1330-20-7	70 - 90 %
Ethylbenzene	100-41-4	5 - 10 %
Cumene	98-82-8	0.1 - 1 %

### **Clean Water Act**

This product contains the following priority pollutants at concentrations greater than 0.1%:,  
Ethylbenzene

### **The components of this product are reported in the following inventories:**

TSCA : All components are compliant with the TSCA Inventory Notification (Active) rule.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -

---

Substance key: 000000741821

Revision Date: 03/26/2020

Version : 1 - 2 / USA

Date of printing :04/15/2021

---

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe all necessary precautions for handling flammable substances. Keep away from sources of heat and ignition. Smoking should be prohibited where material is being handled. Electrical grounding of equipment is required.

Revision Date : 03/26/2020

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN