

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 1				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS ⊗	SYS A	DATE 16 Aug 16	NO 2	TIME 11:59	PID DION, MICHAEL	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS RESCUE HOIST OPERATIONS RESTRICTED PER H-60-16-SOF-02. (THIS RESTRICTION IS APPLICABLE TO THE FOLLOWING EQUIPMENT WHEN ATTACHED TO THE RESCUE HOIST HOOK. 420 RESCUE SEAT, SKED RESCUE SYSTEM, RESCUE NET, 190 HOSTING SLING AND THE 10K CARABINER ALSE/ FLIGHT VEST D-RING EXAMPLES OF EACH ITEM AND THE USE OF THE ADDITIONAL LOCKABLE 10K ALSE/FLIGHT VEST D-RING ARE SHOWN IN THE ADDENDUM TO THIS SOF						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6193.1		WHEN DISC B	HOW REC G	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS ⊗	SYS A	DATE 15 Mar 17	NO 2	TIME 12:00	PID LAWRENCE, CAS	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS USE OF PERSONAL RESTRAINT TETHER RESTRICTED PER H-60-17-ASAM-07						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6292.9		WHEN DISC O	HOW REC G	MAL EFF 1										
DELAY			WUC 02			TIPIID ,			TI MANHOURS					
STATUS /	SYS A	DATE 08 Jan 19	NO 3	TIME 09:58	PID DION, MICHAEL	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS INSTALL ANGLE BRACKETS FOR MR DE-ICE HARNESS PER H-60-19-AMAM-03, MR DE-ICE/CHIP DETECTOR HARNESS CHAFING AND RE-ROUTING AT THE NEXT MAIN TRANSMISSION REMOVAL						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6548		WHEN DISC B	HOW REC G	MAL EFF 2										
DELAY Awaiting MAIN MOD RMVL			WUC 06A			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 2							
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION											
STATUS /		SYS A	DATE 11 Jun 19		NO 2	TIME 09:44		PID HORTON, LYJILL			DATE		TIME		ACFT HRS		
FAULTS/REMARKS 9 OF 16 HI-LOKS WORKING AT STA 360 WL270 BL0						ACTION						ROUNDS		ACTION CODE		WUC	
ACFT HRS 6677.3		WHEN DISC Z		HOW REC G		MAL EFF 2											
DELAY 120HR				WUC 02				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 26 Jun 19		NO 5	TIME 14:26		PID Generated, Com			DATE		TIME		ACFT HRS		
FAULTS/REMARKS UPPER SUPPORT ARM, PN 70400-08158-102, SHALL BE REPACED WHEN REMOVED FOR ANY REASON, UNLESS SN CAN BE POSITIVELY IDENTIFIED AND NOT ON THE SUSPECT LIST IN H-60-19-AMAM-08_ADD						ACTION						ROUNDS		ACTION CODE		WUC	
ACFT HRS 6681		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 18 Sep 19		NO 2	TIME 12:23		PID AMROCK, DON/			DATE		TIME		ACFT HRS		
FAULTS/REMARKS MAIN ROTOR SHAFT NUT S/N VERIFICATION REQUIRED AT NEXT REMOVAL / DISASSEMBLY / PMI (H-60-19-ASAM-06) QC MUST VERIFY						ACTION						ROUNDS		ACTION CODE		WUC	
ACFT HRS 6723.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 05A01G				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 3		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 27 Sep 19	NO 5	TIME 21:46	PID HICKMAN, PHIL	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS T/R G/B FAIRING HAND-HOLD COVER FLAP REMOVED						ACTION						
												PID
ACFT HRS 6732.4		WHEN DISC U	HOW REC G	MAL EFF 2								
DELAY awaiting manpower			WUC 02			TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 04 Oct 19	NO 1	TIME 08:57	PID PEARSON, MAR	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS pilots upper heater ball valve will not open						ACTION						
												PID
ACFT HRS 6733.9		WHEN DISC X	HOW REC K	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 10 Dec 19	NO 2	TIME 15:56	PID DION, MICHAEL	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS ENG #2 CSM S/N GEC007632C REQUIRES REPLACEMENT PER H-60-20-ASAM-02 BY 31 DEC 23						ACTION						
												PID
ACFT HRS 6757.7		WHEN DISC B	HOW REC G	MAL EFF 2								
DELAY			WUC 04A01			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 4				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	SYS A	DATE 28 Feb 20	NO 2	TIME 08:58	PID DION, MICHAEL	DATE	TIME	ACFT HRS						
FAULTS/REMARKS ENGINE #2 HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31 DEC 21.						ROUNDS	ACTION CODE	WUC						
						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6811		WHEN DISC B	HOW REC G	MAL EFF 2										
DELAY			WUC 04A			TIPIID ,			TI MANHOURS					
STATUS —	SYS A	DATE 28 Feb 20	NO 4	TIME 09:00	PID DION, MICHAEL	DATE	TIME	ACFT HRS						
FAULTS/REMARKS ENGINE #2 AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31 DEC 21.						ROUNDS	ACTION CODE	WUC						
						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6811		WHEN DISC B	HOW REC G	MAL EFF 2										
DELAY			WUC 04A			TIPIID ,			TI MANHOURS					
STATUS /	SYS E	DATE 18 Jun 20	NO 1	TIME 17:45	PID LONG, BRENT	DATE	TIME	ACFT HRS						
FAULTS/REMARKS Co-pilots #1 ENG RPM PDU segment light at 99% is out.						ROUNDS	ACTION CODE	WUC						
						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6836.5		WHEN DISC G	HOW REC G	MAL EFF 1										
DELAY			WUC 02A09			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 5		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 25 Aug 20	NO 4	TIME 08:36	PID DONOVAN, CAS	DATE	TIME	ACFT HRS				
FAULTS/REMARKS APU combustion clamp seeping oil						ACTION						
						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6874.8			WHEN DISC X	HOW REC G	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 02 Sep 20	NO 1	TIME 12:03	PID DION, MICHAEL	DATE	TIME	ACFT HRS				
FAULTS/REMARKS TAIL ROTOR PUSHROD CLEVIS ROD END (PN 70400-06698-044) REQUIRES REPLACEMENT PER H-60-20-ASAM-09 AT 6987.5 ACFT HRS, BUT NOT TO EXCEED 31 AUG 24.						ACTION						
						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6887.2			WHEN DISC B	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY DOC: W90CMH02464002				WUC 00		TIPIID ,			TI MANHOURS			
STATUS ⊗	SYS A	DATE 29 Sep 20	NO 4	TIME 16:06	PID AMROCK, DON/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRS DATED: 966 R9 DTD 27-Sep-19 Fuel Sample Accessory Box, 980 R23 DTD 21-Jun-19 Forest Penetrator, 1054 R21 DTD 01-Jul-20 Bambi Water Bucket, 1120 R13 DTD 28-Apr-20 M-240H Machine Gun, 1127 R10 DTD 01-Sep-20 Heli-Basket Operations, 1279 R9 DTD 20-May-20 Cockpit + Cabin Doors/Windows Removed, 1303 R9 DTD 30-Oct-19 David Clark Passenger ICS, 1308 R13 DTD 24-Apr-19 Internal Rescue Hoist, 1309 R12 DTD 30-Jul-19 Oregon Aero Seat Cushions, 1407 R6 DTD 28-May-20 Night and Day Flat Panel HUD's AN/ AVS-7, 1425 R22 DTD 13-Jan-20 CMWS P31, 1444 R10 DTD 29-May-20						ACTION						
						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6911.4			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 6		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 25 Oct 20	NO 3	TIME 11:19	PID AMROCK, DON.	DATE	TIME	ACFT HRS				
FAULTS/REMARKS ENG #1 CSM S/N GEC037700C REQUIRES REPLACEMENT PER H-60-20-ASAM-02 BY 31 DEC 23						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6926.6						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 04A			TIPIID ,			TI MANHOURS
STATUS /	SYS A	DATE 04 Nov 20	NO 6	TIME 19:56	PID LAWRENCE, CAS	DATE	TIME	ACFT HRS				
FAULTS/REMARKS Gust lock handle broken						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6931.1						WHEN DISC G	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TIPIID ,			TI MANHOURS
STATUS —	SYS A	DATE 15 Nov 20	NO 1	TIME 13:38	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A400 PMI-1.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6940.3						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TIPIID ,			TI MANHOURS

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 7							
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 09 Dec 20		NO 1	TIME 18:01		PID Generated, Cor			ACFT HRS						
											WUC						
FAULTS/REMARKS MAINTENANCE FOR M/R BLADE CUFF CAGE: 78286 PN: 70150-09109-041 NSN: 1615010992341 SN: A23714556 INSTALLED ON MAIN ROTOR BLADE ASSY CAGE: 78286 PN: 70150-09100-043 NSN: 1615011061903 SN: A00714273. IS DUE: 8316.0 AIRCRAFT HOURS ON HCPTR UTILITY UH-60A CAGE: 78286 PN:UH-60A NSN: 1520010350266 SN: 8223713						ACTION											
						PID	CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 4900		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 05A02I				TIPIID ,			TI MANHOURS						
STATUS —		SYS A	DATE 10 Dec 20		NO 1	TIME 09:32		PID Generated, Com			ACFT HRS						
											WUC						
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-AMAM-01 DESCRIPTION: COMPLY WITH H-60-21-AMAM-01, MAIN LANDING GEAR DRAG BEAM INSPECTIONS , BY 06 JUL 21.. IS DUE: 06 JUL 2021 CALENDAR						ACTION											
						PID	CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 6957		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,			TI MANHOURS						
STATUS /		SYS A	DATE 10 Dec 20		NO 2	TIME 10:52		PID DION, MICHAEL			ACFT HRS						
											WUC						
FAULTS/REMARKS LEFT DRAG BEAM GROUND WIRE CLIP REQUIRED TO BE REPLACED WITH P/ N 70250-22015-041 NLT 6 JUL 21 IAW H-60-21-AMAM-01						ACTION											
						PID	CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 6957		WHEN DISC B		HOW REC G		MAL EFF 2											
DELAY				WUC 03				TIPIID ,			TI MANHOURS						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 8		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS E	DATE 31 Dec 20	NO 1	TIME 00:00	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 05 FEB 2021 REFERENCE: MWO 1-1520-237-50-92						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6965.5	WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS E	DATE 31 Dec 20	NO 2	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 05 FEB 2021 REFERENCE: TM 11-5810-262-23						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6965.5	WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 01 Jan 21	NO 1	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A534 FIRST AID KIT INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 02 MAR 2021 REFERENCE: TM 1-1500-204-23-1						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6965.5	WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 9		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS E	DATE 15 Jan 21		NO 1	TIME 00:00	PID Generated, Cor		DATE		TIME		ACFT HRS
								ROUNDS		ACTION CODE		WUC
FAULTS/REMARKS INSP E351 REPLACE APX-118 TRANSPONDER BATTERY FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2021 REFERENCE: TM 11-5895-1841-13P						ACTION						
ACFT HRS 6965.5		WHEN DISC O		HOW REC O		MAL EFF 1						
DELAY				WUC 00		TIPIID ,				TI MANHOURS		
STATUS —	SYS A	DATE 15 Jan 21		NO 1	TIME 00:00	PID Generated, Com		DATE		TIME		ACFT HRS
								ROUNDS		ACTION CODE		WUC
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2021 REFERENCE: TM 1-1520-237-23&P						ACTION						
ACFT HRS 6965.5		WHEN DISC O		HOW REC O		MAL EFF 1						
DELAY				WUC 00		TIPIID ,				TI MANHOURS		
STATUS —	SYS A	DATE 15 Jan 21		NO 2	TIME 00:00	PID Generated, Com		DATE		TIME		ACFT HRS
								ROUNDS		ACTION CODE		WUC
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2021 REFERENCE: TM 1-1520-237-23&P						ACTION						
ACFT HRS 6965.5		WHEN DISC O		HOW REC O		MAL EFF 1						
DELAY				WUC 00		TIPIID ,				TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 10				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	SYS E	DATE 15 Jan 21	NO 2	TIME 00:00	PID Generated, Cor	DATE		TIME		ACFT HRS				
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 7354.4 AIRCRAFT HOURS OR 20 FEB 2021 REFERENCE: TM 1-1520-237-23_P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6965.5						WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY						WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	SYS E	DATE 15 Jan 21	NO 3	TIME 00:00	PID Generated, Com	DATE		TIME		ACFT HRS				
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS INSP E135 AN/ARC-201(V) SINCGARS RADIO HUB BATT REPL FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2021 REFERENCE: TM 11-5821-333-12						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6965.5						WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY						WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	SYS E	DATE 15 Jan 21	NO 4	TIME 00:00	PID Generated, Com	DATE		TIME		ACFT HRS				
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS INSP E145 AN/ARC-201A(V) SINCGARS HUB BATT REPL FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2021 REFERENCE: TM 11-5821-333-12						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6965.5						WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY						WUC 00			TIPIID ,			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 11		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 20 Jan 21	NO 2	TIME 17:19	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A851 DAILY VISUAL INSPECTIONS DUE FOR THE INSTALLED EQUIPMENT IN ACCORDANCE WITH THE FOLLOWING AWR'S 744 TOW BALLEST PLATES, 966 FUEL SAMPLE BOX, 1037 SATCOM, 1120 M-240H, 1270 EIBF, 1279 COCPIT DOORS/ CABIN WIDOWS RMVD, 1308 INT RESCUE HOIST, 1309 OREGON SEATS, 1348 12 PT ICS, 1407 NIGHT/DAY HUD, 1444 ARHS, 1466 GARMIN GPS, 1515 ELT, 1520 FLIR, 1539 APU IBF, 1590 AN/ARN 147 ELEC BASE, 1607 LED CDU/PDU, 1800 EDM/BFT, 1823, IVHMS, 1886 HMU EDECU AND 1896 GEN 3 ECU W/CMWS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6978.5						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 22 Jan 21	NO 1	TIME 14:22	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A802 7 DAY PMD DUE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 27 JAN 2021 REFERENCE: TM 1-1520-237-PMD						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6978.5						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 22 Jan 21	NO 2	TIME 14:22	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A803 VISUAL INSPECTION OF CARGO HOOK AREA TO ENSURE THAT NO PROGRESSIVE STRUCTURAL DETERIORATION IS OCCURRING, THAT THERE IS NO LOSS OF SECURITY, AND THAT NO DAMAGE TO HOIST HELICOPTER, IF BAMBI BUCKET HAS BEEN USED FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 31 JAN 2021 REFERENCE: AWR 1054						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6978.5						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 12			
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION							
STATUS —	SYS A	DATE 22 Jan 21	NO 3	TIME 14:57	PID Generated, Cor	DATE	TIME	ACFT HRS					
FAULTS/REMARKS INSP A840 VISUAL INSPECTION OF AN/ARN-123 OR 147 TO ENSURE THAT NO PROGRESSIVE STRUCTURAL DETERIORATION IS OCCURRING, THAT THERE IS NO LOSS OF SECURITY, AND THAT NO DAMAGE TO HOIST HELICOPTER EXISTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 6985.5 AIRCRAFT HOURS OR 04 FEB 2021 REFERENCE: AWR'S 1787 AND 1788						ROUNDS	ACTION CODE	WUC					
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6980.5		WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY				WUC 00		TIPIID ,			TI MANHOURS				
STATUS —	SYS A	DATE 22 Jan 21	NO 4	TIME 14:57	PID Generated, Com	DATE	TIME	ACFT HRS					
FAULTS/REMARKS INSP A804 VISUAL INSPECTION OF CARGO HOOK AREA TO ENSURE THAT NO PROGRESSIVE STRUCTURAL DETERIORATION IS OCCURRING, THAT THERE IS NO LOSS OF SECURITY, AND THAT NO DAMAGE TO HOIST HELICOPTER, IF BAMB I BUCKET HAS BEEN USED FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 6985.5 AIRCRAFT HOURS REFERENCE: AWR1054						ROUNDS	ACTION CODE	WUC					
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6980.5		WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY				WUC 00		TIPIID ,			TI MANHOURS				
STATUS —	SYS A	DATE 22 Jan 21	NO 5	TIME 14:57	PID Generated, Com	DATE	TIME	ACFT HRS					
FAULTS/REMARKS INSP A822 ENG COMPRESSOR RINSE AFTER LAST FLIGHT OF THE MISSION DAY FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 6989.5 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-10						ROUNDS	ACTION CODE	WUC					
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6980.5		WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY				WUC 00		TIPIID ,			TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 13				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS X	SYS A	DATE 25 Jan 21		NO 1	TIME 00:01	PID Generated, Cor		DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 WAS DUE. STATUS UPGRADED TO X ON: 24 JAN 2021 OR 7005.0 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23&P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00		TIPIID ,				TI MANHOURS				
STATUS —	SYS A	DATE 25 Jan 21		NO 2	TIME 14:01	PID Generated, Com		DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-ASAM-02 DESCRIPTION: BREEZE EASTERN HOIST PENDANT ASSEMBLY SHOULDER SCREW. IS DUE: 04 MAR 2021 CALENDAR						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00		TIPIID ,				TI MANHOURS				
STATUS X	SYS E	DATE 26 Jan 21		NO 1	TIME 00:01	PID Generated, Com		DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC				
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 WAS DUE. STATUS UPGRADED TO X ON: 25 JAN 2021 REFERENCE: TM 11-5821-357-12P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00		TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 14		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS E	DATE 26 Jan 21	NO 2	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 13 FEB 2021 REFERENCE: TM 11-5841-294-12						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6981.5			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY			WUC 00			TI MANHOURS						
STATUS —	SYS E	DATE 26 Jan 21	NO 3	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 IS DUE. STATUS WILL UPGRADE TO X ON: 13 FEB 2021 REFERENCE: TM 11-5810-262-23						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6981.5			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY			WUC 00			TI MANHOURS						
STATUS —	SYS A	DATE 26 Jan 21	NO 2	TIME 13:11	PID BRIDGES, ROBEF	DATE	TIME	ACFT HRS				
FAULTS/REMARKS AIRCRAFT INDUCTED INTO BEST PROGRAM ON 26-JAN-21, NO SCHEDULED MAINTENANCE PERFORMED AFTER THIS DATE.						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 6981.5			WHEN DISC E	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY			WUC 00			TI MANHOURS						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 15		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 27 Jan 21	NO 1	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 WAS DUE. STATUS UPGRADED TO X ON: 26 JAN 2021 REFERENCE: TM 11-6140-203-23 P						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6981.5		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 1	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711 WAS DUE. STATUS UPGRADED TO X ON: 27 JAN 2021 REFERENCE: TM 1-1520-237-23&P						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6981.5		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 1	TIME 09:17	PID Generated, Com	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS MAINTENANCE FOR FAN AXIAL CAGE: 72914 PN: 52E15-1 NSN: 4140013293428 SN: 566 INSTALLED ON HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8223711. WAS DUE: 6840.0 AIRCRAFT HOURS ON HCPTR UTILITY UH-60A CAGE: 78286 PN:UH-60A NSN: 1520010350266 SN: 8223711						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 2661.5		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 06H23			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 16				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS X	SYS A	DATE 28 Jan 21	NO 2	TIME 13:58	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS AIRCRAFT DEPANELED FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P, BEST SOW AND SES GOP AS A REFERENCE.						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS X	SYS A	DATE 28 Jan 21	NO 3	TIME 14:02	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0790, BEST SOW AND SES GOP.						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS X	SYS A	DATE 28 Jan 21	NO 4	TIME 14:25	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS REMOVED TAIL ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815, BEST SOW AND SES GOP.						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 17		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 28 Jan 21	NO 5	TIME 14:47	PID CRABB, ARLAN	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED STABILATOR FOR INDUCTION INTO BEST STORAGE. USED TM 1-1520-237-23&P WP 0539, BEST SOW AND SES GOP.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 6	TIME 14:55	PID CRABB, ARLAN	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED CARGO HOOK SQUIB (SN 10806) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 1504 AS A REFERENCE.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 7	TIME 14:59	PID CRABB, ARLAN	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED APX TRANSPONDER B-KIT CONTROL TRANSMITTER 118 (SN 3623) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4337 AS A REFERENCE.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 18		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 28 Jan 21	NO 8	TIME 15:02	PID CRABB, ARLAN	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED APX TRANSPONDER B-KIT RECIEVER-TRANSMITTER 118 (SN 6038) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4338 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC				
ACTION												
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00						
STATUS X						TIPIID ,			TI MANHOURS			
SYS A	DATE 28 Jan 21	NO 9	TIME 15:04	PID CRABB, ARLAN	DATE	TIME	ACFT HRS					
FAULTS/REMARKS REMOVED RIGHT GUNNERS M240 MOUNT (SN UNK) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 1793 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC				
ACTION												
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00						
STATUS X						TIPIID ,			TI MANHOURS			
SYS A	DATE 28 Jan 21	NO 10	TIME 15:06	PID CRABB, ARLAN	DATE	TIME	ACFT HRS					
FAULTS/REMARKS REMOVED LEFT GUNNERS M240 MOUNT (SN UNK) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 1973.						ROUNDS	ACTION CODE	WUC				
ACTION												
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00						
STATUS X						TIPIID ,			TI MANHOURS			
SYS A	DATE 28 Jan 21	NO 10	TIME 15:06	PID CRABB, ARLAN	DATE	TIME	ACFT HRS					
FAULTS/REMARKS REMOVED LEFT GUNNERS M240 MOUNT (SN UNK) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 1973.						ROUNDS	ACTION CODE	WUC				
ACTION												
ACFT HRS 6981.5						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00						
STATUS X						TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 19		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 28 Jan 21	NO 11	TIME 15:07	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS REMOVED DOPPLER SDC ASN-128 (SN 2892) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4079 AS A REFERENCE.						ACTION						
												PID
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 12	TIME 15:08	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS REMOVED DOPPLER CDU ASN-128 (SN 181C) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4073 AS A REFERENCE.						ACTION						
												PID
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 28 Jan 21	NO 13	TIME 15:09	PID CRABB, ARLAN	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS REMOVED DOPPLER RT/ANTENNA ASN-128 (SN 0758B) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4076 AS A REFERENCE.						ACTION						
												PID
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8223711				2. MODEL UH-60A			3. DATE			4. PAGE 20		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 29 Jan 21	NO 1	TIME 10:03	PID BRIDGES, ROBE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS DURING THE BEST PROGRAM INDUCTION PROCESS, THE FOLLOWING COMPONENTS WERE UNABLE TO HAVE THE S/N'S VERIFIED. ALL OF THESE COMPONENTS HAVE BEEN S/N MATCHED AGAINST MCDS AND THE RECORDS MATCH BETWEEN ACN AND MCDS. THESE COMPONENTS REQUIRE S/N VERIFICATION AT THE NEXT MAJOR MAINT EVENT: NUT ASSY, MAIN ROTOR S/N 2530366618092019, SAS ACTUATOR, YAW S/N B11200215, APU ACCUMULATOR S/N 5380A, GENERATOR S/N 3669E, T/R PITCH CHANGE SHAFT S/N B23302190, AFT TIE ROD SUPPORT FITTING S/N A39100368, AFT WALKING BEAM S/N B3670466483110, FORWARD						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 29 Jan 21	NO 2	TIME 10:10	PID BRIDGES, ROBEF	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS 4 EACH SERVO BEAM FITTINGS P/N S/N'S UNK, VERIFY AT NEXT MAJOR MAINTENANCE						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6981.5		WHEN DISC E	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS ⊗	SYS A	DATE 29 Jan 21	NO 3	TIME 10:37	PID Generated, Com	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS REMARK/NOTICE TO BUYER: PRIOR TO DELIVERY OF THE AIRCRAFT TO THE BUYER THE FOLLOWING ITEMS WILL BE REMOVED FROM THE AIRCRAFT AT THE DIRECTION OF THE US GOVERNMENT; TO INCLUDE BUT NOT LIMITED TO: CMWS JUNCTION BOX; SA-26669/ALE-47 (V) CMWS SEQUENCER; SENSOR ELECTRO-OPTIC MISSILE CM-SU-202/AAR-57 (V); DIGITAL COCKPIT DISPLAY UNIT (CMWS); SAFE/ARM CONTROL PANEL (CMWS); CMWS RELAY BOX; MEMORY CARD PMCIA (UDM) MU-1126/AAR-57(V) (CMWS); RECEIVER/TRANSMITTER, RT-1477/ARC-201; CONTROL, C-11466A/ARC-201; KY-58(3EA); KY-58 CONTROL HEAD (3EA); KY-100 AIRTERM; ARC-220/						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6981.5		WHEN DISC W	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. STATUS ×	2. SERIAL NUMBER 8223711	3. SYSTEM CODE A	4. TIME 14:02		
5. FAULT DATE 28 Jan 21		6. FAULT NUMBER 3			
7. FAULT REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0790, BEST SOW AND SES GOP.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL WORK TO BE COMPLETED USING TM 1-1520-237-23&P WP 0790, BEST SOW AND SES				
×	REMOVED COTTER PINS FROM BLADE PINS (4 EA)				
×	DISCONNECTED ANTI-FLAP SPRING (4 EA)				
×	DISCONNECTED DEICE ELECTRICAL CONNECTORS (4 EA)				
×	REMOVED MAIN ROTOR BLADE PINS (8 EA)				
×	REMOVED MAIN ROTOR BLADE SN A007-02656, AN A007-14273, SN A007-08784, AND SN A007-14675.				
—	TOOLBOX INVENTORY REQUIRED.				
—	FOD CHECK REQUIRED				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8223711	3. SYSTEM CODE A	4. TIME 14:25		
5. FAULT DATE 28 Jan 21		6. FAULT NUMBER 4			
7. FAULT REMOVED TAIL ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815, BEST SOW AND SES GOP.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL MAINT TO BE COMPELTED USING TM 1-1520-237-23&P WP 0815, SES GOP AND BEST				
×	REMOVED SAFETY FROM TAIL PITCH BEAM RETAINING NUT HARDWARE				
×	REMOVED COTTER PINS FROM TAIL ROTOR PC LINKS BLADE SIDE ONLY (4 EA)				
×	DISCONNECTED DEICE ELECTRICAL CONNECTORS (4 EA)				
×	REMOVED HARDWARE FROM PITCH BEAM RETAINING NUT				
×	REMOVED PITCH BEAM RETAINING NUT				
×	REMOVED PITCH BEAM				
×	REMOVED HARDWARE FROM PC LINK BLADE SIDE ONLY (4 EA)				
×	REMOVED HARDWARE FROM RETENTION PLATE (12 EA)				
×	REMOVED OUTBOARD RETENTION PLATE				
×	REMOVED TAIL ROTOR BLADES SN A009-00592 AND SN A009-02385				
—	FOD CHECK REQUIRED				
—	TOOLBOX INVENOTRY REQUIRED.				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8223711	3. SYSTEM CODE A	4. TIME 14:47		
	5. FAULT DATE 28 Jan 21	6. FAULT NUMBER 5			
7. FAULT REMOVED STABILATOR FOR INDUCTION INTO BEST STORAGE. USED TM 1-1520-237-23&P WP 0539, BEST SOW AND SES GOP.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL WORK TO BE COMPLETED USING TM 1-1520-237-23&P WP 0539, BEST SOW AND SES GOP				
×	REMOVED COTTER PINS FROM HARDWARE SECURING STABILATOR TO AIRCRAFT. (4 EA)				
×	REMOVED HARDWARE FROM LIMIT SWITCH				
×	REMOVED HARDWARE FROM LOWER STAB ACUTATOR				
×	REMOVED HARDWARE SECURING BONDING JUMPERS TO PYLON (2 EA)				
×	REMOVED BONDING JUMPERS FROM PYLON				
×	DISCONNECTED ELECTRICAL CONNECTOR FROM PYLON (2 EA)				
×	REMOVED HARDWARE FROM STABILATOR HINGE FITTINGS (2 EA)				
×	REMOVED STABILATOR				
—	TOOLBOX INVENTORY REQUIRED.				
—	FOD CHECK REQUIRED.				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG