

Container Size	Internal Dimensions		Door Dimensions (m/ft)		Cubic Capacity		Max Payload	
	metres	feet/inches	metres	feet/inches	(m³/ft³)		Kg	lbs
20ft Standard	5.87 x 2.33 x 2.38	19'2" x 7'7" x 7'9"	2.34 x 2.28	7'7" x 7'5"	33.1	1,169	28,280 / 62,210	
40ft Standard	12.01 x 2.33 x 2.38	39'5" x 7.7 x 7.9	2.34 x 2.28	7.7 x 7.5	67.7	2,390	26,610 / 58,550	
40ft High Cube	12.01 x 2.33 x 2.7	39.5 x 7'7" x 8'9"	2.34 x 2.58	7'7" x 8'5"	76.4	2,700	28,330 / 62,350	
45ft High Cube	13.54 x 2.33 x 2.7	44'5" x 7'7" x 8'9"	2.34 x 2.58	7'7" x 8'5"	86.3	3,045	28,260 / 62,260	
20ft Reefer	5.41 x 2.26 x 2.23	17'7" x 7'4" x 7'3"	2.29 x 2.26	7'5" x 7'4"	28.3	1,000	25,990 / 57,320	
40ft HQ Reefer	11.58 x 2.28 x 2.53	38" x 7'5" x 8'4"	2.27 x 2.54	7'5" x 7'6"	66.3	2,360	27,630 / 60,840	
20ft Open Top	5.87 x 2.33 x 2.38	19'2" x 7'7" x 7'9"	2.34 x 2.30	7'8" x 7'7"	32.6	1,150	28,230 / 62,200	
40ft Open Top	12.01 x 2.33 x 2.38	39'5" x 7'7" x 7'9"	2.34 x 2.30	7'8" x 7'7"	65.7	2,320	27,390 / 60,340	
Container Size	Length (between posts)		Width (between posts)		Height (in gauge)			
	metres	feet/inches	metres	feet/inches	metres	feet/inches		
20ft Flat Rack	5.61	18'5"	2.27	7' 3"	2.27	7' 3"		
40ft HC Flat Rack	11.65	38' 2"	2.22	7' 4"	2.22	7' 4"		



#### Notes:

**Flat Racks:** The dimensions given are the minimum dimensions between the posts but it is standard procedure to load and move goods that exceed these weights and dimensions but it is too complex to cover all eventualities in this table. Please therefore call us to discuss your project.

**Refrigerated containers:** There is often a maximum but variable load height in the container due to the necessity for cold air circulation. Again - speak to us about this.

**Cargo Weights:** The maximums that can safely be loaded in containers varies with the construction of the container and often exceeds the maximum that can be transported on the roads, with standard equipment. In these cases, we are able to contract specialist haulage but obviously, this must be discussed, ahead of time.

Dimensions and weights are approximate and may vary slightly based on the specific container manufacturer.