

Acetone

Version 1.09 Revision Date 28.10.2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Acetone

Synonyms Acetone

Product code 2110

CAS-No. 67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Use Industrial use. Solvent

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa (Pty) Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090 South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific) +86 400 120 6011 (China) +27 (0)17 610 4444 (South Africa) 0800 112 890 RSA-Local only +61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification Flammable liquids Category 2

Eye irritation Category 2
Specific target organ toxicity - single exposure Category 3

(Central nervous system)

Label elements

REGULATION (EC) No 1272/2008

Print Date 28.10.2024 100000003894 1/9



Acetone

Version 1.09 Revision Date 28.10.2024

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

Precautionary statements
Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P319 Get medical help if you feel unwell.

P337 + P317 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-

resistant foam to extinguish.

Storage P403 + P233 + P235 Store in a well-ventilated place. Keep container

tightly closed. Keep cool. P405 Store locked up.

Disposal P501 Dispose of contents/ container to an approved facility in accordance

with local, regional, national and international regulations.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Print Date 28.10.2024 100000003894 2/9



Acetone

Version 1.09 Revision Date 28.10.2024

SECTION 3. Composition/information on ingredients

HAZARDOUS INGREDIENTS

Acetone

Contents: >= 99.90 % W/W

CAS-No. 67-64-1 **Index-No.** 606-001-00-8 **EC-No.** 200-662-2

Hazard statements H225 H319 H336

Print Date 28.10.2024 100000003894 3/9



Acetone

Version 1.09 Revision Date 28.10.2024

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial respiration. Call

a physician immediately.

Wash off immediately with soap and plenty of water while removing Skin contact

all contaminated clothes and shoes. Wash contaminated clothing

before re-use. If skin irritation persists, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide

(CO2).

Unsuitable extinguishing

media

High volume water jet

Special hazards arising from Flash back possible over considerable distance. Vapours may form

the substance or mixture explosive mixtures with air.

Special protective equipment Wear self-contained breathing apparatus and protective suit.

for firefighters

SECTION 6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Remove all sources

of ignition. Use non-sparking tools. Do not breathe vapours or spray

mist. Ensure adequate ventilation.

Environmental precautions Should not be released into the environment. Prevent further leakage

or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary

sewer system.

Soak up with inert absorbent material and dispose of as hazardous Methods for cleaning up

waste.

Reference to other sections Refer to section 8 and 13

SECTION 7. Handling and storage



Acetone

Version 1.09 Revision Date 28.10.2024

Safe handling advice Provide sufficient air exchange and/or exhaust in work rooms. Wear

personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before

beginning transfer operations.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.Use explosion-proof equipment.

Temperature class T1

Requirements for storage

areas and containers Advice on common storage Keep container tightly closed in a dry and well-ventilated place. Keep

away from heat. Keep away from direct sunlight.

Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control	Update	Basis
		parameters		
ACETONE	TWA	1,780 mg/m3	1995	South Africa RELs
ACETONE	TWA	750 ppm	1995	South Africa RELs
ACETONE	STEL	3,560 mg/m3	1995	South Africa RELs
	STEL	1,500 ppm	1995	South Africa RELs

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection Gloves suitable for permanent contact.:

Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm Safety glasses with side-shields

Eye protection Safety glasses with side-shiel **Skin and body protection** Protective suit. Safety shoes

Hygiene measures Wash hands before breaks and immediately after handling the

product. Take off all contaminated clothing immediately.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form Liquid



Acetone

Version 1.09 Revision Date 28.10.2024

State of matter Liquid; at 20 °C; 1,013 hPa

ColourColourlessOdourcharacteristicOdour ThresholdNo data availablepHNot applicable

Melting point/range -95 °C

Boiling point/boiling range 56 °C; ASTM D86

Flash point -20 °C; ASTM D 93; closed cup;

Evaporation rateNo data availableFlammability (solid, gas)No data availableAuto-ignition temperatureNo data availableDecomposition TemperatureNo data available

Lower explosion limit2.5 %(V)Upper explosion limit14.3 %(V)Vapour pressure378 hPa; 30 °CRelative vapour densityNo data available

Density 0.789 g/cm3; 20 °C; ASTM D4052

Water solubility soluble

Viscosity, kinematic 0.4 mm2/s; 20 °C; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity Stable under recommended storage conditions.

Chemical stability Stable

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid Extremes of temperature and direct sunlight. Heat, flames and sparks.

Materials to avoid Strong oxidizing agents Incompatible with acids. Halogenated

compounds

Hazardous decomposition

products

Carbon oxides

SECTION 11. Toxicological information

Acute oral toxicity Acetone:

LD50 Rat: > 2,000 mg/kg; (literature value)

Acute inhalation toxicity Acetone:

LC50 Rat: 4 h; vapour; > 20 mg/l; GLP: no; (literature value)

Acute dermal toxicity Acetone:

LD50 Rabbit: > 2,000 mg/kg; (literature value)

Skin irritation Acetone:

Rabbit: irritating; GLP: no; (literature value)

Eve irritation Acetone:

Rabbit: irritating GLP: no; (literature value)

Mutagenicity Acetone:

Ames test: Salmonella typhimurium; Not mutagenic; GLP: no;

(literature value)

SECTION 12. Ecological information

Toxicity to daphnia and other Acetone:

aquatic invertebrates static test; Daphnia magna (Water flea); 48 h; > 100 mg/l(literature



Acetone

Version 1.09 Revision Date 28.10.2024

value)

Biodegradability Acetone:

Readily biodegradable.; (literature value)

SECTION 13. Disposal considerations

Product Disposal should be in accordance with local, regional and national

legislations.

Packaging Dispose of spent product packaging responsibly and lawfully with

due consideration for health, safety and the environment.

SECTION 14. Transport information

DG Pictogram



ADR

UN number: 1090
Class: 3
Packaging group: II; F1;
Proper shipping name: ACETONE

RID

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

ADNR

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

IMDG

UN number: 1090
Class: 3
EmS: F-E, S-D
Packaging group: II

Proper shipping name: ACETONE

Marine pollutant Not a Marine Pollutant

ICAO/IATA

UN number: 1090 Class: 3 Packaging group: II

Proper shipping name: ACETONE **Transport in bulk according** Acetone

to Annex II of MARPOL



Acetone

Version 1.09 Revision Date 28.10.2024

73/78 and the IBC Code Pollution Category: Z

SECTION 15. Regulatory information

0.04 1 141 1			• • • •	
Safety, health and	environmental	l regulations/legislation	specific for 1	the substance or mixture

Canada. DSL - Domestic Substances List, part All chemical constituents are listed in: Canada. DSL - Domestic

of CEPA Substances List, part of CEPA (See chapter 3)

Australia. AICS - Australian Inventory of All chemical constituents are listed in: Australia. AICS - Australian **Chemical Substances**

Inventory of Chemical Substances (See chapter 3)

New Zealand Inventory of Chemical All chemical constituents are listed in: New Zealand Inventory of

Substances Chemical Substances (See chapter 3)

Japan. ENCS - Existing and New Chemical All chemical constituents are listed in: Japan. ENCS - Existing and

Substances Inventory New Chemical Substances Inventory (See chapter 3)

Japan. Industrial Safety and Health Law -All chemical constituents are listed in: Japan. Industrial Safety and

Inventory Health Law - Inventory (See chapter 3)

Korea. KECI - Korean Existing Chemicals All chemical constituents are listed in: Korea. KECI - Korean Existing

Chemicals Inventory (See chapter 3) **Inventory**

Philippines. PICCS - Philippines Inventory of All chemical constituents are listed in: Philippines. PICCS -

Chemicals and Chemical Substances Philippines Inventory of Chemicals and Chemical Substances (See

chapter 3)

China. IECSC - Inventory of Existing All chemical constituents are listed in: China. IECSC - Inventory of

Chemical Substances in China Existing Chemical Substances in China (See chapter 3)

All chemical constituents are listed in: Taiwan. Chemical Substances Taiwan. Chemical Substances Inventory

(TCSI) Inventory (TCSI) (See chapter 3)

All chemical constituents are listed in: USA TSCA Inventory (See **USA TSCA Inventory**

chapter 3)

SECTION 16. Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

Causes serious eye irritation. H319

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or



Acetone

Version 1.09

Revision Date 28.10.2024

control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 28.10.2024 100000003894 9/9