

CHECKLIST FOR SURGERY DAY – Mouth Sx

- MVSS Surgical Consent Form completed, found at MVSS.info
- Record vitals on CONSENT form then,
- Email consent to MVSSforpets@gmail.com
- Confirm pet is fasted
- IV catheter placed
- IV fluids. 5-10 ml/kg/hour during surgery if no underlying disease.
 - If cardiac disease begin at 1-2 ml/kg/hr
- Anesthesia recommendations
 - Premedication-
 - Cerenia 1mg/kg IV slow or SQ **Highly recommend for Brachycephalic patient.*
 - +/- Dexamethasone-SP 0.25 mg/kg IV at induction
 - Choose 1 analgesic
 - Hydromorphone 0.1-0.2 mg/kg
 - Morphine 0.25-1.0 mg/kg IM or SQ (canine only)
 - Buprenex 0.02 mg/kg (higher dose for advanced sx)
 - Midazolam or Diazepam 0.1-0.2 mg/kg
 - Other Sedatives IF needed and young/healthy
 - Acepromazine 0.02 mg/kg IV
 - Dexdomitor ¼ IV dose
 - Induction agent: Choose most comfortable protocol
 - Propofol 4-6 mg/kg to effect only
 - Alfaxalone 2mg/kg dog, 5 mg/kg cat to effect only
 - Ketamine/Midazolam or Diazepam
 - Gas anesthesia
- Antibiotics (HOLD until culture sample obtained in surgery)
 - Cefazolin 22 mg/kg IV *Concentrated 100mg/ml for IV dose (9.6ml Sterile Water)*
- OR
 - Ampicillin 22 mg/kg (Prefer) given IV
- Sedatives POST OP if needed to prevent excessive panting, excitability, or barking
 - Acepromazine 0.02 mg/kg IV Or
 - Dexdomitor ¼ IV dose

****Please have these items out and readily available before we arrive, this helps us to be most efficient and extend our care to more patients per day****

- **Surgical prep** supplies ready at prep area
 - Items to keep patient warm: Socks for feet, towels, hot water bottles. *Most heat is lost during prep time*
 - Designated surgery clippers or Clean/new blade
 - Exam gloves
 - Chlorhexidine solution, non-sterile bowl to dilute
 - Gauze and Cotton tipped applicators (non-sterile)
 - +/- Chlorhex scrub and alcohol gauze (premade is fine)

- **Operating room** supplies ready in OR

***Please be sure to remove clutter and unneeded equipment from the OR**

- Extra Towels (not sterile) 3-4 for floor and positioning
 - Surgical gloves, size 6.5
 - Surgical gowns
 - Bottle of 70% Isopropyl Alcohol
 - Chlorhexidine scrub **4%**, we will supply if you do not have
 - Saline bottle preferred (or bag of IV fluids) – NEW/UNopened
 - Surgical Pack (general or spay is fine)
 - Sterile bowl w/gauze (can be clean dog bowl sterilized)
 - Scalpel Blade #10 and #15, one of each
 - Suture- (generic okay)
 - PDS on taper needle, sizes vary 0, 2-0, or 3-0
 - Monocryl on reverse cutting needle, 3-0 or 4-0
 - Nylon on reverse cutting needle, 3-0 or 4-0
 - Sterile Syringe 12cc; Needles- 21 gauge, 22-20 gauge 1.5in
-
- **E-collar** (hard and plastic) to go home
 - Must be at least 1” past nose when cone pushed down neck
-
- **Medications** to go home
 - Antibiotics-
 - Amoxicillin 30 mg/kg BID for 2 weeks OR
 - Clavamox 13.75 mg/kg BID

Jennifer Hoch, DVM
Diplomate ACVS



MVSSforpets@gmail.com
www.MVSS.info
336-580-4570

- NSAIDs for 2 weeks, if appropriate (no steroids or medical conditions)
- Gabapentin 10 mg/kg every 8-12 hours for 7 days
- Sedative if pet is very excitable or anxious
 - Acepromazine or Trazadone (do not use w/Tramadol)
- **Discharge papers and ICEPACK** for client
 - MVSS to provide via email in addition to YOUR office discharge