

The television mounts in our **2020 Georgetown XL** leave a lot to be desired. Namely, they are not adjustable. This, combined with the television HDMI ports not being inaccessible from the bottom, makes it a pain to install a firestick or other streaming device.

To access the ports in the **living room TV**, four screws must be removed and the TV, while on its mount, can be pulled out and the firestick installed.



*Figure 1: Screw locations on the bottom of the TV mount*



*Figure 2: Screw locations on the top of the TV mount*

The bedroom TV is a bit of a pain...

**\*\*\*NOTE: This is much easier to do this with two people\*\*\***

The first step is to remove the access panel from the wardrobe.



*Figure 3: Get enough clothes out of the way to access the panel. Then, remove four screws and take off the panel.*



*Figure 4: The view after the access panel is removed*

With this done, the next step is to remove the four screws holding the television in place. Have your partner hold onto the TV while you remove the screws. Once the four screws are removed, the TV can be pulled out, at which point you can install the firestick into the HDMI port.




Figure 5: This is a view from the front side after removing the TV to clearly show the locations of the holding screws.



Figure 6: With the screws removed, your partner can pull the TV out.



Figure 7: Insert your firestick into the HDMI port as shown.

With this done, I recommend setting up your firestick and ensuring everything works before reinstalling the TV.



Figure 8



Figure 9

Putting the TV back is a pain, and you may find it easier to install the holding screws in new locations. This is fine, just make sure when your partner holds the tv, it is centered up.



*Figure 10: Once firestick is working, have your partner hold the TV in place while you reinstall the four holding screws.*