




STANDARD MANIFOLD BLOCK



01. Adaptor Plate



Description:

Adaptor plate is an intermediate plate which allows the hydraulic connection between a Directional Valve and Manifold Block. It also provides connections to measure pressure in line P, A & B.



Technical Specifications:


Measuring port connection	as per ISO 228
Valve mounting position	as per CETOP 3, CETOP 5
Material (Pressure rating)	GGG40 (315 bar) C45 (400 bar)
Surface coating	Code "MN": Manganese phosphating No code: No surface coating
Supply scope	Code "O": Adaptor plate with O-ring No code: Adaptor plate without O-ring




Selection Table:

Model code	Plate size (mm)			Measuring port(s)	Port size	O – Ring details
	L	B	H			
CYADP-NG06-1/4-MN-O	90	45	30	MA, MB, MP, MT	G 1/4"	9.81x1.5
CYADP-NG10-1/4-MN-O	110	70	25	MA, MB, MP, MT	G 1/4"	13x1.6

Dimension details:



(NG06)



(NG10)



02. Sub Plate

Description:

Sub plate is a mounting plate which allows the mounting of directional valve and to provide piping interface.


Technical Specifications:

Port connection	as per ISO 228
Valve mounting position	as per CETOP 3, CETOP 5
Material (Pressure rating)	GGG40 (315 bar) C45 (400 bar)
Surface coating	Code "MN": Manganese phosphating No code: No surface coating




Selection Table:


Model code	Plate size (mm)			Port size
	L	B	H	
CYSP-NG06-1/4-MN	100	56	25	G 1/4"
CYSP-NG06-3/8-MN	80	80	30	G 3/8"
CYSP-NG06-1/2-MN	80	80	30	G 3/8"
CYSP-NG10-1/2-MN	120	115	40	G 1/2"
CYSP-NG10-3/4-MN	120	115	40	G 3/4"
CYSP-NG10-1-MN	163	114	42	G 1"



Dimension details:



(NG06)




(NG10)

03. Cover Plate

Description:

Cover plate is a blanking plate which is used to blank hydraulic pattern on manifold block.





Technical Specifications:


Mounting pattern	as per CETOP 3, CETOP 5
Material (Pressure rating)	GGG40 (315 bar) C45 (400 bar)
Surface coating	Code "MN": Manganese phosphating No code: No surface coating
Supply scope	Code "O": Cover plate with O-ring No code: Cover plate without O-ring

Selection Table:


Model code	Plate size (mm)			O – Ring details
	L	B	H	
CYCP-NG06 -MN-O CYCP-	54	45	12	9.81x1.5
NG06-PA-BT-MN-O CYCP-	54	45	12	TO SUIT
NG06-PB-AT-MN-O CYCP-	54	45	12	TO SUIT
NG10 -MN-O CYCP-NG10-	70	70	21	13x1.6
PA-BT-MN-O CYCP-NG10-	70	70	21	TO SUIT
PB-AT-MN-O	70	70	21	TO SUIT




Dimension details:




(PA-BT) (NG06)



(NG10)



(PB-AT) (NG06)




(NG10)

04. Multi Station Manifold Block



Description:

Multi station manifold block allows to stack the valves array and provide hydraulic connections to move the actuator.



Technical Specifications:

Port Connection	as per ISO 228 as per CETOP 3, CETOP
Valve Mounting pattern	5
Material (Pressure rating)	GGG40 (315 bar) C45 (400 bar)
No. of station	2, 3...5
Surface coating	Code "MN": Manganese phosphating No code: No surface coating




Selection Table:


Model code	Port Size	Port Size	Plate size (mm)		
	P, T	A, B	L	B	H
CYMSB-NG06-2-MN	G3/4"	G1/2"	123	80	105
CYMSB-NG06-3-MN	G3/4"	G1/2"	175	80	105
CYMSB-NG06-4-MN	G3/4"	G1/2"	230	100	90
CYMSB-NG06-5-MN	G3/4"	G1/2"	280	100	90
CYMSB-NG10-2-MN	G1"	G3/4"	157	95	115
CYMSB-NG10-3-MN	G1"	G3/4"	239	95	115

**other variants, with respect to port sizes and stacks, available on request.*

Dimension details:




(MSB-NG06)



(MSB-NG10)



ATCO



HYDRAULIC MANIFOLD BLOCKS

FOR CUSTOM MANIFOLD BLOCKS,
CONTACT US:

INDIA AND OTHER THAN EUROPE
CYNECTIX DESIGN AND ENGG. SERVICES LLP
TEL.: +91-81609-32609
EMAIL: INQUIRY@CYNECTIX.COM
WWW.CYNECTIX.COM

EUROPE
ATCO GMBH
TEL.: 09352 / 600549 | MOBIL: +49(0) 172 6178979
EMAIL: INFO@ATCOGMBH.COM
WWW.ATCOGMBH.COM