



2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

Client Name: HBZ Enterprises

# FOR PUBLIC RELEASE

## Sample Result: PASS



**Sample Name:** Pavé

**Sample ID:** MS16207

**METRC ID (LOT#):** 1A42301000015E1000007056

**Batch Number:** 1A42301000015E1000006928

**Sample Matrix:** Raw Preroll

**Total Batch Size (#), Units in Batch (count):**

**Total Sample Weight (g), Units Sampled (count):** 20

**Sample Density(g/ml):**

**Servings Per Container (#):**

**Serving Mass (g):**

**Grams per Package:**

**Date Sampled:** 12/18/2025

**Date Received:** 12/18/2025

**Date Reported:** 12/26/2025

### Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #132038

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	0.06	0.6	0.0544	0.544	0.0204	0.0616
CBD	ND	ND	ND	ND	0.0300	0.0907
CBDA	0.0603	0.603	0.0547	0.547	0.0333	0.1003
CBDV	ND	ND	ND	ND	0.0370	0.1127
CBG	0.0619	0.619	0.0561	0.561	0.0304	0.0924
CBGA	0.6987	6.987	0.6337	6.337	0.0320	0.0969
CBN	ND	ND	ND	ND	0.0291	0.0878
d8-THC	ND	ND	ND	ND	0.0237	0.0720
d9-THC	1.4309	14.309	1.2978	12.978	0.0241	0.0728
THCA	18.7603	187.603	17.0156	170.156	0.0250	0.0749
THCV	ND	ND	ND	ND	0.0295	0.0890

### Total Cannabinoids

	% (Dry)	mg/g (Dry)
Total THC:	17.9	178.837
Total CBD:	0.053	0.529
Total Cannabinoids:	18.671	186.712

Total theoretical THC % = (delta-9-THC%) + (THCA% \* 0.877)



Sample ID: MS16207

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #132042

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
beta-Caryophyllene	0.3694	3.694	0.031	0.327
beta-Myrcene	0.3001	3.001	0.031	0.259
Total Bisabolene	0.1932	1.932	0.007	0.055
alpha-Humulene	0.1223	1.223	0.031	0.281
Total Farnesene	0.1185	1.185	0.022	0.073
(-)-Linalool	0.092	0.92	0.031	0.426
(-)-alpha-Bisabolol	0.0635	0.635	0.031	0.400
(+) alpha-Pinene	0.0576	0.576	0.031	0.336
(±)-Limonene	0.0483	0.483	0.031	0.245
(-) beta-Pinene	0.0305	0.305	0.031	0.274
Total Terpeneol	< LOQ	< LOQ	0.007	0.078
Camphene	<LOQ	<LOQ	0.031	0.284
Sabinene	<LOQ	<LOQ	0.031	0.254
alpha-Phellandrene	<LOQ	<LOQ	0.031	0.279
(+)-3-delta-Carene	<LOQ	<LOQ	0.031	0.331
alpha-Terpinene	<LOQ	<LOQ	0.031	0.320
(E)-beta-Ocimene	<LOQ	<LOQ	0.010	0.097
Eucalyptol	<LOQ	<LOQ	0.031	0.304
(Z)-beta-Ocimene	<LOQ	<LOQ	0.022	0.208
gamma-Terpinene	<LOQ	<LOQ	0.031	0.225
Sabinene Hydrate	<LOQ	<LOQ	0.031	0.355
Terpinolene	<LOQ	<LOQ	0.030	0.245
Fenchone	<LOQ	<LOQ	0.031	0.195
Fenchyl Alcohol	<LOQ	<LOQ	0.031	0.270
(±)-Isopulegol	<LOQ	<LOQ	0.031	0.408
Camphor	<LOQ	<LOQ	0.063	0.426
Isoborneol	<LOQ	<LOQ	0.031	0.292
(±)-Borneol	<LOQ	<LOQ	0.063	0.695
Nerol	<LOQ	<LOQ	0.031	0.701
Pulegone	<LOQ	<LOQ	0.031	0.368
trans-Nerolidol	<LOQ	<LOQ	0.031	0.554
Caryophyllene Oxide	<LOQ	<LOQ	0.031	0.318
Cedrol	<LOQ	<LOQ	0.031	0.318
Menthol	ND	ND	0.031	0.307
Geraniol	ND	ND	0.079	0.596
Geranyl Acetate	ND	ND	0.031	0.397
alpha-Cedrene	ND	ND	0.031	0.283
(+)-Valencene	ND	ND	0.031	0.342
cis-Nerolidol	ND	ND	0.031	0.521
Guaiol	ND	ND	0.031	0.320
Total Terpenes	1.3954	13.954		

### Moisture

PASS

Water Activity and Moisture Content Analysis | Test ID: #132040

Analyte	Result	Limit	Pass/Fail
Moisture (%)	9.30	15	PASS
Water Activity (Aw)	0.49	0.65	PASS



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS16207





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Heavy Metals

**PASS**

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units:  $\mu\text{g/kg}$  | Test ID: #132039

Analyte	Pass/Fail	Result ( $\mu\text{g/g}$ )	Limit	LOD ( $\mu\text{g/g}$ )	LOQ ( $\mu\text{g/g}$ )
Arsenic	Pass	0.069	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	ND	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	ND	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	ND	1.000	0.055	0.166



Sample ID: MS16207

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #132043

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Sample ID: MS16207

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: ug/g = ppm | Test ID: #132041

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)
Aflatoxin B1	PASS	ND	20.0	0.0007
Aflatoxin B2	PASS	ND	20.0	0.0004
Aflatoxin G1	PASS	ND	20.0	0.0004
Aflatoxin G2	PASS	ND	20.0	0.0006
Ochratoxin A	PASS	ND	20.0	0.0004

### Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

### Foreign Material

Pass


Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

*Whitney Morris*

Whitney Morris  
Lab Director  
12/26/2025



Sample ID: MS16207

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

