



2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steephill.com

## Regulatory Compliance Testing Certificate of Analysis



Client Name: HBZ Enterprises

# FOR PUBLIC RELEASE

Sample Name: Super Silver Haze .5

Sample ID: MS16204

METRC ID (LOT#): 1A42301000015E1000007053

Batch Number: 1A42301000015E1000006924

Sample Matrix: Raw Preroll

Total Batch Size (#), Units in Batch (count):

Total Sample Weight (g), Units Sampled (count): 20

Sample Density(g/ml):

Servings Per Container (#):

Serving Mass (g):

Grams per Package:

Date Sampled: 12/18/2025

Date Received: 12/18/2025

Date Reported: 12/26/2025

## Sample Result: PASS



### Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #132002

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	ND	ND	0.0212	0.0641
CBD	ND	ND	ND	ND	0.0312	0.0945
CBDA	0.0904	0.904	0.0823	0.823	0.0347	0.1044
CBDV	ND	ND	ND	ND	0.0386	0.1174
CBG	0.0753	0.753	0.0686	0.686	0.0316	0.0962
CBGA	0.378	3.78	0.3442	3.442	0.0334	0.1010
CBN	ND	ND	ND	ND	0.0303	0.0914
d8-THC	ND	ND	ND	ND	0.0247	0.0750
d9-THC	1.2667	12.667	1.1533	11.533	0.0251	0.0758
THCA	24.1025	241.025	21.9453	219.453	0.0260	0.0780
THCV	ND	ND	ND	ND	0.0308	0.0927

### Total Cannabinoids

	% (Dry)	mg/g (Dry)
Total THC:	22.4	224.046
Total CBD:	0.079	0.793
Total Cannabinoids:	22.891	228.907

Total theoretical THC % = (delta-9-THC%) + (THCA% \* 0.877)



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS16204





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steephill.com

## Regulatory Compliance Testing Certificate of Analysis

### Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #132006

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
Total Farnesene	0.9451	9.451	0.022	0.074
beta-Myrcene	0.403	4.03	0.032	0.262
beta-Caryophyllene	0.3487	3.487	0.032	0.330
Total Bisabolene	0.1465	1.465	0.007	0.056
(+)-Limonene	0.1338	1.338	0.032	0.247
alpha-Humulene	0.0956	0.956	0.032	0.283
(-)-Linalool	0.065	0.65	0.032	0.430
Fenchyl Alcohol	0.031	0.31	0.032	0.272
Total Terpineol	< LOQ	< LOQ	0.007	0.079
(+) alpha-Pinene	< LOQ	< LOQ	0.032	0.339
Campheine	< LOQ	< LOQ	0.032	0.286
Sabinene	< LOQ	< LOQ	0.032	0.257
(-) beta-Pinene	< LOQ	< LOQ	0.032	0.277
alpha-Phellandrene	< LOQ	< LOQ	0.032	0.282
alpha-Terpinene	< LOQ	< LOQ	0.032	0.323
(E)-beta-Ocimene	< LOQ	< LOQ	0.010	0.097
Eucalyptol	< LOQ	< LOQ	0.032	0.307
(Z)-beta-Ocimene	< LOQ	< LOQ	0.022	0.210
gamma-Terpinene	< LOQ	< LOQ	0.032	0.227
Sabinene Hydrate	< LOQ	< LOQ	0.031	0.359
Terpinolene	< LOQ	< LOQ	0.031	0.248
Fenchone	< LOQ	< LOQ	0.032	0.197
(±)-Isopulegol	< LOQ	< LOQ	0.032	0.412
Isoborneol	< LOQ	< LOQ	0.032	0.295
(±)-Borneol	< LOQ	< LOQ	0.063	0.702
Nerol	< LOQ	< LOQ	0.032	0.707
alpha-Cedrene	< LOQ	< LOQ	0.032	0.286
trans-Nerolidol	< LOQ	< LOQ	0.032	0.560
Caryophyllene Oxide	< LOQ	< LOQ	0.032	0.321
Guaiol	< LOQ	< LOQ	0.032	0.323
Cedrol	< LOQ	< LOQ	0.032	0.321
(+)-3-delta-Carene	ND	ND	0.032	0.334
Camphor	ND	ND	0.063	0.430
Menthol	ND	ND	0.032	0.310
Pulegone	ND	ND	0.032	0.372
Geraniol	ND	ND	0.079	0.602
Geranyl Acetate	ND	ND	0.032	0.401
(+)-Valencene	ND	ND	0.032	0.346
cis-Nerolidol	ND	ND	0.032	0.526
(-)-alpha-Bisabolol	ND	ND	0.032	0.404
Total Terpenes	2.1687	21.687		

### Moisture

PASS

Water Activity and Moisture Content Analysis | Test ID: #132004

Analyte	Result	Limit	Pass/Fail
Moisture (%)	8.95	15	PASS
Water Activity (Aw)	0.44	0.65	PASS



Sample ID: MS16204

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steephill.com

## Regulatory Compliance Testing Certificate of Analysis

### Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units:  $\mu\text{g/kg}$  | Test ID: #132003

Analyte	Pass/Fail	Result ( $\mu\text{g/g}$ )	Limit	LOD ( $\mu\text{g/g}$ )	LOQ ( $\mu\text{g/g}$ )
Arsenic	Pass	0.079	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	ND	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	ND	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	ND	1.000	0.055	0.166



Sample ID: MS16204

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steephill.com

## Regulatory Compliance Testing Certificate of Analysis

### Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #132007

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chlormequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxy carb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxy	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steephill.com

## Regulatory Compliance Testing Certificate of Analysis

### Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: ug/g = ppm | Test ID: #132005

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)
Aflatoxin B1	PASS	ND	20.0	0.0007
Aflatoxin B2	PASS	ND	20.0	0.0004
Aflatoxin G1	PASS	ND	20.0	0.0004
Aflatoxin G2	PASS	ND	20.0	0.0006
Ochratoxin A	PASS	ND	20.0	0.0004

### Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

### Foreign Material

Pass

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris  
Lab Director  
12/26/2025



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

