



2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

# Regulatory Compliance Testing Certificate of Analysis

**Client Name:** HBZ Enterprises  
 [Redacted]  
 License Number: CULV002661

**Sample Name:** Cherry Lime Runtz  
**Sample ID:** MS5706  
**METRC ID (LOT#):** 1A42301000015E1000002059  
**Batch Number:** 1A42301000015E1000002056  
**Sample Matrix:** Flower  
**Total Batch Size (#), Units in Batch (count):** 6545  
**Total Sample Weight (g), Units Sampled (count):** 8.1  
**Sample Density(g/ml):**  
**Servings Per Container (#):**  
**Serving Mass (g):**  
**Grams per Package:**  
**Date Sampled:** 5/23/2024  
**Date Received:** 5/23/2024  
**Date Reported:** 6/3/2024

## Sample Result: PASS



## Cannabinoids PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #44420

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	ND	ND	0.0236	0.0714
CBD	ND	ND	ND	ND	0.0347	0.1052
CBDA	0.1035	1.035	0.0911	0.911	0.0386	0.1163
CBDV	< LOQ	< LOQ	< LOQ	< LOQ	0.0429	0.1308
CBG	0.0833	0.833	0.0733	0.733	0.0352	0.1071
CBGA	1.0832	10.832	0.9534	9.534	0.0372	0.1124
CBN	ND	ND	ND	ND	0.0338	0.1018
d8-THC	ND	ND	ND	ND	0.0275	0.0835
d9-THC	1.0793	10.793	0.95	9.5	0.0280	0.0844
THCA	24.4628	244.628	21.5322	215.322	0.0290	0.0869
THCV	ND	ND	ND	ND	0.0343	0.1033

Total Cannabinoids				
	% (Dry)	mg/g (Dry)	%	mg/g
Total THC:	22.5	225.332	19.83	198.337
Total CBD:	0.091	0.908	0.08	0.799
Total Cannabinoids:	23.657	236.572	20.82	208.231

**Total theoretical THC % = (delta-9-THC%) + (THCA% \* 0.877)**



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #44427

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
Limonene	0.3949	3.949	0.005	0.014
trans-Caryophyllene	0.2519	2.519	0.011	0.032
Myrcene	0.2249	2.249	0.005	0.014
Linalool	0.1614	1.614	0.006	0.017
beta-Pinene	0.0981	0.981	0.005	0.015
a-Humulene	0.0919	0.919	0.005	0.017
a-Pinene	0.0775	0.775	0.002	0.007
Geraniol	0.0471	0.471	0.016	0.048
Carophyllene Oxide	0.0334	0.334	0.016	0.050
Camphene	0.0308	0.308	0.007	0.020
a-Terpinolene	0.0253	0.253	0.003	0.008
trans-Nerolidol	0.0243	0.243	0.005	0.016
trans-Ocimene	0.0237	0.237	0.008	0.024
Cineole	0.0235	0.235	0.006	0.018
gamma-terpinene	0.0209	0.209	0.004	0.012
cis-Ocimene	0.0203	0.203	0.004	0.011
alpha-Terpinene	0.0189	0.189	0.002	0.005
cis-Nerolidol	0.0093	0.093	0.005	0.016
3-Carene	ND	ND	0.004	0.012
Isopulegol	ND	ND	0.012	0.036
Guaiol	ND	ND	0.010	0.030
a-Bisabolol	ND	ND	0.013	0.039
Total Terpenes	1.5781	15.781		

### Moisture

**PASS**

Water Activity and Moisture Content Analysis | Test ID: #44429

Analyte	Result	Limit	Pass/Fail
Moisture (%)	11.98	15	PASS
Water Activity (Aw)	0.61	0.65	PASS

### Heavy Metals

**PASS**

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: µg/kg | Test ID: #44422

Analyte	Pass/Fail	Result (ug/g)	Limit	LOD (ug/g)	LOQ (ug/g)
Arsenic	Pass	ND	0.400	0.060	0.200
Cadmium	Pass	ND	0.400	0.060	0.200
Lead	Pass	ND	1.000	0.160	0.500
Mercury	Pass	ND	1.200	0.200	0.600



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Pesticides

**PASS**

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #44424

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Pacllobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
 Flowood, Mississippi 39232  
 License #: TESL000161  
 601-910-3001  
 info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Mycotoxins

**PASS**

Mycotoxins (LC-MS) - Limit units: ug/kg = ppb | Test ID: #44423

Analyte	Pass/Fail	Result (µg/kg)	Limit	LOD (µg/kg)
Aflatoxin B1	PASS	ND	20.0	0.679
Aflatoxin B2	PASS	ND	20.0	0.433
Aflatoxin G1	PASS	ND	20.0	0.373
Aflatoxin G2	PASS	ND	20.0	0.632
Ochratoxin A	PASS	ND	20.0	0.446

### Microbials

**PASS**

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	None	Pass
Total E.Coli	ND	100 CFU/g	Pass

### Foreign Material


**PASS**

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	PASS

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris  
 Laboratory Director  
 Date: 6/3/2024



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

