2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Client Name: HBZ Enterprises
Client Address: 583 Old Highway 49S, Richland, MS 39018
License Number: CULV002661

Sample Name: Chem K
Sample ID: MS20241
METRC ID (LOT#): 1A423010000015E1000009776
Batch Number: 1A423010000015E1000009977
Sample Matrix: Flower
Total Batch Size (#), Units in Batch (count): 6605
Total Sample Weight (g), Units Sampled (count): 10
Sample Density(g/ml):
Servings Per Container (#):
Serving Mass (g):
Grams per Package:
Date Sampled: 8/6/2026
Date Received: 8/6/2026
Date Reported: 8/11/2026

Sample Result: PASS



Cannabinoids — PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #163669

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	0.0609	0.609	0.055	0.55	0.0216	0.0651
CBD	ND	ND	ND	ND	0.0317	0.0959
CBDA	0.072	0.72	0.065	0.65	0.0352	0.1060
CBDV	ND	ND	ND	ND	0.0392	0.1192
CBG	0.123	1.23	0.111	1.11	0.0321	0.0977
CBGA	0.5443	5.443	0.4912	4.912	0.0339	0.1025
CBN	ND	ND	ND	ND	0.0308	0.0928
d8-THC	ND	ND	ND	ND	0.0251	0.0761
d9-THC	0.9611	9.611	0.8673	8.673	0.0255	0.0770
THCA	31.7456	317.456	28.6472	286.472	0.0264	0.0792
THCV	ND	ND	ND	ND	0.0312	0.0942

Total Cannabinoids		
	% (Dry)	mg/g (Dry)
Total THC:	28.8	288.020
Total CBD:	0.063	0.631
Total Cannabinoids:	29.526	295.264

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #163673

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
(±)-Limonene	0.8489	8.489	0.032	0.247
beta-Caryophyllene	0.2658	2.658	0.032	0.330
(+) alpha-Pinene	0.258	2.58	0.032	0.338
beta-Myrcene	0.2242	2.242	0.032	0.261
Total Farnesene	0.2142	2.142	0.022	0.073
Total Bisabolene	0.1989	1.989	0.007	0.056
(-)-Linalool	0.1704	1.704	0.032	0.429
(-) beta-Pinene	0.1398	1.398	0.032	0.276
Fenchyl Alcohol	0.1113	1.113	0.032	0.272
Total Terpineol	0.0992	0.992	0.007	0.078
trans-Nerolidol	0.0956	0.956	0.032	0.558
alpha-Humulene	0.0827	0.827	0.031	0.283
(±)-Borneol	0.0769	0.769	0.063	0.700
(Z)-beta-Ocimene	0.0752	0.752	0.022	0.210
Terpinolene	0.0314	0.314	0.031	0.247
Fenchone	0.0225	0.225	0.032	0.196
(E)-beta-Ocimene	0.0135	0.135	0.010	0.097
Camphene	<LOQ	<LOQ	0.032	0.286
Sabinene	<LOQ	<LOQ	0.032	0.256
alpha-Terpinene	<LOQ	<LOQ	0.032	0.322
Eucalyptol	<LOQ	<LOQ	0.032	0.306
gamma-Terpinene	<LOQ	<LOQ	0.032	0.227
Sabinene Hydrate	<LOQ	<LOQ	0.031	0.358
(±)-Isopulegol	<LOQ	<LOQ	0.032	0.411
Isoborneol	<LOQ	<LOQ	0.032	0.294
Nerol	<LOQ	<LOQ	0.032	0.706
Geraniol	<LOQ	<LOQ	0.079	0.600
Caryophyllene Oxide	<LOQ	<LOQ	0.032	0.321
Cedrol	<LOQ	<LOQ	0.032	0.320
alpha-Phellandrene	ND	ND	0.032	0.281
(+)-3-delta-Carene	ND	ND	0.032	0.333
Camphor	ND	ND	0.063	0.429
Menthol	ND	ND	0.032	0.309
Pulegone	ND	ND	0.032	0.371
Geranyl Acetate	ND	ND	0.032	0.400
alpha-Cedrene	ND	ND	0.032	0.285
(+)-Valencene	ND	ND	0.032	0.345
cis-Nerolidol	ND	ND	0.032	0.524
Guaiol	ND	ND	0.032	0.322
(-)-alpha-Bisabolol	ND	ND	0.032	0.403
Total Terpenes	2.9285	29.285		

Moisture PASS

Water Activity and Moisture Content Analysis | Test ID: #163671

Analyte	Result	Limit	Pass/Fail
Moisture (%)	9.76	15	PASS
Water Activity (Aw)	0.49	0.65	PASS

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS20241

2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Heavy Metals — PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - **Limit units: µg/g** | Test ID: #163670

Analyte	Pass/Fail	Result (ug/g)	Limit	LOD (ug/g)	LOQ (ug/g)
Arsenic	Pass	< LOQ	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	ND	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	0.062	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	ND	1.000	0.055	0.166

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides — PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - **Limit units: ug/g = ppm** | Test ID: #163674

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chlormequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS20241

2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins — PASS

Mycotoxins (LC-MS) - **Limit units: ug/kg = ppb** | Test ID: #163672

Analyte	Pass/Fail	Result (µg/kg)	Limit	LOD (µg/kg)	LOQ (µg/kg)
Aflatoxin B1		ND		0.679	2.060
Aflatoxin B2		ND		0.433	1.313
Aflatoxin G1		ND		0.373	1.340
Aflatoxin G2		ND		0.632	1.910
Ochratoxin A	PASS	ND	20.0	0.446	1.352
Total Aflatoxins	PASS	ND	20.0		

Microbials — PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - **Limit units: CFU/g**

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

Foreign Material — Pass

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris
Lab Director
8/11/2026



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS20241