Parallel and Perpendicular Lines



Get Ready for the Chapter

Diagnose Readiness | You have two options for checking prerequisite skills.

Textbook Option Take the Quick Check below. Refer to the Quick Review for help.



Online Option Take an online self-check Chapter Readiness Quiz at connectED.mcgraw-hill.com

171

Get Started on the Chapter

You will learn several new concepts, skills, and vocabulary terms as you study Chapter 3. To get ready, identify important terms and organize your resources. You may wish to refer to Chapter 0 to review prerequisite skills.







parallel lines

parallel planes transversal

interior angles exterior angles

perpendicular line, parallel line, and line segment, based on the undefined notions of

point, line, distance along a

line, and distance around a

Mathematical Practices 1 Make sense of problems

and persevere in solving

arguments and critique the reasoning of others.

circular arc.

them.

3 Construct viable

angles

skew lines

Parallel Lines and Transversals

: • Then	:•Now	:·Why?	
 You used angle and line segment relationships to prove theorems. 	 I Identify the relationships between two lines or two planes. Name angle pairs formed by parallel lines and transversals. 	 An Ames room creates the illusion that a person standing in the right corner is much larger than a person standing in the left corner. From a front viewing hole the front and back walls appear parallel, when in fact they are slanted. The ceiling and floor appear horizontal, but are actually tilted. 	
B NewVocabul	arv 🖪 Relationshi	ps Between Lines and Pla	Ines The construction of the Ames room

Relationships Between Lines and Planes The construction of the Ames room above makes use of intersecting, parallel, and skew lines, as well as intersecting and parallel planes, to create an optical illusion.



 $\overrightarrow{JK} \parallel \overrightarrow{LM}$ is read as line JK is parallel to line LM.

If segments or rays are contained within lines that are parallel or skew, then the segments or rays are parallel or skew.

Seal-World Example 1 Identify Parallel and Skew Relationships

Identify each of the following using the wedge of cheese below.

a. all segments parallel to \overline{IP}

 \overline{KQ} and \overline{LR}

b. a segment skew to \overline{KL}



c. a plane parallel to plane *PQR*

Plane *JKL* is the only plane parallel to plane *PQR*.



connectED.mcgraw-hill.com



WatchOut!

Parallel vs. Skew In Check Your Progress 1A, *FE* is *not* skew to *BC*. Instead, these lines are parallel in plane *BCF*.



GuidedPractice

Identify each of the following using the cube shown.

1A. all segments skew to \overrightarrow{BC}

1B. a segment parallel to \overleftarrow{EH}

1C. all planes parallel to plane *DCH*



PT

2 Transversal Angle Pair Relationships A line that intersects two or more coplanar lines at two different points is called a **transversal**. In the diagram below, line t is a transversal of lines q and r. Notice that line t forms a total of eight angles with lines q and r. These angles, and specific pairings of these angles, are given special names.

KeyConcept Transversal Angle Pair Re	lationships	
Four interior angles lie in the region between lines q and r .	∠3, ∠4, ∠5, ∠6	
Four exterior angles lie in the two regions that are not between lines q and r .	∠1, ∠2, ∠7, ∠8	
Consecutive interior angles are interior angles that lie on the same side of transversal <i>t</i> .	$\angle 4$ and $\angle 5$, $\angle 3$ and $\angle 6$	exterior
Alternate interior angles are nonadjacent interior angles that lie on opposite sides of transversal <i>t</i> .	$\angle 3$ and $\angle 5$, $\angle 4$ and $\angle 6$	4 3 q interior
Alternate exterior angles are nonadjacent exterior angles that lie on opposite sides of transversal <i>t</i> .	$\angle 1$ and $\angle 7$, $\angle 2$ and $\angle 8$	5 6 ^r 7 7
Corresponding angles lie on the same side of transversal <i>t</i> and on the same side of lines <i>q</i> and <i>r</i> .	$\angle 1$ and $\angle 5$, $\angle 2$ and $\angle 6$ $\angle 3$ and $\angle 7$, $\angle 4$ and $\angle 8$	exterior V

Example 2 Classify Angle Pair Relationships

Refer to the figure below. Classify the relationship between each pair of angles as *alternate interior, alternate exterior, corresponding,* or *consecutive interior* angles.

a. $\angle 1$ and $\angle 5$
alternate exteriorb. $\angle 6$ and $\angle 7$
consecutive interiorc. $\angle 2$ and $\angle 4$
correspondingd. $\angle 2$ and $\angle 6$
alternate interiorGuidedPractice
2A. $\angle 3$ and $\angle 7$ 2B. $\angle 5$ and $\angle 7$
2B. $\angle 5$ and $\angle 7$ 2C. $\angle 4$ and $\angle 8$ 2D. $\angle 2$ and $\angle 3$

ReadingMath

Same-Side Interior Angles Consecutive interior angles are also called *same-side interior angles*. When more than one line can be considered a transversal, first identify the transversal for a given angle pair by locating the line that connects the vertices of the angles.

StudyTip

Nonexample In the figure below, line *c* is *not* a transversal of lines a and b. since line c intersects lines aand b in only one point. Ь



Example 3 Identify Transversals and Classify Angle Pairs

Identify the transversal connecting each pair of angles in the photo. Then classify the relationship between each pair of angles.

a. $\angle 1$ and $\angle 3$

The transversal connecting $\angle 1$ and $\angle 3$ is line h. These are alternate exterior angles.

b. $\angle 5$ and $\angle 6$

The transversal connecting $\angle 5$ and $\angle 6$ is line k. These are consecutive interior angles.

c. $\angle 2$ and $\angle 6$

The transversal connecting $\angle 2$ and $\angle 6$ is line ℓ . These are corresponding angles.

GuidedPractice **3A.** $\angle 3$ and $\angle 5$

3C. ∠5 and ∠7

3B.	$\angle 2$ and $\angle 8$
3D.	$\angle 2$ and $\angle 9$

Ζ

Τ

Check Your Understanding

Example 1 Refer to the figure at the right to identify each of the following.

- **1.** a plane parallel to plane *ZWX*
- **2.** a segment skew to \overline{TS} that contains point W
- **3.** all segments parallel to \overline{SV}
- **4. CONSTRUCTION** Use the diagram of the partially framed storage shed shown to identify each of the following.
 - **a.** Name three pairs of parallel planes.
 - **b.** Name three segments parallel to \overline{DE} .
 - **c.** Name two segments parallel to \overline{FE} .
 - **d.** Name two pairs of skew segments.



= Step-by-Step Solutions begin on page R14.

W

Х



Example 2

Classify the relationship between each pair of angles as alternate interior, alternate exterior, corresponding, or consecutive interior angles. **5** $\angle 1$ and $\angle 8$

7. $\angle 3$ and $\angle 6$

6. $\angle 2$ and $\angle 4$ **8.** $\angle 6$ and $\angle 7$



PT

Example 3	5	al connecting each pair of angles. Then classify een each pair of angles.
	9. $\angle 2$ and $\angle 4$	10. $\angle 5$ and $\angle 6$

J. 22 and 24	
11. $\angle 4$ and $\angle 7$	12. ∠2 and ∠7

11. ∠4 and ∠7



Extra Practice is on page R3.

Practice and Problem Solving

E

Example 1 Refer to the figure to identify each of the following. **13.** all segments parallel to \overline{DM} **14.** a plane parallel to plane *ACD* (15) a segment skew to \overline{BC} **16.** all planes intersecting plane *EDM* **17.** all segments skew to \overline{AE} **18.** a segment parallel to \overline{EN}

- **19.** a segment parallel to \overline{AB} through point J
- **20.** a segment skew to \overline{CL} through point E



Examples 2–3 Examples 2–4 Examples 2–5 Examples 2–5 Examples 2–6 Examples 2–6 Examples 2–7 Exam Then classify the relationship between each pair of angles as *alternate* interior, alternate exterior, corresponding, or consecutive interior angles.

21. ∠4 and ∠9	22. $\angle 5$ and $\angle 7$
23. ∠3 and ∠5	24. ∠10 and ∠11
25. ∠1 and ∠6	26. ∠6 and ∠8
27. ∠2 and ∠3	28. ∠9 and ∠10
29. ∠4 and ∠11	30. ∠7 and ∠11

Example 3

SAFETY Identify the transversal connecting each pair of angles in the photo of a fire escape shown. Then classify the relationship between each pair of angles.

31. ∠1 and ∠2	32. ∠2 and ∠4
33. $\angle 4$ and $\angle 5$	34. ∠6 and ∠7
35. $\angle 7$ and $\angle 8$	36. ∠2 and ∠3

- **37. POWER** Power lines are not allowed to intersect.
 - **a.** What must be the relationship between power lines *p* and *m*? Explain your reasoning.
 - **b.** What is the relationship between line *q* and lines *p* and *m*?









Describe the relationship between each pair of segments as *parallel*, *skew*, or *intersecting*.

- **38.** \overline{FG} and \overline{BC}
- **40.** \overline{DH} and \overline{HG}
- **42.** \overline{EF} and \overline{BC}

- **39.** \overline{AB} and \overline{CG} **41.** \overline{DH} and \overline{BF}
- **43.** \overline{CD} and \overline{AD}
- **44. (CSS) SENSE-MAKING** The illusion at the right is created using squares and straight lines.
 - **a.** How are \overline{AB} and \overline{CD} related? Justify your reasoning.
 - **b.** How are \overline{MN} and \overline{QR} related? \overline{AB} , \overline{CD} , and \overline{OP} ?



45 ESCALATORS Escalators consist of steps on a continuous loop that is driven by a motor. At the top and bottom of the platform, the steps collapse to provide a level surface for entrance and exit.



- **a.** What is the relationship between the treads of the ascending stairs?
- **b.** What is the relationship between the treads of the two steps at the top of the incline?
- **c.** How do the treads of the steps on the incline of the escalator relate to the treads of the steps on the bottom of the escalator?

H.O.T. Problems Use Higher-Order Thinking Skills

- **46. OPEN ENDED** Plane *P* contains lines *a* and *b*. Line *c* intersects plane *P* at point *J*. Lines *a* and *b* are parallel, lines *a* and *c* are skew, and lines *b* and *c* are not skew. Draw a figure based upon this description.
- **47.** CHALLENGE Suppose points *A*, *B*, and *C* lie in plane \mathcal{P} , and points *D*, *E*, and *F* lie in plane *Q*. Line *m* contains points *D* and *F* and does not intersect plane \mathcal{P} . Line *n* contains points *A* and *E*.
 - **a.** Draw a diagram to represent the situation.
 - **b.** What is the relationship between planes \mathcal{P} and Q?
 - **c.** What is the relationship between lines *m* and *n*?

REASONING Plane X and plane Y are parallel and plane Z intersects plane X. Line \overline{AB} is in plane X, line \overline{CD} is in plane Y, and line \overline{EF} is in plane Z. Determine whether each statement is *always*, *sometimes*, or *never* true. Explain.

- **48.** \overrightarrow{AB} is skew to \overrightarrow{CD} . **49.** \overrightarrow{AB} intersects \overleftarrow{EF} .
- **50. EVALUATE: 50. WRITING IN MATH** Can a pair of planes be described as skew? Explain.



Standardized Test Practice

51. Which of the following angle pairs are alternate exterior angles?



53. SHORT RESPONSE Name the coordinates of the points representing the *x*- and *y*-intercepts of the graph shown below.



54. SAT/ACT Of the following, the one that is *not* equivalent to 485 is:

A $(3 \times 100) + (4 \times 10) + 145$ B $(3 \times 100) + (18 \times 10) + 5$ C $(4 \times 100) + (8 \times 10) + 15$ D $(4 \times 100) + (6 \times 10) + 25$ E $(4 \times 100) + (5 \times 10) + 35$

Spiral Review

Find the measure of each numbered angle. (Lesson 2-8)





Analyze the Results

1. Record the measures from Step 4 in a table like this one. Which angles have the same measure?

Angle	∠FAC	∠CAG	∠GAB	∠FAB	∠JBA	∠ABK	∠KBD	∠JBD
1st Measure								

- **2.** Drag point *C* or *D* to move transversal \overrightarrow{AB} so that it intersects the two parallel lines at a different angle. Add a row **2nd Measure** to your table and record the new measures. Repeat these steps until your table has 3rd, 4th, and 5th Measure rows of data.
- **3.** Using the angles listed in the table, identify and describe the relationship between all angle pairs that have the following special names. Then write a conjecture in if-then form about each angle pair when formed by any two parallel lines cut by a transversal.
 - **a.** corresponding **b.** alternate interior **c.** alternate exterior
- **d.** consecutive interior

- **4.** Drag point *C* or *D* so that the measure of any of the angles is 90.
 - **a.** What do you notice about the measures of the other angles?
 - **b.** Make a conjecture about a transversal that is perpendicular to one of two parallel lines.

Angles and Parallel Lines

• Then

: Now

: Why?

- You named angle pairs formed by parallel lines and transversals.
- Use theorems to determine the relationships between specific pairs of angles.
- Construction and maintenance workers often use an access scaffold. This structure provides support and access to elevated areas. The transversal t shown provides structural support to the two parallel working areas.
- Use algebra to find
- angle measurements.

Parallel Lines and Angle Pairs In the photo, line *t* is a transversal of lines *a* and *b*, and $\angle 1$ and $\angle 2$ are corresponding angles. Since lines *a* and *b* are parallel, there is a special relationship between corresponding angle pairs.

Postulate 3.1 Corresponding Angles Postulate

If two parallel lines are cut by a transversal, then each pair of corresponding angles is congruent.

Examples $\angle 1 \cong \angle 3$, $\angle 2 \cong \angle 4$, $\angle 5 \cong \angle 7$, $\angle 6 \cong \angle 8$

Example 1 Use Corresponding Angles Postulate

In the figure, $m \angle 5 = 72$. Find the measure of each angle. Tell which postulate(s) or theorem(s) you used.

a. ∠4

$\angle 4 \cong \angle 5$	Corresponding Angles Postulate
$m \angle 4 = m \angle 5$	Definition of congruent angles
$m \angle 4 = 72$	Substitution
b. ∠2	
$\angle 2 \cong \angle 4$	Vertical Angles Theorem
$\angle 4 \cong \angle 5$	Corresponding Angles Postulate
$\angle 2 \cong \angle 5$	Transitive Property of Congruence
$m \angle 2 = m \angle 5$	Definition of congruent angles
$m\angle 2 = 72$	Substitution

GuidedPractice

In the figure, suppose that $m \angle 8 = 105$. Find the measure of each angle. Tell which postulate(s) or theorem(s) you used.

1A. ∠1	1B. ∠2	1C. ∠3

In Example 1, $\angle 2$ and $\angle 5$ are congruent alternate exterior angles. This and other examples suggest the following theorems about the other angle pairs formed by two parallel lines cut by a transversal.



Common Core State Standards

Content Standards G.CO.1 Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.

G.CO.9 Prove theorems about lines and angles.

Mathematical Practices

- 1 Make sense of problems and persevere in solving them.
- 3 Construct viable arguments and critique the reasoning of others.

PT

3 4

StudyTip

Angle Relationships These theorems generalize the relationships between specific pairs of angles. If you get confused about the relationships, you can verify them with the methods you used in Example 1, using only corresponding, vertical, and supplementary angles.





Since postulates are accepted without proof, you can use the Corresponding Angles Postulate to prove each of the theorems above.



Real-World Example 2 Use Theorems about Parallel Lines

Creek Road

Wendell Park

Redding Lane

(4)

COMMUNITY PLANNING Redding Lane and Creek Road are parallel streets that intersect Park Road along the west side of Wendell Park. If $m \angle 1 = 118$, find $m \angle 2$.

- $\angle 2 \cong \angle 1$ **Alternate Interior Angles Postulate**
- $m\angle 2 = m\angle 1$ **Definition of congruent angles**
- $m\angle 2 = 118$ Substitution

GuidedPractice

COMMUNITY PLANNING Refer to the diagram above to find each angle measure. Tell which postulate(s) or theorem(s) you used.

2A. If $m \angle 1 = 100$, find $m \angle 4$.

2B. If $m \angle 3 = 70$, find $m \angle 4$.





Some cities require that streets in newly planned subdivisions intersect at no less than a 60° angle.

Algebra and Angle Measures The special relationships between the angles formed by two parallel lines and a transversal can be used to find unknown values.



$m\angle 3 + m\angle 4 = 180$	Definition of supplementary angles
85 + 2x - 17 = 180	Substitution
2x + 68 = 180	Simplify.
2x = 112	Subtract 68 from each side.
x = 56	Divide each side by 2.

b. Find *y* if $m \angle 3 = 4y + 30$ and $m \angle 7 = 7y + 6$.

$\angle 3 \cong \angle 7$	Alternate Interior Angles Theorem
$m\angle 3 = m\angle 7$	Definition of congruent angles
4y + 30 = 7y + 6	Substitution
30 = 3y + 6	Subtract 4y from each side.
24 = 3y	Subtract 6 from each side.
8 = y	Divide each side by 3.

GuidedPractice

3A. If $m \angle 2 = 4x + 7$ and $m \angle 7 = 5x - 13$, find *x*.

3B. Find *y* if $m \angle 5 = 68$ and $m \angle 3 = 3y - 2$.



A special relationship exists when the transversal of two parallel lines is a perpendicular line.



You will prove Theorem 3.4 in Exercise 37.

StudyTip **CCSS** Precision The postulates

and theorems you will be studying in this lesson only apply to *parallel* lines cut by a transversal. You should assume that lines are parallel only if the information is given or the lines are marked with parallel arrows.

ReadingMath

t is read as Line 6 is perpendicular to line t.



7. ROADS In the diagram, the guard rail is parallel to the surface of the roadway and the vertical supports are parallel to each other. Find the measures of angles 2, 3, and 4.

In the figure, $m \angle 1 = 94$. Find the measure of each angle.

Example 3 Find the value of the variable(s) in each figure. Explain your reasoning.



Practice and Problem Solving

Check Your Understanding

Example 1

Examples 1–2 In the figure, <i>m</i>	$\angle 11 = 62$ and $m \angle 14 =$	= 38. Find the measure of
each angle. Tell	which postulate(s) o	r theorem(s) you used.
11 /4	12 /3	13 /12

II. Z4	12. ∠3	13. Z12
14. ∠8	15. ∠6	16. ∠2
17. ∠10	18. ∠5	19. ∠1



Extra Practice is on page R3.

Example 3

MODELING A solar dish collects energy by directing radiation from the Sun to a receiver located at the focal point of the dish. Assume that the radiation rays are parallel. Determine the relationship between each pair of angles, and explain your reasoning.





Shoot PTY/Taxi/Getty Images



21 ∠1 and ∠3

22. ∠4 and ∠5

23. ∠3 and ∠4

= Step-by-Step Solutions begin on page R14.



Find the value of the variable(s) in each figure. Explain your reasoning.



30. PROOF Copy and complete the proof of Theorem 3.2.

Given: $m \parallel n$; ℓ is a transversal.

Prove: $\angle 1$ and $\angle 2$ are supplementary; $\angle 3$ and $\angle 4$ are supplementary.



Proof:

Statements	Reasons
a. ?	a. Given
b. $\angle 1$ and $\angle 3$ form a linear pair;	b. <u>?</u>
$\angle 2$ and $\angle 4$ form a linear pair.	c. If two angles form a linear pair,
c. ?	then they are supplementary.
d. $\overline{\angle 1} \cong \angle 4, \angle 2 \cong \angle 3$	d. ?
e. $m \angle 1 = m \angle 4$, $m \angle 2 = m \angle 3$	e. Definition of Congruence
f	f

STORAGE When industrial shelving needs to be accessible from either side, additional support is provided on the side by transverse members. Determine the relationship between each pair of angles and explain your reasoning.

- **31.** $\angle 1$ and $\angle 8$ **32.** $\angle 1$ and $\angle 5$
- **33.** $\angle 3$ and $\angle 6$ **34.** $\angle 1$ and $\angle 2$
- **35. CSS ARGUMENTS** Write a two-column proof of the Alternate Exterior Angles Theorem. (Theorem 3.3)
- **36. BRIDGES** Refer to the diagram of the double decker Michigan Avenue Bridge in Chicago, Illinois, at the right. The two levels of the bridge, and its diagonal braces, are parallel.





- a. How are the measures of the odd-numbered angles related? Explain.
- **b.** How are the measures of the even-numbered angles related? Explain.
- **c.** How are any pair of angles in which one is odd and the other is even related?
- **d.** What geometric term(s) can be used to relate the two roadways contained by the bridge?



37. PROOF In a plane, prove that if a line is perpendicular to one of two parallel lines, then it is perpendicular to the other. (Theorem 3.4)



- **40. PROBABILITY** Suppose you were to pick any two angles in the figure below.
 - **a.** How many possible angle pairings are there? Explain.
 - **b.** Describe the possible relationships between the measures of the angles in each pair. Explain.
 - **c.** Describe the likelihood of randomly selecting a pair of congruent angles. Explain your reasoning.



- **41. 5 MULTIPLE REPRESENTATIONS** In this problem, you will investigate the relationship between same-side exterior angles.
 - **a. Geometry** Draw five pairs of parallel lines, *m* and *n*, *a* and *b*, *r* and *s*, *j* and *k*, and *x* and *y*, cut by a transversal *t*, and measure the four angles on one side of *t*.
 - **b. Tabular** Record your data in a table.
 - **c. Verbal** Make a conjecture about the relationship between the pair of angles formed on the exterior of parallel lines and on the same side of the transversal.
 - **d.** Logical What type of reasoning did you use to form your conjecture? Explain.
 - e. Proof Write a proof of your conjecture.

H.O.T. Problems Use Higher-Order Thinking Skills

- **42.** WRITING IN MATH If line *a* is parallel to line b and $\angle 1 \cong \angle 2$, describe the relationship between lines *b* and *c*. Explain your reasoning.
- **43.** WRITING IN MATH Compare and contrast the Alternate Interior Angles Theorem and the Consecutive Interior Angles Theorem.



- **44. OPEN ENDED** Draw a pair of parallel lines cut by a transversal and measure the two exterior angles on the same side of the transversal. Include the measures on your drawing. Based on the pattern you have seen for naming other pairs of angles, what do you think the name of the pair you measured would be?
- **45. CHALLENGE** Find *x* and *y*.

(y²)°/ x° (8y - 15)°

46. REASONING Determine the minimum number of angle measures you would have to know to find the measures of all the angles formed by two parallel lines cut by a transversal. Explain.

Standardized Test Practice

47. Suppose $\angle 4$ and $\angle 5$ form a linear pair. If $m \angle 1 = 2x$, $m \angle 2 = 3x - 20$, and $m \angle 3 = x - 4$, what is $m \angle 3$?



- A 26° C 30°

 B 28° D 32°
- 48. SAT/ACT A farmer raises chickens and pigs. If his animals have a total of 120 heads and a total of 300 feet, how many chickens does the farmer have?E 60H 80

Т.	00	11 00
G	70	J 90

49. SHORT RESPONSE If *m* || *n*, then which of the following statements must be true?



- **I.** $\angle 3$ and $\angle 6$ are Alternate Interior Angles.
- **II.** $\angle 4$ and $\angle 6$ are Consecutive Interior Angles.
- **III.** $\angle 1$ and $\angle 7$ are Alternate Exterior Angles.

50. ALGEBRA If -2 + x = -6, then -17 - x = ?A -13 D 13B -4 E 21

C 9

Spiral Review

51. AVIATION Airplanes are assigned an altitude level based on the direction they are flying. If one airplane is flying northwest at 34,000 feet and another airplane is flying east at 25,000 feet, describe the type of lines formed by the paths of the airplanes. Explain your reasoning. (Lesson 3-1)

Use the given statement to find the measure of each numbered angle. (Lesson 2-8)

52. $\angle 1$ and $\angle 2$ form a linear pair and $m \angle 2 = 67$.

53. $\angle 6$ and $\angle 8$ are; complementary $m \angle 4 = 32$ $m \angle 8 = 47.$

55. TRAINS A train company wants to provide routes to New York City, Dallas, Chicago, Los Angeles, San Francisco, and Washington, D.C. An engineer draws lines between each pair of cities on a map. No three of the cities are collinear. How many lines did the engineer draw? (Lesson 2-5)

Skills Review

Simplify each expression.

56. $\frac{6-5}{4-2}$ **57.** $\frac{-5-2}{4-7}$ **58.** $\frac{-11-4}{12-(-9)}$ **59.** $\frac{16-12}{15-11}$ **60.** $\frac{10-22}{8-17}$ **61.** $\frac{8-17}{12-(-3)}$



The rate of change of the steepness of a line is called the *slope*. Slope can be used to investigate the relationship between real-world quantities.

Set Up the Lab

- Connect a data collection device to a graphing calculator. Place the device on a desk or table so that it can read the motion of a walker.
- Mark the floor at distances of 1 meter and 6 meters from the device.

Activity Step 1 Have one group member stand at the 1-meter mark. When another group member presses the button to begin collecting data, the walker should walk away from the device at a slow, steady pace. Step 2 Stop collecting data when the walker passes the 6-meter mark. Save the data as Trial 1. Step 3 Repeat the experiment, walking more quickly. Save the data as Trial 2. Step 4 For Trial 3, repeat the experiment by slowly walking toward the data collection device. Step 5 Repeat the experiment, walking quickly toward the device. Save the data as Trial 4.

Common Core State Standards

G.GPE.5 Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).

Mathematical Practices 5



Analyze the Results

- **1.** Compare and contrast the graphs for Trials 1 and 2. How do the graphs for Trials 1 and 3 compare?
- **2.** Use the **TRACE** feature of the calculator to find the coordinates of two points on each graph. Record the coordinates in a table like the one shown. Then use the points to find the slope of the line.
- **3.** Compare and contrast the slopes for Trials 1 and 2. How do the slopes for Trials 1 and 2 compare to the slopes for Trials 3 and 4?

Trial	Point <i>A</i> (<i>x</i> ₁ , <i>y</i> ₁)	Point <i>B</i> (<i>x</i> ₂ , <i>y</i> ₂)	$\text{Slope} = \frac{y_2 - y_1}{x_2 - x_1}$
1			
2			
3			
4			

- **4.** The slope of a line describes the rate of change of the quantities represented by the *x* and *y*-values. What is represented by the rate of change in this experiment?
- **5. MAKE A CONJECTURE** What would the graph look like if you were to collect data while the walker was standing still? Use the data collection device to test your conjecture.

187

Slopes of Lines

· Then

You used the

properties of parallel

lines to determine

congruent angles.

: Now

: Why?

- Find slopes of lines.
- 2 Use slope to identify parallel and perpendicular lines.

Ski resorts assign ratings to their ski trails according to their difficulty. A primary factor in determining this rating is a trail's steepness or *slope gradient*. A trail with a 6% or ⁶/₁₀₀ and a falls 6 fact untiable for every steepness.

grade falls 6 feet vertically for every 100 feet traveled horizontally.

The easiest trails, labeled \bullet , have slopes ranging from 6% to 25%, while more difficult trails, labeled \blacklozenge or $\blacklozenge \blacklozenge$, have slopes of 40% or greater.

vertical rise

horizontal run

Ф_с

NewVocabulary slope rate of change



Common Core State Standards

Content Standards G.GPE.5 Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).

Mathematical Practices

- 4 Model with mathematics.
- 7 Look for and make use of structure.
- 8 Look for and express regularity in repeated reasoning.

Slope of a Line The steepness or slope of a hill is described by the ratio of the hill's vertical rise to its horizontal run. In algebra, you learned that the slope of a line in the coordinate plane can be calculated using any two points on the line.

Solution: Second States Stat

In a coordinate plane, the **slope** of a line is the ratio of the change along the *y*-axis to the change along the *x*-axis between any two points on the line.

The slope *m* of a line containing two points with coordinates (x_1, y_1) and (x_2, y_2) is given by the formula

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
, where $x_1 \neq x_2$.



Example 1 Find the Slope of a Line

Find the slope of each line.



Substitute (-1, -2) for (x_1, y_1) and (3, 3) for (x_2, y_2) .

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
Slope Formula
$$= \frac{3 - (-2)}{3 - (-1)}$$
Substitution
$$= \frac{5}{4}$$
Simplify.



StudyTip

Dividing by 0 The slope $\frac{-5}{0}$ is undefined because there is no number that you can multiply by 0 and get -5. Since this is true for any number, all numbers divided by 0 will have an undefined slope. All vertical lines have undefined slopes.

Example 1 illustrates the four different types of slopes.



Slope can be interpreted as a **rate of change**, describing how a quantity y changes in relation to quantity x. The slope of a line can also be used to identify the coordinates of any point on the line.

connectED.mcgraw-hill.com 189



Real-WorldCareer

Flight Attendants Flight attendants check tickets, assist passengers with boarding and carry-ons, and provide an overview of emergency equipment and procedures. A high school diploma is required, but airlines increasingly favor bior multi-lingual candidates with college degrees.

Real-World Example 2 Use Slope as Rate of Change

TRAVEL A pilot flies a plane from Columbus, Ohio, to Orlando, Florida. After 0.5 hour, the plane reaches its cruising altitude and is 620 miles from Orlando. Half an hour later, the plane is 450 miles from Orlando. How far was the plane from Orlando 1.25 hours after takeoff?

Understand Use the data given to graph the line that models the distance from Orlando *y* in miles as a function of time *x* in hours.

Assume that speed is constant. Plot the points (0.5, 620) and (1.0, 450), and draw a line through them.

You want to find the distance from Orlando after 1.25 hours.

From the graph we can estimate that after 1.25 hours, the distance was a little less than 400 miles.

Plan Find the slope of the line graphed. Use this rate of change in the plane's distance from Orlando per hour to find the distance from Orlando after 1.25 hours.



Solve Use the Slope Formula to find the slope of the line.

 $m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{(450 - 620) \text{ miles}}{(1.0 - 0.5) \text{ hours}} = \frac{-170 \text{ miles}}{0.5 \text{ hour}} \text{ or } -\frac{340 \text{ miles}}{1 \text{ hour}}$

The plane traveled at an average speed of 340 miles per hour. The negative sign indicates a *decrease* in distance over time.

Use the slope of the line and one known point on the line to calculate the distance *y* when the time *x* is 1.25.

$m = \frac{y_2 - y_1}{x_2 - x_1}$	Slope Formula
$-340 = \frac{y_2 - 620}{1.25 - 0.5}$	$m = -340, x_1 = 0.5, y_1 = 620, \text{ and } x_2 = 1.25$
$-340 = \frac{y_2 - 620}{0.75}$	Simplify.
$-255 = y_2 - 620$	Multiply each side by 0.75.
$365 = y_2$	Add 620 to each side.

Thus, the distance from Orlando after 1.25 hours is 365 miles.

Check Since 365 is close to the estimate, our answer is reasonable.

GuidedPractice

- **2. DOWNLOADS** In 2006, 500 million songs were legally downloaded from the Internet. In 2004, 200 million songs were legally downloaded.
 - **A.** Use the data given to graph the line that models the number of songs legally downloaded *y* as a function of time *x* in years.
 - **B.** Find the slope of the line, and interpret its meaning.
 - **C.** If this trend continues at the same rate, how many songs will be legally downloaded in 2020?

Parallel and Perpendicular Lines You can use the slopes of two lines to determine whether the lines are parallel or perpendicular. Lines with the same slope are parallel.



Example 3 Determine Line Relationships

Determine whether \overleftrightarrow{AB} and \overleftrightarrow{CD} are *parallel*, *perpendicular*, or *neither* for *A*(1, 1), *B*(-1, -5), *C*(3, 2), and *D*(6, 1). Graph each line to verify your answer.

Step 1 Find the slope of each line.

slope of
$$\overleftrightarrow{AB} = \frac{-5-1}{-1-1} = \frac{-6}{-2}$$
 or 3 slope of $\overleftrightarrow{CD} = \frac{1-2}{6-3}$ or $\frac{-1}{3}$

Step 2 Determine the relationship, if any, between the lines.

The two lines do not have the same slope, so they are *not* parallel. To determine if the lines are perpendicular, find the product of their slopes.

 $3\left(-\frac{1}{3}\right) = -1$ Product of slopes for \overleftarrow{AB} and \overleftarrow{CD}

Since the product of their slopes is -1, \overrightarrow{AB} is perpendicular to \overrightarrow{CD} .

CHECK When graphed, the two lines appear to intersect and form four right angles. ✓



PT

GuidedPractice

Determine whether \overleftrightarrow{AB} and \overleftrightarrow{CD} are *parallel*, *perpendicular*, or *neither*. Graph each line to verify your answer.

3A. *A*(14, 13), *B*(-11, 0), *C*(-3, 7), *D*(-4, -5)

3B. *A*(3, 6), *B*(-9, 2), *C*(5, 4), *D*(2, 3)



Slopes of Perpendiculars If a line ℓ has a slope of $\frac{a}{b}$, then the slope of a line perpendicular to line ℓ is the opposite reciprocal, $-\frac{b}{a}$, since $\frac{a}{b}\left(-\frac{b}{a}\right) = -1$.



Example 4 Use Slope to Graph a Line

Graph the line that contains A(-3, 0) and is perpendicular to \overrightarrow{CD} with C(-2, -3)and D(2, 0).

The slope of \overrightarrow{CD} is $\frac{0 - (-3)}{2 - (-2)}$ or $\frac{3}{4}$. Since $\frac{3}{4}\left(\frac{4}{-3}\right) = -1$, the slope of the line perpendicular to \overleftarrow{CD} through A is $-\frac{4}{3}$ or $\frac{-4}{3}$.

To graph the line, start at point *A*. Move down 4 units and then right 3 units. Label the point B and draw \overrightarrow{AB} .

rise 4 units В run: 3 units

GuidedPractice

4. Graph the line that contains P(0, 1) and is perpendicular to \overleftarrow{QR} with Q(-6, -2)and R(0, -6).



Practice and Problem Solving





Find the slope of each line.



Determine the slope of the line that contains the given points.

18. <i>C</i> (3, 1), <i>D</i> (-2, 1)	19. <i>E</i> (5, −1), <i>F</i> (2, −4)
20. <i>G</i> (-4, 3), <i>H</i> (-4, 7)	21. <i>J</i> (7, -3), <i>K</i> (-8, -3)
22. <i>L</i> (8, -3), <i>M</i> (-4, -12)	23. <i>P</i> (-3, -5), <i>Q</i> (-3, -1)
24. <i>R</i> (2, -6), <i>S</i> (-6, 5)	25. <i>T</i> (-6, -11), <i>V</i> (-12, -10)

- **Example 2 26. (W) MODELING** In 2004, 8 million Americans over the age of 7 participated in mountain biking, and in 2006, 8.5 million participated.
 - **a.** Create a graph to show the number of participants in mountain biking based on the change in participation from 2004 to 2006.
 - **b.** Based on the data, what is the growth per year of the sport?
 - **c.** If participation continues at the same rate, what will be the participation in 2013 to the nearest 10,000?
 - 27. FINANCIAL LITERACY Suppose an MP3 player cost \$499 in 2003 and \$249.99 in 2009.
 - **a.** Graph a trend line to predict the price of the MP3 player for 2003 through 2009.
 - **b.** Based on the data, how much does the price drop per year?
 - **c.** If the trend continues, what will be the cost of an MP3 player in 2013?

Example 3 Determine whether \overrightarrow{AB} and \overrightarrow{CD} are *parallel, perpendicular,* or *neither.* Graph each line to verify your answer.

28. <i>A</i> (1, 5), <i>B</i> (4, 4), <i>C</i> (9, -10), <i>D</i> (-6, -5)	29. <i>A</i> (-6, -9), <i>B</i> (8, 19), <i>C</i> (0, -4), <i>D</i> (2, 0)
30. <i>A</i> (4, 2), <i>B</i> (-3, 1), <i>C</i> (6, 0), <i>D</i> (-10, 8)	31. <i>A</i> (8, -2), <i>B</i> (4, -1), <i>C</i> (3, 11), <i>D</i> (-2, -9)
32. <i>A</i> (8, 4), <i>B</i> (4, 3), <i>C</i> (4, -9), <i>D</i> (2, -1)	33. <i>A</i> (4, -2), <i>B</i> (-2, -8), <i>C</i> (4, 6), <i>D</i> (8, 5)

Example 4 Graph the line that satisfies each condition.

- **34.** passes through A(2, -5), parallel to \overrightarrow{BC} with B(1, 3) and C(4, 5)
- **35.** slope = -2, passes through H(-2, -4)
- **36.** passes through K(3, 7), perpendicular to \overrightarrow{LM} with L(-1, -2) and M(-4, 8)
- **37.** passes through X(1, -4), parallel to \overleftarrow{YZ} with Y(5, 2) and Z(-3, -5)
- **38.** slope $=\frac{2}{3}$, passes through *J*(-5, 4)
- **39.** passes through D(-5, -6), perpendicular to \overrightarrow{FG} with F(-2, -9) and G(1, -5)
- **40. STADIUMS** Before it was demolished, the RCA Dome was home to the Indianapolis Colts. The attendance in 2001 was 450,746, and the attendance in 2005 was 457,373.
 - a. What is the approximate rate of change in attendance from 2001 to 2005?
 - **b.** If this rate of change continues, predict the attendance for 2012.
 - c. Will the attendance continue to increase indefinitely? Explain.
 - **d.** The Colts have now built a new, larger stadium. Do you think their decision was reasonable? Why or why not?

42. Line 1: (0, -4) and (2, 2)

Line 2: (0, -4) and (4, 5)

Line 2: (-9, 9) and (3, 5)

44. Line 1: (-6, 7) and (9, -3)

Determine which line passing through the given points has a steeper slope.

- **41.** Line 1: (0, 5) and (6, 1)
 - Line 2: (-4, 10) and (8, -5)

43) Line 1: (-9, -4) and (7, 0)

Line 2: (0, 1) and (7, 4)

- **45. (SS) MODELING** Michigan provides habitat for two endangered species, the bald eagle and the gray wolf. The graph shows the Michigan population of each species in 1992 and 2006.
 - **a.** Which species experienced a greater rate of change in population?
 - **b.** Make a line graph showing the growth of both populations.
 - **c.** If both species continue to grow at their respective rates, what will the population of each species be in 2012?



Find the value of *x* or *y* that satisfies the given conditions. Then graph the line.

- **46.** The line containing (4, -1) and (x, -6) has a slope of $-\frac{5}{2}$.
- **47.** The line containing (-4, 9) and (4, 3) is parallel to the line containing (-8, 1) and (4, y).
- **48.** The line containing (8, 7) and (7, -6) is perpendicular to the line containing (2, 4) and (x, 3).
- **49.** The line containing (1, -3) and (3, y) is parallel to the line containing (5, -6) and (9, y).
- **50. SCHOOLS** In 2000, Jefferson High School had 1125 students. By 2006, the student body had increased to 1425 students. When Fairview High School was built in 2001, it had 1275 students. How many students did Fairview High School have in 2006 if the student body grew at the same rate as Jefferson High School?



MUSIC Maggie and Mikayla want to go to the music store near Maggie's house after school. They can walk 3.5 miles per hour and ride their bikes 10 miles per hour.

- a. Create a table to show how far Maggie and Mikayla can travel walking and riding their bikes. Include distances for 0, 1, 2, 3, and 4 hours.
- b. Create a graph to show how far Maggie and Mikayla can travel based on time for both walking and riding their bikes. Be sure to label the axes of your graph.
- **c.** What does the slope represent in your graph?
- **d.** Maggie's mom says they can only go if they can make it to the music store and back in less than two hours. If they want to spend at least 30 minutes in the music store and it is four miles away, can they make it? Should they walk or ride their bikes? Explain your reasoning.

H.O.T. Problems Use Higher-Order Thinking Skills

- **52.** WRITE A QUESTION A classmate says that all lines have positive or negative slope. Write a question that would challenge his conjecture.
- **53.** ERROR ANALYSIS Terrell and Hale calculated the slope of the line passing through the points Q(3, 5) and R(-2, 2). Is either of them correct? Explain your reasoning.



- **54.** CCSS REASONING Draw a square ABCD with opposite vertices at A(2, -4) and C(10, 4).
 - **a.** Find the other two vertices of the square and label them *B* and *D*.
 - **b.** Show that $\overline{AD} \parallel \overline{BC}$ and $\overline{AB} \parallel \overline{DC}$.
 - **c.** Show that the measure of each angle inside the square is equal to 90.
- 55. WRITING IN MATH Describe the slopes of the Sears Tower and the Leaning Tower of Pisa.
- 56. CHALLENGE In this lesson you learned that $m = \frac{y_2 - y_1}{x_2 - x_1}$. Use an algebraic proof to show that the slope can also be calculated using the equation $m = \frac{y_1 - y_2}{x_1 - x_2}$



Sears Tower

Leaning Tower of Pisa

57. WRITING IN MATH Find two additional points that lie along the same line as X(3, -1) and Y(-1, 7). Generalize a method you can use to find additional points on the line from any given point.



Standardized Test Practice

- **58.** What is the slope of a line perpendicular to the line through the points (-1, 6) and (3, -4)?
 - **A** $m = -\frac{5}{2}$ **B** m = -1

C
$$m = -\frac{2}{5}$$

D
$$m = \frac{2}{5}$$

- **59. SHORT RESPONSE** A set of 25 cards is randomly placed face down on a table. 15 cards have only the letter A written on the face, and 10 cards have only the letter B. Patrick turned over 1 card. What is the probability of this card having the letter B written on its face?
- **60. ALGEBRA** Jamie is collecting money to buy an \$81 gift for her teacher. She has already contributed \$24. She will collect \$3 from each contributing student. How many other students must contribute?

 $A = 20\pi$ cm²

- F 3 students
- G 9 students
- H 12 students
- J 19 students
- **61. SAT/ACT** The area of a circle is 20π square centimeters. What is its circumference?
 - A $\sqrt{5}\pi$ cm
 - **B** $2\sqrt{5}\pi$ cm
 - C $4\sqrt{5}\pi$ cm
 - **D** 20π cm
 - E 40π cm

Spiral Review

In the figure, $a \parallel b$, $c \parallel d$, and $m \angle 4 = 57$. Find the measure of each angle. (Lesson 3-2)

62.	$\angle 5$	63.	Ζ1
64.	$\angle 8$	65.	∠10

Refer to the diagram at the right. (Lesson 3-1)

- **66.** Name all segments parallel to \overline{TU} .
- **67.** Name all planes intersecting plane *BCR*.
- **68.** Name all segments skew to \overline{DE} .





Determine whether the stated conclusion is valid based on the given information. If not, write *invalid*. Explain your reasoning. (Lesson 2-4)

69. Given: $\angle B$ and $\angle C$ are vertical angles. Conclusion: $\angle B \cong \angle C$ **70.** Given: $\angle W \cong \angle Y$ Conclusion: $\angle W$ and $\angle Y$ are vertical angles.

71. CONSTRUCTION There are four buildings on the Mansfield High School Campus, no three of which stand in a straight line. How many sidewalks need to be built so that each building is directly connected to every other building? (Lesson 1-1)

Skills Review

Solve for *y*.

72. 3x + y = 5

73. 4x + 2y = 6

196 | Lesson 3-3 | Slopes of Lines



Identify the transversal connecting each pair of angles. Then classify the relationship between each pair of angles as alternate interior, alternate exterior, corresponding, or consecutive interior angles. (Lesson 3-1)



Refer to the figure to identify each of the following. (Lesson 3-1)



- 5. a plane parallel to plane ABCD
- **6.** a segment skew to \overline{GH} that contains point D
- 7. all segments parallel to \overline{HE}
- **8. MULTIPLE CHOICE** Which term best describes $\angle 4$ and $\angle 8$? (Lesson 3-1)



- A corresponding
- alternate interior С
- **B** alternate exterior
- D consecutive interior

In the figure, $m \angle 4 = 104$, $m \angle 14 = 118$. Find the measure of each angle. Tell which postulate(s) or theorem(s) you used. (Lesson 3-2)



13. Find x. (Lesson 3-2)



14. MODEL TRAINS Amy is setting up two parallel train tracks so that a third track runs diagonally across the first two. To properly place a switch, she needs the angle between the diagonal and the top right portion of the second track to be twice as large as the angle between the diagonal and bottom right portion of the first track. What is the measure of the angle between the diagonal and the top right portion of the second track? (Lesson 3-2)

Determine whether \overrightarrow{AB} and \overrightarrow{XY} are *parallel*, *perpendicular*, or neither. Graph each line to verify your answer. (Lesson 3-3)

15. *A*(2, 0), *B*(4, -5), *X*(-3, 3), *Y*(-5, 8)

16. A(1, 1), B(6, -9), X(4, -10), Y(7, -4)

Find the slope of each line. (Lesson 3-3)



17. line ℓ

- **18.** a line parallel to *m*
- **19.** a line perpendicular to *n*
- 20. SALES The 2008 and 2011 sales figures for Vaughn Electronics are in the table below. (Lesson 3-3)

Year	Approximate Sales (\$)
2008	240,000
2011	330,000

- a. What is the rate of change in approximate sales from 2008 to 2011?
- b. If this rate of change continues, predict the approximate sales for the year 2015.

Equations of Lines



Write Equations of Lines You may remember from algebra that an equation of a nonvertical line can be written in different but equivalent forms.



When given the slope and either the *y*-intercept or a point on a line, you can use these forms to write the equation of the line.

Example 1 Slope and *y*-intercept



Write an equation in slope-intercept form of the line with slope 3 and y-intercept of -2. Then graph the line.

y = mx + b	Slope-intercept form
y = 3x + (-2)	m = 3, b = -2
y = 3x - 2	Simplify.

Plot a point at the *y*-intercept, -2. Use the slope of

3 or $\frac{3}{1}$ to find another point 3 units up and 1 unit to the right of the *y*-intercept. Then draw the line



GuidedPractice

through these two points.

1. Write an equation in slope-intercept form of the line with slope $-\frac{1}{2}$ and *y*-intercept of 8. Then graph the line.

NewVocabularv

slope-intercept form point-slope form

point).

Mathematical Practices

4 Model with mathematics.8 Look for and express regularity in repeated

reasoning.

Example 2 Slope and a Point on the Line



PT

Write an equation in point-slope form of the line with slope $-\frac{3}{4}$ that contains (-2, 5). Then graph the line.

$$y - y_1 = m(x - x_1)$$
Point-Slope form $y - 5 = -\frac{3}{4}[x - (-2)]$ $m = -\frac{3}{4}, (x_1, y_1) = (-2, 5)$ $y - 5 = -\frac{3}{4}(x + 2)$ Simplify.

Graph the given point (-2, 5). Use the slope $-\frac{3}{4}$ or $\frac{-3}{4}$ to find another point 3 units down and 4 units to the right. Then draw the line through these two points.

GuidedPractice

2. Write an equation in point-slope form of the line with slope 4 that contains (-3, -6). Then graph the line.



When the slope of a line is not given, use two points on the line to calculate the slope. Then use the point-slope or slope-intercept form to write an equation of the line.

Example 3 Two Points

Write an equation of the line through each pair of points in slope-intercept form.

a. (0, 3) and (−2, −1)

Step 1 Find the slope of the line through the points.

 $m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-1 - 3}{-2 - 0} = \frac{-4}{-2}$ or 2 Use the Slope Formula.

Step 2 Write an equation of the line.

Slope-Intercept form m = 2; (0, 3) is the *y*-intercept.

b. (-7, 4) and (9, -4)

y = mx + b

y = 2x + 3

Step 1
$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-4 - 4}{9 - (-7)} = \frac{-8}{16} \text{ or } -\frac{1}{2}$$

Step 2 $y - y_1 = m(x - x_1)$
 $y - 4 = -\frac{1}{2}[x - (-7)]$
 $y - 4 = -\frac{1}{2}(x + 7)$
 $y - 4 = -\frac{1}{2}x - \frac{7}{2}$
 $y = -\frac{1}{2}x + \frac{1}{2}$

Use the Slope Formula.

Point-Slope form

$$m = -\frac{1}{2}, (x_1, y_1) = (-7, 4)$$

Simplify.

Distribute.

Add 4 to each side:
$$\frac{7}{2} + 4 = -\frac{7}{2} + \frac{8}{2}$$

= $\frac{1}{2}$

GuidedPractice

3A. (-2, 4) and (8, 10)

3B. (-1, 3) and (7, 3)



StudyTip

CCSS Perseverance In

Example 3b, you could also use the slope-intercept form and one point to find the *y*-intercept and write the equation.

$$y = mx + b$$

$$4 = -\frac{1}{2}(-7) + b$$

$$4 = \frac{7}{2} + b$$

$$4 - \frac{7}{2} = b$$

$$b = \frac{1}{2}$$

So, $y = -\frac{1}{2}x + \frac{1}{2}$.

ConnectED.mcgraw-hill.com 199

WatchOut!

Substituting Negative Coordinates When substituting negative coordinates, use parentheses to avoid making errors with the signs.



Math HistoryLink **Gaspard Monge** (1746-1818) Monge presented the point-slope form of an equation of a line in a paper published in 1784.

Example 4 Horizontal Line



Step 1

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{6 - 6}{5 - (-2)} = \frac{0}{7}$$
 or 0
 This is a horizontal line.

 Step 2
 $y - y_1 = m(x - x_1)$
 Point-Slope form

 $y - 6 = 0[x - (-2)]$
 $m = -\frac{1}{2}, (x_1, y_1) = (-2, 6)$
 $y - 6 = 0$
 Simplify.

 $y = 6$
 Add 6 to each side.

GuidedPractice

E

4. Write an equation of the line through (5, 0) and (-1, 0) in slope-intercept form.

The equations of horizontal and vertical lines involve only one variable.

KeyConcepts Horizontal and Vertical Line Equations	
The equation of a horizontal line is $y = b$, where b is the y-intercept of the line.	
Example $y = -3$	x = -2
The equation of a vertical line is $x = a$, where <i>a</i> is the <i>x</i> -intercept of the line.	\sim O x $\gamma = -3$
Example $x = -2$	

Parallel lines that are not vertical have equal slopes. Two nonvertical lines are perpendicular if the product of their slope is -1. Vertical and horizontal lines are always perpendicular to one another.

Example 5 Write Equations of Parallel or Perpendicular Lines

Write an equation in slope-intercept form for a line perpendicular to y = -3x + 2 containing (4, 0).

The slope of y = -3x + 2 is -3, so the slope of a line perpendicular to it is $\frac{1}{3}$.

$$y = mx + b$$

Slope-Intercept form
$$0 = \frac{1}{3}(4) + b$$
$$m = \frac{1}{3} \text{ and } (x, y) = (4, 0)$$
$$0 = \frac{4}{3} + b$$
Simplify.

$$-\frac{4}{3} = b$$
 Subtract $\frac{4}{3}$ from each side.

So, the equation is $y = \frac{1}{3}x + (-\frac{4}{3})$ or $y = \frac{1}{3}x - 1\frac{1}{3}$.

GuidedPractice

5. Write an equation in slope-intercept form for a line parallel to $y = -\frac{3}{4}x + 3$ containing (-3, 6).

PT

ReadingMath

Linear The word *linear* indicates a line. The graph of a linear equation is a line.

2 Write Equations to Solve Problems Many real-world situations can be modeled using a linear equation.

Seal-World Example 6 Write Linear Equations

FINANCIAL LITERACY Benito's current wireless phone plan, Plan X, costs \$39.95 per month for unlimited calls and \$0.05 per text message. He is considering switching to Plan Y, which costs \$35 per month for unlimited calls plus \$0.10 for each text message. Which plan offers him the better rate?

- **Understand** Plan X costs \$39.95 per month plus \$0.05 per text message. Plan Y costs \$35 per month plus \$0.10 per text message. You want to compare the two plans to determine when the cost of one plan is less than the other.
 - **Plan** Write an equation to model the total monthly cost *C* of each plan for *t* text messages sent or received. Then graph the equations in order to compare the two plans.
 - **Solve** The rates of increase, or slopes *m*, in the total costs are 0.05 for Plan X and 0.10 for Plan Y. When the number of text messages is 0, the total charge is just the monthly fee. So, the *y*-intercept *b* is 39.95 for Plan X and 35 for Plan Y.

Plan X		Plan Y
C = mt + b	Slope-intercept form	C = mt + b
C = 0.05t + 39.95	Substitute for <i>m</i> and <i>b</i> .	C = 0.10t + 35

Graph the two equations on the same coordinate plane.



From the graph, it appears that if Benito sends or receives less than about 100 text messages, Plan Y offers the lower rate. For more than 100 messages, Plan X is lower.

Check Check your estimate. For 100 text messages, Plan X costs 0.05(100) + 39.95 or 44.95, and Plan Y costs 0.1(100) + 35 or 45. Adjusting our estimate, we find that when the number of messages is 99, both plans cost \$44.90. ✓

GuidedPractice

6. Suppose the rate for Plan Y was \$44 a month and \$0.02 per text message. Which plan would offer Benito the better rate? Justify your answer.

Problem-SolvingTip

Draw a Graph In Example 6, although Plan Y has a lower monthly fee, the charge per text message is higher. This makes the plans more difficult to compare. A graph can often give you a better comparison of two linear situations.



PT

Check Your Understanding

Example 1 Write an equation in slope-intercept form of the line having the given slope and y-intercept. Then graph the line.

Write an equation in point-slope form of the line having the given slope that contains

- **Example 2** the given point. Then graph the line.
 - **5.** $m = \frac{1}{4}, (-2, -3)$ **4.** m = 5, (3, -2)**6.** m = -4.25, (-4, 6)

Examples 3-4 Write an equation of the line through each pair of points in slope-intercept form.



Example 5

Example 6

1. *m*: 4, *y*-intercept: -3



10. Write an equation in slope-intercept form for a line perpendicular to

11. Write an equation in slope-intercept form for a line parallel to y = 4x - 5



2. $m: \frac{1}{2}$, *y*-intercept: -1 **3.** $m: -\frac{2}{3}$, *y*-intercept: 5

- 12. **CCSS MODELING** Kameko currently subscribes to Ace Music, an online music service, but she is considering switching to another online service, Orange Tunes. The plan for each
 - **a.** Write an equation to represent the total monthly cost for each plan.
 - **b.** Graph the equations.

y = -2x + 6 containing (3, 2).

online music service is shown.

containing (-1, 5).

c. If Kameko downloads 15 songs per month, should she keep her current plan, or change to the other plan? Explain.

Practice and Problem Solving

Example 1 Write an equation in slope-intercept form of the line having the given slope and *y*-intercept or points. Then graph the line.

13.	<i>m</i> : -5, <i>y</i> -intercept: -2	14. <i>m</i> : −7, <i>b</i> : −4	15. <i>m</i> : 9, <i>b</i> : 2
16.	<i>m</i> : 12, <i>y</i> -intercept: $\frac{4}{5}$	17. $m: -\frac{3}{4}, (0, 4)$	18. $m: \frac{5}{11}, (0, -3)$

Example 2 Write an equation in point-slope form of the line having the given slope that contains the given point. Then graph the line.

19 $m = 2, (3, 11)$	20. $m = 4, (-4, 8)$	21. $m = -7, (1, 9)$
22. $m = \frac{5}{7}, (-2, -5)$	23. $m = -\frac{4}{5}$, $(-3, -6)$	24. <i>m</i> = -2.4, (14, -12)

Examples 3–4 Write an equation of the line through each pair of points in slope-intercept form.

25. (-1, -4) and (3, -4)	26. (2, −1) and (2, 6)
27. (-3, -2) and (-3, 4)	28. (0, 5) and (3, 3)
29. (-12, -6) and (8, 9)	30. (2, 4) and (-4, -11)

= Step-by-Step Solutions begin of



Extra Practice is on page R3.

Write an equation in slope-intercept form for each line shown or described.



Example 5

Write an equation in slope-intercept form for each line described.

- **37.** passes through (-7, -4), perpendicular to $y = \frac{1}{2}x + 9$
- **38.** passes through (-1, -10), parallel to y = 7
- **39.** passes through (6, 2), parallel to $y = -\frac{2}{3}x + 1$
- **40.** passes through (-2, 2), perpendicular to y = -5x 8
- **Example 6** (41) PLANNING Karen is planning a graduation party for the senior class. She plans to rent a meeting room at the convention center that costs \$400. There is an additional fee of \$5.50 for each person who attends the party.
 - **a.** Write an equation to represent the cost *y* of the party if *x* people attend.
 - **b.** Graph the equation.
 - **c.** There are 285 people in Karen's class. If $\frac{2}{3}$ of these people attend, how much will the party cost?
 - d. If the senior class has raised \$2000 for the party, how many people can attend?
 - 42. CSS MODELING Victor is saving his money to buy a new satellite radio for his car. He wants to save enough money for the radio and one year of satellite radio service before he makes the purchase. He started saving for the radio with \$50 that he got for his birthday. Since then, he has been adding \$15 every week after he cashes his paycheck.
 - **a.** Write an equation to represent Victor's savings *y* after *x* weeks.
 - **b.** Graph the equation.
 - **c.** How long will it take Victor to save \$150?
 - **d.** A satellite radio costs \$180. Satellite radio service costs \$10 per month. If Victor started saving two weeks ago, how much longer will it take him to save enough money? Explain.

Name the line(s) on the graph shown that match each description.

- **43.** parallel to y = 2x 3
- **44.** perpendicular to $y = \frac{1}{2}x + 7$

45. intersecting, but not perpendicular to $y = \frac{1}{2}x - 5$

Determine whether the lines are *parallel*, *perpendicular*, or neither.

46.
$$y = 2x + 4$$
, $y = 2x - 10$
48. $y - 4 = 3(x + 5)$, $y + 3 = -\frac{1}{3}(x + 1)$



203

50. Write an equation in slope-intercept form for a line containing (4, 2) that is parallel to the line y - 2 = 3(x + 7).

Write an equation for a line containing (-8, 12) that is perpendicular to the line containing the points (3, 2) and (-7, 2).

- **52.** Write an equation in slope-intercept form for a line containing (5, 3) that is parallel to the line $y + 11 = \frac{1}{2}(4x + 6)$.
- **53. POTTERY** A community center offers pottery classes. A \$40 enrollment fee covers supplies and materials, including one bag of clay. Extra bags of clay cost \$15 each. Write an equation to represent the cost of the class and *x* bags of clay.
- **54.** Solution of a system of two linear equations is an ordered pair that is a solution of both equations. Consider lines *q*, *r*, *s*, and *t* with the equations given.

line q: y = 3x + 2 line r: y = 0.5x - 3 line s: 2y = x - 6 line t: y = 3x - 3

- **a.** Tabular Make a table of values for each equation for x = -3, -2, -1, 0, 1, 2, and 3. Which pairs of lines appear to represent a system of equations with one solution? no solution? infinitely many solutions? Use your tables to explain your reasoning.
- **b. Graphical** Graph the equations on the same coordinate plane. Describe the geometric relationship between each pair of lines, including points of intersection.
- **c. Analytical** How could you have determined your answers to part **a** using only the equations of the lines?
- **d. Verbal** Explain how to determine whether a given system of two linear equations has one solution, no solution, or infinitely many solutions using a table, a graph, or the equations of the lines.

H.O.T. Problems Use Higher-Order Thinking Skills

- **55. CHALLENGE** Find the value of *n* so that the line perpendicular to the line with the equation -2y + 4 = 6x + 8 passes through the points at (n, -4) and (2, -8).
- **56. REASONING** Determine whether the points at (-2, 2), (2, 5), and (6, 8) are collinear. Justify your answer.
- **57. OPEN ENDED** Write equations for two different pairs of perpendicular lines that intersect at the point at (-3, -7).
- **58. CRITIQUE** Mark and Josefina wrote an equation of a line with slope -5 that passes through the point (-2, 4). Is either of them correct? Explain your reasoning.

MarkJosefinay - 4 = -5(x - (-2))y - 4 = -5(x - (-2))y - 4 = -5(x + 2)y - 4 = -5(x + 2)y - 4 = -5x - 10y = -5x - 6

59. WRITING IN MATH When is it easier to use the point-slope form to write an equation of a line and when is it easier to use the slope-intercept form?

Standardized Test Practice

60. Which graph best represents a line passing through the point (-2, -3)?



61. Which equation describes the line that passes through the point at (-2, 1) and is perpendicular to the line $y = \frac{1}{3}x + 5$?



- 62. GRIDDED RESPONSE At Jefferson College, 80% of students have cell phones. Of the students who have cell phones, 70% have computers. What percent of the students at Jefferson College have both a cell phone and a computer?
- **63. SAT/ACT** Which expression is equivalent to $4(x-6) - \frac{1}{2}(x^2+8)?$

A $4x^2 + 4x - 28$ **D** 3x - 20**B** $-\frac{1}{2}x^2 + 4x - 20$ **E** $-\frac{1}{2}x^2 + 4x - 28$ C $-\frac{1}{2}x^2 + 6x - 24$

Spiral Review

Determine the slope of the line that contains the given points. (Lesson 3-3) **64.** *J*(4, 3), *K*(5, −2)

65. X(0, 2), Y(-3, -4)

66. *A*(2, 5), *B*(5, 1)

48°

Find x and y in each figure. (Lesson 3-2)



69. DRIVING Lacy's home is located at the midpoint between Newman's Gas Station and Gas-O-Rama. Newman's Gas Station is a quarter mile away from Lacy's home. How far away is Gas-O-Rama from Lacy's home? How far apart are the two gas stations? (Lesson 1-3)

Skills Review

Determine the relationship between each pair of angles.

- **70.** ∠1 and ∠12
- **71.** ∠7 and ∠10
- **72.** ∠4 and ∠8
- **73.** ∠2 and ∠11






You can apply what you have learned about slope and equations of lines to geometric figures on a plane.

Common Core State Standards

Content Standards G.GPE.5 Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a

Mathematical Practices 8

given point).



_Activity		
Find the equation of a line the of a segment <i>AB</i> with endpo	hat is a perpendicular bisector ints $A(-3, 3)$ and $B(4, 0)$.	A(-3, 3)
Use the Midpoint Fo	contains the midpoint of the segment. rmula to find the midpoint <i>M</i> of \overline{AB} .	• O B(4, 0) x
$M\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right) =$	$M\left(\frac{-3}{2}, \frac{3}{2}\right)$ $M\left(\frac{1}{2}, \frac{3}{2}\right)$	
	ctor is perpendicular to the segment through find the slope of the bisector, first find the s	
$m = \frac{y_2 - y_1}{x_2 - x_1}$	Slope Formula	
4 - (-3)	$x_1 = -3, x_2 = 4, y_1 = 3, y_2 = 0$	
$=-\frac{3}{7}$	Simplify.	
Step 3 Now use the point-sl	ope form to write the equation of	-A(-3,3)
the line. The slope of	the bisector is $\frac{7}{3}$ since $-\frac{3}{7}\left(\frac{7}{3}\right) = -1$	$A(-3,3) = y = -\frac{7}{3}x + \frac{1}{3}$
$y - y_1 = m(x - x_1)$	Point-slope form	9 B(4, 0) x
$y - \frac{3}{2} = \frac{7}{3} \left(x - \frac{1}{2} \right)$	$m = \frac{7}{3}, (x_1, y_1) = \left(\frac{1}{2}, \frac{3}{2}\right)$	
$y - \frac{3}{2} = \frac{7}{3}x - \frac{7}{6}$	Distributive Property	
$y = \frac{7}{3}x + \frac{1}{3}$	Add $\frac{3}{2}$ to each side.	

Exercises

Find the equation of a line that is the perpendicular bisector \overline{PQ} for the given endpoints.

1. <i>P</i> (5, 2), <i>Q</i> (7, 4)	2. <i>P</i> (−3, 9), <i>Q</i> (−1, 5)
3. <i>P</i> (-6, -1), <i>Q</i> (8, 7)	4. <i>P</i> (−2, 1), <i>Q</i> (0, −3)
5. <i>P</i> (0, 1.6), <i>Q</i> (0.5, 2.1)	6. <i>P</i> (−7, 3), <i>Q</i> (5, 3)

7. CHALLENGE Find the equations of the lines that contain the sides of $\triangle XYZ$ with vertices X(-2, 0), Y(1, 3), and Z(3, -1).

Proving Lines Parallel

: Why? : Now **:**•Then You used slopes to Recognize angle pairs When you see a roller coaster track, the that occur with parallel identify parallel and two sides of the track are always the same distance apart, even though the track perpendicular lines. lines. curves and turns. The tracks are carefully Prove that two lines constructed to be parallel at all points so are parallel. that the car is secure on the track.

Common Core

State Standards **Content Standards**

G.CO.9 Prove theorems about lines and angles. G.CO.12 Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.).

Mathematical Practices

1 Make sense of problems and persevere in solving them.

3 Construct viable arguments and critique the reasoning of others.

Identify Parallel Lines The two sides of the track of a roller coaster are parallel, and all of the supports along the track are also parallel. Each of the angles formed between the track and the supports are corresponding angles. We have learned that corresponding angles are congruent when lines are parallel. The converse of this relationship is also true.

Postulate 3.4 Converse of Corresponding Angles Postulate

If two lines are cut by a transversal so that corresponding angles are congruent, then the lines are parallel.



connectED.mcgraw-hill.com

Examples If $\angle 1 \cong \angle 3$, $\angle 2 \cong \angle 4$, $\angle 5 \cong \angle 7$, $\angle \mathbf{6} \cong \angle \mathbf{8}$, then $a \parallel b$.

The Converse of the Corresponding Angles Postulate can be used to construct parallel lines.

A Construction Parallel Line Through a Point Not on the Line				
Step 1 Use a straightedge to draw \overrightarrow{AB} . Draw a point <i>C</i> that is not on \overrightarrow{AB} . Draw \overrightarrow{CA} .	Step 2 Copy $\angle CAB$ so that <i>C</i> is the vertex of the new angle. Label the intersection points <i>D</i> and <i>E</i> .	Step 3 Draw <i>CD</i> . Because $\angle ECD \cong \angle CAB$ by construction and they are corresponding angles, $\overleftarrow{AB} \parallel \overleftarrow{CD}$.		
C A B				



The construction establishes that there is *at least* one line through *C* that is parallel to \overleftrightarrow{AB} . The following postulate guarantees that this line is the *only* one.

Study Tip

Euclid's Postulates The father of modern geometry, Euclid (c. 300 B.C.) realized that only a few postulates were needed to prove the theorems in his day. Postulate 3.5 is one of Euclid's five original postulates. Postulate 2.1 and Theorem 2.10 also reflect two of Euclid's postulates.

Postulate 3.5 Parallel Postulate

If given a line and a point not on the line, then there exists exactly one line through the point that is parallel to the given line.



Parallel lines that are cut by a transversal create several pairs of congruent angles. These special angle pairs can also be used to prove that a pair of lines are parallel.

Theorems Proving Lines Parallel		
3.5	Alternate Exterior Angles Converse If two lines in a plane are cut by a transversal so that a pair of alternate exterior angles is congruent, then the two lines are parallel.	$p \qquad q$ $1 \qquad 3$ If $\angle 1 \cong \angle 3$, then $p \parallel q$.
3.6	Consecutive Interior Angles Converse If two lines in a plane are cut by a transversal so that a pair of consecutive interior angles is supplementary, then the lines are parallel.	$p \qquad q$ $f m \angle 4 + m \angle 5 = 180, \text{ then } p \parallel q.$
3.7	Alternate Interior Angles Converse If two lines in a plane are cut by a transversal so that a pair of alternate interior angles is congruent, then the lines are parallel.	$p = p = p$ $p = p$ $f \neq 0$ If $\neq 6 \cong \neq 8$, then $p \parallel q$.
3.8	Perpendicular Transversal Converse In a plane, if two lines are perpendicular to the same line, then they are parallel.	$ \xrightarrow{r} p \\ q $
		If $p \perp r$ and $q \perp r$, then $p \parallel q$.

You will prove Theorems 3.5, 3.6, 3.7, and 3.8 in Exercises 6, 23, 31, and 30, respectively.

Example 1 Identify Parallel Lines

Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer.

a. $\angle 1 \cong \angle 6$

 $\angle 1$ and $\angle 6$ are alternate exterior angles of lines ℓ and n. Since $\angle 1 \cong \angle 6$, $\ell \parallel n$ by the Converse of the Alternate Exterior Angles Theorem. P $1 \qquad 2 \qquad \ell$ $3 \qquad 4 \qquad m$ $5 \qquad 6 \qquad n$

PT

b. $\angle 2 \cong \angle 3$

 $\angle 2$ and $\angle 3$ are alternate interior angles of lines ℓ and m. Since $\angle 2 \cong \angle 3$, $\ell \parallel m$ by the Converse of the Alternate Interior Angles Theorem.



Angle relationships can be used to solve problems involving unknown values.



Read the Test Item

Show your work.

From the figure, you know that $m \angle MRQ = 5x + 7$ and $m \angle RPN = 7x - 21$. You are asked to find the measure of $\angle MRQ$.

Solve the Test Item

 $\angle MRQ$ and $\angle RPN$ are alternate interior angles. For lines *a* and *b* to be parallel, alternate interior angles must be congruent, so $\angle MRQ \cong \angle RPN$. By the definition of congruence, $m \angle MRQ = m \angle RPN$. Substitute the given angle measures into this equation and solve for *x*.

$m \angle MRQ = m \angle RPN$	Alternate interior angles
5x + 7 = 7x - 21	Substitution
7 = 2x - 21	Subtract 5 <i>x</i> from each side.
28 = 2x	Add 21 to each side.
14 = x	Divide each side by 2.

Now, use the value of *x* to find $\angle MRQ$.

OPEN ENDED Find $m \angle MRQ$ so that $a \parallel b$.

$m \angle MRQ = 5x + 7$	Substitution
= 5 (14) + 7	<i>x</i> = 14
= 77	Simplify.

CHECK Check your answer by using the value of *x* to find $m \angle RPN$.

 $m \angle RP = 7x - 21$

= 7(14) − 21 or 77 ✓

Since $m \angle MRQ = m \angle RPN$, $\angle MRQ \cong \angle RPN$ and $a \parallel b$.

GuidedPractice

2. Find y so that $e \parallel f$. Show your work.



StudyTip

Finding What Is Asked For Be sure to reread test questions carefully to be sure you are answering the question that was asked. In Example 2, a common error would be to stop after you have found the value of *x* and say that the solution of the problem is 14.

StudyTip

Proving Lines Parallel When two parallel lines are cut by a transversal, the angle pairs formed are either congruent or supplementary. When a pair of lines forms angles that do not meet this criterion, the lines cannot possibly be parallel.

Prove Lines Parallel The angle pair relationships formed by a transversal can be used to prove that two lines are parallel.

Real-World Example 3 Prove Lines Parallel

HOME FURNISHINGS In the ladder shown, each rung is perpendicular to the two rails. Is it possible to prove that the two rails are parallel and that all of the rungs are parallel? If so, explain how. If not, explain why not.

Since both rails are perpendicular to each rung, the rails are parallel by the Perpendicular Transversal Converse. Since any pair of rungs is perpendicular to the rails, they are also parallel.

GuidedPractice

3. ROWING In order to move in a straight line with maximum efficiency, rower's oars should be parallel. Refer to the photo at the right. Is it possible to prove that any of the oars are parallel? If so, explain how. If not, explain why not.



Check Your Understanding

Example 1 Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer. **1.** ∠1 ≅ ∠3 **2.** ∠2 ≅ ∠5 **3** $\angle 3 \cong \angle 10$ **4.** $m \angle 6 + m \angle 8 = 180$ **5. SHORT RESPONSE** Find *x* so that *m* || *n*. **Example 2** m Show your work. $(4x - 23)^{\circ}$ $(2x + 17)^{\circ}$ **Example 3 6. PROOF** Copy and complete the proof of Theorem 3.5. **Given:** $\angle 1 \cong \angle 2$ 3 Prove: $\ell \mid \mid m$ **Proof: Statements** Reasons a. Given **a.** $\angle 1 \cong \angle 2$

b. ?

d.

c. Transitive Property

2



m

= Step-by-Step Solutions begin on page R14.

b. $\angle 2 \cong \angle 3$

c. $\angle 1 \cong \angle 3$ 2



7. RECREATION Is it possible to prove that the backrest and footrest of the lounging beach chair are parallel? If so, explain how. If not, explain why not.



Extra Practice is on page R3.

Practice and Problem Solving

Example 1 Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer. **8** $/1 \approx /2$ **9** $/2 \approx /9$

8. ∠1 ≅ ∠2	9. ∠2 ≅ ∠9
10. ∠5 ≅ ∠7	11. $m \angle 7 + m \angle 8 = 180$
12. $m \angle 3 + m \angle 6 = 180$	13. ∠3 ≅ ∠5
14. ∠3 ≅ ∠7	15. ∠4 ≅ ∠5



Example 2

Find *x* so that *m* || *n*. Identify the postulate or theorem you used.



- **22. CSS SENSE-MAKING** Wooden picture frames are often constructed using a miter box or miter saw. These tools allow you to cut at an angle of a given size. If each of the four pieces of framing material is cut at a 45° angle, will the sides of the frame be parallel? Explain your reasoning.
- **Example 3 23. PROOF** Copy and complete the proof of Theorem 3.6. **Given:** $\angle 1$ and $\angle 2$ are supplementary. **Prove:** $\ell \parallel m$



Proof:

Statements	Reasons
a?	a. Given
b. $\angle 2$ and $\angle 3$ form a linear pair.	b. <u>?</u>
c?	c?
d. $\angle 1 \cong \angle 3$	d?
e. ℓ m	e?

24. CRAFTS Jacqui is making a stained glass piece. She cuts the top and bottom pieces at a 30° angle. If the corners are right angles, explain how Jacqui knows that each pair of opposite sides are parallel.





29 MAILBOXES Mail slots are used to make the organization and distribution of mail easier. In the mail slots shown, each slot is perpendicular to each of the sides. Explain why you can conclude that the slots are parallel.



- **30. PROOF** Write a paragraph proof of Theorem 3.8.
- **31. PROOF** Write a two-column proof of Theorem 3.7.
- **32. CSS REASONING** Based upon the information given in the photo of the staircase at the right, what is the relationship between each step? Explain your answer.



Determine whether lines *r* and *s* are parallel. Justify your answer.



33.

- **36.** Solution 36. MULTIPLE REPRESENTATIONS In this problem, you will explore the shortest distance between two parallel lines.
 - **a. Geometric** Draw three sets of parallel lines k and ℓ , s and t, and χ and y. For each set, draw the shortest segment \overline{BC} and label points A and D as shown below.



b. Tabular Copy the table below, measure $\angle ABC$ and $\angle BCD$, and complete the table.

Set of Parallel Lines	m∠ABC	m∠BCD
k and ℓ		
s and t		
χ and y		

c. Verbal Make a conjecture about the angle the shortest segment forms with both parallel lines.

H.O.T. Problems Use Higher-Order Thinking Skills

37. ERROR ANALYSIS Sumi and Daniela are determining which lines are parallel in the figure at the right. Sumi says that since $\angle 1 \cong \angle 2$, $\overline{WY} \mid\mid \overline{XZ}$. Daniela disagrees and says that since $\angle 1 \cong \angle 2$, $\overline{WX} \mid\mid \overline{YZ}$. Is either of them correct? Explain.



- **39. CHALLENGE** Use the figure at the right to prove that two lines parallel to a third line are parallel to each other.
- **40. OPEN ENDED** Draw a triangle *ABC*.
 - **a.** Construct the line parallel to \overline{BC} through point *A*.
 - **b.** Use measurement to justify that the line you constructed is parallel to \overline{BC} .
 - **c.** Use mathematics to justify this construction.
- **41. CHALLENGE** Refer to the figure at the right.
 - **a.** If $m \angle 1 + m \angle 2 = 180$, prove that $a \parallel c$.
 - **b.** Given that $a \parallel c$, if $m \angle 1 + m \angle 3 = 180$, prove that $t \perp c$.
- **42. WRITING IN MATH** Summarize the five methods used in this lesson to prove that two lines are parallel.
- **43.** EXAMPLE 43. WRITING IN MATH Can a pair of angles be supplementary and congruent? Explain your reasoning.



W

Y

2



connectED.mcgraw-hill.com

Standardized Test Practice

44. Which of the following facts would be sufficient to prove that line d is parallel to \overline{XZ} ?



$\mathbf{A} \ \angle 1 \cong \angle 3$	$\mathbf{C} \ \angle 1 \cong \angle Z$
B $\angle 3 \cong \angle Z$	$\mathbf{D} \ \angle 2 \cong \angle X$

45. ALGEBRA The expression $\sqrt{52} + \sqrt{117}$ is equivalent to

F	13	Η	$6\sqrt{13}$
G	$5\sqrt{13}$	J	$13\sqrt{13}$



Spiral Review

Write an equation in slope-intercept form of the line having the given slope and *y*-intercept. (Lesson 3-4)

48. m: 2.5, (0, 0.5) **49.** $m: \frac{4}{5}, (0, -9)$

50.
$$m: -\frac{7}{8}, \left(0, -\frac{5}{6}\right)$$

51. ROAD TRIP Anne is driving 400 miles to visit Niagara Falls. She manages to travel the first 100 miles of her trip in two hours. If she continues at this rate, how long will it take her to drive the remaining distance? (Lesson 3-3)

Find a counterexample to show that each conjecture is false. (Lesson 2-1)

52. Given: $\angle 1$ and $\angle 2$ are complementary angles.

Conjecture: $\angle 1$ and $\angle 2$ form a right angle.

53. Given: points *W*, *X*, *Y*, and *Z*

Conjecture: *W*, *X*, *Y*, and *Z* are noncollinear.

Find the perimeter or circumference and area of each figure. Round to the nearest tenth. (Lesson 1-6)



Skills Review

57. Find *x* and *y* so that \overline{BE} and \overline{AD} are perpendicular.



Perpendiculars and Distance

: • Then	: Now	:·Why?	
• You proved that two lines are parallel using angle relationships.	 Find the distance between a point and a line. Find the distance between parallel lines. 	 A <i>plumb bob</i> is made of string with a specially designed weight. When the weight is suspended and allowed to swing freely, the point of the bob is precisely below the point to which the string is fixed. The plumb bob is useful in establishing what is the true vertical or <i>plumb</i> when constructing a wall or when hanging wallpaper. 	
NewVocabula equidistant	bob also ind the point at whi a level floor belo	rom a Point to a Line The plumb licates the shortest distance between ch it is attached on the ceiling and ow. This perpendicular distance	
Common Core State Standards	between a point	and a line is the shortest in all cases.	// en

Content Standards G.CO.12 Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.).

G.MG.3 Apply geometric methods to solve problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios). ★

Mathematical Practices

- 2 Reason abstractly and quantitatively.
- 4 Model with mathematics.



connectED.mcgraw-hill.com

21



The construction of a line perpendicular to an existing line through a point not on the existing line in Extend Lesson 1-5 establishes that there is at least one line through a point *P* that is perpendicular to a line *AB*. The following postulate states that this line is the *only* line through P perpendicular to AB.



LANDSCAPING A landscape architect notices that one part of a yard does not drain well. She wants to tap into an existing underground drain represented by line *m*. Construct and name the segment with the length that represents the shortest amount of pipe she will need to lay to connect this drain to point *A*.



The distance from a line to a point not on the line is the length of the segment perpendicular to the line from the point. Locate points B and C on line m equidistant from point A.



Locate a third point on line *m* equidistant from *B* and *C*. Label this point *D*. Then draw \overrightarrow{AD} so that $\overrightarrow{AD} \perp \overrightarrow{BC}$.



The measure of \overline{AD} represents the shortest amount of pipe the architect will need to lay to connect the drain to point *A*.

GuidedPractice

1. Copy the figure. Then construct and name the segment that represents the distance from *Q* to *PR*.



Ocean/CORBIS

Real-WorldCareer

Landscape Architect Landscape architects enjoy working with their hands and possess strong analytical skills. Creative vision and artistic talent are also desirable qualities. Typically, a bachelor's degree is required of landscape architects, but a master's degree may be required for specializations such as golf course design.

StudyTip

Drawing the Shortest

Distance You can use tools like the corner of a piece of paper to help you draw a perpendicular segment from a point to a line, but only a compass and a straightedge can be used to construct this segment.

StudyTip

Distance to Axes Note that the distance from a point to the *x*-axis can be determined by looking at the *y*-coordinate, and the distance from a point to the *y*-axis can be determined by looking at the *x*-coordinate.

Example 2 Distance from a Point to a Line on Coordinate Plane



COORDINATE GEOMETRY Line ℓ contains points at (-5, 3) and (4, -6). Find the distance between line ℓ and point *P*(2, 4).

Step 1 Find the equation of the line ℓ .

Begin by finding the slope of the line through points (-5, 3) and (4, -6).

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-6 - 3}{4 - (-5)} = \frac{-9}{9}$$
 or -1

Then write the equation of this line using the point (4, -6) on the line.

y = mx + b	Slope-intercept form
-6 = -1(4) + b	m = -1, (x, y) = (4, -6)
-6 = -4 + b	Simplify.
-2 = b	Add 4 to each side.



The equation of line ℓ is y = -x + (-2) or y = -x - 2.

Step 2 Write an equation of the line *w* perpendicular to line ℓ through *P*(2, 4).

Since the slope of line ℓ is -1, the slope of a line p is 1. Write the equation of line w through P(2, 4) with slope 1.

y = mx + b	Slope-intercept form
4 = 1(2) + b	m = -1, (x, y) = (2, 4)
4 = 2 + b	Simplify.
2 = b	Subtract 2 from each side.

The equation of line w is y = x + 2.

Step 3 Solve the system of equations to determine the point of intersection.

line ℓ : y = -x - 2line w: (+) y = x + 2 2y = 0 Add the two equations. y = 0 Divide each side by 2. Solve for x. 0 = x + 2 Substitute 0 for y in the second equation.

-2 = x Subtract 2 from each side.

The point of intersection is (-2, 0). Let this be point *Q*.

Step 4 Use the Distance Formula to determine the distance between P(2, 4) and Q(-2, 0).

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$
 Distance formula
= $\sqrt{(-2 - 2)^2 + (0 - 4)^2}$ $x_2 = -2, x_1 = 2, y_2 = 0, y_1 = 4$
= $\sqrt{32}$ Simplify.

The distance between the point and the line is $\sqrt{32}$ or about 5.66 units.

StudyTip Elimination Method

To review solving systems of equations using the elimination method, see p. P18.

GuidedPractice

2. Line ℓ contains points at (1, 2) and (5, 4). Construct a line perpendicular to ℓ through *P*(1, 7). Then find the distance from *P* to ℓ .

StudyTip

Equidistant You will use this concept of *equidistant* to describe special points and lines relating to the sides and angles of triangles in Lesson 5-1.

2 Distance Between Parallel Lines By definition, parallel lines do not intersect. An alternate definition states that two lines in a plane are parallel if they are everywhere **equidistant**. Equidistant means that the distance between two lines measured along a perpendicular line to the lines is always the same.



This leads to the definition of the distance between two parallel lines.

KeyConcept Distance Between Parallel Lines

The distance between two parallel lines is the perpendicular distance between one of the lines and any point on the other line.

StudyTip

Locus of Points Equidistant from Two Parallel Lines Conversely, the locus of points in a plane that are equidistant from two parallel lines is a third line that is parallel to and centered between the two parallel lines.



Recall from Lesson 1-1 that a *locus* is the set of all points that satisfy a given condition. Parallel lines can be described as the locus of points in a plane equidistant from a given line.



Theorem3.9 Two Lines Equidistant from a Third

In a plane, if two lines are each equidistant from a third line, then the two lines are parallel to each other.

You will prove Theorem 3.9 in Exercise 30.

PT 🗞

Example 3 Distance Between Parallel Lines

Find the distance between the parallel lines ℓ and *m* with equations y = 2x + 1 and y = 2x - 3, respectively.

You will need to solve a system of equations to find the endpoints of a segment that is perpendicular to both ℓ and m. From their equations, we know that the slope of line ℓ and line m is 2.

Sketch line *p* through the *y*-intercept of line *m*, (0, -3), perpendicular to lines *m* and ℓ .



Step 1 Write an equation of line *p*. The slope of *p* is the opposite reciprocal of 2, or $-\frac{1}{2}$. Use the *y*-intercept of line *m*, (0, -3), as one of the endpoints of the perpendicular segment.

$$(y - y_1) = m(x - x_1)$$
 Point-slope form
 $[y - (-3)] = -\frac{1}{2}(x - 0)$ $x_1 = 0, y_1 = 3, \text{ and } m = -\frac{1}{2}$
 $y + 3 = -\frac{1}{2}x$ Simplify.
 $y = -\frac{1}{2}x - 3$ Subtract 3 from each side.

Step 2 Use a system of equations to determine the point of intersection of lines ℓ and p.

$$\ell: y = 2x + 1$$

$$p: y = -\frac{1}{2}x - 3$$

$$2x + 1 = -\frac{1}{2}x - 3$$
Substitute $2x + 1$ for y in the second equation.

$$2x + \frac{1}{2}x = -3 - 1$$
Group like terms on each side.

$$\frac{5}{2}x = -4$$
Simplify on each side.

$$x = -\frac{8}{5}$$
Multiply each side by $\frac{2}{5}$.

$$y = -\frac{1}{2}\left(-\frac{8}{5}\right) - 3$$
Substitute $-\frac{8}{5}$ for x in the equation for p.

$$= -\frac{11}{5}$$
Simplify.
The point of intersection is $\left(-\frac{8}{5}, -\frac{11}{5}\right)$ or $(-1.6, -2.2)$.
Step 3 Use the Distance Formula to determine the distance between $(0, -3)$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

Distance Formula
$$= \sqrt{(-1.6 - 0)^2 + [-2.2 - (-3)]^2}$$

$$x_2 = -1.6, x_1 = 0, y_2 = -2.2, \text{ and } y_1 = -3$$

$$\approx 1.8$$

Simplify using a calculator.

The distance between the lines is about 1.8 units.

GuidedPractice

and (-1.6, -2.2).

- **3A.** Find the distance between the parallel lines *r* and *s* whose equations are y = -3x - 5 and y = -3x + 6, respectively.
- **3B.** Find the distance between parallel lines *a* and *b* with equations x + 3y = 6 and x + 3y = -14, respectively.



StudyTip

Substitution Method To review solving systems of equations using the substitution method, see p. P17.

Check Your Understanding

= Step-by-Step Solutions begin on page R14.

Example 1 Copy each figure. Construct the segment that represents the distance indicated.



3. (STRUCTURE After forming a line, every even member of a marching band turns to face the home team's end zone and marches 5 paces straight forward. At the same time, every odd member turns in the opposite direction and marches 5 paces straight forward. Assuming that each band member covers the same distance, what formation should result? Justify your answer.



Example 2 COORDINATE GEOMETRY Find the distance from P to ℓ .

- **4.** Line ℓ contains points (4, 3) and (-2, 0). Point *P* has coordinates (3, 10).
- **5.** Line ℓ contains points (-6, 1) and (9, -4). Point *P* has coordinates (4, 1).
- **6.** Line ℓ contains points (4, 18) and (-2, 9). Point *P* has coordinates (-9, 5).

Example 3 Find the distance between each pair of parallel lines with the given equations.

7 y = -2x + 4	8. <i>y</i> = 7
y = -2x + 14	y = -3

Practice and Problem Solving

Example 1 Copy each figure. Construct the segment that represents the distance indicated. **9.** Q to \overline{RS} **10.** A to \overline{BC} R S В С Q P **11.** H to \overline{FG} **12.** K to \overline{LM} G Κ J Н Ν М

Extra Practice is on page R3.

13. DRIVEWAYS In the diagram at the right, is the driveway shown the shortest possible one from the house to the road? Explain why or why not.





14. (CS) MODELING Rondell is crossing the courtyard in front of his school. Three possible paths are shown in the diagram at the right. Which of the three paths shown is the shortest? Explain your reasoning.

Example 2 COORDINATE GEOMETRY Find the distance from P to ℓ .

15 Line ℓ contains points (0, -3) and (7, 4). Point *P* has coordinates (4, 3).

- **16.** Line ℓ contains points (11, -1) and (-3, -11). Point *P* has coordinates (-1, 1).
- **17.** Line ℓ contains points (-2, 1) and (4, 1). Point *P* has coordinates (5, 7).
- **18.** Line ℓ contains points (4, -1) and (4, 9). Point *P* has coordinates (1, 6).

19. Line ℓ contains points (1, 5) and (4, -4). Point *P* has coordinates (-1, 1).

20. Line ℓ contains points (-8, 1) and (3, 1). Point *P* has coordinates (-2, 4).

Example 3 Find the distance between each pair of parallel lines with the given equations.

21. <i>y</i> = −2	22. <i>x</i> = 3	23. $y = 5x - 22$
y = 4	x = 7	y = 5x + 4
24. $y = \frac{1}{3}x - 3$	25. <i>x</i> = 8.5	26. <i>y</i> = 15
$y = \frac{1}{3}x + 2$	x = -12.5	y = -4
27. $y = \frac{1}{4}x + 2$	28. $3x + y = 3$	29. $y = -\frac{5}{4}x + 3.5$
4y - x = -60	y + 17 = -3x	4y + 10.6 = -5x

30. PROOF Write a two-column proof of Theorem 3.9.

Find the distance from the line to the given point.

31.
$$y = -3$$
, (5, 2) **32.** $y = \frac{1}{6}x + 6$, (-6, 5)

34. POSTERS Alma is hanging two posters on the wall in her room as shown. How can Alma use perpendicular distances to confirm that the posters are parallel?

33. x = 4, (-2, 5)



35

SCHOOL SPIRIT Brock is decorating a hallway bulletin board to display pictures of students demonstrating school spirit. He cuts off one length of border to match the width of the top of the board, and then uses that strip as a template to cut a second strip that is exactly the same length for the bottom.

When stapling the bottom border in place, he notices that the strip he cut is about a quarter of an inch too short. Describe what he can conclude about the bulletin board. Explain your reasoning.



CONSTRUCTION Line ℓ contains points at (-4, 3) and (2, -3). Point *P* at (-2, 1) is on line ℓ . Complete the following construction.

Step 1

Graph line ℓ and point *P*, and put the compass at point *P*. Using the same compass setting, draw arcs to the left and right of *P*. Label these points *A* and *B*.



Step 2

Open the compass to a setting greater than AP. Put the compass at point A and draw an arc above line ℓ .





Using the same compass setting, put the compass at point *B* and draw an arc above line ℓ . Label the point of intersection *Q*. Then draw \overrightarrow{PQ} .



- **36.** What is the relationship between line ℓ and \overrightarrow{PQ} ? Verify your conjecture using the slopes of the two lines.
- **37.** Repeat the construction above using a different line and point on that line.
- **38. (CS) SENSE-MAKING** \overline{AB} has a slope of 2 and midpoint M(3, 2). A segment perpendicular to \overline{AB} has midpoint P(4, -1) and shares endpoint B with \overline{AB} .
 - **a.** Graph the segments.
 - **b.** Find the coordinates of *A* and *B*.
- **39.** Solution MULTIPLE REPRESENTATIONS In this problem, you will explore the areas of triangles formed by points on parallel lines.
 - a. Geometric Draw two parallel lines and label them as shown.



- **b. Verbal** Where would you place point *C* on line *m* to ensure that triangle *ABC* would have the largest area? Explain your reasoning.
- **c. Analytical** If AB = 11 inches, what is the maximum area of $\triangle ABC$?

40. PERPENDICULARITY AND PLANES Make a copy of the diagram below to answer each question, marking the diagram with the given information.



- **a.** If two lines are perpendicular to the same plane, then they are coplanar. If both line *a* and line b are perpendicular to plane P, what must also be true?
- **b.** If a plane intersects two parallel planes, then the intersections form two parallel lines. If planes \mathcal{R} and Q are parallel and they intersect plane \mathcal{P} , what must also be true?
- **c.** If two planes are perpendicular to the same line, then they are parallel. If both plane Q and plane \mathcal{R} are perpendicular to line ℓ , what must also be true?

H.O.T. Problems Use Higher-Order Thinking Skills

ERROR ANALYSIS Han draws the segments \overline{AB} and \overline{CD} shown below using a straightedge. He claims that these two lines, if extended, will never intersect. Shenequa claims that they will. Is either of them correct? Justify your answer.



- **42. CHALLENGE** Describe the locus of points that are equidistant from two intersecting lines, and sketch an example.
- **43.** CHALLENGE Suppose a line perpendicular to a pair of parallel lines intersects the lines at the points (*a*, 4) and (0, 6). If the distance between the parallel lines is $\sqrt{5}$, find the value of *a* and the equations of the parallel lines.
- **44. REASONING** Determine whether the following statement is *sometimes, always,* or *never* true. Explain.

The distance between a line and a plane can be found.

- 45. OPEN ENDED Draw an irregular convex pentagon using a straightedge.
 - **a.** Use a compass and straightedge to construct a line between one vertex and a side opposite the vertex.
 - **b.** Use measurement to justify that the line constructed is perpendicular to the side chosen.
 - **c.** Use mathematics to justify this conclusion.
- **46. (CS) SENSE-MAKING** Rewrite Theorem 3.9 in terms of two planes that are equidistant from a third plane. Sketch an example.
- **47.** WRITING IN MATH Summarize the steps necessary to find the distance between a pair of parallel lines given the equations of the two lines.

Standardized Test Practice

- **48. EXTENDED RESPONSE** Segment *AB* is perpendicular to segment *CD*. Segment *AB* and segment *CD* bisect each other at point *X*.
 - **a.** Draw a figure to represent the problem.
 - **b.** Find \overline{BD} if AB = 12 and CD = 16.
 - **c.** Find \overline{BD} if AB = 24 and CD = 18.
- **49.** A city park is square and has an area of 81,000 square feet. Which of the following is the closest to the length of one side of the park?

Α	100 ft	C	300 ft
В	200 ft	D	400 ft

50. ALGEBRA Pablo bought a sweater on sale for 25% off the original price and another 40% off the discounted price. If the sweater originally cost \$48, what was the final price of the sweater?

F	\$14.40	Н	\$31.20
G	\$21.60	I	\$36.00

51. SAT/ACT After *N* cookies are divided equally among 8 children, 3 remain. How many would remain if (N + 6) cookies were divided equally among the 8 children?

A	0	C 2	Ε	6
B	1	D 4		

Spiral Review

52. Refer to the figure at the right. Determine whether $a \parallel b$. Justify your answer. (Lesson 3-5)

Write an equation in point-slope form of the line having the given slope that contains the given point. (Lesson 3-4)

53. m: 1/4, (3, -1)
54. m: 0, (-2, 6)
55. m: -1, (-2, 3)
56. m: -2, (-6, -7)

Prove the following. (Lesson 2-7)

57. If AB = BC, then AC = 2BC.

A B C



58. Given: $\overline{JK} \cong \overline{KL}, \overline{HJ} \cong \overline{GH}, \overline{KL} \cong \overline{HJ}$

Prove:
$$\overline{GH} \cong \overline{JK}$$



59. MAPS Darnell sketched a map for his friend of the cross streets nearest to his home. Describe two different angle relationships between the streets. (Lesson 1-5)



Skills Review

Use the Distance Formula to find the distance between each pair of points.

61. *O*(-12, 0), *P*(-8, 3)

60. <i>A</i> (0, 0), <i>B</i> (15, 20)	
63. <i>R</i> (-2, 3), <i>S</i> (3, 15)	

62. C(11, -12), D(6, 2)
65. Q(-12, 2), T(-9, 6)

Study Guide and Review

Study Guide

KeyConcepts

Transversals (Lessons 3-1 and 3-2)

- When a transversal intersects two lines, the following types of angles are formed: exterior, interior, consecutive interior, alternate interior, alternate exterior, and corresponding.
- If two parallel lines are cut by a transversal, then:
 - each pair of corresponding angles is congruent,
 - each pair of alternate interior angles is congruent,
 - each pair of consecutive interior angles is supplementary, and
 - each pair of alternate exterior angles is congruent.

Slope (Lessons 3-3 and 3-4)

• The slope *m* of a line containing two points with coordinates (x_1, y_1) and (x_2, y_2) is $m = \frac{y_2 - y_1}{x_2 - x_1}$, where $x_1 \neq x_2$.

Proving Lines Parallel (Lesson 3-5)

- If two lines in a plane are cut by a transversal so that any one of the following is true, then the two lines are parallel:
 - a pair of corresponding angles is congruent,
 - a pair of alternate exterior angles is congruent,
 - a pair of alternate interior angles is congruent, or
 - a pair of consecutive interior angles is supplementary.
- In a plane, if two lines are perpendicular to the same line, then they are parallel.

Distance (Lesson 3-6)

- The distance from a line to a point not on the line is the length of the segment perpendicular to the line from the point.
- The distance between two parallel lines is the perpendicular distance between one of the lines and any point on the other line.

FOLDABLES StudyOrganizer

Be sure the Key Concepts are noted in your Foldable.



KeyVocabulary

alternate exterior angles (p. 174) alternate interior angles (p. 174) consecutive interior angles (p. 174) corresponding angles (p. 174) equidistant (p. 218) parallel lines (p. 173) parallel planes (p. 173) point-slope form (p. 198) rate of change (p. 189) skew lines (p. 173) slope (p. 188) slope-intercept form (p. 198) transversal (p. 174)

VocabularyCheck

State whether each sentence is *true* or *false*. If *false*, replace the underlined word or number to make a true sentence.



- **1.** If $\angle 1 \cong \angle 5$, then lines *p* and *q* are <u>skew</u> lines.
- 2. Angles 4 and 6 are <u>alternate</u> interior angles.
- 3. Angles 1 and 7 are alternate exterior angles.
- 4. If lines *p* and *q* are parallel, then angles 3 and 6 are <u>congruent</u>.
- **5.** The distance from point *X* to line *q* is the length of the segment <u>perpendicular</u> to line *q* from *X*.
- **6.** Line *t* is called the <u>transversal</u> for lines *p* and *q*.
- **7.** If $p \parallel q$, then $\angle 2$ and $\angle 8$ are supplementary.
- 8. Angles 4 and 8 are corresponding angles.



Lesson-by-Lesson Review

Parallel Lines and Transversals

Classify the relationship between each pair of angles as alternate interior, alternate exterior, corresponding, or consecutive interior angles.



- **11.** $\angle 2$ and $\angle 8$
- **12.** $\angle 4$ and $\angle 5$
- **13. BRIDGES** The Roebling Suspension Bridge extends over the Ohio River connecting Cincinnati, Ohio, to Covington, Kentucky. Describe the type of lines formed by the bridge and the river.

Example 1

Refer to the figure below. Classify the relationship between each pair of angles as *alternate interior, alternate exterior, corresponding,* or *consecutive interior* angles.



- a. ∠3 and ∠6 consecutive interior
- b. ∠2 and ∠6 corresponding
- c. $\angle 1$ and $\angle 7$ alternate exterior
- d. ∠3 and ∠5 alternate interior

Angles and Parallel Lines



- 14. ∠5
 15. ∠14
 16. ∠16

 17. ∠11
 18. ∠4
 19. ∠6
- 20. MAPS The diagram shows the layout of Elm, Plum, and Oak streets. Find the value of *x*.

Elm

Plum

Example 2

ALGEBRA If $m \angle 5 = 7x - 5$ and $m \angle 4 = 2x + 23$, find *x*. Explain your reasoning.



Since lines ℓ and m are parallel, $\angle 4$ and $\angle 5$ are supplementary by the Consecutive Interior Angles Theorem.

Slopes of Lines

Determine whether \overleftrightarrow{AB} and \overleftrightarrow{XY} are *parallel, perpendicular,* or *neither.* Graph each line to verify your answer.

- **21.** *A*(5, 3), *B*(8, 0), *X*(-7, 2), *Y*(1, 10)
- **22.** *A*(-3, 9), *B*(0, 7), *X*(4, 13), *Y*(-5, 7)
- **23.** *A*(8, 1), *B*(-2, 7), *X*(-6, 2), *Y*(-1, -1)

Graph the line that satisfies each condition.

- **24.** contains (-3, 4) and is parallel to \overrightarrow{AB} with A(2, 5) and B(9, 2)
- **25.** contains (1, 3) and is perpendicular to \overrightarrow{PQ} with P(4, -6) and Q(6, -1)
- **26. AIRPLANES** Two Oceanic Airlines planes are flying at the same altitude. Using satellite imagery, each plane's position can be mapped onto a coordinate plane. Flight 815 was mapped at (23, 17) and (5, 11) while Flight 44 was mapped at (3, 15) and (9, 17). Determine whether their paths are *parallel, perpendicular,* or *neither*.

Example 3

Graph the line that contains C(0, -4) and is perpendicular to \overrightarrow{AB} with A(5, -4) and B(0, -2).

The slope of \overleftarrow{AB} is $\frac{-2 - (-4)}{0 - 5}$ or $-\frac{2}{5}$.

Since $-\frac{2}{5}\left(\frac{5}{2}\right) = -1$, the slope of the line perpendicular to \overrightarrow{AB} through *C* is $\frac{5}{2}$.

To graph the line, start at *C*. Move up 5 units and then right 2 units. Label the point *D* and draw \overleftarrow{CD} .



Equations of Lines

Write an equation in point-slope form of the line having the given slope that contains the given point.

27.
$$m = 2, (4, -9)$$

28.
$$m = -\frac{3}{4}$$
, (8, -1)

Write an equation in slope-intercept form of the line having the given slope and *y*-intercept.

29. *m*: 5, *y*-intercept: -3

30. *m*:
$$\frac{1}{2}$$
, *y*-intercept: 4

Write an equation in slope-intercept form for each line.

- **31.** (-3, 12) and (15, 0) **32.** (-7, 2) and (5, 8)
- **33. WINDOW CLEANING** Ace Window Cleaning Service charges \$50 for the service call and \$20 for each hour spent on the job. Write an equation in slope-intercept form that represents the total cost *C* in terms of the number of hours *h*.

Example 4

Write an equation of the line through (2, 5) and (6, 3) in slope-intercept form.

Step 1 Find the slope of the line through the points.

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
Slope Formula
= $\frac{3 - 5}{6 - 2}$ $x_1 = 2, y_1 = 5, x_2 = 6, \text{ and } y_2 = 3$
= $\frac{-2}{4}$ or $-\frac{1}{2}$ Simplify.

Step 2 Write an equation of the line.

$$y - y_1 = m(x - x_1)$$
Point-slope form $y - 5 = -\frac{1}{2}[x - (2)]$ $m = -\frac{1}{2}, (x_1, y_1) = (2, 5)$ $y - 5 = -\frac{1}{2}x + 1$ Simplify. $y = -\frac{1}{2}x + 6$ Add 5 to each side.

Proving Lines Parallel

Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer.



39. LANDSCAPING Find the measure needed for $m \angle ADC$ that will make $\overline{AB} \parallel \overline{CD}$ if $m \angle BAD = 45$.



Example 5

Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer.



a. ∠1 ≅ ∠7

 $\angle 1$ and $\angle 7$ are alternate exterior angles of lines b and d. Since $\angle 1 \cong \angle 7, b \parallel d$ by the Converse of the Alternate Exterior Angles Theorem.

b. $\angle 4 \cong \angle 5$

 $\angle 4$ and $\angle 5$ are alternate interior angles of lines *c* and *d*. Since $\angle 4 \cong \angle 5$, *c* $\parallel d$ by the Converse of the Alternate Interior Angles Theorem.

R_A Perpendiculars and Distance

Copy each figure. Draw the segment that represents the distance indicated.

40. $X \text{ to } \overline{WW}$ **41.** $L \text{ to } \overline{JK}$

42. HOME DÉCOR Scott wants to hang two rows of framed pictures in parallel lines on his living room wall. He first spaces the nails on the wall in a line for the top row. Next, he hangs a weighted plumb line from each nail and measures an equal distance below each nail for the second row. Why does this ensure that the two rows of pictures will be parallel?

Example 6

Copy the figure. Draw the segment that represents the distance from point A to \overline{CD} .



The distance from a line to a point not on the line is the length of the segment perpendicular to the line that passes through the point.

Extend \overline{CD} and draw the segment perpendicular to \overline{CD} from A.



Classify the relationship between each pair of angles as alternate interior, alternate exterior, corresponding, or consecutive interior angles.

Practice Test

- **1.** $\angle 6$ and $\angle 3$
- **2.** $\angle 4$ and $\angle 7$
- **3.** $\angle 5$ and $\angle 4$



Determine the slope of the line that contains the given points.

- **4.** G(8, 1), H(8, -6) **5.** A(0, 6), B(4, 0)
- **6.** *E*(6, 3), *F*(-6, 3) **7.** *E*(5, 4), *F*(8, 1)

In the figure, $m \angle 8 = 96$ and $m \angle 12 = 42$. Find the measure of each angle. Tell which postulate(s) or theorem(s) you used.

- **8.** ∠9
- **9.** $\angle 11$ **8** 7 6/5 **9** 10 11/12

15

- **10.** ∠6
- **11.** Find the value of *x* in the figure below.



- **12. FITNESS** You would like to join a fitness center. Fit-N-Trim charges \$80 per month. Fit-For-Life charges a one-time membership fee of \$75 and \$55 per month.
 - **a.** Write and graph two equations in slope-intercept form to represent the cost *y* to attend each fitness center for *x* months.
 - **b.** Are the lines you graphed in part **a** parallel? Explain why or why not.
 - c. Which fitness center offers the better rate? Explain.

Write an equation in slope-intercept form for each line described.

- **13.** passes through (-8, 1), perpendicular to y = 2x 17
- **14.** passes through (0, 7), parallel to y = 4x 19
- **15.** passes through (-12, 3), perpendicular to $y = -\frac{2}{3}x 11$

Find the distance between each pair of parallel lines with the given equations.

16.
$$y = x - 11$$

 $y = x - 7$
17. $y = -2x + 1$
 $y = -2x + 16$

18. MULTIPLE CHOICE Which segment is skew to \overline{CD} ?



19. Find *x* so that *a* || *b*. Identify the postulate or theorem you used.



COORDINATE GEOMETRY Find the distance from *P* to ℓ .

- **20.** Line ℓ contains points (-4, 2) and (3, -5). Point *P* has coordinates (1, 2).
- **21.** Line ℓ contains points (6, 5) and (2, 3). Point *P* has coordinates (2, 6).

Given the following information, determine which lines, if any, are parallel. State the postulate or theorem that justifies your answer.



25. JOBS Hailey works at a gift shop. She is paid \$10 per hour plus a 15% commission on merchandise she sells. Write an equation in slope-intercept form that represents her earnings in a week if she sold \$550 worth of merchandise.

connectED.mcgraw-hill.com

229

Gridded Response Questions

In addition to multiple-choice, short-answer, and extended-response questions, you will likely encounter gridded-response questions on standardized tests. After solving a gridded-response question, you must print your answer on an answer sheet and mark in the correct circles on the grid to match your answer. Answers to gridded-response questions may be whole numbers, decimals, or fractions.



Strategies for Solving Gridded-Response Questions

Step 1

Read the problem carefully and solve.

- Be sure your answer makes sense.
- If time permits, check your answer.

Step 2

Print your answer in the answer boxes.

- Print only one digit or symbol in each answer box.
- · Do not write any digits or symbols outside the answer boxes.
- · Write answer as a whole number, decimal, or fraction.

Step 3

Fill in the grid.

- Fill in only one bubble for every answer box that you have written in. Be sure not to fill in a bubble under a blank answer box.
- · Fill in each bubble completely and clearly.

Standardized Test Example

Read the problem. Identify what you need to know. Then use the information in the problem to solve.

GRIDDED RESPONSE In the figure below, $\angle ABC$ is intersected by parallel lines ℓ and m. What is the measure of $\angle ABC$? Express your answer in degrees.



	ΘO	ΘO	
$\bigcirc \bigcirc $	$\bigcirc \bigcirc $	$\bigcirc \bigcirc $	$\bigcirc \bigcirc $

Redraw the figure and add a third line parallel to lines ℓ and m through point B. Find the angle measures using alternate interior angles.







Print your answer in the answer box and fill in the grid.

Exercises

Read each question. Then fill in the correct answer on the answer document provided by your teacher or on a sheet of paper.

- **1. GRIDDED RESPONSE** What is the slope of the line that contains the points *R*(–2, 1) and *S*(10, 6)? Express your answer as a fraction.
- **2. GRIDDED RESPONSE** Solve for *x* in the figure below.



Standardized Test Practice

Cumulative, Chapters 1 through 3

Multiple Choice

Read each question. Then fill in the correct answer on the answer document provided by your teacher or on a sheet of paper.

1. If *a* || *b* in the diagram below, which of the following may *not* be true?



2. Which of the following best describes a *counterexample* to the assertion below?

The sum of two odd numbers is odd.

F	3 + 3 = 6	H $6 + 2 = 8$
G	5 + 4 = 9	I 4 + 9 = 13

3. What is the slope of the line?



4. Line k contains points at (4, 1) and (-5, -5). Find the distance between line k and point F(-4, 0).

F	3.3 units	H 4.0 units

G 3.6 units **J** 4.2 units

5. The globe has a diameter of 22 inches. What is the volume of the globe?



A	1520.5 in ³	С	$5575.3\ in^3$
В	1741.4 in ³	D	6014.8 in ³

6. What is $m \angle 1$ in the figure below?



7. Jason is saving money to buy a car stereo. He has \$45 saved, and he can save \$15 per week. If the stereo that he wants is \$210, how many weeks will it take Jason to buy the stereo?

Α	10			С	12

B 11 **D** 13

Test-TakingTip

Question 6 *Drawing a diagram* can help you solve problems. Draw a third parallel line through the vertex of angle 1. Then use the properties of parallel lines and transversals to solve the problem.

Short Response/Gridded Response

Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

- **8. GRIDDED RESPONSE** For a given line and a point not on the line, how many lines exist that pass through the point and are parallel to the given line?
- **9. GRIDDED RESPONSE** Find the slope of the line that contains the points (4, 3) and (-2, -5).
- **10.** Complete the proof.

Given: $\angle 1 \cong \angle 2$

Prove: $a \parallel b$



Proof:

Statements	Reasons
1. ∠1 ≅ ∠2	1. Given
2. ∠2 ≅ ∠3	2 ?
3. ∠1 ≅ ∠3	3. Transitive Prop.
4. a b	 If corresponding angles are congruent, then the lines are parallel.

11. Write the contrapositive of the statement.

If a figure is a square, then the figure is a parallelogram.

Extended Response

Record your answers on a sheet of paper. Show your work.

12. Refer to the figure to identify each of the following.



- **a.** all segments parallel to \overline{MQ}
- **b.** all planes intersecting plane SRN
- **c.** a segment skew to \overline{ON}
- **13.** Use this graph to answer each question.
 - **a.** What is the equation of line *m*?
 - **b.** What is the slope of a line that is parallel to line *m*?



c. What is the slope of a line that is perpendicular to *line m*?

Need ExtraHelp?													
If you missed Question	1	2	3	4	5	6	7	8	9	10	11	12	13
Go to Lesson	3-2	2-1	3-3	3-6	1-7	3-2	3-4	3-6	3-3	3-1	2-3	3-1	3-4