

EMT-BASIC PROGRAM

ELITE



EMT ACADEMY

NATIONAL REGISTRY

SKILLS PACKET

This packet belongs to EMT-B Student _____



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

BVM VENTILATION OF AN APNEIC ADULT PATIENT

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Checks responsiveness	1	
Requests additional EMS assistance	1	
Checks breathing and pulse simultaneously	1	
NOTE: After checking responsiveness, then checking breathing and pulse for no more than 10 seconds, examiner informs candidate, "The patient is unresponsive, apneic and has a weak pulse of 60."		
Opens airway properly	1	
NOTE: The examiner must now inform the candidate, "The mouth is full of secretions and vomitus."		
Prepares rigid suction catheter	1	
Turns on power to suction device or retrieves manual suction device	1	
Inserts rigid suction catheter without applying suction	1	
Suctions the mouth and oropharynx	1	
NOTE: The examiner must now inform the candidate, "The mouth and oropharynx are clear."		
Opens the airway manually	1	
Inserts oropharyngeal airway	1	
NOTE: The examiner must now inform the candidate, "No gag reflex is present and the patient accepts the airway adjunct."		
Ventilates the patient immediately using a BVM device unattached to oxygen [Award this point if candidate elects to ventilate initially with BVM attached to reservoir and oxygen so long as first ventilation is delivered within 30 seconds.]	1	
NOTE: The examiner must now inform the candidate that ventilation is being properly performed without difficulty.		
Re-checks pulse for no more than 10 seconds	1	
Attaches the BVM assembly [mask, bag, reservoir] to oxygen [15 L/minute]	1	
Ventilates the patient adequately -Proper volume to cause visible chest rise (1 point) -Proper rate [10 – 12/minute (1 ventilation every 5 – 6 seconds)] (1 point)	2	
Note: The examiner must now ask the candidate, "How would you know if you are delivering appropriate volumes with each ventilation?"		
Actual Time Ended: _____	TOTAL	16

CRITICAL CRITERIA

- ____ After suctioning the patient, failure to initiate ventilations within 30 seconds or interrupts ventilations for greater than 30 seconds at any time
- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to suction airway **before** ventilating the patient
- ____ Suctions the patient for an excessive and prolonged time
- ____ Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds
- ____ Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- ____ Failure to ventilate the patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds)
- ____ Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- ____ Insertion or use of any adjunct in a manner dangerous to the patient
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

CARDIAC ARREST MANAGEMENT / AED

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Determines the scene/situation is safe	1	
Checks patient responsiveness	1	
Direct assistant to retrieve AED	1	
Requests additional EMS assistance	1	
Checks breathing and pulse simultaneously	1	
NOTE: After checking responsiveness, then checking breathing and pulse for no more than 10 seconds, examiner informs candidate, "The patient is unresponsive, apneic and pulseless."		
Immediately begins chest compressions [adequate depth and rate; allows the chest to recoil completely]	1	
Performs 2 minutes of high-quality, 1-rescuer adult CPR -Adequate depth and rate (1 point) -Correct compression-to-ventilation ratio (1 point) -Allows the chest to recoil completely (1 point) -Adequate volumes for each breath (1 point) -Minimal interruptions of no more than 10 seconds throughout (1 point)	5	
NOTE: After 2 minutes (5 cycles), candidate assesses patient and second rescuer resumes compressions while candidate operates AED.		
Turns on power to AED	1	
Follows prompts and correctly attaches AED to patient	1	
Stops CPR and ensures all individuals are clear of the patient during rhythm analysis	1	
Ensures that all individuals are clear of the patient and delivers shock from AED	1	
Immediately directs rescuer to resume chest compressions	1	
Actual Time Ended: _____	TOTAL	17

Critical Criteria

- ___ Failure to take or verbalize appropriate PPE precautions
- ___ Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds
- ___ Failure to immediately begin chest compressions as soon as pulselessness is confirmed
- ___ Failure to demonstrate acceptable high-quality, 1-rescuer adult CPR
- ___ Interrupts CPR for more than 10 seconds at any point
- ___ Failure to correctly attach the AED to the patient
- ___ Failure to operate the AED properly
- ___ Failure to deliver shock in a timely manner
- ___ Failure to ensure that all individuals are clear of patient during rhythm analysis and before delivering shock [verbalizes "All clear" and observes]
- ___ Failure to immediately resume compressions after shock delivered
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

OXYGEN ADMINISTRATION BY NON-REBREATHER MASK

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Gathers appropriate equipment	1	
Cracks valve on the oxygen tank	1	
Assembles the regulator to the oxygen tank	1	
Opens the oxygen tank valve	1	
Checks oxygen tank pressure	1	
Checks for leaks	1	
Attaches non-rebreather mask to correct port of regulator	1	
Turns on oxygen flow to prefill reservoir bag	1	
Adjusts regulator to assure oxygen flow rate of at least 10 L/minute	1	
Attaches mask to patient's face and adjusts to fit snugly	1	
Actual Time Ended: _____	TOTAL	11

CRITICAL CRITERIA

- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to assemble the oxygen tank and regulator without leaks
- ____ Failure to prefill the reservoir bag
- ____ Failure to adjust the oxygen flow rate to the non-rebreather mask of at least 10 L/minute
- ____ Failure to ensure a tight mask seal to patient's face
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Applies direct pressure to the wound	1	
NOTE: The examiner must now inform candidate that the wound continues to bleed.		
Applies tourniquet	1	
NOTE: The examiner must now inform candidate that the patient is exhibiting signs and symptoms of hypoperfusion.		
Properly positions the patient	1	
Administers high concentration oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
Actual Time Ended: _____	TOTAL	7

CRITICAL CRITERIA

- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to administer high concentration oxygen
- ____ Failure to control hemorrhage using correct procedures in a timely manner
- ____ Failure to indicate the need for immediate transportation
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

JOINT IMMOBILIZATION

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Selects the proper splinting material	1	
Immobilizes the site of the injury	1	
Immobilizes the bone above the injury site	1	
Immobilizes the bone below the injury site	1	
Secures the entire injured extremity	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Actual Time Ended: _____	TOTAL	9

Critical Criteria

- ___ Failure to immediately stabilize the extremity manually
- ___ Grossly moves the injured extremity
- ___ Failure to immobilize the bone above and below the injury site
- ___ Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

LONG BONE IMMOBILIZATION

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Measures the splint	1	
Applies the splint	1	
Immobilizes the joint above the injury site	1	
Immobilizes the joint below the injury site	1	
Secures the entire injured extremity	1	
Immobilizes the hand/foot in the position of function	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Actual Time Ended: _____	TOTAL	10

Critical Criteria

- ___ Failure to immediately stabilize the extremity manually
- ___ Grossly moves the injured extremity
- ___ Failure to immobilize the joint above and the joint below the injury site
- ___ Failure to immobilize the hand or foot in a position of function
- ___ Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

PATIENT ASSESSMENT/MANAGEMENT – MEDICAL

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario # _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes the general impression of the patient	1	
Determines responsiveness/level of consciousness (AVPU)	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing -Assessment (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point)	3	
Assesses circulation -Assesses/controls major bleeding (1 point) -Checks pulse (1 point) -Assesses skin [either skin color, temperature or condition] (1 point)	3	
Identifies patient priority and makes treatment/transport decision	1	
HISTORY TAKING		
History of the present illness -Onset (1 point) -Quality (1 point) -Severity (1 point) -Provocation (1 point) -Radiation (1 point) -Time (1 point) -Clarifying questions of associated signs and symptoms related to OPQRST (2 points)	8	
Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) -Medications (1 point) -Last oral intake (1 point)	5	
SECONDARY ASSESSMENT		
Assesses affected body part/system -Cardiovascular -Neurological -Integumentary -Reproductive -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social	5	
VITAL SIGNS		
-Blood pressure (1 point) -Pulse (1 point) -Respiratory rate and quality (1 point each)	4	
States field impression of patient	1	
Interventions [verbalizes proper interventions/treatment]	1	
REASSESSMENT		
Demonstrates how and when to reassess the patient to determine changes in condition	1	
Provides accurate verbal report to arriving EMS unit	1	
Actual Time Ended: _____	TOTAL	42

CRITICAL CRITERIA

- ___ Failure to initiate or call for transport of the patient within 15 minute time limit
- ___ Failure to take or verbalize appropriate PPE precautions
- ___ Failure to determine scene safety before approaching patient
- ___ Failure to voice and ultimately provide appropriate oxygen therapy
- ___ Failure to assess/provide adequate ventilation
- ___ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ___ Failure to differentiate patient's need for immediate transportation versus continued assessment or treatment at the scene
- ___ Performs secondary examination before assessing and treating threats to airway, breathing and circulation
- ___ Orders a dangerous or inappropriate intervention
- ___ Failure to provide accurate report to arriving EMS unit
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

PATIENT ASSESSMENT/MANAGEMENT – TRAUMA

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario # _____

Actual Time Started: _____ Note: Areas denoted by “***” may be integrated within sequence of Primary Survey/Resuscitation

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Airway -Opens and assesses airway (1 point) -Inserts adjunct as indicated (1 point)	2	
Breathing -Assess breathing (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point) -Manages any injury which may compromise breathing/ventilation (1 point)	4	
Circulation -Checks pulse (1 point) -Assess skin [either skin color, temperature or condition] (1 point) -Assesses for and controls major bleeding if present (1 point) -Initiates shock management [positions patient properly, conserves body heat] (1 point)	4	
Identifies patient priority and makes treatment/transport decision (based upon calculated GCS)	1	
HISTORY TAKING		
Obtains baseline vital signs [must include BP, P and R] (1 point)	1	
Attempts to obtain SAMPLE history	1	
SECONDARY ASSESSMENT		
Head -Inspects and palpates scalp and ears (1 point) ** -Assesses eyes (1 point) -Inspects mouth**, nose** and assesses facial area (1 point)	3	
Neck** -Checks position of trachea (1 point) -Checks jugular veins (1 point) -Palpates cervical spine (1 point)	3	
Chest** -Inspects chest (1 point) -Palpates chest (1 point) -Auscultates chest (1 point)	3	
Abdomen/pelvis** -Inspects and palpates abdomen (1 point) -Assesses pelvis (1 point) -Verbalizes assessment of genitalia/perineum as needed (1 point)	3	
Lower extremities** -Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/leg)	2	
Upper extremities -Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/arm)	2	
Posterior thorax, lumbar and buttocks** -Inspects and palpates posterior thorax (1 point) -Inspects and palpates lumbar and buttocks areas (1 point)	2	
Manages secondary injuries and wounds appropriately	1	
REASSESSMENT		
Demonstrates how and when to reassess the patient	1	
Actual Time Ended: _____	TOTAL	42

CRITICAL CRITERIA

- ___ Failure to initiate or call for transport of the patient within 10 minute time limit
- ___ Failure to take or verbalize appropriate PPE precautions
- ___ Failure to determine scene safety
- ___ Failure to assess for and provide spinal protection when indicated
- ___ Failure to voice and ultimately provide high concentration oxygen
- ___ Failure to assess/provide adequate ventilation
- ___ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ___ Failure to differentiate patient's need for immediate transportation versus continued assessment/treatment at the scene
- ___ Performs other assessment before assessing/treating threats to airway, breathing and circulation
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

EMT-BASIC PROGRAM

ELITE



EMT ACADEMY

TEXAS & SELF-DIRECTING SKILLS PACKET

This packet belongs to EMT-B Student _____

BRONCHODILATOR ADMINISTRATION-HANDHELD METERED DOSE INHALER

CANDIDATE=S NAME:			DATE:		
___ EMT		___ EMTI		___ EMTP	
___ INITIAL			___ RENEWAL		___ EQUIVALENCY
STATION TIME 5 MINUTES			START TIME:		END TIME:

- | | | | | |
|---|---|------|--|--|
| 0 | 2 | *1. | Avoids contamination of equipment or replaces contaminated equipment prior to use. | |
| 0 | 2 | *2. | Confirms order (medication, dosage and route) | |
| 0 | 1 | 2 | *3. | Informs patient of order for medication and inquires about allergies and recent doses of other bronchodilators |
| 0 | 2 | *4. | Selects correct medication from drug box as requested by Examiner | |
| 0 | 2 | *5. | Verbalizes check of medication for contamination and expiration date | |
| 0 | 2 | *6. | Shakes the inhaler | |
| 0 | 2 | 7. | Attaches spacer to inhaler, if ordered | |
| 0 | 2 | 8. | Verbalizes recheck of the medication label | |
| 0 | 2 | 9. | Removes nonrebreather mask from patient | |
| 0 | 2 | 10. | Verbalizes recheck of the medication label | |
| 0 | 2 | *11. | Performs steps 1-10 prior to step 12 and performs at least one (1) recheck of the medication label | |
| 0 | 2 | 12. | Instructs patient to exhale deeply | |
| 0 | 2 | *13. | Instructs patient to put the mouthpiece in mouth and make a seal with lips | |
| 0 | 2 | *14. | Instructs patient to depress the inhaler canister while inhaling and then hold breath as long as comfortable | |
| 0 | 2 | *15. | Replaces non-rebreather mask on patient | |

___ Candidate=s Total Points (Minimum passing total: 21 points)	
Absolutes satisfied: ___ Yes ___ No (Must have at least one point for each step marked with an *)	___ Pass ___ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments:

BRONCHODILATOR ADMINISTRATION-SMALL VOLUME NEBULIZER

CANDIDATE=S NAME:			DATE:
__ EMT	__ EMTI	__ EMTP	SCHOOL #:
__ INITIAL	__ RENEWAL	__ EQUIVALENCY	__ RETEST
STATION TIME 5 MINUTES		START TIME:	END TIME:

- | | | | |
|---|-----|------|---|
| 0 | 2 | *1. | Avoids contamination of equipment or replaces contaminated equipment prior to use. |
| 0 | 2 | *2. | Confirms order (medication, dosage and route) |
| 0 | 1 2 | *3. | Informs patient of order for medication and inquires about allergies and recent doses of other bronchodilators |
| 0 | 2 | *4. | Selects correct medication from drug box as requested by Examiner |
| 0 | 2 | *5. | Verbalizes check of medication for contamination and expiration date |
| 0 | 2 | *6. | Adds appropriate volume of medication to the nebulizer |
| 0 | 2 | *7. | Assembles nebulizer according to the manufacturer=s standard (or local protocol) and connects to oxygen regulator |
| 0 | 2 | 8. | Verbalizes recheck of the medication label |
| 0 | 1 2 | *9. | Adjusts oxygen liter flow as ordered and allows mist to fill breathing tube or mask prior to applying to patient |
| 0 | 2 | 10. | Verbalizes recheck of the medication label |
| 0 | 2 | *11. | Performs steps 1-10 prior to step 12 and performs at least one (1) recheck of the medication label |
| 0 | 2 | *12. | Removes non-rebreather mask and positions nebulizer device on patient |

____ Candidate=s Total Points (Minimum passing total: 17 points)	
Absolutes satisfied: ____ Yes ____ No (Must have at least one point for each step marked with an *)	____ Pass ____ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments:

EPINEPHRINE AUTO INJECTOR

Candidate's Name:		Date:
___ EMT	___ EMTI	___ EMTP
School #:		
___ Initial	___ Renewal	___ Equivalency
Station Time 5 Minutes		End Time:

- | | | | |
|---|-----|------|--|
| 0 | 2 | *1. | Avoids contamination of equipment or replaces contaminated equipment prior to use. |
| 0 | 2 | *2. | Confirms order (medication, dosage and route) |
| 0 | 1 2 | *3. | Informs patient of order for medication and inquires about allergies |
| 0 | 2 | *4. | Selects correct medication from drug box as requested by Examiner |
| 0 | 2 | *5. | Verbalizes check of medication for contamination and expiration date |
| 0 | 2 | *6. | Selects appropriate site and identifies it by pointing to (touching) the site on self |
| 0 | 2 | 7. | Verbalizes recheck of the medication label |
| 0 | 1 2 | 8. | Prepares the injection site |
| 0 | 2 | 9. | Verbalizes recheck of the medication label |
| 0 | 2 | *10. | Removes safety cap from the injector |
| 0 | 2 | *11. | Performs steps 1-10 prior to step 12 and performs at least one (1) recheck of the medication label |
| 0 | 2 | *12. | Places the tip of auto-injector against the injection site and pushes the injector firmly against the injection site |
| 0 | 2 | *13. | Holds auto-injector against the site for 10 seconds |
| 0 | 2 | 14. | Removes auto-injector and applies pressure |
| 0 | 2 | *15. | Disposes of contaminated equipment |

___ Candidate's Total Points (minimum passing total: 21 points)	
Absolutes satisfied: ___ Yes ___ No (Must have at least one point for each step marked with an *)	___ Pass ___ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments:

TRACTION SPLINTING

CANDIDATE=S NAME:				DATE:
<input type="checkbox"/> ECA	<input type="checkbox"/> EMT	<input type="checkbox"/> EMTI	<input type="checkbox"/> EMTP	SCHOOL #:
<input type="checkbox"/> INITIAL COURSE	<input type="checkbox"/> RENEWAL	<input type="checkbox"/> EQUIVALENCY	<input type="checkbox"/> RETEST	
STATION TIME 10 MINUTES		START TIME:	END TIME	

CANDIDATE PULLING TRACTION	CANDIDATE APPLYING SPLINT
0 1 2 *1. Checks circulation, motor function, and sensation distal to injury before applying ankle hitch	0 1 2 1. Prepares equipment
0 2 *2. Applies ankle hitch	0 2 *2. Stabilizes fracture while ankle hitch applied
0 1 2 *3. Applies and maintains traction, elevation, and gentleness	0 2 *3. Positions splint
	0 1 2 4. Fastens ischial strap
	0 1 2 5. Connects hitch to frame
	0 2 *6. Tightens mechanical device to achieve traction and immobilize injury
0 2 *4. Monitors circulation, motor function, and sensation distal to injury after procedure is completed	0 1 2 *7. Secures cravats or velcro straps without aggravating injury
	0 2 8. Verbalizes securing torso and splint to longboard to immobilize hip and prevent movement of splint
0 1 2 5. Communicates with partner & patient	0 1 2 9. Communicates with partner & patient
Minimum passing total: 7 points	Minimum passing total: 15 points

Candidate=s Total Points	Partner=s Name (Print):	
Absolutes satisfied: <input type="checkbox"/> Yes <input type="checkbox"/> No (Must have at least one point for each step marked with an *)		<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Examiner:	Cert. No. (if assigned):	

Documenting Comments:

PNEUMATIC ANTI-SHOCK GARMENT (P.A.S.G.)

CANDIDATE=S NAME:			DATE:
<input type="checkbox"/> EMT	<input type="checkbox"/> EMTI	<input type="checkbox"/> EMTP	SCHOOL #:
<input type="checkbox"/> INITIAL	<input type="checkbox"/> RENEWAL	<input type="checkbox"/> EQUIVALENCY	<input type="checkbox"/> RETEST
STATION TIME 5 MINUTES		START TIME:	END TIME:

- | | | | |
|---|---|-----|--|
| 0 | 2 | 1. | Prepares patient for application of the P.A.S.G. (Removes clothing or states "Clothing has been removed," as appropriate) |
| 0 | 1 | *2. | Positions and aligns garment |
| 0 | 1 | *3. | Secures leg sections |
| 0 | 1 | *4. | Secures abdominal section |
| 0 | 2 | *5. | Inflates garment (Three (3) compartments all at one time or leg sections then abdominal section)
NOTE: DO NOT ALLOW INFLATION. |
| 0 | 2 | *6. | Sets valves to prevent loss of air from garment |

_____ Candidate=s Total Points (Minimum passing total: 8 points)	
Absolutes satisfied: _____ Yes _____ No (Must have at least one point for each step marked with an *)	_____ Pass _____ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments:

SPINAL IMMOBILIZATION OF SEATED PATIENT

CANDIDATE=S NAME:		DATE:
__ ECA	__ EMT	__ EMTI
__ EMTP	SCHOOL #:	
__ INITIAL	__ RENEWAL	__ EQUIVALENCY
		__ RETEST
STATION TIME 10 MINUTES	START TIME:	END TIME

- 0 2 *1. Directs partner to establish and maintain neutral spinal alignment
- 0 2 *2. Checks circulation, motor function, and sensation in all four extremities
- 0 1 2 *3. Applies extrication collar
- 0 1 2 *4. Positions short device
- 0 2 *5. Secures short device to patient's torso
- 0 2 *6. Secures short device to patient's head to assure neutral cervical spine alignment
- 0 2 *7. Checks circulation, motor function, and sensation in all four extremities
- 0 2 8. Performs steps 1-7 in sequence
- 0 2 *9. Does not compromise airway or impede respirations
- 0 1 2 10. Communicates

_____ Candidate=s Total Points (minimum passing total: 14 points)	
Absolutes satisfied: _____ Yes _____ No (Must have at least one point for each step marked with an *)	_____ Pass _____ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments:

SPINAL IMMOBILIZATION OF SUPINE PATIENT

CANDIDATE=S NAME:		DATE:
__ ECA	__ EMT	__ EMTI
__ EMTP	SCHOOL #:	
__ INITIAL	__ RENEWAL	__ EQUIVALENCY
		__ RETEST
STATION TIME 10 MINUTES	START TIME:	END TIME

- 0 2 *1. Directs partner to establish and maintain neutral spinal alignment.
- 0 2 *2. Checks circulation, motor function, and sensation in all four extremities
- 0 1 2 *3. Applies extrication collar
- 0 1 2 *4. Moves patient onto device without compromising integrity of spine
- 0 2 *5. Secures patient to long device
- 0 2 *6. Checks circulation, motor function, and sensation in all four extremities
- 0 2 7. Performs steps 1-7 in sequence
- 0 2 *8. Does not compromise airway or impede respirations
- 0 1 2 9. Communicates

_____ Candidate=s Total Points (minimum passing total: 13 points)	
Absolutes satisfied: _____ Yes _____ No (Must have at least one point for each step marked with an *)	_____ Pass _____ Fail
Examiner:	Cert. No. (if assigned):

Documenting Comments: