

VALVE BALL THREADED & FLANGED A-35 I

cobrival.com

TC-4000 (FS), TC-4100 (FS) VALVE

**3PC FULL PORT BALL VALVE, T/S SIZE ½"-1" 2000 psi 1-1/4 - 2" 1500 psi
(WITH ISO 5211 DIRECT MOUNT PAD)**



**3pc valve Direct Mount ball valve
ABS Type Approved / USCG POSITIVE SHUT-OFF**

TC-6000 (FS), TC-6100 (FS) VALVE

1PC 150# REDUCED PORT BALL VALVE, FLANGED SIZE ½"-6"



**API-607 Fire Safe Certified Unibody Design
Stainless and Carbon Steel in stock**



Av. Agrupamiento "I" No. 17 Col. Aragón Narciso Bassols Del. Gustavo A. Madero C.P. 07980 CDMX
Conmutador. 55 5839 2588 / 5839 7821 / 5839 4891
ventas@cobrival.com | www.cobrival.com



TC-GT

200 PSI (WOG) WATER, OIL, GAS GATE VALVE, THREADED

SIZE 1/4"-2"



TC-GB VALVE

200 PSI (WOG) WATER, OIL, GAS GLOBE VALVE, THREADED

SIZE 1/4"-2"



TC-GTF-ANSI VALVE

150 # LB & 300 # FLANGE END GATE VALVE

½" – 12" SIZE RANGE



TC-GBF-ANSI VALVE

150 LB FLANGE END GLOBE VALVE

SIZE ½" - 10"



TC-CK, TC-CKS VALVE

200 WOG SWING CHECK VALVE THREADED & SOCKET WELD

SIZE ¼" - 3"



TC-CKF-ANSI VALVE

150 # & 300 # FLANGE END SWING CHECK VALVE

SIZE ½" - 12"

