



# ROTARY SEAL TYPE 200




Part no.	d1 (Inch)	d2 (Inch)	b (Inch)	b1 Inch	d4 MAX	d5 MAX
RS_T2_0500_1000_375	0.500	1.000	0.375	.413/.530	0.657	0.642
RS_T2_0500_1125_375	0.500	1.125				
RS_T2_0500_1250_375	0.500	1.250				
RS_T2_0500_1375_375	0.500	1.375				
RS_T2_0500_1500_375	0.500	1.500	0.375	.413/.530	0.782	0.767
RS_T2_0625_1125_375	0.625	1.125				
RS_T2_0625_1250_375	0.625	1.250				
RS_T2_0625_1375_375	0.625	1.375				
RS_T2_0625_1500_375	0.625	1.500	0.375	.413/.530	0.907	0.892
RS_T2_0625_1625_375	0.625	1.625				
RS_T2_0750_1250_375	0.750	1.250				
RS_T2_0750_1375_375	0.750	1.375				
RS_T2_0750_1500_375	0.750	1.500	0.375	.413/.530	0.907	0.892
RS_T2_0750_1625_375	0.750	1.625				
RS_T2_0750_1750_375	0.750	1.750				



## ROTARY SEAL TYPE 200

Part no.	d1 (Inch)	d2 (Inch)	b (Inch)	b1 Inch	d4 MAX	d5 MAX
RS_T2_0875_1375_375	0.875	1.375	0.375	.413/.530	1.032	1.017
RS_T2_0875_1500_375	0.875	1.500				
RS_T2_0875_1625_375	0.875	1.625				
RS_T2_0875_1750_375	0.875	1.750				
RS_T2_0875_1875_375	0.875	1.875				
RS_T2_1000_1500_375	1.000	1.500	0.375	.413/.530	1.157	1.142
RS_T2_1000_1625_375	1.000	1.625				
RS_T2_1000_1750_375	1.000	1.750				
RS_T2_1000_1875_375	1.000	1.875				
RS_T2_1000_2000_375	1.000	2.000				
RS_T2_1125_1625_375	1.125	1.625	0.375	.413/.530	1.282	1.267
RS_T2_1125_1750_375	1.125	1.750				
RS_T2_1125_1875_375	1.125	1.875				
RS_T2_1125_2000_375	1.125	2.000				
RS_T2_1125_2125_375	1.125	2.125				
RS_T2_1250_1750_375	1.250	1.750	0.375	.413/.530	1.407	1.392
RS_T2_1250_1875_375	1.250	1.875				
RS_T2_1250_2000_375	1.250	2.000				
RS_T2_1250_2125_375	1.250	2.125				
RS_T2_1250_2250_375	1.250	2.250				
RS_T2_1375_1875_375	1.375	1.875	0.375	.413/.530	1.532	1.517
RS_T2_1375_2000_375	1.375	2.000				
RS_T2_1375_2125_375	1.375	2.125				
RS_T2_1375_2250_375	1.375	2.250				
RS_T2_1375_2375_375	1.375	2.375				
RS_T2_1500_2000_375	1.500	2.000	0.375	.413/.530	1.657	1.642
RS_T2_1500_2125_375	1.500	2.125				
RS_T2_1500_2250_375	1.500	2.250				
RS_T2_1500_2375_375	1.500	2.375				
RS_T2_1500_2500_375	1.500	2.500				
RS_T2_1625_2125_375	1.625	2.125	0.375	.413/.530	1.872	1.767
RS_T2_1625_2250_375	1.625	2.250				
RS_T2_1625_2375_375	1.625	2.375				
RS_T2_1625_2500_375	1.625	2.500				
RS_T2_1625_2625_375	1.625	2.625				



## ROTARY SEAL TYPE 200

Part no.	d1 (Inch)	d2 (Inch)	b (Inch)	b1 Inch	d4 MAX	d5 MAX
RS_T2_1750_2250_375	1.750	2.250	0.375	.413/.530	1.907	1.892
RS_T2_1750_2375_375	1.750	2.375				
RS_T2_1750_2500_375	1.750	2.500				
RS_T2_1750_2625_375	1.750	2.625				
RS_T2_1750_2750_375	1.750	2.750				
RS_T2_1875_2375_375	1.875	2.375	0.375	.413/.530	2.032	2.017
RS_T2_1875_2500_375	1.875	2.500				
RS_T2_1875_2625_375	1.875	2.625				
RS_T2_1875_2750_375	1.875	2.750				
RS_T2_1875_2875_375	1.875	2.875				
RS_T2_2000_2500_375	2.000	2.500	0.375	.413/.530	2.157	2.142
RS_T2_2000_2625_375	2.000	2.625				
RS_T2_2000_2750_375	2.000	2.750				
RS_T2_2000_2875_375	2.000	2.875				
RS_T2_2000_3000_375	2.000	3.000				
RS_T2_2125_2625_375	2.125	2.625	0.375	.413/.530	2.282	2.267
RS_T2_2125_2750_375	2.125	2.750				
RS_T2_2125_2875_375	2.125	2.875				
RS_T2_2125_3000_375	2.125	3.000				
RS_T2_2125_3125_375	2.125	3.125				
RS_T2_2250_2750_375	2.250	2.750	0.375	.413/.530	2.407	2.392
RS_T2_2250_2875_375	2.250	2.875				
RS_T2_2250_3000_375	2.250	3.000				
RS_T2_2250_3125_375	2.250	3.125				
RS_T2_2250_3250_375	2.250	3.250				
RS_T2_2375_2875_375	2.375	2.875	0.375	.413/.530	2.532	2.517
RS_T2_2375_3000_375	2.375	3.000				
RS_T2_2375_3125_375	2.375	3.125				
RS_T2_2375_3250_375	2.375	3.250				
RS_T2_2375_3375_375	2.375	3.375				
RS_T2_2500_3000_400	2.500	3.000	0.400	.438/.555	2.657	2.642
RS_T2_2500_3125_400	2.500	3.125				
RS_T2_2500_3250_400	2.500	3.250				
RS_T2_2500_3375_400	2.500	3.375				
RS_T2_2500_3500_400	2.500	3.500				