



PLATINUM BUBBA KUSH SAFETY DATA SHEET

This safety data sheet complies with the requirements of US OSHA Hazard Communication Standard (29 CFR 1910.1200)

REVISION DATE: 3/31/2019

SECTION 1: IDENTIFICATION

- 1.1 PRODUCT IDENTIFIER:** PLATINUM BUBBA KUSH
PRODUCT NAME: PLATINUM BUBBA KUSH
BRAND: D2 CUSTOM TERPENES
CAS No. MIXTURE
- 1.2 RECOMMENDED USE OF THE CHEMICAL AND RESTRICTION ON USE**
RECOMMENDED USE: CONCENTRATED TERPENES WHICH MAY BE USED FOR INHALATION AND INGESTION IN DILUTED FORM .
USES ADVISED AGAINST: THIS PRODUCT IS INTENDED FOR USE ONLY BY ADULTS 21 OR OLDER. DO NOT USE IF YOU ARE PREGNANT, NURSING OR A PERSON WITH OR AT RISK OF SERIOUS HEALTH CONDITIONS INCLUDING BUT NOT LIMITED TO: HEART DISEASE, HIGH BLOOD PRESSURE, DIABETES OR A PERSON TAKING MEDICINE FOR DEPRESSION OR ASTHMA. DISCONTINUE USE AND CONSULT YOUR DOCTOR IF AN ADVERSE REACTION OCCURS. THIS IS NOT A SMOKING CESSATION PRODUCT.
- 1.4 SUPPLIER'S DETAILS**
NAME: D2 CUSTOM TERPENES
ADDRESS: 20761 PLUMMER ST.
 CHATSWORTH, CALIFORNIA 91311
PHONE: 818.276.5076
WEBSITE: D2CUSTOMTERPENES.COM
- 1.5 EMERGENCY PHONE**
 POISON CONTROL HELP LINE: 1.800.222.1222
 CHEMTREC (USA) 1.800.424.9300
 CHEMTREC (INTERNATIONAL) 1+ 703.527.3887

SECTION 2: HAZARD IDENTIFICATION

2.1 CLASSIFICATION

ACUTE TOXICITY-ORAL	CATEGORY 4	SKIN SENSITIZATION	CATEGORY 1B
SKIN CORROSION/IRRITATION	CATEGORY 2	FLAMMABLE LIQUIDS	CATEGORY 3
SERIOUS EYE DAMAGE/IRRITATION	CATEGORY 2A		

2.2 LABEL ELEMENTS

SIGNAL WORD: DANGER

HAZARD STATEMENTS:

HARFUL IF SWALLOWED MAY CAUSE AN ALLERGIC SKIN REACTION
 CAUSES SKIN IRRITATION MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS
 CAUSES SERIOUS EYE IRRITATION FLAMMABLE LIQUID AND VAPOR





2.2 LABEL ELEMENTS (CONTINUED)

PRECAUTIONARY STATEMENTS-PREVENTION

WASH FACE, HANDS AND ANY EXPOSED SKIN THOROUGHLY AFTER HANDLING. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. AVOID BREATHING DUST/FUMES/GAS/MIST/VAPORS/SPRAY. CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING. KEEP CONTAINER TIGHTLY CLOSED. GROUND/BOND/CONTAINER AND RECEIVING EQUIPMENT. USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/LIGHTING/./?./EQUIPMENT. USE ONLY NON-SPARKING TOOLS. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.

PRECAUTIONARY STATEMENTS-RESPONSE

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT ELNSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.

IF ON SKIN OR HAIR: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. WASH CONTAMINATED CLOTHING BEFORE REUSE.

IF SWALLOWED:IMMEDIATELY CALL A POISEN CENTER OR DOCTOR. DO **NOT** INDUCE VOMITING. RINSE MOUTH.

IN CASE OF FIRE: USE CO2, DRY CHEMICAL, OR FOAM TO EXTINGUISH.

PRECAUTIONARY STATEMENTS-DISPOSAL

DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

***100% OF THE COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET**

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

IF INHALED:	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, AND CALL 911. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT:	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN IF NECESSARY..
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, LIFTING LOWER AND UPPER EYLIDS. CONSULT A PHYSICIAN.
IS SWALLOWED:	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYE

NO DATA AVAILABLE

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY.

NO DATA AVAILABLE

4.4 NOTE TO PHYSICIANS

TREAT SYMPTOMATICALLY.



SECTION 5: FIRE-FIGHTING MEASURES

5.1 SUITABLE EXTINGUISHING MEDIA

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

FLAMMABLE

HAZARDOUS COMBUSTION PRODUCTS:

IRRITATING OR TOXIC SUBSTANCES MAY BE EMITTED UPON BURNING, COMBUSTION OR DECOMPOSITION.

EXPOSITION DATA

SENSITIVITY TO MECHANICAL IMPACT: NONE

SENSITIVITY TO STATIC DISCHARGE: NONE

5.3 SPECIAL PROTECTIVE ACTIONS FOR FIRE FIGHTERS

AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPORS ACCUMULATION TO FORM EXPLOSIVE CONCENTRATIONS. VAPORS CAN ACCUMULATE IN LOW AREAS. PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

6.2 ENVIRONMENTAL PRECAUTIONS.

DO NOT FLUSH INTO SURFACE WATER OR SANITARY SEWER SYSTEM. PREVENT PRODUCT FROM ENTERING DRAINS.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION. NO SMOKING. TAKE MEASURES TO PREVENT THE BUILDUP OF ELECTROSTATIC CHARGE. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF THE WORKDAY

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

RECOMMENDED STORAGE TEMPERATURE: BELOW 78°F (25°C)

INCOMPATIBLE MATERIALS

NONE KNOWN BASED ON INFORMATION SUPPLIED

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS.



SECTION 8: EXPOSURE CONTROLS/PERSOL PROTECTION

8.1 CONTROL PARAMETERS EXPOSURE GUIDELINES

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
a-PINENE 80-56-8	TWA: 20 ppm	-	-
b-PINENE 127-91-3	TWA: 20 ppm	-	-

8.2 APPROPRIATE ENGINEERING CONTROLS

NO DATA AVIALABLE

8.3 INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE/FACE PROTECTION

WEAR SAFTY GLASSES WITH SIDE SHIELDS (OR GOGGLES). AVOID CONTACT WITH EYES.

SKIN AND BODY PROTECTION

AVOID CONTACT WITH SKIN. WEAR PROTECTIVE GLOVES AND PROTECTIVE CLOTHING.

RESPIRATORY PROTECTION

IF EXPOSURE LIMITS ARE EXCEEDED OR IRRITATION IS EXPERIENCED, **NIOSH/MSHA** APPROVED RESPIRATORY PROTECTION SHOLD BE WORN. POSITIVE-PRESSURE SUPPLIED AIR RESPIRATORS MAY BE REQUIRED FOR HIGH AIRBORNE CONTAMINANT CONCENTRATIONS. RESPIRATORY PROTECTION MUST BE PROVIDED IN ACCORDANCE WITH CURRENT LOCAL REGULATIONS. ENSURE ADEQUATE VENTILATION, ESPECIALLY IN CONFINED AREAS.

THERMAL HAZARDS

NO DATA AVAILABLE

ENVIRONMENTAL EXPOSURE CONTROLS

NO DATA AVAILABLE

GENERAL HYGIENE CONSIDERATIONS

HANDLE IN ACCORDANCEWITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. DO NOT EAR, DRINK OR SMOKE WHEN USING THIS PRODUCT. AVOID CONTACT WITH SKIN EYES, OR CLOTHING. WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION. REGULAR CLEANING OF QUIPMENT, WORK AREA AND CLOTHING IS RECOMMENDED. AVOID BREATHING (DUST, VAPOR, MIST, GAS).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

PHISICAL STATE: LIQUID
APPEARANCE: CLEAR
COLOR: COLORLESS TO PALE YELLOW
ODOR: CHARACTERISTIC ODOR
ODOR THRESHOLD: NOT APPLICABLE



9.2 PROPERTIES	VALUES	REMARKS METHOD
Ph:	NOT APPLICABLE	
MELTING POINT/FREEZING POINT:	NOT APPLICABLE	
BOILING POINT/ BOILING RANGE:	NOT APPLICABLE	
FLASH POINT:	> 73°F, <140°F	
EVAOPRATION RATE:	NOT APPLICABLE	
FLAMMABILITY (SOLID, GAS):	NOT APPLICABLE	
FLAMMABILITY LIMIT IN AIR		
UPPER LIMIT:	NOT APPLICABLE	
LOWER LIMIT:	NOT APPLICABLE	
VAPOR PRESSURE:	NOT APPLICABLE	
VAPOR DENSITY:	NOT APPLICABLE	
SPECIFIC GRAVITY:	NOT APPLICABLE	
WATER SOLUBILITY:	NOT APPLICABLE	
SOLUBILITY IN OTHER SOLVENTS:	NOT APPLICABLE	
PARTITION COEFFICIENT:	NOT APPLICABLE	
AUTOIGNITION TEMPERATURE:	NOT APPLICABLE	
DECOMPOSITION TEMPERATURE:	NOT APPLICABLE	
KINEMATIC VISCOSITY:	NOT APPLICABLE	
DYNAMIC VISCOSITY:	NOT APPLICABLE	
EXPLOSIVE PROPERTIES:	NOT APPLICABLE	
OXIDIZING PROPERTIES:	NOT APPLICABLE	
SOFTENING POINT:	NOT APPLICABLE	
MOLECULAR WEIGHT:	NOT APPLICABLE	
VOC CONTENT (%):	NOT APPLICABLE	
DENSITY:	NOT APPLICABLE	
BULK DENSITY:	NOT APPLICABLE	

9.3 OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

NO DATA AVAILABLE

10.2 CHEMICAL STABILITY

STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

NONE UNDER NORMAL PROCESSING

10.4 CONDITIONS TO AVOID

HEAT, FLAMES, SPARKS, EXTREME TEMPERATURE AND DIRECT SUNLIGHT.

10.5 INCOMPATIBLE MATERIALS

NONE KNOWN BASED ON INFORMATION SUPPLIED

10.6 HAZARDOUS DECOMPOSITION PRODUCTION

NONE KNOWN BASED ON INFORMATION SUPPLIED



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON LIKELY ROUTS OF EXPOSURE

PRODUCT INFORMATION:

INHALATION	AVOID BREATHING VAPORS OR MISTS.
EYE CONTACT	AVOID CONTACT WITH EYES. CAUSESE SERIOUS EYE IRRITATION
SKIN CONTACT	AVOID CONTACT WITH SKIN. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. MAY BE HARMFUL IN CONTACT WITH SKIN.
INGESTION	MAY BE HARMFUL IF SWALLOWED (IN UNDILUTED FORM). MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
SENSITIZATION	NO DATA AVAILABLE

11.2 INFORMATION ON TOXICOLOGICAL EFFECTS (ORAL, DERMAL, INHALATION, OTHER)

SYMPTOMS NO INFORMATION AVAILABLE

11.3 DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

GERM CELL MUTAGENICITY NOT CLASSIFIED.

CARCINOGENICITY

THIS PRODUCT IS OR CONTAINS A COMPONENT THAT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY BASED ON ITS **IARC**, **ACGIH**, **NTP**, OR **EPA** CLASSIFICATION.

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY: THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR SUSPECTED REPRODUCTIVE HAZARDS ABOVE THE THRESHOLD VALUE.

STOT-SINGLE EXPOSURE: NOT CLASSIFIED

STOT-REPEATED EXPOSURE: NOT CLASSIFIED

ASPIRATION HAZARD: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

NO DATA AVAILABLE

12.2 PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

12.3 BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

12.4 MOBILITY IN SOIL

NO DATA AVAILABLE

12.5 OTHER ADVERSE ECOLOGICAL EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

PRODUCT

BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT. DO NOT REUSE CONTAINER.

SECTION 14: TRANSPORT INFORMATION

14.1 TRANSPORTATION BY LAND-DEPARTMENT OF TRANSPORTATION (DOT, UNITED STATES OF AMERICA)

SIZES: 2g (2.34ml), 5g (5.85ml), 12g (14ml), 25g (29.25ml), 100g (117.5ml), 400g (470ml), 3200g (1gal)

UN NUMBER: UN2319

PROPER SHIPPING NAME: TERPENE HYDROCARBONS, NOS

HAZARD CLASS: 3

PACKING GROUP: III

HAZARD PLACARD LABELS:



14.2 TRANSPORTATION BY AIR-INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)

SIZES: 2g (2.34ml), 5g (5.85ml), 12g (14ml), 25g (29.25ml), 100g (117.5ml), 400g (470ml), 3200g (1gal)

UN NUMBER: UN2319

PROPER SHIPPING NAME: TERPENE HYDROCARBONS, NOS

HAZARD CLASS: 3

PACKING GROUP: III

HAZARD PLACARD LABELS:





SECTION 15: REGULATORY INFORMATION

15.1 US FEDERAL REGULATIONS

SARA 313

SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA). THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF THE ACT AND TITLE 40 OF THE CODE OF FEDERAL REGULATIONS, PART 372.

SARA 311/312 HAZARD CATEGORIES

ACUTE HEALTH HAZARD:	YES
CHRONIC HEALTH HAZARD:	NO
FIRE HAZARD:	YES
SUDDEN RELEASE OF PRESSURE HAZARD:	NO

SARA 302

NO CHEMICAL IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENT OF SARA TITLE III, SECTION 302

CWA (CLEAN WATER ACT)

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS POLLUTANTS PURSUANT TO THE CLEAN WATER ACT (40 CFR 122.21 AND 40 CFR 122.42)

CERCLA

THIS MATERIAL, AS SUPPLIED, DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS HAZARDOUS SUBSTANCES UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA) (40 CFR 302) OR THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) (40 CFR 355). THERE MAY BE SPECIFIC REPORTING REQUIREMENTS AT THE LOCAL, REGIONAL, OR STATE LEVEL PERTAINING TO RELEASES OF THIS MATERIAL.

15.2 US STATE REGULATIONS

US STATE RIGHT TO KNOW REGULATIONS

THIS PRODUCT CONTAINS SUBSTANCE(S) REGULATED BY STATE RIGHT TO KNOW REGULATIONS

CHEMICAL NAME	CAS #	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
a-PINENE	80-56-8	X	X	X
d-LIMONENE	5989-27-5	X		X
LINALOOL	78-78-6	X		X
TERPINOLENE	586-62-9	X		
a-HUMULENE	6756-98-6	X		X
b-CARYOPHYLLENE	87-44-5	X		X

15.3 CALIFORNIA PROPOSITION 65

WARNING!! THIS PRODUCT CONTAINS MYRCENE (CAS# 123-35-3, 7-METHYL-3-METHYLENEOCTA-1, 6-DIENE), A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR REPRODUCTIVE HARM.



SECTION 16: OTHER INFORMATION

ISSUE DATE: 3/31/2019

REVISION DATE: 3/31/2019

VERSION

DISCLAIMER:

D2 CUSTOM TERPENES HAS PERFORMED NO TESTING ON THESE PRODUCTS IN E-CIG/VAPING APPLICATION. IT IS THE SOLE RESPONSIBILITY OF THE INDIVIDUAL(S) PURCHASING THIS PRODUCT TO ASSESS ITS' SAFETY IN THE FINAL PROCESSES, OPERATIONS, AND APPLICATION. THIS MATERIAL HAS NOT BEEN TESTED OR PROVEN SAFE FOR INHALATION. WITH THIS DOCUMENT, D2 CUSTOM TERPENES LLC ONLY ATTESTS TO THE SAFETY OF THE PRODUCT WHEN USED IN THE APPROPRIATE AND SUITABLE FRAGRANCE/FLAVOR INDUSTRY APPLICATION.

CLASSIFICATION AND LABELING ACCORDING TO THE IFRA/IOFI LABELING MANUAL 2018. THE INFORMATION PROVIDED ABOVE IN THIS SAFETY DATA SHEET HAS BEEN COLLECTED FROM RECOGNIZED SOURCES SUCH AS DISTRIBUTORS, MANUFACTURERS, AND TECHNICAL GROUPS AND IS CONSIDERED TO BE ACCURATE AND CORRECT TO THE BEST OF D2 CUSTOM TERPENES KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. D2 CUSTOM TERPENES CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND ITS PRODUCT OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH ITS PRODUCT MAY BE USED. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

APPROPRIATE WARNINGS AND SAFE HANDLING PROCEDURE SHOULD BE PROVIDED TO ALL HANDLERS AND USERS, TAKING INTO ACCOUNT THE INTENDED USE AND THE SPECIFIC CONDITIONS AND FACTORS RELATING TO SUCH USE IN ACCORDANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE DUE TO IMPROPER USE.

END OF SAFETY DATA SHEET