

**IDENTIFICATION OF POSSIBLE MICRO-TECHNOLOGY AND ARTIFICIAL
PATTERNS IN PFIZER VACCINE USING OPTICAL MICROSCOPY**



**OPTICAL MICROSCOPY ANALYSIS
AND PHOTOGRAPHIC REPORT**

Seville, Spain, January 14th 2022

Ricardo Delgado Martín
Graduated in Statistics. Specialising in Biostatistics – University of Seville

OBJECTIVE OF THE INVESTIGATION

This study identifies artificial **patterns and microtechnological structures that may be contained in the Comirnaty Pfizer vaccine.**

For the purpose of this study, several objects visible under an optical microscope were photographed and analysed by comparing them with similar objects identified in the scientific literature.

An additional aim of this study was **to identify a wide variety of objects compatible with graphene like structures, given the characteristics and peculiarities of this material, i.e folds, reliefs, superficial tension, etc.**

This research is undertaken from an optical microscopic point of view, in order to characterize these structures within the limits of the methodology and means used.

The micro-photographs were obtained with a magnification quality ranging from **200X-1400X**. To draw conclusions or generalizations about the subject being investigated, a larger sample size should be analysed using the optical technique. However, this **report highlights an element which needs to be considered and this study should be undertaken, complemented and expanded by independent scientists and laboratories in order to clarify the composition of this targeted product which is being globally and simultaneously administered to civil society.**

INTRODUCTION

As stated for several years in the scientific literature of this disciplinary field, the scientific objective has been to use microtechnology and nanotechnology in order to form intracorporeal nanonetworks or nanonetworks predisposed to coexist inside living beings.

Nanotechnology is providing a new set of tools for the engineering community to design nanoscale components with unprecedented functionality.

The integration of several nanocomponents in a single entity will allow the development of advanced nanomachines.

Nanonetworks, that is, networks of nanomachines, will have a large number of applications in the **biomedical, environmental, industrial and military fields**.

Dozens of published scientific papers lay the groundwork for **graphene**-enabled electromagnetic communication in nano and micronetworks, including intracorporeal ones.

https://www.researchgate.net/publication/269853754_Fundamentals_of_Electromagnetic_Nanonetworks_in_the_Terahertz_Band

https://www.researchgate.net/publication/282476793_Design_of_Wireless_Nanosensor_Networks_for_Intrabody_Application

<https://ieeexplore.ieee.org/document/7874136>

The results obtained in various studies point to the **Terahertz Band (0.1-10 THz) as the optimal operating frequency range** of these new nanoantennas.

Coincidentally, **graphene** is a material which has **the capacity to absorb microwave radiation from telephone antennas** in the GHz band and amplify its signal by 3 wave magnitudes to the Thz scale.

<https://cordis.europa.eu/article/id/124280-graphene-boosts-ghz-signals-into-terahertz-territory/es>

It has been recognised for many years, that an optimal cut off frequency for graphene transistors has been achieved at exactly **26GHz**, the highest frequency reported using this material.

https://www.photonics.com/Articles/26-GHz_Graphene_Transistor/a35858

We also know that our government (in Spain) is awaiting the approval of the tender for the new 5G technology which will be emitted at a commercial band, of exactly **26GHz**

<https://www.lamoncloa.gob.es/serviciosdeprensa/notasprensa/asuntos-economicos/Paginas/2021/271221-frecuencias.aspx>

In light of the results obtained in this investigation and Dr. Campra's well known research "*Technical Report on the Detection of Graphene in Covid Vaccines Using Micro-Raman Spectroscopy*" which provides unequivocally conclusive evidence of the presence of graphene in samples obtained from the **Pfizer, AstraZeneca, Moderna and Janssen** vials, **it is feasible that this undeclared material in the vials forms the basis for the implementation of intracorporeal nano and micronetworks in the world population**, using the current situation as a pretext.

https://www.researchgate.net/publication/355684360_Deteccion_de_grafeno_en_vacunas_COVID19_por_espectroscopia_Micro-RAMAN

Correspondingly, we have highlighted that graphene has a **multiplier effect** on the radiation emitted from mobile phone antennas beyond Cherenkov radiation.

<https://aip.scitation.org/doi/abs/10.1063/1.4984961?journalCode=apl>

The final conclusion of this investigation emphasizes that based on this evidence and the **toxicity of graphene** when it reacts with radiation, **the so called COVID 19 disease is an acute Irradiation Syndrome, caused by the effect of this toxic substance which was included in the vaccines**. This reaction is in fact a side effect of the nano and micro-technology operation, which in recent years, has been financed by the Graphene Flagship Project, for purposes unknown to society.

<https://graphene-flagship.eu/graphene/news/european-opportunities-for-research-and-innovation-with-layered-materials/>

This scientific article published in PubMed, highlights **the commonalities between the COVID 19 disease and radiation injuries**. In conclusion, **the true etiological agent or cause of the Covid 19 disease is not of biological origin but emerges from this toxic chemical compound, graphene, and its derivatives**.

<https://www.ncbi.nlm.nih.gov/labs/pmc/articles/PMC7861125/>

METHODOLOGY USED

HAXON AQUILES II Optical Microscopy Equipment and Haxon H-Aptina 5.0 USB 2.0 Camera



Characteristics:

- HAXON AQUILES MICROSCOPE I, Model A-PTR203iH TRINOCULAR for PETROGRAPHY of REFLECTED and TRANSMITTED illumination.
- Siedentopf Type Trinocular Head For POLARIZATION (Tension Free and Polarized)
- Multidirectional with INFINITE Correction, It has Interpupillary and Diopter Regulation.
- Fixed Head Light Distribution 80/20, 80% of the Light to the Eyepieces and 20% of the Light to the Camera.
- 0.5X and 1X Adapter for Camera with Standard C- Mount Thread Interface.
- APTINA 5.0 Megapixels USB 2.0 Camera with High Performance APTINA MT9P001 Sensor with complete Parameter Configuration Menu and compatible with Windows Operating System.
- Dedicated USB 2.0 Camera. Maximum Resolution 5.0 Megapixel 2592H x 1944V. Pixel size 2.2x2.2 microns.
- High rate of frames per second up to 15 fps at maximum resolution.
- 10X/22mm Eye High Relief Widefield Metallic Eyepieces corrected to 30 mm Plane Mount.
- 10X/20mm Cross-Linked Auxiliary Eyepiece for 30mm Mount Measurements.
- Quadruple Revolver With Centering System for PETROGRAPHY, without bearings and with precise positioning marking.
- High Contrast Achromatic Plane Infinite Objectives IPCS (Infinity PLAN Correction System) Long Work Distance LWD (Long Work Distance).
- For Voltage Free Metallurgy for POLARIZATION, RMS and DIN45 of 5X, 10X, 20X, and 50X.

- PETROGRAPHIC MODULE with Bertrand Lens Polarization Module.
- Adjustable Analyzer and compensation Slides of $\frac{1}{4}$ lambda, full lambda and quartz wedge
- 140mm 360° Rotating Stage for polarization with Object Holder Clamps (forceps)
- Abbe 1.25 n.a. Condenser Special for Polarization with Adjustable Polarized, adjustable in height by means of a zipper system; it has a diaphragm.
- METALLURGICAL Bridge Module for REFLECTED Lighting with POLARIZER.
- Lampholder Block Module with 50W Halogen Lamp with external analog 50W power supply.
- Macro Focus System with Tension Regulation and Height Stop to avoid collisions with the objectives.
- Micro Focusing System Using Crowns and Pinions with infinite rotation and a precision of 2 microns per division, reaching the maximum standardized for the laboratory.
- Kohler Illuminator with Diaphragm and Rubbed Glass Lenses with Adjustable Centering System.
- Internal 30W High Power Halogen Lighting Device with intensity regulation and safety switch.

DESCRIPTION AND TREATMENT OF THE SAMPLES ANALYZED

3 Comirnaty Pfizer vials, as shown in the attached photograph, have been analyzed using the techniques described in the introduction.



The samples were obtained **from sealed vials of Comirnaty Pfizer mRNA COVID19 vaccines**. All vials were sealed at the time of processing. Samples were extracted from the respective vials using new sterile micro-syringes and needles. Approximately 10 μ l of droplets from each vial were deposited on the microscope slides.

In the initial analysis, **the samples appear to be flowing in a suspension or hydrogel that provides the components with a constant flow and wateriness**.

Depending on the surface tension of the suspension, **certain objects with different qualities are visible** in different layers and reliefs in the different samples analyzed.

Throughout the present investigation, **the images obtained have undergone an observable evolution during the optical analysis, depending on the time elapsed from their exposure on the viewing slide until their complete evaporation in a weathering environment**.

After wide intervals of observation under optical microscopy, using different light filters and magnification qualities, **objects compatible with the appearance of graphene have been observed in different layers of the sample** (Annex 1).

In addition, **certain objects of quadrangular appearance which self-assemble in zig-zag arrangements are visibly observed in real time** (Annex 2).

However, after the almost total evaporation of the samples, this evolution in the samples exposed **more complex structures reminiscent of artificial patterns typical of intra-body micro-network technology, as reported in various publications from the scientific literature** (Annex 3).


Note: To avoid any type of contamination that could influence the final result of the research, the samples have been stored in airtight containers during the entire research process and the strictest hygienic measures have been maintained whilst treating the samples, from their observation to their storage and custody.

- ANNEX 1 -
**IDENTIFICATION OF GRAPHENE-COMPATIBLE
OBJECTS IN THE SAMPLES**


The following is a microscopic photographic report of some of the graphene-like objects obtained in the different samples. (Photographs 3 – 16)

It is worth noting the degree of similarity with the images obtained by Dr. Campra Madrid in his **"Detection of graphene oxide in aqueous suspension, observational study in optical and electron microscopy. Interim report"** (Dr. Campra, June 2021, photographs 1 and 2)


https://www.researchgate.net/publication/354059739_DETECCION_DE_OXIDO_DE_GRAFENO_EN_SUSPENSION_ACUOSA_COMIRNATYTM_RD1ESTUDIO_OBSERVACIONAL_EN_MICROSCOPIA_OPTICA_Y_ELECTRONICAInforme_provisional_IANEXO_FOTOGRAFIAS



Photograph 1



Photograph 2




R. Delgado 2.022 (Photograph 3)



R. Delgado 2.022 (Photograph 4)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>



R. Delgado 2.022 (Photograph 5)




R. Delgado 2.022 (Photograph 6)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




R. Delgado 2.022 (Photograph 7)



R. Delgado 2.022 (Photograph 8)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>



R. Delgado 2.022 (Photograph 9)



R. Delgado 2.022 (Photograph 10)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




R. Delgado 2.022 (Photograph 11)




R. Delgado 2.022 (Photograph 12)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




R. Delgado 2.022 (Photograph 13)




R. Delgado 2.022 (Photograph 14)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>



R. Delgado 2.022 (Photograph 15)



R. Delgado 2.022 (Photograph 16)

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>

- ANNEX 2 -

VISUALIZATION OF SELF-ASSEMBLED OBJECTS IN THE SAMPLES


Below we show **self-assembly** structures in the observed samples and their evolution over time.
(Photographs 17 – 31)

The scientific literature also reports the process of self-assembly of different components to form more complex structures in the context of micro- and nano-technology.


"Self-assembly as a key player for materials nanoarchitectonics".

<https://www.tandfonline.com/doi/full/10.1080/14686996.2018.1553108>. Katsuhiko Ariga, Michihiro Nishikawa, Taizo Mori, Jun Takeya, Lok Kumar Shrestha y Jonathan P. Hill (Enero, 2.019)


Note: The research is presented with a downloadable file in mp4 video format to aid understanding of the observations in this annex.




Photograph 17




Photograph 18



Photograph 19



Photograph 20




Photograph 21

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 22




Photograph 23

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 24



Photograph 25

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 26




Photograph 27

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 28




Photograph 29

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>



Photograph 30



Photograph 31

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>

- ANNEX 3 -

IDENTIFICATION OF ARTIFICIAL PATTERNS
AND INDICATIONS OF MICRO-TECHNOLOGY IN THE SAMPLES

In this section, we analyze all the structures that could have their origin in a clearly artificial pattern. (Photographs 32 - 49)


Note: It should be noted that in no case do they correspond to known crystallizations such as sucrose.



Photograph 32



Photograph 33



Photograph 34



Photograph 35



Photograph 36

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 37




Photograph 38

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 39




Photograph 40

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 41




Photograph 42

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 43




Photograph 44

Courtesy translation by the translation team of LA QUINTA COLUMNA.


Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>




Photograph 45




Photograph 46



Photograph 47



Photograph 48



Photograph 49

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>

ARTIFICIAL PATTERNS OBSERVED IN THE PFIZER VACCINE SAMPLES COMPARED WITH IMAGES FROM THE SCIENTIFIC LITERATURE.

Patterns observed in the vaccine sample

- 1) A mosaic of images has been compiled to obtain a panoramic view of the object
- 2) The pattern observed on the object has been presented
- 3) Scientific literature is being consulted to find similar patterns

Images of the Pfizer vaccine obtained by **Ricardo Delgado**. Sample presented on December 31, 2021 in the program *La Quinta Columna*

C0r0n@ 2 Inspect
Mik Andersen

Source: <https://t.me/c0r0na2inspect/202>

Scientific Literature	Vaccine Sample
<div style="font-size: x-small; margin-top: 5px;"> <p>Wang, J., Yu, L., Li, Z., Zhang, J., Tian, H., Willner, I. (2019). Active generation of nanochips in DNA origami scaffolds for programmed catalysis in nanocavities. <i>Nature communications</i>, 10(1), 1-10. https://www.nature.com/articles/s41467-019-12933-9</p> </div>	

(Campra, P. 2.021 y R. Delgado 2.022)


Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>





Scientific Literature

(R. Delgado 2.022)



Scientific Literature

(R. Delgado 2.022)

Scientific literature	Vaccine samples
	

Courtesy translation by the translation team of LA QUINTA COLUMNA.

Link to the original document here: <https://www.laquintacolumna.info/docs/docs/delgado-informe-identificacion-micro-tecnologia-patrones-artificiales-en-vacuna-es.pdf>

FINAL CONCLUSIONS

Based on the present investigation and the report of what was observed in the samples, we can draw the following conclusions:

The graphene present in the vials is intended to amplify microwave signals from the current GHz range coming from cell phone antennas to the THz scale, which will enable the correct functioning of all the microtechnology already reported in the scientific literature and most likely observable in the samples analyzed in this report.

"EEWNSN: Energy Efficient Wireless Nano Sensor Network MAC Protocol for Communications in the Terahertz Band"
<https://dl.acm.org/doi/10.1007/s11277-017-4517-4>. Negar Rikhtegar, Manijeh Keshtgari and Zahra Ronaghi (Noviembre 2.017)

This explains the fact that most of those "vaccinated" with this technology, in addition to being electronically fed by the graphene introduced in the vials, emit MAC addresses that are registered in the Bluetooth wireless technology, which anyone today can verify, yet no authorities or official "media" are discussing this.

Some of the many scientific publications regarding the use of **MAC protocols** for micro-networks using graphene can be found here:

"MAC protocols for Wireless Nano-sensor Networks: Performance analysis and design guidelines".
<https://ieeexplore.ieee.org/document/7470805?arnumber=7470805>. Rawan Alsheikh, Nadine Akkari and Etimad Fadel. (2.016)

"Directional MAC approach for wireless body area networks". <https://pubmed.ncbi.nlm.nih.gov/22346602/>. Md Asdaque Hussain, Md Nasre Alam and Kyung Sup Kwak. (2.011)

"A very low power MAC (VLPM) protocol for Wireless Body Area Networks". <https://pubmed.ncbi.nlm.nih.gov/22163818/>
Niamat Ullah, and Kyung Sup Kwak. (2.011)

According to the Pfizer corporation itself, the vaccines are composed of lipid nanoparticles and therefore, from the microscopic point of view, we should not observe anything.

However, the large gallery of micro-photographs recorded in this report shows that there are a multitude of microscopic-sized particles that are clearly visible under microscope optics.

The alleged composition of the analyzed vials commercialised under the name "**Comirnaty mRNA COVID19**" published by the European Medicine Agency, the pharmaceutical corporation itself and other regulatory "control" agencies **does not coincide** with what is stated in this report.

Consulted bibliography

"Radio-frequency characteristics of graphene oxide". <https://aip.scitation.org/doi/10.1063/1.3506468>

Whan Kyun Kim, Young Mo Jung, Ji Yoong Kang, Ju Yeong Oh, Hosung Kang, Hee-Jo Lee, Jae Hun Kim, Seok Lee, H. J. Shin, J. Y. Choi, S. Y. Lee, Y. C. Kim, I. T. Han, J. M. Kim, Jong-Gwan Yook, Seunghyun Baik, and Seong Chan Jun (2.010)

"Analysis of Graphene Antenna Properties for 5G Applications".

https://www.researchgate.net/publication/337093683_Analysis_of_Graphene_Antenna_Properties_for_5G_Applications

Siti Nor Hafizah Sa'don, Mohd haizal Jamaluddin, Muhammad Ramlee Kamarudin, Fauzan Ahmad (Noviembre 2.019)

"Material advancement in technological development for the 5G wireless communications".

<https://www.degruyter.com/document/doi/10.1515/ntrev-2020-0054/html>. Huali Hao, David Hui and Denvid Lau (2.020)

"La visión de la nanotecnología para las radiocomunicaciones en los próximos años. Una perspectiva desde la academia".

https://www.researchgate.net/publication/323196338_La_vision_de_la_nanotecnologia_para_las_radiocomunicaciones_en_los_proximos_anos_Una_perspectiva_desde_la_academia. Andrés García y Leonardo Betancur (Junio 2.017)

"CRISPR-Cas9 Activated Graphene Biointerfaces for Capture and Real-Time Monitoring of Cell-Free DNA on a Microneedle Patch". [https://www.researchgate.net/publication/351605243_CRISPR-](https://www.researchgate.net/publication/351605243_CRISPR-Cas9_Activated_Graphene_Biointerfaces_for_Capture_and_Real-Time_Monitoring_of_Cell-Free_DNA_on_a_Microneedle_Patch)

[Cas9_Activated_Graphene_Biointerfaces_for_Capture_and_Real-Time_Monitoring_of_Cell-Free_DNA_on_a_Microneedle_Patch](https://www.researchgate.net/publication/351605243_CRISPR-Cas9_Activated_Graphene_Biointerfaces_for_Capture_and_Real-Time_Monitoring_of_Cell-Free_DNA_on_a_Microneedle_Patch). Jilie kong (Abril 2.021)

"Design of Wireless Nanosensor Networks for Intrabody Application".

https://www.researchgate.net/publication/282476793_Design_of_Wireless_Nanosensor_Networks_for_Intrabody_Application. Suk Jin Lee y Changyong (Andrew) Jung (Julio 2.015)

"DNA-assembled advanced plasmonic architectures". <https://www.ncbi.nlm.nih.gov/labs/pmc/articles/PMC6546600/>

Na Liu y Tim Liedl (Enero 2.018)

"Electromagnetic wireless nanosensor networks". <https://www.sciencedirect.com/science/article/abs/pii/S1878778910000050>

Ian F. Akyildiz and Josep Miquel Jornet (Marzo 2.010)

"Recent Progress in Radio-Frequency Sensing Platforms with Graphene/Graphene Oxide for Wireless Health Care System". [https://www.researchgate.net/publication/349912462_Recent_Progress_in_Radio-](https://www.researchgate.net/publication/349912462_Recent_Progress_in_Radio-Frequency_Sensing_Platforms_with_GrapheneGraphene_Oxide_for_Wireless_Health_Care_System)

[Frequency_Sensing_Platforms_with_GrapheneGraphene_Oxide_for_Wireless_Health_Care_System](https://www.researchgate.net/publication/349912462_Recent_Progress_in_Radio-Frequency_Sensing_Platforms_with_GrapheneGraphene_Oxide_for_Wireless_Health_Care_System). Hee-Jo Lee (Marzo 2.021)

"Synthesis and Toxicity of Graphene Oxide Nanoparticles: A Literature Review of In Vitro and In Vivo Studies".

<https://www.hindawi.com/journals/bmri/2021/5518999/>. Asmaa Rhazouani, Halima Gamrani, Mounir El Achaby, Khalid Aziz, Lhoucine Gebrati, Md Sahab Uddin and Faissal AZIZ (2.021)

**DELGADO MARTIN
RICARDO - 79202099N**

Firmado digitalmente por
DELGADO MARTIN RICARDO -

79202099N

Fecha: 2022.01.13 18:10:51 +01'00'