



BERNE

FLAME RESISTANT

TM



FRSZ06

BERNE FR Hooded Sweatshirt

Fabric: 12 oz. 75% modacrylic 25% cotton flame resistant fleece

- Flame resistant brass front zipper • Two-needle stitched main seams
- Three-piece hood • Two front patch pockets • Flame resistant rib knit cuffs
- Relaxed fit • Meets the requirements of ASTM F1506, NFPA 70E, and OSHA 1910.269(l)(6)(iii)

FRSZ06NV
Navy

HRC2 EBT
21

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRHJ01

BERNE FR Hooded Jacket

Fabric: 10 oz. 88% cotton 12% nylon flame resistant duck

Liner: Heavyweight quilted FR twill

- Heavy-duty flame resistant brass zipper • Triple-needle stitched main seams
- Three-piece insulated hood • Deep bi-swing action back • Hidden flame resistant rib knit storm cuffs
- Two FR lined front patch pockets • Elastic waistband • Inside double pocket • Meets the requirements of ASTM F1506, NFPA 70E, NFPA 2112, and OSHA 1910.269(l)(6)(iii)

FRHJ01BD
Brown

FRHJ01ND
Navy

FRHJ01BK
Black

HRC3 ATPV NFPA
37 2112

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRSZ19

BERNE FR Hooded Sweatshirt

Fabric: 12 oz. 100% cotton flame resistant fleece

- Flame resistant brass front zipper • Two-needle stitched main seams
- Three-piece hood • Two front patch pockets • Flame resistant rib knit cuffs
- Relaxed fit • Meets the requirements of ASTM F1506, NFPA 70E, and OSHA 1910.269(l)(6)(iii)

FRSZ19NV
Navy

FRSZ19BK
Black

HRC2

EBT
23

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRSH10

BERNE FR Button Down Work Shirt

Fabric: 7 oz. 88% cotton 12% nylon flame resistant twill

- Button front • Adjustable button cuffs • Triple-needle stitched main seams
- Back yoke • Pockets with flaps and button closures • Pencil slot on left pocket
- Meets the requirements of ASTM F1506, NFPA 2112, NFPA 70E, and OSHA 1910.269(l)(6)(iii)

FRSH10NV
Navy

FRSH10KH
Khaki

HRC2

ATPV
9.8

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRSH21

BERNE FR Button Down Work Shirt

Fabric: 7 oz. 100% cotton flame resistant twill

- Button front • Adjustable button cuffs • Triple-needle stitched main seams
- Pockets with flaps and button closure • Pencil slot on left pocket • Meets the requirements of NFPA 2112, NFPA70E, ASTM F1506, and OSHA 1910.269(l)(6)(iii)



FRSH21NV
Navy

FRSH21KH
Khaki

FRSH21GN
Green

HRC2

ATPV
10.5

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRK11

BERNE FR Crew Neck T-Shirt

Fabric: 7.8 oz. 100% cotton flame resistant jersey

- Relaxed fit • Front left chest pocket • Rib knit collar and cuffs • Side seams to minimize twisting • Great layering piece for added protection • Meets the requirements of ASTM F1506, NFPA 70E, NFPA 2112, and OSHA 1910.269(l)(6)(iii)



FRK11NV
Navy

FRK11KH
Khaki

FRK11GY
Grey

HRC2 ATPV 18 NFPA 2112

HRC2

ATPV
8.9

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: L-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported



FRP07

BERNE FR 5-Pocket Jean

Fabric: 14 oz. cotton flame resistant washed denim

• Relaxed fit cut to go over most boots • Five pocket construction • Arc-resistant button front with flame resistant brass fly • Triple-needle stitched inseam and seat seam • Reinforced bartacks at all stress points • Meets the requirements of ASTM F1506, NFPA 70E, NFPA 2112, and OSHA 1910.269(l)(6)(iii)

FRP07SWD
Stone Wash Dark

HRC2

ATPV
22

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Inseam	Waist	* 1x upcharge
30:	30, 32, 34, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
32:	30, 32, 34, 35, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
34:	30, 32, 34, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
36:	34, 36, 38	

Imported



FRP14

BERNE FR Ripstop Cargo Pant

Fabric: 7.5 oz. 88% cotton 12% nylon flame resistant ripstop

• Relaxed fit • Articulated knees • Reinforced leg hem • Arc-resistant button front with flame resistant brass fly • Triple-needle stitched inseam and seat seam • Reinforced bartacks on all stress points • Meets the requirements of ASTM F1506, NFPA 70E and OSHA 1910.269 (l)(6)(iii)

FRP14NV
Navy

FRP14PTY
Putty

HRC2

ATPV
8.5

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Inseam	Waist	* 1x upcharge
30:	30, 32, 34, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
32:	30, 32, 34, 35, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
34:	30, 32, 34, 36, 38, 40, 42, 44*, 46*, 48*, 50*	
36:	34, 36	

Imported



FRC04

BERNE FR Unlined Deluxe Coverall

Fabric: 7 oz. 88% cotton 12% nylon flame resistant twill

• Two-way flame resistant brass front zipper • Two concealed snaps on lapel
• Two chest pockets with FR zippers • Two front swing pockets with side openings • Adjustable cuffs with concealed snaps • Pleated action back for extra comfort • Reinforced bartacks at all stress points • Double rule pocket on right leg • Hidden FR zipper on left hip pocket • Meets the requirements of ASTM F1506, NFPA 70E, NFPA 2112, and OSHA 1910.269(l)(6)(iii)

FRC04GY
Grey

FRC04NV
Navy

FRC04KH
Khaki

HRC2

ATPV
9.8

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Inseam:	Chest	*1x upcharge **2x upcharge
Short:	38, 40, 42, 44, 46, 48, 50, 52, 54, 56*, 58*, 60*, 62*, 66**, 70**	
Regular:	38, 40, 42, 44, 46, 48, 50, 52, 54, 56*, 58*, 60*, 62*, 66**, 70**	
Tall:	38, 40, 42, 44, 46, 48, 50, 52, 54, 56*, 58*, 60*, 62*, 66**, 70**	
X-Tall:	42, 46, 50, 54, 58*, 62*	

Imported



FRB05

BERNE FR Deluxe Bib Overall

Fabric: 10 oz. 88% cotton 12% nylon flame resistant duck

• Two-way flame resistant brass front zipper • Heavy-duty flame resistant brass leg zippers • Triple-needle stitched main seams • Adjustable flame resistant bib straps • "High-back" design for added warmth • Two chest pockets • Two reinforced hip pockets • Reinforced knees • Meets the requirements of ASTM F1506, NFPA 70E, NFPA 2112, and OSHA 1910.269(l)(6)(iii)

FRB05BD
Brown

FRB05ND
Navy

FRB05BK
Black

HRC3

ATPV
37

NFPA
2112

Due to the nature of the FR treatment process, color shades may vary

Short: M-2XL 3XL-4XL*
Regular: S-2XL 3XL-4XL* 5XL-6XL**
Tall: M-2XL 3XL-4XL*

*1x upcharge **2x upcharge
Imported